


Git hands-on 1

```
zaara@LAPTOP-IG6L24TE MINGW64 ~ (main)
$ git version
git version 2.46.0.windows.1

zaara@LAPTOP-IG6L24TE MINGW64 ~ (main)
$ git config --global --list
user.name=zaara005
```



```
$ echo "Welcome to the version control" >> welcome.txt
```

```
zaara@LAPTOP-IG6L24TE MINGW64 ~ (main)
$ cd GitDemo

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git init
Reinitialized existing Git repository in C:/Users/za
```

```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ ls -al
total 21
drwxr-xr-x 1 zaara 197609  0 Jul 15 13:08 ./
drwxr-xr-x 1 zaara 197609  0 Jul 15 13:57 ../
drwxr-xr-x 1 zaara 197609  0 Jul 15 13:07 .git/
-rw-r--r-- 1 zaara 197609 31 Jul 15 13:08 welcome.txt
```

```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ cat welcome.txt
Welcome to the version control
```

```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git status
On branch master
```

No commits yet

```
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        welcome.txt
```

nothing added to commit but untracked files present (use "git add" to track)

```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git add welcome.txt
warning: in the working copy of 'welcome.txt', LF will be replaced by CRLF the next time Git touches it
```

```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git commit
[master (root-commit) 52a3631] first time
 1 file changed, 1 insertion(+)
 create mode 100644 welcome.txt
```

```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git status
On branch master
nothing to commit, working tree clean
```

```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git remote set-url origin https://gitlab.com/dummy-group7873929/gitdemo.git
```

```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 242 bytes | 242.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: To create a merge request for master, visit:
remote:   https://gitlab.com/dummy-group7873929/gitdemo/-/merge_requests/new?merge_request%5Bsource_branch%5D=master
remote:
To https://gitlab.com/dummy-group7873929/gitdemo.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
```

Git hands-on 2

```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ touch error.log

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ echo "Sample log file" > error.log

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ mkdir log

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ echo "Log content" > log/log1.txt

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ notepad++ .gitignore

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git add .

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git commit -m "Added .gitignore file"
[master b01c1ae] Added .gitignore file
1 file changed, 5 insertions(+)
create mode 100644 .gitignore

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
```

Git hands-on 3

```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git branch GitNewBranch

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git branch -a
  GitNewBranch
* master
  remotes/origin/master

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git checkout GitNewBranch
Switched to branch 'GitNewBranch'

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitNewBranch)
$ git switch GitNewBranch
Already on 'GitNewBranch'

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitNewBranch)
$ echo "This is a new branch" > branch.txt

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitNewBranch)
$ ls
branch.txt  error.log  log/  welcome.txt

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitNewBranch)
$ git add .
warning: in the working copy of 'branch.txt', LF will be replaced by CRLF the next time Git touches it

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitNewBranch)
$ git commit -m "added branch.txt in new branch"
[GitNewBranch a408e46] added branch.txt in new branch
 1 file changed, 1 insertion(+)
 create mode 100644 branch.txt

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitNewBranch)
$ git status
On branch GitNewBranch
nothing to commit, working tree clean


zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitNewBranch)
$ git checkout master
Switched to branch 'master'
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git diff master GitNewBranch
diff --git a/branch.txt b/branch.txt
new file mode 100644
index 0000000..4e12dec
--- /dev/null
+++ b/branch.txt
@@ -0,0 +1 @@
+This is a new branch
```

```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git config --global diff.tool p4merge
git config --global difftool.p4merge.path "C:/Program Files/Perforce/p4merge.exe
git config --global merge.tool p4merge
git config --global mergetool.p4merge.path "C:/Program Files/Perforce/p4merge.ex

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git difftool master GitNewBranch

Viewing (1/1): 'branch.txt'
Launch 'p4merge' [Y/n]? Y
```



```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git merge GitNewBranch
Updating b01c1ae..a408e46
Fast-forward
 branch.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 branch.txt

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git log --oneline --graph --decorate
* a408e46 (HEAD -> master, GitNewBranch) added branch.txt in new branch
* b01c1ae Added .gitignore file
* 52a3631 (origin/master) first time

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was a408e46).

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git branch
* master

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 2 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
```

Git hands-on 4

```
MINGW64:/c/Users/zaara/GitDemo
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git checkout master
git status
Already on 'master'
Your branch is ahead of 'origin/master' by 2 commits.
(use "git push" to publish your local commits)
On branch master
Your branch is ahead of 'origin/master' by 2 commits.
(use "git push" to publish your local commits)

nothing to commit, working tree clean

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git checkout -b GitWork
Switched to a new branch 'GitWork'

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitWork)
$ echo "<message>Hello from GitWork</message>" > hello.xml

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitWork)
$ notepad++ hello.xml

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitWork)
$ git status
On branch GitWork
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    hello.xml

nothing added to commit but untracked files present (use "git add" to track)

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitWork)
$ git add hello.xml
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitWork)
$ git commit -m "Added hello.xml"
[GitWork 0cd908e] Added hello.xml
1 file changed, 1 insertion(+)
create mode 100644 hello.xml

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (GitWork)
$ git checkout master
Switched to branch 'master'
Your branch is ahead of 'origin/master' by 2 commits.
(use "git push" to publish your local commits)

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ echo "<message>Hello from Master Branch</message>" > hello.xml

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git add hello.xml
git commit -m "Added hello.xml in master"
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it
[master ed1d089] Added hello.xml in master
1 file changed, 1 insertion(+)
create mode 100644 hello.xml
```

```

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git log --oneline --graph --decorate --all
* ed1d089 (HEAD -> master) Added hello.xml in master
| * 0cd908e (GitWork) Added hello.xml
|/
* a408e46 added branch.txt in new branch
* b01c1ae Added .gitignore file
* 52a3631 (origin/master) first time


zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git diff master GitWork
diff --git a/hello.xml b/hello.xml
index e3bbec4..234c289 100644
--- a/hello.xml
+++ b/hello.xml
@@ -1,1 @@
-<message>Hello from Master Branch</message>
+<message>Hello from GitWork Branch</message>

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ ^C

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git difftool master GitWork

viewing (1/1): 'hello.xml'
Launch 'p4merge' [Y/n]? Y

```



```

MINGW64:/c/Users/zaara/GitDemo
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git merge GitWork
Auto-merging hello.xml
CONFLICT (add/add): Merge conflict in hello.xml
Automatic merge failed; fix conflicts and then commit the result.

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master|MERGING)
$ notepad++ hello.xml

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master|MERGING)
$ git add hello.xml

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master|MERGING)
$ git commit -m "Resolved merge conflict in hello.xml"
[master 9fbb23a] Resolved merge conflict in hello.xml

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 5 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ notepad++ .gitignore

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git add .gitignore

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git commit -m "Ignore backup files"
[master 26b4636] Ignore backup files
 1 file changed, 1 insertion(+)

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git branch
  GitWork
* master

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git branch -d GitWork
Deleted branch GitWork (was 0cd908e).

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git log --oneline --graph --decorate
* 26b4636 (HEAD -> master) Ignore backup files
*   9fbb23a Resolved merge conflict in hello.xml
|\
| * 0cd908e Added hello.xml
* | ed1d089 Added hello.xml in master
|/
* a408e46 added branch.txt in new branch
* b01c1ae Added .gitignore file
* 52a3631 (origin/master) first time

```


Git hands-on 5

```
zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git checkout master
Already on 'master'
Your branch is ahead of 'origin/master' by 6 commits.
  (use "git push" to publish your local commits)

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 6 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git branch -a
* master
  remotes/origin/master

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git remote -v
origin  https://gitlab.com/dummy-group7873929/gitdemo.git (fetch)
origin  https://gitlab.com/dummy-group7873929/gitdemo.git (push)

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git pull origin master
From https://gitlab.com/dummy-group7873929/gitdemo
 * branch                master      -> FETCH_HEAD
Already up to date.

zaara@LAPTOP-IG6L24TE MINGW64 ~/GitDemo (master)
$ git push origin master
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 8 threads
Compressing objects: 100% (15/15), done.
Writing objects: 100% (18/18), 1.66 KiB | 851.00 KiB/s, done.
Total 18 (delta 5), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: To create a merge request for master, visit:
remote:   https://gitlab.com/dummy-group7873929/gitdemo/-/merge_requests/new?merge_request%5D=master
remote:
To https://gitlab.com/dummy-group7873929/gitdemo.git
 52a3631..26b4636  master -> master
```

You pushed to master

2 minutes ago

Create merge request

Files

master gitdemo

Search files (*.vue, *.rb...)

gitdemo

+ Find file Code

.gitignore

branch.txt

hello.xml

welcome.txt

Ignore backup files

Zaara Yasmin authored 7 minutes ago

26b46367

History

Name	Last commit	Last update
.gitignore	Ignore backup files	7 minutes ago
branch.txt	added branch.txt in new branch	25 minutes ago
hello.xml	Resolved merge conflict in hello.xml	8 minutes ago
welcome.txt	first time	1 hour ago

master gitdemo

Commits

Search or filter results...

Jul 15, 2026

Ignore backup files

Zaara Yasmin authored 8 minutes ago

26b46367

Resolved merge conflict in hello.xml

Zaara Yasmin authored 9 minutes ago

9fbb23ab

Added hello.xml in master

Zaara Yasmin authored 13 minutes ago

ed1d089b

Added hello.xml

Zaara Yasmin authored 14 minutes ago

0cd908e6

added branch.txt in new branch

Zaara Yasmin authored 26 minutes ago

a408e463

Added .gitignore file

Zaara Yasmin authored 30 minutes ago

b01c1ae7

first time

Zaara Yasmin authored 1 hour ago

52a3631e