

AIM:

To develop a mobile application that enables the user to send an email through the app by entering the recipient's email address, subject, and message content using Android's built-in email capabilities.

ALGORITHM:

1. Open Android Studio and create a new project using Empty Views Activity
2. Design the user interface using:
 - a. EditText for recipient email
 - b. EditText for subject
 - c. EditText for message content
 - d. Button to send email
3. Assign unique IDs to all UI components in the XML file.
4. Open the main activity file
5. Link UI components using findViewById()
6. Create an Intent using Intent.ACTION_SEND.
7. Set the MIME type as "message/rfc822" to target email apps
8. Pass data using:
 - a. Intent.EXTRA_EMAIL
 - b. Intent.EXTRA_SUBJECT
 - c. Intent.EXTRA_TEXT
9. Use startActivity() with chooser to open available email apps.
10. Handle cases where no email app is installed.
11. Run the application and test functionality

CODE:**XML Layout (activity_main.xml)**

XML

```
package com.example.emailapp;
```

```
import android.content.Intent;
```

```
import android.net.Uri;
```

```
import android.os.Bundle;
```

```
import android.widget.Button;
```

```
import android.widget.EditText;

import android.widget.Toast;

import androidx.appcompat.app.AppCompatActivity;


public class MainActivity extends AppCompatActivity {

    EditText email, subject, message;

    Button sendBtn;


    @Override

    protected void onCreate(Bundle savedInstanceState) {

        super.onCreate(savedInstanceState);

        setContentView(R.layout.activity_main);


        email = findViewById(R.id.email);

        subject = findViewById(R.id.subject);

        message = findViewById(R.id.message);

        sendBtn = findViewById(R.id.sendBtn);


        sendBtn.setOnClickListener(v -> {

            String recipient = email.getText().toString().trim();

            String subj = subject.getText().toString().trim();

            String msg = message.getText().toString().trim();


            if (recipient.isEmpty() || subj.isEmpty() || msg.isEmpty()) {

                Toast.makeText(this, "Please fill all fields", Toast.LENGTH_SHORT).show();

                return;

            }


            // Create email intent

            Intent intent = new Intent(Intent.ACTION_SENDTO);
```

```

        intent.setData(Uri.parse("mailto:" + recipient));

        intent.putExtra(Intent.EXTRA_SUBJECT, subj);

        intent.putExtra(Intent.EXTRA_TEXT, msg);

        try {

            startActivity(Intent.createChooser(intent, "Send Email"));

        } catch (Exception e) {

            Toast.makeText(this, "No email app found", Toast.LENGTH_SHORT).show();

        }

    });

}

}

```

Java Code (MainActivity.java)

```

package com.example.experiment_12;

import android.content.Intent;

import android.os.Bundle;

import android.widget.Button;

import android.widget.EditText;

import android.widget.Toast;

import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    EditText email, subject, message;

    Button sendBtn;

    @Override

```

```
protected void onCreate(Bundle savedInstanceState) {

    super.onCreate(savedInstanceState);

    setContentView(R.layout.activity_main);


    email = findViewById(R.id.email);

    subject = findViewById(R.id.subject);

    message = findViewById(R.id.message);

    sendBtn = findViewById(R.id.sendBtn);


    sendBtn.setOnClickListener(v -> {

        String to = email.getText().toString().trim();

        String sub = subject.getText().toString().trim();

        String msg = message.getText().toString().trim();


        if (to.isEmpty() || sub.isEmpty() || msg.isEmpty()) {

            Toast.makeText(this, "Fill all fields", Toast.LENGTH_SHORT).show();

            return;

        }


        // Create email intent

        Intent intent = new Intent(Intent.ACTION_SEND);

        intent.setType("message/rfc822");

        intent.putExtra(Intent.EXTRA_EMAIL, new String[]{to});

        intent.putExtra(Intent.EXTRA_SUBJECT, sub);

        intent.putExtra(Intent.EXTRA_TEXT, msg);


        try {

            startActivity(Intent.createChooser(intent, "Choose Email App"));

        } catch (Exception e) {

            Toast.makeText(this, "No email app found", Toast.LENGTH_SHORT).show();

        }

    });

}
```

```
}  
});  
}  
}
```

OUTPUT:

test123@gmail.com

test

hello

Send Email

RESULT:

Result Thus, an Android application was successfully developed to send emails using Android's built-in email functionality by passing recipient address, subject, and message through an intent