

AIM:

To develop an Android application that changes the font and color of the text and displays a toast message when the user presses a button.

ALGORITHM:

1. Open Android Studio and create a new project using Empty Views Activi
2. Design the user interface using:
 - a. TextView to display text
 - b. Button to trigger changes
3. Assign IDs to the TextView and Button in the XML file.
4. Open the main activity file (Java/Kotlin).
5. Link UI components using findViewById() (XML)
6. Implement button click using setOnClickListener().
7. Change:
 - a. Text color using setTextColor()
 - b. Font size using setTextSize()
 - c. Font style using set Typeface()
8. Display a Toast message on button click
9. Run the application and verify output.
10. Run the application using an emulator or real device

CODE:**XML Layout (activity_main.xml)**

XML

```
package com.example.experiment10;
```

```
import android.graphics.Color;
```

```
import android.graphics.Typeface;
```

```
import android.os.Bundle;
```

```
import android.widget.Button;
```

```
import android.widget.TextView;
```

```
import android.widget.Toast;
```

```
import androidx.appcompat.app.AppCompatActivity;
```

```
public class MainActivity extends AppCompatActivity {

    TextView textView;

    Button changeBtn;

    @Override

    protected void onCreate(Bundle savedInstanceState) {

        super.onCreate(savedInstanceState);

        setContentView(R.layout.activity_main); // Ensure your XML file is named activity_main.xml

        textView = findViewById(R.id.textView);

        changeBtn = findViewById(R.id.changeBtn);

        changeBtn.setOnClickListener(v -> {

            // Change text color

            textView.setTextColor(Color.RED);

            // Change font size

            textView.setTextSize(30);

            // Change font style (bold italic here)

            textView.setTypeface(Typeface.DEFAULT_BOLD, Typeface.ITALIC);

            // Show toast message

            Toast.makeText(MainActivity.this, "Style Changed!", Toast.LENGTH_SHORT).show();

        });

    }

}
```

Java Code (MainActivity.java)

```
package com.example.experiment_10;

import android.graphics.Color;
import android.graphics.Typeface;
import android.os.Bundle;
import android.widget.Button;
import android.widget.TextView;
import android.widget.Toast;
import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    TextView textView;

    Button button;

    boolean changed = false;

    @Override

    protected void onCreate(Bundle savedInstanceState) {

        super.onCreate(savedInstanceState);

        setContentView(R.layout.activity_main);

        textView = findViewById(R.id.textView);
        button = findViewById(R.id.changeBtn);

        button.setOnClickListener(v -> {

            if (!changed) {

                // Apply new style

                textView.setTextColor(Color.RED);



                textView.setTextSize(30);

                textView.setTypeface(null, Typeface.BOLD);
```

```
        Toast.makeText(this, "Style Changed!", Toast.LENGTH_SHORT).show();
    } else {
        // Reset to original style
        textView.setTextColor(Color.BLACK);
        textView.setTextSize(20);
        textView.setTypeface(null, Typeface.NORMAL);
        Toast.makeText(this, "Style Reset!", Toast.LENGTH_SHORT).show();
    }

    changed = !changed; // Toggle state
});
}
}
```

OUTPUT:



RESULT:

Thus, an Android application was successfully developed to change the font style and color of the text and display a toast message on button click.