

# Generative Paper 13 — Vector Point & Projected History: Architecture of Quantum Projection Geometry

---

## Author Information

Author: Mortaza Zabihi

Affiliation: Independent Researcher

Email: m.zabihi.research@gmail.com

Date: August 2026

Version: 1.0

Preprint — first posted on Zenodo, DOI: <https://doi.org/10.5281/zenodo.21895546>

© 2026 Mortaza Zabihi. Distributed under Creative Commons Attribution (CC BY 4.0) License.

## Abstract

Within the Generative Constraint Framework, projection establishes a descriptive level at which organizational realization becomes explicitly representable without reducing it to conventional physical geometry. Quantum Projection Space (QYZ) provides this projected organizational geometry, but its architecture requires a primitive capable of identifying a localized realization. The Vector Point (VP) is introduced in this role: not as a particle, state, trajectory, or abstract mathematical point, but as the elementary projected realization carrying locality, direction, and constraint information. This paper establishes the architectural status of the Vector Point, its operational relation to generative execution, and the persistence of executed realizations as Projected History. It further identifies the Active Vector Point as the current realization at the boundary between executed history and executable continuation. The resulting structure provides the architectural basis for later state-level reconstruction without identifying realization with representation.

**Keywords:** Generative Constraint; Generative Constraint Framework; Quantum Projection Space; Quantum Projection Geometry; Generative Architecture; Generative Framework;

## 1. From Organizational Geometry to Projected Realization

### 1.1 Projection as a Change of Descriptive Level

The Generative Constraint Framework does not begin with independently assumed physical objects or conventional physical geometry. Constraints generate organizational conditions, and recursive organization produces realizations through which those conditions become structurally

manifest. Geometry emerges as a descriptive structure of this organization rather than serving as its primitive foundation.

Projection introduces a further descriptive transition. It does not create a new organization or alter the underlying generative relations; instead, it preserves selected organizational information in a form through which realization can be explicitly represented. The architectural direction is therefore:

$$\begin{aligned} &\text{Constraint} \rightarrow \text{Organization} \rightarrow \text{Geometry} \\ &\rightarrow \text{Projection} \rightarrow \text{Projected Representation} \end{aligned}$$

The projected representation must consequently retain enough structural information to identify realizations while no longer reproducing the complete generative architecture from which they arise.

## 1.2 QYZ as Projected Organizational Geometry

QYZ is established as the projected geometry in which organizational information relevant to projected realization becomes explicit. It should therefore not initially be interpreted as conventional physical space or as a mathematical state space. Its role is architectural: it provides the representational geometry within which projected realizations can acquire identifiable locality and direction while remaining connected to the organizational constraints from which they arise.

The transition can be stated as:

$$\text{Organizational Geometry} \rightarrow \text{Projection} \rightarrow \text{QYZ}$$

Within this projected geometry, a primitive is required to identify the elementary unit of realization. This primitive cannot simply be a coordinate location, because realization carries structural information beyond position alone. The Vector Point is introduced to fulfill precisely this role.

## 1.3 The Need for a Projected Realization Primitive

Projection makes organizational realization representable, but representation requires an identifiable unit through which a realization can be distinguished within the projected geometry. A purely geometric point would provide location without expressing the directional and constraint-related information carried by the projected realization. Conversely, introducing a higher-level state object at this stage would prematurely mix realization with its later abstraction.

The architectural requirement is therefore:

$$\text{Projected Geometry} \rightarrow \text{Projected Realization Primitive}$$

The Vector Point occupies this position. It is the smallest projected realization that remains structurally identifiable within QYZ. Its definition is consequently prior to any state-level interpretation: the VP must first be established as an architectural realization object before any later abstraction can be constructed over it.

## 2. Vector Point as the Primitive of QYZ

### 2.1 Definition of the Vector Point

The Vector Point is the elementary projected realization defined within QYZ. It is the smallest unit through which a projected organizational realization remains structurally identifiable after projection. Its definition is therefore architectural rather than imported from conventional physics: the VP is not a particle, trajectory, state, or abstract mathematical point.

The VP combines localized realization with the structural information preserved by projection. Its role can be stated as:

$$\text{QYZ} \rightarrow \text{Vector Point} \rightarrow \text{Projected Realization}$$

This establishes the VP as a realization-level primitive of the projected architecture. It is the object through which a projected realization can be distinguished and subsequently related to other realizations without requiring the introduction of an independent physical ontology.

### 2.2 Locality

Locality identifies where a particular projected realization is situated within QYZ. This locality should not be equated with position in conventional physical space. It is a property of the projected representation that distinguishes one realization from another within the organizational geometry.

The locality of a VP therefore provides an identifiable reference for realization while remaining dependent on the projected structure in which the VP is defined. It does not by itself specify the complete organizational condition of the realization, nor does it determine its subsequent continuation.

Thus, locality provides identification, not a complete description:

$$\text{Locality} \rightarrow \text{Identification of Projected Realization}$$

A Vector Point is consequently more than an undifferentiated coordinate, while its locality remains only one component of its architectural definition.

### 2.3 Direction

The second essential property of the Vector Point is direction. Direction distinguishes the orientation of the projected realization within QYZ and preserves information that cannot be represented by locality alone.

Direction is therefore not an additional physical force or dynamical variable. It is structural information associated with the projected realization and its organization within the projected geometry. The combination of locality and direction allows a VP to represent a directed realization rather than merely a geometric location.

The architectural distinction is:

Locality + Direction → Identifiable Directed Realization

Direction must nevertheless be understood together with the organizational context that gives the realization its structural meaning. It is not sufficient by itself to determine the complete behavior or continuation of the VP.

## 2.4 Constraint Information

The Vector Point also carries constraint information associated with the organizational conditions from which its realization emerges. Projection does not erase the structural conditions relevant to identifying the realization; rather, those conditions remain represented at the projected level in a form associated with the VP.

Constraint information therefore connects the projected realization to the architecture that generated it:

Constraints → Organization → Projection → VP

This relation prevents the VP from being interpreted as a purely geometric point. Its locality and direction identify aspects of the realization, while constraint information preserves its connection to the organizational structure.

The constraint information carried by a VP should not, however, be interpreted as a complete encoding of the underlying generative architecture. Projection is selective. The VP preserves relevant structural information without necessarily exposing every relation present at the generative level.

## 2.5 VP as Realization Rather Than State

The Vector Point must finally be distinguished from any higher-level representation of the condition of a system. The VP is the projected realization itself at the architectural level established by QYZ. It is therefore not a state description imposed upon that realization.

The distinction is:

Vector Point → Realization

rather than:

Vector Point → State Representation

This boundary is important because the VP participates directly in the operational architecture of realization. It can occupy different execution statuses and can become part of Projected History as execution proceeds. These properties belong to realization and are not automatically properties of any later state-level abstraction.

The Vector Point is therefore established here as a **projected realization primitive**: localized, directed, constraint-bearing, and embedded in the organizational execution architecture. Its relation to subsequent realizations, execution status, and persistent history can now be defined without introducing concepts that belong to higher descriptive levels.

### 3. Operational Status of the Vector Point

#### 3.1 Executable VP

A Vector Point first enters the execution architecture as an executable realization. An executable VP is not yet an executed element of projected history; it represents a realization that is structurally available for the next stage of organizational continuation.

Its executability is determined by the organizational relations governing the projected architecture rather than by an independent probabilistic selection. The distinction is therefore operational:

Executable VP → Available for Generative Execution

At this stage, the VP belongs to the set of realizations that can participate in continuation. Executability does not imply that the realization has already occurred, nor does it imply that every geometrically representable VP is necessarily executable. The status depends on the admissibility conditions established by the underlying organization.

#### 3.2 Executing VP

When an executable realization enters active execution, the corresponding Vector Point acquires the status of an executing VP. This identifies the realization currently participating in the generative continuation.

The transition is:

Executable → Executing

The executing status distinguishes the current operational realization from both realizations that remain available for execution and realizations that have already been completed. It therefore introduces temporal ordering only as an operational relation within generative execution, not as an independently assumed physical time coordinate.

The executing VP is consequently the realization through which the organizational process is currently being enacted at the projected level.

#### 3.3 Executed VP

Once execution of a Vector Point is completed, the VP becomes an executed realization. Its status changes from participation in current execution to membership in realized organizational history.

The transition is:

Executing → Executed

An executed VP is therefore not removed from the architecture when execution ends. Its realization remains structurally relevant because subsequent realizations arise within the organizational context established by what has already been executed.

This persistence provides the basis for Projected History. The executed VP is consequently the elementary realized element from which a persistent history of projected realization can be formed.

### 3.4 Active Vector Point

The Active Vector Point identifies the Vector Point currently occupying the active position within the projected execution architecture. Its defining property is therefore not merely that it exists in QYZ, but that it currently participates in generative continuation.

The operational relation can be represented as:

Executed History → Active VP → Executable Continuation

The Active VP consequently forms a boundary between what has already been realized and what remains available for continuation. It is not a separate geometric primitive alongside the VP; rather, it is a status of the Vector Point determined by its operational position within the execution process.

This distinction is important because the active status belongs to realization. It does not transform the VP into a higher-level representation or alter its architectural identity.

### 3.5 VP and Generative Continuation

The operational status of a Vector Point is meaningful only within the continuation relations of the organization. An active realization is therefore not an isolated geometric event but a participant in a sequence of structurally related realizations.

Where the relevant organizational relations remain available, continuation can be determinate:

$VP_t \rightarrow VP_{t+1}$

This relation does not constitute a probabilistic transition rule. It expresses the continuation of projected realization according to the organizational structure governing the execution.

The operational sequence can consequently be summarized as:

Executable VP → Executing VP → Executed VP → Projected History

with the **Active VP** identifying the realization currently situated at the execution boundary.

The distinction established here is foundational for the next section: once executed realizations persist rather than disappear, their ordered organization must itself become an architectural object. That persistent organization is Projected History.

## **4. From Vector Point to Projected History**

### **4.1 Realization Continuity**

A Vector Point acquires its full architectural meaning not as an isolated projected element, but through its relation to preceding and succeeding realizations. When execution proceeds, successive VP realizations are structurally connected through the organizational continuation that produces them.

The resulting relation can be expressed as:

$$VP_t \rightarrow VP_{t+1} \rightarrow VP_{t+2} \rightarrow \dots$$

This sequence does not introduce an independently assumed physical time dimension. The ordering expresses continuity of generative realization: one projected realization provides the organizational context from which subsequent realization proceeds.

Projected realization is therefore inherently persistent across execution. The completion of one VP does not terminate its architectural relevance; it becomes part of the structure through which later realizations are understood.

### **4.2 Persistence of Executed Realization**

When a VP becomes executed, its status changes from current participation in execution to realized membership within the organizational structure. The executed realization is not discarded merely because execution has advanced.

The operational transition is:

$$\text{Executing} \rightarrow \text{Executed} \rightarrow \text{Persistent Projected Realization}$$

This persistence is necessary for continuity. Without preservation of executed realizations, the architecture would contain only the current VP and would lack the structural information required to distinguish how that realization was reached or how subsequent realizations relate to what has already occurred.

Persistence here does not imply that an executed VP remains active. It means that its realized structural information remains available within the projected architecture.

### 4.3 Projected History

Projected History is the persistent organization of executed Vector Point realizations. It is not merely a chronological list of VP coordinates and not an independent geometric space. Its role is to preserve the structural continuity of projected realization.

The architectural relation is:

$$\text{Executed VP}_0, \text{Executed VP}_1, \text{Executed VP}_2, \dots \rightarrow \text{Projected History}$$

Projected History therefore contains the realized organizational sequence as an architectural context. It preserves relations among successive realizations rather than merely recording their existence.

The history is consequently part of the projected architecture itself. It provides the context within which a current Active VP can be identified as the continuation of an already established realization structure.

### 4.4 History as Organizational Context

Projected History provides information that cannot be obtained from the current Vector Point in isolation. A current VP may identify locality, direction, and constraint information, but its position within the organizational continuation depends on the realized structure that precedes it.

Thus:

$$\text{Current VP} + \text{Projected History} \rightarrow \text{Contextualized Realization}$$

Projected History should not, however, be interpreted as an additional physical substance or as a conventional temporal record. Its function is structural: it preserves the organizational relations required to understand the continuity of projected realization.

This distinction is essential because the history does not merely describe what happened. It remains an architectural component of the condition under which subsequent realization is defined.

### 4.5 Current Realization Within History

The Active Vector Point occupies the current position relative to Projected History. Previous executed VP realizations belong to the persistent history, while the Active VP represents the realization currently participating in execution.

The resulting arrangement is:

$$\text{Projected History} \rightarrow \text{Active VP} \rightarrow \text{Executable Continuation}$$



The Active VP therefore cannot be understood independently of the history in which it is embedded. At the same time, Projected History does not replace the current realization. The two occupy distinct operational positions within the same projected organization.

This establishes the fundamental architecture of continuity:

Executed Realizations → Projected History  
→ Active Realization → Executable Continuation

Projected History is consequently the persistent organizational context of projected realization, while the Active Vector Point identifies the current realization at the boundary between realized organization and continued execution.

## **5. Active Vector Point and the Boundary of Execution**

### **5.1 Active Realization**

The Active Vector Point identifies the projected realization currently participating in generative execution. Its active status is therefore defined by operational position rather than by geometric identity. A VP remains the same projected realization primitive whether it is executable, executing, or executed; the active designation specifies its current relation to the execution process.

The architectural arrangement is:

Projected History → Active VP → Executable Continuation

The Active VP consequently occupies the transition point between persistent realized organization and the next admissible stage of realization. It is the current realization through which organizational continuation is being enacted.

### **5.2 Executed History and Executable Continuation**

The Active VP is defined relative to two distinct sides of the execution boundary. Behind it lies the executed organization preserved through Projected History; ahead of it lies the set of realizations that remain available to the generative continuation.

The structure can therefore be stated as:

Executed History ← Active VP → Executable Continuation

The arrows here indicate architectural adjacency and continuation rather than independent temporal objects. The Active VP is not detached from either side. Its current status depends simultaneously on the realization that has already been established and on the organizational conditions governing what can follow.

This relation makes the Active VP a boundary object within the execution architecture, without requiring it to be a new primitive distinct from the Vector Point.

### 5.3 The Active VP as the Architectural Boundary

The boundary represented by the Active VP is not a physical surface or geometric boundary. It is an operational distinction between realized and executable organization.

The relevant transition is:

$$\text{Executed} \rightarrow \text{Active} \rightarrow \text{Executable}$$

More precisely, the Active VP is the current realization through which the transition between these organizational conditions is maintained. It therefore provides the architectural reference for determining which realization is currently being executed while preserving the distinction between what has already been realized and what has not.

This boundary is essential for maintaining continuity without conflating realized history with future executability.

### 5.4 Determinate Continuation

Where the relevant organizational relations remain explicitly available, the continuation from an Active VP can be determined by the architecture itself. The next realization is therefore not introduced through an arbitrary selection among independently existing possibilities.

The continuation can be represented as:

$$\text{VP}_t \rightarrow \text{VP}_{t+1}$$

The relation expresses structural continuation under the organizational conditions governing the projected realization. It does not by itself introduce probability or indeterminacy.

This distinction must remain precise. A representation may later fail to expose the information required to determine the next realization directly, but such representational limitation does not imply that the underlying organizational continuation was itself indeterminate.

### 5.5 VP-to-VP Continuation

The relation between successive Vector Points is therefore an architectural relation of continuation. The existence of  $\text{VP}_{t+1}$  is understood relative to the organization in which  $\text{VP}_t$  participates, rather than as the appearance of an unrelated geometric point.

The sequence:

$$\text{VP}_t \rightarrow \text{VP}_{t+1} \rightarrow \text{VP}_{t+2}$$

represents a persistent generative continuation in projected form. Each realization becomes part of Projected History once execution is completed, while the currently executing realization occupies the Active VP position.

The resulting cycle of operational organization is:

Projected History → Active VP → Continuation → Projected History

This does not mean that history itself executes. Rather, each completed realization extends the persistent history, thereby updating the organizational context from which the next active realization is defined.

The Active Vector Point is consequently best understood as the **current realization at the execution boundary**: neither merely an isolated geometric point nor a higher-level representation, but the operationally active element of the projected realization architecture.

## 6. Organizational Determinacy and Representational Reduction

### 6.1 Complete Organizational Information

The continuation of an Active Vector Point is determined by the organizational relations available to the projected architecture. When these relations remain explicitly represented, the architecture contains the structural information required to identify how the current realization continues.

The relation is therefore:

Organizational Relations → Active VP → Determinate Continuation

In this condition, multiple Vector Points within the projected geometry do not necessarily represent competing alternatives. They may instead constitute distinct realizations whose relations are already fixed by the organization. Multiplicity at the projected level therefore does not by itself imply indeterminacy.

### 6.2 Determinate Continuation

A determinate continuation means that, given the relevant organizational conditions and the current realization, the architecture specifies the admissible next realization.

Thus:

$VP_t \rightarrow VP_{t+1}$

is an architectural continuation relation rather than a probability rule. The distinction is important because the projected geometry can contain several realizations while the organizational relations still determine their ordering, connectivity, or continuation.

Determinacy here refers to the organization itself. It does not require that every observer or every representation have direct access to all information necessary to reconstruct that determinacy.

### **6.3 Reduced Projection**

Projection may preserve only selected organizational information. A reduced representation can therefore remain structurally meaningful while no longer exposing the complete relations that determine continuation.

The resulting distinction is:

Complete Organizational Structure → Reduced Representation

The reduction does not necessarily modify the underlying organization. It changes the amount of organizational information explicitly available at the representational level.

Consequently, a representation may contain several admissible realizations without exposing the relations required to determine which continuation follows from a particular current realization.

### **6.4 Loss of Explicit Relational Information**

When relevant relational information is not explicitly available, the continuation may become indeterminate from the perspective of the representation. This is a limitation of representational access rather than necessarily a property of the underlying organization.

The architectural condition can therefore be expressed as:

Incomplete Relational Information → Multiple Admissible Continuations

The term “admissible” is important. These continuations are not necessarily simultaneously realized physical alternatives. They are realizations that remain compatible with the information available in the reduced representation.

This distinction prevents representational ambiguity from being interpreted prematurely as physical indeterminacy.

### **6.5 Organizational Determinacy vs. Representational Determinability**

The central distinction of this section is therefore:

Organizational Determinacy  $\neq$  Representational Determinability

An organizational structure may determine a unique continuation while a reduced representation fails to provide enough information to identify it. Conversely, a representation may distinguish several possibilities without those possibilities corresponding to independently active physical realizations.

This distinction establishes an important architectural boundary. The projected architecture can remain determinate at the realization level even when a higher-level representation contains unresolved alternatives.

The consequence is methodological rather than yet quantum-mechanical: before interpreting representational multiplicity as a property of a state, one must first determine whether the underlying organizational relations are fully represented. This boundary will later become important when constructing state-level abstractions, but no state formalism is introduced here.

## **7. Vector Point, Projected History, and Representation**

### **7.1 Realization vs. Representation**

The Vector Point and Projected History belong to the architecture of projected realization. They identify and preserve organizational realization at the projected level rather than providing an abstract description of a system independent of that realization.

The distinction is therefore:

Projected Architecture → Realization

rather than:

Projected Architecture → State Representation

A Vector Point identifies a localized and directed realization, while Projected History preserves the organizational continuity of such realizations. Neither should be interpreted as a higher-level representation merely because it contains structured information.

This distinction establishes a necessary architectural boundary: the existence of a structured realization does not imply that the realization itself is already a representation at the level of a physical theory's state description.

### **7.2 Why VP Is Not a Quantum State**

The Vector Point is not a Quantum State because its identity is defined by its position within the projected realization architecture. It carries locality, direction, and constraint information and participates directly in execution and Projected History.

A state-level representation, by contrast, would describe the condition of a represented system at a different descriptive level. Such a representation cannot be identified with the operational realization simply by assigning it a different name.

The architectural distinction is therefore:

Vector Point → Projected Realization

## Quantum State → State – Level Representation

The first relation is established by the present architecture. The second belongs to a later interpretive and reconstructive layer. No mathematical properties of a Quantum State are assumed here.

### 7.3 Why Projected History Is Not a State Space

Projected History is likewise not a state space. Its function is to preserve the organizational continuity of executed realizations and to provide context for the current Active VP.

It therefore represents persistent realized organization rather than an abstract domain of possible states.

The distinction is:

Projected History → Persistent Realized Organization

rather than:

Projected History → State Space

Projected History can contain a sequence or organization of multiple realizations, but this does not make it a collection of quantum states. Its structure is determined by generative continuity and execution history, not by the mathematical requirements of a state space.

### 7.4 Architectural Information Preserved by Projection

Projection necessarily changes the amount and form of information available from the underlying organization. QYZ preserves information sufficient to identify projected realizations, including locality, direction, and relevant constraint information, while not necessarily exposing every relation present in the complete generative architecture.

The architectural relation is therefore:

Generative Organization → Selective Projection → Projected Information

The word “selective” is important. Projection is not assumed to be a complete copy of the organizational structure. What remains explicit at the projected level is determined by the architecture of projection itself.

This explains how a projected realization can remain well-defined while some aspects of its underlying organizational continuation are no longer directly recoverable from the projected representation alone.

## 7.5 Boundary to Higher-Level Abstraction

The structures established in this paper provide the realization-level foundation for later abstraction. The Vector Point supplies the elementary projected realization; Projected History supplies persistent organizational context; and the Active VP identifies the current realization at the execution boundary.

The resulting architectural progression is:

Vector Point → Projected History → Active VP → Higher – Level Abstraction

The final transition is deliberately left open. No specific state object, mathematical representation, or quantum-mechanical formalism is introduced here.

The boundary established by this section is therefore:

Realization  $\neq$  Representation

The Vector Point and Projected History belong to the realization architecture. Any subsequent state-level concept must be constructed above them while preserving their architectural roles rather than replacing them with equivalent labels.

This separation is necessary for later reconstruction because it prevents properties belonging to the representation level—such as transformation rules, collective representation, or measurement formalism—from being assigned prematurely to the Vector Point or Projected History themselves.

## 8. Architectural Relations and Invariants

### 8.1 VP–History Relation

The Vector Point and Projected History form a persistent architectural relation. A VP represents an individual projected realization, while Projected History preserves the organization of realizations that have already been executed.

The relation can be stated as:

Executed VP → Projected History

Once incorporated into history, the realization remains structurally available as part of the context for subsequent execution. Projected History therefore cannot be reduced to a collection of independent VP elements; its architectural role includes the relations through which successive realizations acquire continuity.

The invariant is persistence of realized organization: execution changes the status of a VP, but does not erase its realized structural contribution.

## 8.2 Active VP–History Relation

The Active Vector Point is defined relative to Projected History. It identifies the realization currently occupying the active execution position while previous realizations remain preserved within history.

The relation is:

$$\text{Projected History} \rightarrow \text{Active VP} \rightarrow \text{Executable Continuation}$$

The Active VP is therefore not independent of history. Its architectural identity as the current realization depends on the distinction between what has already been executed and what remains executable.

The corresponding invariant is the separation between persistent realized organization and current active realization. History preserves the realized context; the Active VP identifies the current execution boundary.

## 8.3 Continuation Relation

Successive Vector Points are connected through an architectural continuation relation. Where the relevant organizational conditions are available, the continuation from one VP to the next is determined by the organization.

The basic relation is:

$$\text{VP}_t \rightarrow \text{VP}_{t+1}$$

This relation expresses continuity of generative realization rather than an independently introduced probabilistic transition. Each completed realization contributes to Projected History, while the next active realization emerges within the organizational conditions established by the preceding structure.

The invariant is therefore continuity: successive projected realizations remain related through the organizational process rather than appearing as disconnected geometric objects.

## 8.4 Persistence of Projected Realization

The persistence of a completed VP is a central architectural condition. Execution changes a VP from an active realization into an executed realization, but its structural contribution remains available through Projected History.

The operational progression is:

$$\text{Executable} \rightarrow \text{Executing} \rightarrow \text{Executed} \rightarrow \text{Projected History}$$



Persistence does not mean that the executed VP remains operationally active. It means that the information associated with its realized organization remains part of the context governing subsequent realization.

This provides a distinction between **operational status** and **architectural persistence**. A VP can cease to be active without ceasing to be structurally relevant.

## 8.5 Architectural Invariants and Failure Boundaries

The principal invariants established by the architecture can be summarized as follows:

### 1. Realization Invariant

The Vector Point remains a projected realization primitive and is not reclassified as a higher-level state representation.

### 2. Persistence Invariant

Executed realizations remain structurally represented through Projected History.

### 3. Continuation Invariant

Successive realizations remain connected through organizational continuation.

### 4. Active-Boundary Invariant

The Active VP identifies the current realization at the boundary between executed history and executable continuation.

### 5. Representation Boundary

Projected realization is not identified with a higher-level state representation.

These invariants also establish failure boundaries. The architecture would be mischaracterized if VP multiplicity were automatically interpreted as probabilistic multiplicity, if Projected History were identified with a state space, or if the Active VP were treated as a measurement outcome.

The present architecture therefore establishes a controlled realization layer:

Vector Point → Projected History → Active Vector Point

without importing mathematical structures that belong to subsequent reconstruction. This boundary is what allows the next interpretive layer to build upon a defined realization architecture rather than treating its primitives as unexplained assumptions.

## 9. Conclusion

The architecture established in this paper defines the Vector Point as the elementary projected realization within QYZ and Projected History as the persistent organizational context of executed realizations. The VP is not a particle, state, trajectory, or abstract mathematical point; it is a localized, directed, constraint-bearing realization produced through projection of organizational structure.

The operational architecture further distinguishes executable, executing, and executed VP states, with the Active Vector Point identifying the current realization at the boundary between persistent realized organization and executable continuation. The resulting relation is:

$$\text{Projected History} \rightarrow \text{Active VP} \rightarrow \text{Executable Continuation}$$

Projected History preserves the structural contribution of completed realizations without becoming an independent physical space or state space. Its role is to maintain continuity and organizational context across successive projected realizations.

The central architectural chain is therefore:

$$\begin{aligned} &\text{Organization} \rightarrow \text{Geometry} \rightarrow \text{Projection} \rightarrow \text{QYZ} \\ &\rightarrow \text{Vector Point} \rightarrow \text{Projected History} \rightarrow \text{Active Vector Point} \end{aligned}$$

This chain establishes the realization layer required for subsequent reconstruction. It also establishes the boundary between organizational determinacy and representational determinability: incomplete access to organizational relations does not by itself imply indeterminacy in the underlying realization.

The principal architectural result is consequently the separation between realization and higher-level representation. The Vector Point and Projected History are structures of projected realization; they are not themselves Quantum State, Hilbert Space, superposition, probability, or measurement formalism. Any such correspondence must be established through a subsequent abstraction and reconstruction rather than assumed at this layer.

The framework established here therefore provides a controlled architectural foundation for the next stage. With Vector Point, Projected History, and Active Vector Point explicitly defined, later reconstruction can investigate state-level representation without redefining the realization architecture on which that representation depends.

## Acknowledgments

The author gratefully acknowledges the colleagues whose discussions, questions, and constructive critiques contributed to improving the clarity and consistency of this theoretical framework.

This research was conducted independently and without institutional affiliation or external financial support.

Artificial intelligence tools were used exclusively for technical assistance, including language refinement, structural consistency checks, formatting, and equation verification. All conceptual development, theoretical formulations, mathematical constructions, scientific conclusions, and the overall research direction presented in this work are original contributions of the author.

This paper represents one step within the ongoing development of the **Generative Framework**. Subsequent papers will progressively extend the concepts introduced here into a unified theoretical structure.