

Generative Paper 8: Photon Dynamics Through Cyclic Reconstruction

Author Information

Author: Mortaza Zabihi

Affiliation: Independent Researcher

Email: m.zabihi.research@gmail.com

Date: August 2026

Version: 1.0

Preprint — first posted on Zenodo, DOI: <https://doi.org/10.5281/zenodo.21757648>

Abstract

This paper extends the ψ - θ - χ framework from persistent cyclic organization to the emergence of the first propagating organizational structure: the photon.

The previous paper demonstrated that recursively reconstructed elementary interactions can produce a stable cyclic organization whose identity persists despite the continual replacement of its elementary components. Although this result establishes organizational persistence, it does not explain how such a persistent cycle can propagate while preserving its organizational identity.

The central result is that propagation cannot be introduced as an external translation imposed upon an already existing cycle. Instead, propagation itself emerges through **successive cyclic reconstruction**. Each completed reconstruction initiates the next elementary cycle in a continuously advancing organizational trajectory. The cycle therefore does not travel as a rigid object. Rather, its identity is preserved through the uninterrupted reconstruction of successive elementary interactions.

The persistence of the photon does not arise from permanent elementary components but from the invariance of its reconstruction dynamics throughout propagation.

The scope of the present paper is intentionally limited to the dynamics of a single propagating photon. No assumptions are introduced regarding collective propagation, interactions among multiple photons, or electromagnetic organization. Those organizational phenomena require additional principles governing relationships among multiple propagating structures and constitute the subject of the subsequent paper.

Keywords: Photon; Generative Architecture; Generative Framework;

© 2026 Mortaza Zabihi. Distributed under Creative Commons Attribution (CC BY 4.0) License.

1. Introduction

The first paper of the ψ - θ - χ framework established the elementary organizational interaction between the continuous organizational fields ψ and θ through the transient appearance of the discrete organizational bridge χ . The second paper demonstrated that successive elementary interactions may become recursively organized into a persistent cyclic process whose identity survives despite the continual replacement of its elementary interactions.

These two organizational levels establish the existence of stable organization.

They do not, however, explain motion.

A persistent cyclic organization may remain organizationally stable while remaining completely stationary.

Persistence alone therefore does not imply propagation.

This distinction introduces the next fundamental organizational problem within the framework.

How can a persistent cyclic organization propagate while continuously preserving its organizational identity?

The present paper addresses this question.

The objective is not to introduce new elementary components.

The elementary ψ - θ - χ interaction remains exactly as established previously.

Likewise, the cyclic organization introduced in the preceding paper remains unchanged.

The only new problem concerns the organizational relationship between persistence and propagation.

A natural but incorrect interpretation would be to imagine the cyclic organization as a fixed object that simply translates through an external organizational space.

Such an interpretation is incompatible with the principles established throughout the framework.

The photon possesses no permanent elementary constituents capable of undergoing rigid translation.

Every elementary interaction remains transient.

Every χ continues to appear only temporarily before disappearing.

Consequently, propagation cannot consist of transporting a persistent object.

Instead, propagation must itself emerge as an organizational process.

The central hypothesis of this paper is therefore that propagation results from the **successive cyclic reconstruction** of the persistent organization.

Rather than moving an already existing cycle, each completed cycle reconstructs the next stage of the same organizational identity, producing a continuously advancing organizational trajectory.

The photon is therefore understood not as an object that moves, but as an organizational process that continually reconstructs itself while advancing.

Throughout this paper, organization remains fundamental while geometry is intentionally excluded.

No assumptions are introduced regarding physical distance, spacetime trajectories, wave equations, or electromagnetic fields.

The analysis concerns only the organizational dynamics required for one persistent cyclic organization to become a stable propagating process.

The remainder of the paper develops this transition systematically. Section 2 identifies the organizational problem of propagation and explains why persistence alone is insufficient. Section 3 introduces successive cyclic reconstruction as the mechanism of propagation. Section 4 demonstrates how organizational identity is preserved throughout propagation. Section 5 formulates the hybrid dynamics of the propagating photon. Section 6 presents a minimal organizational representation of photon dynamics. Finally, Section 7 discusses the scope of the present formulation and its role as the foundation for the subsequent study of collective electromagnetic organization.

2. The Organizational Problem of Propagation

The previous paper established that recursive cyclic reconstruction produces the first persistent organizational process within the $\psi-\theta-\chi$ framework.

The present paper assumes the existence of a propagating organizational process and addresses a different question: how organizational identity is preserved throughout propagation.

Persistence, however, does not imply propagation.

A cyclic organization may continuously reconstruct itself while remaining organizationally localized.

The existence of a stable cycle therefore leaves an essential organizational question unanswered:

How can cyclic organization become a propagating process without losing its organizational identity?

This question cannot be answered by modifying the elementary $\psi-\theta-\chi$ interaction itself.

Nor can it be answered by altering the internal cyclic organization established previously.

Instead, propagation requires an additional organizational principle governing the relationship between successive reconstructions of the same cycle.

The purpose of this section is to formulate this organizational problem precisely.

2.1 Persistence Is Not Propagation

A persistent cyclic organization preserves its organizational identity through continuous reconstruction.

Every elementary interaction remains transient.

Every χ continues to appear and disappear.

Nevertheless, the organizational cycle survives because successive elementary interactions continually regenerate the same cyclic process.

This persistence alone does not produce motion.

A cycle may reconstruct itself indefinitely while remaining organizationally confined to the same local reconstruction process.

Propagation therefore represents an organizational property fundamentally different from persistence.

It requires not only the preservation of identity, but also the continuous advancement of that identity.

2.2 The Limitation of Stationary Reconstruction

Suppose that every completed cyclic reconstruction simply regenerates the same organizational cycle without organizational advancement.

The cyclic organization would remain perfectly stable.

Its identity would be preserved indefinitely.

However, no propagation would occur.

The photon would exist only as a stationary organizational process.

Such a structure cannot represent a propagating photon.

Consequently, stable reconstruction alone is insufficient.

The organizational cycle must acquire a mechanism through which successive reconstructions become progressively displaced within the organizational dynamics.

2.3 Propagation Cannot Be External Translation

A natural interpretation would be to regard the photon as a persistent object that is externally translated while preserving its internal cyclic organization.

Such an interpretation is incompatible with the organizational principles established throughout the ψ - θ - χ framework.

No permanent elementary interaction exists.

No χ survives from one reconstruction to the next.

Nothing behaves as a rigid organizational object capable of being transported.

The photon therefore cannot propagate by translating an already existing structure.

Instead, propagation must emerge internally through the reconstruction process itself.

Motion is not imposed upon the cycle.

Motion is generated by the organization of successive cyclic reconstructions.

2.4 The Need for an Organizational Trajectory

If propagation cannot be described as rigid translation, the successive cyclic reconstructions themselves must define the advancing organization.

Each completed reconstruction must generate the next reconstruction in a manner that continuously preserves organizational identity while advancing the organizational process.

The resulting succession forms an **organizational trajectory**.

This trajectory is not a geometric path through physical space.

Nor is it a pre-existing channel along which an object moves.

It is the ordered sequence of recursively reconstructed cyclic organizations.

The trajectory therefore belongs to the organizational process itself rather than to an external geometry.

2.5 Scope of the Propagation Problem

The organizational problem introduced here concerns only one persistent cyclic organization.

No assumptions are made regarding multiple photons, collective propagation, electromagnetic structures, or interactions among propagating organizations.

The objective is solely to determine how one persistent cyclic organization acquires stable propagation without altering either the elementary $\psi-\theta-\chi$ interaction or the cyclic organization established previously.

The organizational mechanism through which successive cyclic reconstructions generate this propagating trajectory is developed in the following section.

3. Successive Cyclic Reconstruction

The previous section established that propagation cannot be interpreted as the translation of a persistent object.

Since every elementary interaction remains transient, no permanent organizational structure exists that could simply be displaced from one location to another.

Propagation must therefore emerge through the reconstruction process itself.

The present section develops this organizational mechanism.

The central result is that a propagating photon is generated when each completed cyclic reconstruction initiates the next reconstruction while preserving the same organizational identity.

Propagation is therefore not an additional process acting upon the cycle.

Propagation is the recursive organization of the cycle itself.

3.1 Reconstruction Rather Than Translation

Within the $\psi-\theta-\chi$ framework, every elementary interaction is temporary.

Every occurrence of χ exists only during one elementary coupling.

Likewise, every cyclic organization is continuously reconstructed through successive elementary interactions.

Nothing permanent exists that could undergo rigid motion.

Consequently, the advancing photon cannot consist of transporting an existing organizational structure.

Instead, the completion of one cyclic reconstruction provides the organizational conditions necessary for the next reconstruction of the same cycle.

The photon therefore advances because the organizational process is repeatedly reconstructed rather than physically translated.

Propagation is thus an intrinsic consequence of recursive reconstruction.

3.2 Organizational Continuity During Propagation

Successive reconstruction alone is insufficient.

Each newly reconstructed cycle must preserve the organizational identity established by its predecessor.

If every reconstruction generated an unrelated cyclic organization, propagation would immediately destroy organizational continuity.

The successive cycles must therefore satisfy two simultaneous conditions.

First, each cycle must remain organizationally complete in its own elementary dynamics.

Second, every cycle must reconstruct the same persistent organizational identity.

Propagation is therefore characterized by continuity of organization rather than continuity of elementary constituents.

3.3 Emergence of an Organizational Trajectory

As successive cyclic reconstructions continuously preserve the same organizational identity, they collectively generate an advancing organizational trajectory.

This trajectory is not an object.

It is not an elementary interaction.

It is not an individual χ .

Instead, it is the ordered succession of cyclic reconstructions that collectively realize one propagating organizational process.

The photon therefore possesses no permanent internal structure that travels unchanged.

Its apparent continuity emerges because the reconstruction trajectory remains organizationally invariant throughout propagation.

Identity belongs to the trajectory of reconstruction rather than to any individual realization of the cycle.

3.4 Self-Reconstructing Propagation

The propagating photon is therefore fundamentally self-reconstructing.

Each completed cyclic reconstruction terminates exactly as established in the previous paper.

Its disappearance does not terminate the photon.

Instead, the organizational identity is immediately regenerated through the next cyclic reconstruction.

At every instant, the photon exists only through its current reconstruction.

Nevertheless, the overall organizational process remains continuous because each reconstruction belongs to the same propagating trajectory.

Propagation and persistence thus become inseparable aspects of one organizational process.

Persistence maintains organizational identity.

Successive reconstruction advances that identity.

Together they produce the first stable propagating organization within the ψ - θ - χ framework.

3.5 The Organizational Nature of Photon Motion

The propagation developed here should not be interpreted as motion through an external geometric space.

No geometric trajectory has been introduced.

No assumptions have been made regarding spatial coordinates, distances, velocities, or spacetime.

The trajectory described in this paper is purely organizational.

It represents the recursive succession of cyclic reconstructions preserving one invariant organizational identity.

Observable motion, should it later emerge, belongs to a higher descriptive level.

At the present organizational level, the photon is defined exclusively as a self-reconstructing propagating cyclic organization whose continuity arises entirely from the recursive organization of successive cyclic reconstructions.

4. Emergence of Photon Identity

The previous section demonstrated that photon propagation emerges through the successive reconstruction of one persistent cyclic organization rather than through the translation of a permanent object.

This result immediately raises a fundamental organizational question.

If every elementary interaction disappears and every cyclic reconstruction is continually replaced, what exactly remains identical throughout propagation?

The present section addresses this problem by identifying the organizational origin of photon identity.

The central result is that identity belongs neither to the elementary interactions nor to the individual cyclic reconstructions.

Instead, it belongs to the invariant organizational trajectory generated by their continual reconstruction.

4.1 Identity Beyond Elementary Components

The elementary ψ - θ - χ interactions established in the first paper are inherently transient.

Every χ appears only temporarily.

Every elementary coupling terminates.

No elementary organizational component survives throughout the propagation process.

Consequently, photon identity cannot be associated with any individual ψ - θ coupling or with any particular occurrence of χ .

Likewise, the cyclic reconstruction introduced in the previous paper remains continuously renewed.

Each completed cycle is replaced by another.

The individual realization of the cycle therefore cannot constitute the permanent identity of the photon.

Identity must arise at a higher organizational level.

4.2 Identity Through Organizational Invariance

Although every elementary realization changes, the organizational process governing successive reconstructions remains invariant.

Each cyclic reconstruction preserves the same organizational relationships established by its predecessors.

The elementary interactions differ.

The individual occurrences of χ differ.

The particular realization of the cycle differs.

What remains unchanged is the organizational rule through which successive reconstructions generate one continuous propagating process.

The photon therefore preserves its identity because its organizational dynamics remain invariant throughout continual reconstruction.

Identity belongs to the organization of the process rather than to its temporary realizations.

4.3 The Organizational Trajectory as the Carrier of Identity

The propagating trajectory introduced in the previous section now acquires a second organizational role.

It not only describes propagation.

It also provides the organizational continuity required for identity.

Every cyclic reconstruction occupies one stage of the trajectory.

As each stage terminates, the following stage continues the same organizational process without interruption.

The trajectory therefore functions as the invariant organizational structure linking all successive reconstructions into one photon.

The photon is not identified with any particular reconstruction.

It is identified with the complete self-reconstructing trajectory generated by their uninterrupted succession.

4.4 Dynamic Identity

Photon identity is therefore fundamentally dynamic.

It does not persist because something remains permanently present.

Instead, it persists because the organizational process continually regenerates itself while preserving its invariant reconstruction dynamics.

Every elementary realization is replaced.

Every cyclic reconstruction is renewed.

The trajectory alone remains organizationally continuous.

This distinction separates organizational identity from material permanence.

Persistence arises through continuous regeneration rather than continuous existence.

The photon is therefore an organizational process whose identity is recreated at every stage of its propagation.

4.5 The First Propagating Organizational Entity

The emergence of dynamic identity completes the organizational definition of the photon.

The photon is neither a static object nor a permanent collection of elementary components.

It is the first organizational entity within the $\psi-\theta-\chi$ framework whose identity remains invariant while its elementary realization is continuously reconstructed during propagation.

This result establishes the organizational foundation required for all subsequent higher-order structures.

The following section formulates the corresponding hybrid dynamics governing this self-reconstructing propagating organization.

5. Hybrid Dynamics of the Propagating Photon

The emergence of a propagating photon does not introduce a new elementary dynamics into the $\psi-\theta-\chi$ framework.

The elementary $\psi-\theta-\chi$ interaction remains exactly as established in the first paper.

Likewise, the cyclic reconstruction established in the second paper remains unchanged.

The novelty introduced by photon formation lies exclusively in the recursive organization through which cyclic reconstruction acquires stable propagation while preserving organizational identity.

The hybrid dynamics of the photon therefore consist of three simultaneously operating organizational levels.

Continuous elementary evolution.

Discrete coupling reconstruction.

Recursive propagation of cyclic organization.

5.1 Three Organizational Levels

The propagating photon integrates three complementary organizational processes.

The first level consists of the continuous organizational evolution of ψ and θ .

The second level consists of the discrete appearance and disappearance of χ during every elementary coupling.

The third level consists of the recursive reconstruction of the cyclic organization, producing one continuous propagating trajectory.

Each level performs a distinct organizational function.

The continuous fields provide organizational continuity within each elementary interaction.

The discrete bridge χ enables temporary organizational reconstruction.

The recursive cyclic dynamics preserve the identity of the photon throughout propagation.

None of these organizational levels is sufficient independently.

Only their simultaneous operation produces a stable propagating photon.

5.2 Hybrid Reconstruction During Propagation

At every instant, the photon exists only through the currently active elementary reconstruction.

As one elementary interaction reaches completion, its χ disappears exactly as established in the elementary formulation.

This disappearance does not terminate the photon.

Instead, a subsequent elementary interaction immediately reconstructs the next stage of the same cyclic organization.

Propagation therefore consists of an uninterrupted sequence of locally transient hybrid interactions.

The elementary dynamics remain discontinuous at the level of χ .

The photon remains continuous at the level of organizational reconstruction.

The apparent continuity of propagation therefore emerges from recursive reconstruction rather than from permanent elementary activity.

5.3 Local Transience and Global Persistence

The hybrid dynamics simultaneously exhibit two complementary properties.

Locally, every elementary interaction remains transient.

No χ survives beyond its elementary reconstruction.

No elementary coupling becomes permanent.

Globally, however, the propagating organizational trajectory remains invariant.

Successive cyclic reconstructions continuously preserve one organizational identity throughout propagation.

The photon therefore combines local impermanence with global organizational persistence.

These properties do not contradict one another because they describe different organizational scales within the same hybrid dynamics.

5.4 Organizational Coherence

The stability of the propagating photon depends upon the uninterrupted coherence of its recursive reconstruction.

Every newly reconstructed cycle must remain organizationally compatible with the trajectory established by the preceding cycles.

If this recursive coherence is lost, propagation ceases because the organizational identity can no longer be reconstructed continuously.

Organizational coherence therefore does not originate from permanent elementary components.

It originates from the continual preservation of the reconstruction dynamics themselves.

The photon remains stable only so long as this recursive organizational coherence is maintained.

5.5 Scope of the Hybrid Dynamics

The hybrid dynamics developed here complete the organizational description of an individual propagating photon.

The formulation remains intentionally restricted to one self-reconstructing organizational trajectory.

No assumptions have been introduced regarding interactions among multiple photons, collective coupling chains, or electromagnetic propagation.

Those phenomena require organizational relationships among many simultaneously propagating photons and therefore belong to a higher organizational level.

The present formulation establishes only the hybrid dynamics required for one persistent cyclic organization to become the first stable propagating organizational entity within the $\psi-\theta-\chi$ framework.

6. Minimal Organizational Representation

The organizational formulation developed throughout this paper is intentionally independent of geometric trajectories, spacetime descriptions, or field equations.

Its purpose is to represent the minimal organizational structure required for a persistent cyclic organization to become a propagating photon.

The representation introduced here therefore summarizes the organizational dynamics established in the preceding sections without introducing additional physical assumptions.

6.1 Elementary Organizational Dynamics

At the elementary level, every interaction follows the hybrid ψ - θ - χ dynamics established in the first paper.

The continuous organizational fields ψ and θ evolve independently until a temporary coupling occurs through the discrete organizational bridge χ .

The elementary reconstruction may therefore be represented schematically as

$$(\psi, \theta) \rightarrow (\psi, \theta, \chi) \rightarrow (\psi, \theta)$$

This elementary process is transient.

No occurrence of χ survives beyond its local reconstruction.

Every elementary interaction remains organizationally complete and memoryless.

6.2 Recursive Cyclic Organization

The second paper demonstrated that organizational persistence emerges when successive elementary interactions recursively reconstruct one common cyclic organization.

The resulting organizational process may be represented abstractly as

$$C_1 \rightarrow C_2 \rightarrow C_3 \rightarrow \dots$$

where each (C_i) denotes one complete realization of the same cyclic organizational process.

The indices do not identify different organizational structures.

They represent successive reconstructions of one invariant cycle.

Persistence therefore belongs to the recursive relationship among the cycles rather than to any individual realization.

6.3 Propagating Organizational Trajectory

The present paper extends cyclic persistence by introducing propagation.

Successive cyclic reconstructions are no longer interpreted merely as repeated realizations of the same organization.

Instead, each reconstruction advances the same organizational identity, producing one continuous propagating trajectory,

$$C_1 \rightarrow C_2 \rightarrow C_3 \rightarrow \dots$$

The double arrow emphasizes organizational propagation rather than simple temporal succession.

No individual cycle travels.

The trajectory itself emerges from the uninterrupted reconstruction of successive cycles.

Propagation therefore belongs to the recursive organization of the sequence rather than to any isolated cyclic realization.

6.4 Organizational Invariance

The entire propagating trajectory may be characterized by one invariant organizational relationship,

$$\mathcal{P}C_{i=1}^{\infty}$$

where ($\mathcal{P}$) denotes the self-reconstructing organizational process identified as the photon.

This notation does not describe a collection of simultaneously existing cycles.

Instead, it represents one continuously reconstructed organizational identity realized through successive cyclic reconstructions.

The invariance of ($\mathcal{P}$) expresses organizational persistence throughout propagation despite the continual replacement of every elementary interaction and every individual cyclic realization.

6.5 Interpretation of the Representation

The mathematical representation introduced above should be understood exclusively as an organizational description.

The symbols do not denote spatial trajectories, particle coordinates, or geometric motion.

They summarize the recursive organizational relationships established throughout the paper.

The elementary hybrid dynamics remain unchanged.

The cyclic organization remains recursively reconstructed.

Propagation emerges because successive cyclic reconstructions preserve one invariant organizational trajectory.

The photon is therefore represented not as a permanent object moving through an external geometry, but as a self-reconstructing organizational process whose identity is continuously regenerated through recursive propagation.

This minimal representation provides the organizational foundation required for the subsequent extension from one propagating photon to the collective dynamics of many simultaneously propagating photons developed in the following paper.

7. Scope and Outlook

This paper extended the ψ - θ - χ framework from persistent cyclic organization to the emergence of the first propagating organizational entity.

The previous paper demonstrated that recursive cyclic reconstruction establishes organizational persistence without requiring permanent elementary interactions. The present work addressed the next independent organizational problem by showing how a persistent cyclic organization acquires stable propagation while preserving its organizational identity.

The central result of this paper is that propagation cannot be understood as the translation of a persistent object.

Within the ψ - θ - χ framework, no permanent elementary structure exists that can simply move through an external geometry.

Every elementary interaction remains transient.

Every occurrence of χ appears only temporarily before disappearing.

Propagation therefore emerges only because successive cyclic reconstructions continuously regenerate the same organizational identity while advancing the organizational process.

The photon is consequently defined as a **self-reconstructing propagating cyclic organization**.

Its identity belongs neither to its elementary interactions nor to any individual realization of its cyclic organization.

Instead, identity belongs to the invariant organizational trajectory generated by uninterrupted recursive reconstruction.

This formulation intentionally remains limited to the dynamics of an individual photon.

No assumptions have been introduced regarding relationships among multiple photons, collective propagation, electromagnetic organization, or higher-order organizational structures.

These phenomena require organizational principles beyond the propagation of a single cyclic trajectory.

The next paper addresses precisely this unresolved problem.

While the present work establishes how one photon propagates through successive cyclic reconstruction, it does not explain how many simultaneously propagating photons become organized into one coherent collective structure.

The existence of multiple propagating organizational trajectories introduces a fundamentally new organizational question.

Individual photons may each preserve their own organizational identity during propagation, yet no principle has been established governing the relationships among different propagating trajectories.

Collective organization therefore cannot be derived directly from single-photon dynamics alone.

Instead, it requires new organizational mechanisms capable of coordinating many propagating photons while preserving the elementary principles established throughout the preceding papers.

The subsequent paper develops these mechanisms by introducing **collective coupling chains** among propagating photons.

Rather than modifying the internal dynamics of an individual photon, it investigates how many self-reconstructing propagating trajectories collectively organize into stable electromagnetic propagation.

The progression of the ψ - θ - χ framework is therefore cumulative.

The first paper established the elementary organizational interaction.

The second paper demonstrated the emergence of persistent cyclic organization.

The present paper established the emergence of stable photon propagation.

The following paper extends these results to the first collective organizational dynamics, providing the organizational foundation for electromagnetic propagation while preserving every elementary principle introduced throughout the framework.

Acknowledgments

The author gratefully acknowledges the colleagues whose discussions, questions, and constructive critiques contributed to improving the clarity and consistency of this theoretical framework.

This research was conducted independently and without institutional affiliation or external financial support.

Artificial intelligence tools were used exclusively for technical assistance, including language refinement, structural consistency checks, formatting, and equation verification. All conceptual development, theoretical formulations, mathematical constructions, scientific conclusions, and the overall research direction presented in this work are original contributions of the author.

This paper represents one step within the ongoing development of the **Generative Architecture** framework. Subsequent papers will progressively extend the concepts introduced here into a unified theoretical structure.