

ROCKAWAY Q / QAA

Brain MCP

Q

Connect Claude Code or Codex to the read-only Q / QAA brain so the team can ask general questions in chat.

MCP-ONLY PACKAGE. NO BUNDLED WORKFLOW. NO BRAIN WRITE ACCESS.

What This Is

- A read-only MCP connection to the Rockaway Q / QAA brain.
- It lets Claude Code or Codex search and read brain context during chat.
- It is for general questions about what is in the brain.

What This Is Not

- Not a bundled workflow.
- Not an app-specific automation.
- Not a way to edit the brain.

Install

Open Terminal and paste this one command. Setup will ask for your bearer token, hidden while you type.

```
bash -c "$(curl -fsSL https://raw.githubusercontent.com/zabrodsk/rockaway-q-brain-mcp/main/bootstrap.sh)"
```

1 What Gets Connected

MCP ENDPOINT

```
MCP name: rockaway-q
MCP URL:  http://100.102.180.108:8788/rockaway-q/mcp
Access:   read-only
```

You need private-network access to reach this address and a bearer token from the Rockaway brain admin.

2 How To Ask Questions

After setup, restart Claude Code or Codex if it was already open. Then ask normal questions.

EXAMPLES

```
Use the Rockaway Q brain to summarize what we know about this project.  
Search the Q / QAQ brain for recent customer context.  
What open blockers do we have around this workflow?  
Which pages mention this initiative?
```

3 Troubleshooting

Cannot connect

Make sure your machine is on the private network where **100.102.180.108** is reachable.

Unauthorized

Ask for a fresh Q / QAQ bearer token and rerun the setup command.

Rockaway Q / QAQ Brain MCP. Read-only retrieval for Claude Code and Codex.