

Meeting Prep Skill

A private daily preparation packet for Q / QAQ meetings, built from calendar context and the read-only Rockaway Q Brain.

WORD DOCUMENT + COMPACT CHAT SUMMARY

What It Does

- Looks at the user's connected calendar/account context.
- Prepares every in-scope Q / QAQ meeting, with `today` meaning remaining meetings from now onward.
- Retrieves broad context from the separate Rockaway Q / QAQ QMD MCP, then expands canonical pages through the read-only Q brain MCP.
- Creates a dense executive Word document designed to read quickly before calls.

What It Produces

- **Word:** the primary artifact, with no source trail.
- **Chat:** a short summary with file links and top priorities.

Default Behavior

The skill creates one all-day packet by default. If run halfway through the day, it prepares upcoming meetings only. Use "whole day" or "include past meetings" when you want the full date.

It excludes declined and cancelled events, includes tentative events with a status marker, and creates only a stub for private/busy events with no details.

1 Install The Skill

ONE COMMAND

```
npx -y skills@latest add zabrodsk/rockaway-qaq-meeting-prep-skill -g -a codex claude-code --copy -y --full-depth && "$HOME/.codex/skills/rockaway-q-meet
```

This downloads the skill for Codex and Claude Code, then runs setup.

MESSAGE YOU CAN SEND TO CODEX OR CLAUDE

```
please install the meeting prep skill from the GitHub repo and run the setup command. This is my bearer token:
```

AFTER SETUP, USE

```
$rockaway-q-meeting-prep prep me for today  
$rockaway-q-meeting-prep prep me for my next meeting  
$rockaway-q-meeting-prep prep me for tomorrow
```

2 Connect The Q / QAQ Brain

Ask the Rockaway brain admin for your Q / QAQ bearer token. Setup connects the Q / QAQ brain automatically.

QMD search runs as a separate Mac mini QMD MCP; no local QMD install is needed. Existing GBrain MCP remains canonical for page expansion, links, backlinks, and stats.

WHAT THE SETUP CONNECTS

```
rockaway-q  
http://100.102.180.108:8788/rockaway-q/mcp  
  
rockaway-q-qmd  
https://clawdbot--mac-mini.taild9e247.ts.net:8444/mcp
```

MANUAL SETUP COMMAND

```
~/codex/skills/rockaway-q-meeting-prep/setup.command
```

CSV OR QUICK LOOKUP PROMPT

```
Use Rockaway Q / QAQ QMD first for each CSV row, then use the Q brain MCP for canonical page expansion on the strongest matches.
```

CODEx CONFIG EQUIVALENT

```
[mcp_servers.rockaway-q]  
url = "http://100.102.180.108:8788/rockaway-q/mcp"  
bearer_token_env_var = "ROCKAWAY_Q_MCP_TOKEN"  
  
[mcp_servers.rockaway-q-qmd]  
url = "https://clawdbot--mac-mini.taild9e247.ts.net:8444/mcp"
```

The environment variable must be available to Codex when it starts.

3 Read The Packet

Day Summary

Use the first page to see the main themes, urgent prep items, and the meetings that need the most attention.

Per-Meeting Sections

Each meeting has context, previous discussion, open threads, ownership notes, sensitive signals, suggested talk track, questions, and watchouts.

Recommendations

Suggested agendas and talk tracks are marked as recommendations, not retrieved facts.

Audit Trail

The Word document omits source details for readability. Use the chat summary for the highest-priority reminders.

Output Location

```
~/Rockaway Meeting Briefs/q/YYYY-MM-DD/  
rockaway-q-meeting-prep-YYYY-MM-DD.docx
```

Same-day reruns overwrite the default Word document so the latest brief stays easy to find.

Use It For

- Product and operations meetings.
- Customer, project, and workflow discussions.
- Internal ownership and blocker reviews.
- Initiative planning and follow-ups.

Boundaries

- Read-only brain access.
- No calendar writeback.
- No direct brain edits.
- No source trail in the Word document or chat summary.

Rockaway Q / QAQ Meeting Prep Skill. Private meeting preparation using the Rockaway Q MCP brain.