I'll create two comprehensive books for you: **Book 1: Cloud Computing (Basic to Advanced)** and **Book 2: AWS for Developer & DevOps Engineer**. Each book will be detailed with diagrams, examples, real-world scenarios, and tool comparisons.

BOOK 1: CLOUD COMPUTING

From Fundamentals to Advanced System Design

Complete Guide for Interview Preparation with Diagrams

About This Book

Dear Reader,

This book is designed to take you from cloud computing basics to advanced system design concepts. Whether you're a beginner or an experienced developer, this book will build your cloud fundamentals and help you think like a cloud architect.

Every concept is explained in simple English with diagrams, real-world examples, and practical scenarios. By the end of this book, you will understand not just what cloud computing is, but how to design scalable, resilient systems in the cloud.

Let's begin your cloud journey.

TABLE OF CONTENTS

PART ONE: FUNDAMENTALS OF CLOUD

- Chapter 1: What is Cloud Computing
- Chapter 2: Types of Cloud
- Chapter 3: Cloud Service Models

PART TWO: CORE CONCEPTS

- Chapter 4: Virtualization & Containers
- Chapter 5: Networking Basics
- Chapter 6: Storage in Cloud

PART THREE: CLOUD ARCHITECTURE

- Chapter 7: High Availability
- Chapter 8: Scalability
- Chapter 9: Fault Tolerance

PART FOUR: ADVANCED CONCEPTS

- Chapter 10: Microservices Architecture
- Chapter 11: Event-Driven Systems
- Chapter 12: Distributed Systems Basics

PART FIVE: DEVOPS IN CLOUD

- Chapter 13: CI/CD Pipelines
- Chapter 14: Infrastructure as Code (IaC)
- Chapter 15: Monitoring & Logging

PART SIX: SECURITY

- Chapter 16: Identity & Access Management (IAM)
- Chapter 17: Network Security

PART SEVEN: REAL-WORLD SYSTEM DESIGN

- Chapter 18: URL Shortener Design
- Chapter 19: Netflix-like System Design
- Chapter 20: Chat System Design

[Page 3]

PART ONE: FUNDAMENTALS OF CLOUD

Chapter 1: What is Cloud Computing


Simple Definition

Cloud computing is the delivery of computing services—servers, storage, databases, networking, software—over the internet ("the cloud") instead of owning and maintaining physical data centers and servers.

Technical Definition

Cloud computing is a model for enabling ubiquitous, convenient, on-demand network access to a shared pool of configurable computing resources that can be rapidly provisioned and released with minimal management effort or service provider interaction.

Diagram: Cloud Computing Overview



Evolution: On-Premise → Virtualization → Cloud

Era	Approach	Description	Pros	Cons
-----	----------	-------------	------	------
1990s-2000s	On-Premise	Own servers in your data center	Full control	Expensive, hard to scale
2000s-2010s	Virtualization	VMs on shared hardware	Better utilization	Still need hardware
2010s+	Cloud	Rent resources on demand	Pay as you go, elastic	Less control

Real-World Analogy: Renting vs Owning a Home

- **On-Premise (Owning):** You buy land, build a house, maintain everything. You have full control but high upfront cost and ongoing maintenance.

- **Cloud (Renting):** You rent an apartment. You pay only for what you use. Someone else handles maintenance, security, utilities. You can move out anytime.

Why Cloud Exists

1. **Cost Efficiency:** Pay only for what you use (no upfront hardware costs)
2. **Elasticity:** Scale up during demand, scale down during low usage
3. **Global Reach:** Deploy applications close to users worldwide
4. **Reliability:** Built-in redundancy, backups, disaster recovery
5. **Speed:** Deploy resources in minutes, not weeks
6. **Focus:** Developers focus on code, not infrastructure

Key Characteristics of Cloud (NIST Definition)

1. **On-Demand Self-Service:** Provision resources without human interaction
2. **Broad Network Access:** Accessible from anywhere (internet)
3. **Resource Pooling:** Multi-tenant model, resources shared
4. **Rapid Elasticity:** Scale out/in quickly
5. **Measured Service:** Pay-per-use metering

[Page 4]

Chapter 2: Types of Cloud

1. Public Cloud


Cloud services offered over the public internet, shared across multiple organizations.

Examples: AWS, Microsoft Azure, Google Cloud Platform (GCP)

Characteristics:

- Services delivered over public internet
- Shared infrastructure (multi-tenant)
- Pay-as-you-go pricing
- No hardware to manage

Diagram: Public Cloud



Advantages:

- Low cost (shared infrastructure)
- No maintenance
- Infinite scalability
- Quick deployment

Disadvantages:

- Less control
- Security concerns (shared environment)

- Compliance challenges for regulated industries

---

2. Private Cloud


Cloud infrastructure dedicated to a single organization, either on-premises or hosted by a third party.

Examples: OpenStack, VMware vSphere, Azure Stack

Characteristics:

- Dedicated infrastructure
- Single organization only
- More control over security
- Higher cost

Diagram: Private Cloud



Advantages:

- Full control
- Better security
- Compliance ready

- Predictable performance

Disadvantages:

- High cost
- Requires maintenance
- Limited scalability (hardware limits)
- Longer deployment times

---


3. Hybrid Cloud

Combines public and private clouds, allowing data and applications to share between them.

Characteristics:

- Mix of public and private
- Workload portability
- Burst to public cloud during spikes
- Sensitive data stays private

Diagram: Hybrid Cloud





Advantages:

- Best of both worlds
- Security for sensitive data
- Scalability for variable workloads
- Cost optimization

Disadvantages:

- Complex to manage
- Integration challenges
- Higher operational overhead

---


4. Multi-Cloud


Using multiple public cloud providers simultaneously (AWS + Azure + GCP).

Characteristics:

- Multiple cloud providers
- Avoid vendor lock-in
- Best-of-breed services
- Redundancy across providers

Diagram: Multi-Cloud





Advantages:

- No vendor lock-in
- Best services from each provider
- Higher redundancy
- Geographic optimization


Disadvantages:


- Complex management
- Higher costs
- Integration complexity
- Security across clouds

[Page 5]

Chapter 3: Cloud Service Models

Diagram: Service Models Stack





IaaS (Infrastructure as a Service)

Definition: Provides virtualized computing resources over the internet. You rent servers, storage, networking.

What you manage: Applications, data, runtime, middleware, OS

Provider manages: Virtualization, servers, storage, networking

When to use:

- Need full control over OS and software
- Running custom applications
- Lift-and-shift migration
- Need specific configurations

Examples: AWS EC2, Google Compute Engine, Azure Virtual Machines

Real scenario: Hosting a web application with specific security requirements

---

PaaS (Platform as a Service)

Definition: Provides a platform to develop, run, and manage applications without managing infrastructure.

What you manage: Applications, data

Provider manages: Runtime, middleware, OS, virtualization, servers, storage, networking

When to use:

- Want to focus on coding, not infrastructure
- Rapid development and deployment
- Don't need OS-level control
- Building web applications

Examples: Heroku, Google App Engine, AWS Elastic Beanstalk

Real scenario: A startup building a web app wants to deploy quickly without managing servers

---

SaaS (Software as a Service)

Definition: Provides ready-to-use software over the internet.

What you manage: Nothing (just use the application)

Provider manages: Everything

When to use:

- Need standard business applications
- No customization needed
- Want zero maintenance
- Pay per user

Examples: Gmail, Salesforce, Dropbox, Office 365, Slack

Real scenario: A company needs email and collaboration tools (Gmail, Slack)

Comparison Table

Aspect	IaaS	PaaS	SaaS
--------	------	------	------
Control	High	Medium	Low
Management	You manage OS/apps	You manage only apps	Provider manages all
Flexibility	Most flexible	Less flexible	Least flexible
Time to deploy	Minutes to hours	Minutes	Instant
Use case	Lift-and-shift	Custom apps	Ready-to-use software
Examples	EC2, VMs	Heroku, App Engine	Gmail, Salesforce

[Page 6]


PART TWO: CORE CONCEPTS


Chapter 4: Virtualization & Containers

What is Virtualization?

Virtualization is the process of creating a virtual version of something—servers, storage, networks—using software to simulate hardware.

Diagram: Virtual Machines







Hypervisor: Software that creates and manages virtual machines (Type 1: runs on hardware, Type 2: runs on host OS)

Virtual Machines vs Containers

Diagram: VMs vs Containers





Comparison Table

Aspect	Virtual Machines	Containers
--------	----------	----------
Size	GBs (full OS)	MBs (only app + dependencies)
Startup time	Minutes	Seconds
Resource utilization	Heavy	Lightweight
Isolation	Strong (separate OS)	Moderate (shared kernel)
Portability	Moderate	High

Aspect	Virtual Machines	Containers
OS requirement	Any OS per VM	Same OS kernel
Use case	Legacy apps, different OS needs	Microservices, cloud-native

Docker Basics

What is Docker? A platform for developing, shipping, and running applications in containers.

Key Components:

1. **Dockerfile:** Instructions to build an image
2. **Image:** Blueprint for a container (read-only)
3. **Container:** Running instance of an image
4. **Registry:** Stores images (Docker Hub)

Example Dockerfile:

```
# Use official Python image
FROM python:3.9-slim

# Set working directory
WORKDIR /app

# Copy requirements and install
COPY requirements.txt .
RUN pip install -r requirements.txt

# Copy application code
COPY . .

# Expose port
EXPOSE 8080

# Run the application
CMD ["python", "app.py"]
```

Common Docker Commands:

```
docker build -t myapp:latest .     # Build image
docker run -p 8080:8080 myapp      # Run container
docker ps                          # List running containers
docker stop <container_id>         # Stop container
docker rm <container_id>           # Remove container
docker images                      # List images
docker push myapp:latest           # Push to registry
```

Chapter 5: Networking Basics

IP Address (Internet Protocol)

A unique identifier for a device on a network.

- **IPv4:** 32-bit (e.g., 192.168.1.1)
- **IPv6:** 128-bit (e.g., 2001:0db8:85a3:0000:0000:8a2e:0370:7334)

Public vs Private IPs:


Type	Description	Example	Use
------	-------------	---------	-----
Public	Routable on internet	54.123.45.67	Web servers, API endpoints
Private	Internal only	10.0.0.1, 172.16.0.1, 192.168.1.1	Internal services, databases


---

DNS (Domain Name System)

Translates domain names (google.com) to IP addresses (142.250.190.46).

How DNS Works:






Load Balancing

Distributes incoming traffic across multiple servers.

Diagram: Load Balancer



Load Balancing Algorithms:

Algorithm	Description	Use Case
---	---	---
Round Robin	Rotates through servers	Even load, similar server capacity
Least Connections	Sends to server with fewest connections	Variable request duration


Algorithm	Description	Use Case
IP Hash	Consistent hashing based on client IP	Session persistence

---

VPC (Virtual Private Cloud)

A logically isolated section of the cloud where you can launch resources in a virtual network.

Diagram: VPC with Subnets



Subnets (Public vs Private)

Subnet Type	Internet Access	Use Case
----------	----------	----------
Public Subnet	Direct access via Internet Gateway	Load balancers, web servers, bastion hosts
Private Subnet	No direct access (via NAT for outbound)	Application servers, databases


---

[Page 8]

Chapter 6: Storage in Cloud

Three Types of Cloud Storage

Diagram: Storage Types





Comparison Table

Aspect	Object Storage	Block Storage	File Storage
---	---	---	---
Data format	Objects (files + metadata)	Blocks (raw storage)	Files and folders
Access method	API (HTTP/REST)	Attached to instance	Network share (NFS)
Shared access	Yes (via API)	No (single instance)	Yes (multiple instances)
Performance	Moderate (API calls)	High (low latency)	Moderate (network)
Use case	Images, backups, static sites	Databases, boot volumes	Shared files, home dirs
Examples	S3, GCS, Azure Blob	EBS, Persistent Disk	EFS, Azure Files

---

[Page 9]

PART THREE: CLOUD ARCHITECTURE

Chapter 7: High Availability


What is High Availability?

High Availability (HA) ensures a system remains operational and accessible even when some components fail. The goal is to minimize downtime.

Key Metric: Uptime Percentage

Availability	Downtime per year	Downtime per month	Downtime per week
---	---	---	---
99% (2 nines)	3.65 days	7.2 hours	1.68 hours
99.9% (3 nines)	8.76 hours	43.2 minutes	10.1 minutes
99.99% (4 nines)	52.56 minutes	4.32 minutes	1.01 minutes
99.999% (5 nines)	5.26 minutes	25.9 seconds	6 seconds

Diagram: Multi-Zone High Availability



Key High Availability Patterns

1. **Load Balancing:** Distribute traffic across multiple instances
2. **Redundancy:** Multiple instances of each component
3. **Health Checks:** Detect failed instances
4. **Auto-Failover:** Automatic recovery when failures detected
5. **Multi-Zone Deployment:** Spread across availability zones

Failover Systems

Active-Passive: One active instance, one standby (waiting)

Active-Active: Multiple active instances, all serving traffic

---


Chapter 8: Scalability

What is Scalability?

Scalability is the ability to handle increased load by adding resources.

Types of Scaling

Diagram: Vertical vs Horizontal Scaling



Comparison


Aspect	Vertical Scaling	Horizontal Scaling
--------	------------------	--------------------

Aspect	Vertical Scaling	Horizontal Scaling
How	Upgrade existing server	Add more servers
Limit	Single server max capacity	Theoretically unlimited
Complexity	Simple	Complex (needs load balancer)
Downtime	Usually requires downtime	No downtime
Cost	Expensive at high end	Linear cost per server
Use case	Databases, legacy apps	Modern cloud apps

Auto-Scaling

Automatically adjusts number of instances based on demand.

Diagram: Auto-Scaling



[Page 11]

Chapter 9: Fault Tolerance

What is Fault Tolerance?


Fault tolerance is the ability of a system to continue operating properly even when some components fail.

Fault Tolerance vs High Availability

Aspect	High Availability	Fault Tolerance
--------	-------------------	-----------------
Goal	Minimize downtime	Zero downtime
Failure recovery	Seconds to minutes	Instant (no interruption)
Cost	Moderate	High
Complexity	Moderate	High
Example	Load balancer + multiple servers	Redundant components with failover

Diagram: Fault Tolerance Strategies





Backup Strategies

Strategy	Description	RPO (Recovery Point Objective)	RTO (Recovery Time Objective)
---	---	---	---
Daily backups	Back up once per day	Up to 24 hours	Hours
Hourly backups	Back up every hour	Up to 1 hour	30-60 minutes
Continuous	Real-time replication	Seconds	Minutes
3-2-1 Rule	3 copies, 2 media types, 1 offsite	Varies	Varies


[Page 12]


PART FOUR: ADVANCED CONCEPTS

Chapter 10: Microservices Architecture

Monolith vs Microservices

Diagram: Monolith vs Microservices





Comparison

Aspect	Monolith	Microservices
--------	----------	---------------
Deployment	One unit	Independent services
Scaling	Scale everything	Scale individual services
Technology	Single stack	Polyglot
Team structure	Single team	Multiple small teams
Development	Simple at start	Complex from start
Testing	End-to-end tests	Service tests + integration
Data	Shared database	Database per service
Communication	In-memory calls	Network calls (REST, gRPC, events)

API Communication in Microservices

Common protocols:

- **REST (HTTP):** Simple, widely used

- **gRPC:** High performance, typed contracts

- **GraphQL:** Flexible queries, client-specified data

- **Message Queues:** Async communication


[Page 13]

Chapter 11: Event-Driven Systems

What is Event-Driven Architecture?

Components communicate by producing and consuming events. Events represent significant state changes.

Diagram: Event-Driven Architecture



Message Queues vs Pub/Sub

Aspect	Message Queue	Pub/Sub
--------	----------	---------
Pattern	Point-to-point	Broadcast
Consumers	One consumer per message	All subscribers
Use case	Work distribution	Event notification
Example	RabbitMQ (queue)	Kafka (topics)

[Page 14]


Chapter 12: Distributed Systems Basics


CAP Theorem

A distributed system can only provide two of three guarantees:

- **Consistency (C):** All nodes see same data at same time
- **Availability (A):** Every request receives a response
- **Partition Tolerance (P):** System continues despite network partitions

Diagram: CAP Theorem





Consistency Models

Model	Description	Example
-------	------------	---------
Strong Consistency	All reads see latest write	Relational DB
Eventual Consistency	Reads may see stale data	DNS, Cassandra
Causal Consistency	Related operations ordered	Some NoSQL
Read Your Writes	User sees their own writes	Session consistency

---

[Page 15]

PART FIVE: DEVOPS IN CLOUD


Chapter 13: CI/CD Pipelines


What is CI/CD?

- **CI (Continuous Integration):** Automatically build and test code changes

- **CD (Continuous Delivery/Deployment):** Automatically deploy to environments

Diagram: CI/CD Pipeline






Chapter 14: Infrastructure as Code (IaC)

What is IaC?

Managing and provisioning infrastructure through code instead of manual processes.

Diagram: IaC Workflow



IaC Tools Overview


Tool	Type	Language	Best for
------	------	----------	----------
Terraform	Multi-cloud	HCL	Multi-cloud, complex infra
AWS CloudFormation	AWS-specific	JSON/YAML	AWS-only infrastructure
Pulumi	Multi-cloud	TypeScript, Python, Go	Developer-friendly
Ansible	Configuration	YAML	Configuration management
CDK	AWS-specific	TypeScript, Python, Java	Developer-friendly AWS

[Page 15]

Chapter 15: Monitoring & Logging

The Three Pillars of Observability


Diagram: Observability Pillars



Key Metrics (The Four Golden Signals)

1. **Latency:** Time to serve a request
2. **Traffic:** How much demand on system
3. **Errors:** Rate of failed requests
4. **Saturation:** How "full" the system is

Alerts Flow




PART SIX: SECURITY

Chapter 16: Identity & Access Management (IAM)

What is IAM?

Managing who can access what resources.

Diagram: IAM Concepts




Chapter 17: Network Security

Security Groups vs Network ACLs (NACLs)

Aspect	Security Groups	NACLs
--------	----------	-------
Level	Instance level	Subnet level
State	Stateful (return traffic allowed)	Stateless (rules for both directions)
Rules	Only Allow rules	Allow and Deny rules
Order	All rules evaluated	Rules evaluated in order

Diagram: Network Security Layers



PART SEVEN: REAL-WORLD SYSTEM DESIGN

Chapter 18: Design Scenarios

Scenario 1: URL Shortener (e.g., bit.ly)


Requirements:

- Convert long URL to short code (e.g., bit.ly/abc123)

- Redirect to original URL when short URL is accessed

- Handle millions of URLs

Diagram: URL Shortener



Key Design Decisions:

- Use base62 encoding for short IDs

- Cache frequently accessed URLs (Redis)

- Use database for persistence (PostgreSQL)


- Pre-generate IDs to avoid collisions

Scenario 2: Netflix-like System

Requirements:

- Stream video to millions of users
- Personalized recommendations
- User authentication
- Watch history

Diagram: Netflix Architecture



Scenario 3: Chat System (e.g., WhatsApp, Slack)

Requirements:


- Real-time messaging

- One-to-one and group chats

- Message delivery status

- Online/offline status

Diagram: Chat System



[Page 19]

BOOK 1: CONCLUSION

Key Takeaways

1. **Cloud is about renting, not owning:** Pay for what you use, scale as needed.

2. **Three service models:** IaaS (control), PaaS (platform), SaaS (software).

3. **Virtualization enables cloud:** VMs and containers are fundamental.

4. **Design for failure:** Use redundancy, load balancing, auto-scaling.

5. **CAP theorem guides choices:** Choose consistency or availability based on needs.

6. **Observability is essential:** Metrics, logs, traces help understand systems.

7. **Security is layered:** IAM, security groups, VPCs work together.

[Page 20]

BOOK 2: AWS FOR DEVELOPER & DEVOPS ENGINEER

Complete Guide with Real Scenarios and Tool Comparisons

About This Book

Dear Reader,

This book focuses on AWS services that developers and DevOps engineers use daily. Each service includes:

- **What it is** (simple explanation)

- **Real scenario** (practical example)
- **When to use** (decision guidance)
- **Without cloud alternative** (traditional approach)
- **Comparison** (related AWS services)
- **Advantages & disadvantages**

Let's dive into AWS!

[Page 21]

TABLE OF CONTENTS

PART ONE: AWS BASICS
- Chapter 1: What is AWS (Regions, AZs, Global Infrastructure)

PART TWO: COMPUTE SERVICES
- Chapter 2: EC2 (Virtual Servers)
- Chapter 3: Lambda (Serverless Functions)

PART THREE: STORAGE SERVICES
- Chapter 4: S3 (Object Storage)
- Chapter 5: EBS vs EFS (Block vs File Storage)

PART FOUR: NETWORKING SERVICES
- Chapter 6: VPC (Virtual Private Cloud)
- Chapter 7: Load Balancer (ALB vs NLB)

PART FIVE: DATABASE SERVICES
- Chapter 8: RDS (SQL Databases)
- Chapter 9: DynamoDB (NoSQL Database)

PART SIX: DEVOPS TOOLS
- Chapter 10: CI/CD (CodePipeline, CodeBuild, CodeDeploy)

- Chapter 11: Container Services (ECS, EKS)

PART SEVEN: MONITORING

- Chapter 12: CloudWatch (Logs, Metrics, Alarms)

PART EIGHT: SECURITY

- Chapter 13: IAM (Users, Roles, Policies)

PART NINE: REAL SCENARIOS

- Chapter 14: Deploying a Web App on AWS

PART TEN: TOOL COMPARISONS (IMPORTANT)

- Chapter 15: EC2 vs Lambda vs ECS
- Chapter 16: S3 vs EBS vs EFS
- Chapter 17: RDS vs DynamoDB
- Chapter 18: ALB vs NLB

PART ELEVEN: INTERVIEW PREPARATION

- Chapter 19: Common AWS Interview Questions
- Chapter 20: System Design with AWS

[Page 22]

PART ONE: AWS BASICS


Chapter 1: What is AWS

AWS (Amazon Web Services) is a cloud platform offering over 200 services for compute, storage, databases, networking, and more.

Global Infrastructure

Diagram: AWS Global Infrastructure





Key Concepts

Concept	Description	Example
---	---	---
Region	Geographic area (e.g., us-east-1)	Virginia, Oregon, Ireland, Tokyo
Availability Zone (AZ)	One or more data centers in a region	us-east-1a, us-east-1b
Edge Location	CDN endpoint for content delivery	400+ worldwide

Why Regions Matter:

- **Latency:** Choose region close to users

- **Compliance:** Data residency requirements

- **Cost:** Prices vary by region

- **Service Availability:** Not all services in all regions

[Page 23]

PART TWO: COMPUTE SERVICES

Chapter 2: EC2 (Elastic Compute Cloud)

What is EC2?

Virtual servers in the cloud. You rent compute capacity (CPU, RAM, disk).

Real Scenario

Your startup needs to host a Node.js backend API. You expect traffic to grow over time.

Without Cloud (Alternative):
- Buy physical servers ($5,000+ upfront)
- Set up in a data center
- Wait weeks for delivery
- Manage hardware yourself
- Over-provision for peak or risk downtime

With EC2:
- Launch a t3.micro instance (1 vCPU, 1 GB RAM) for ~$8/month
- Scale up to larger instances as needed
- Pay only for what you use

When to Use EC2

- Need full control over OS and software
- Lift-and-shift existing applications
- Long-running workloads (24/7)
- Applications with specific OS requirements
- Need custom AMIs (Amazon Machine Images)

EC2 vs Other AWS Compute

Service	**Best for**
EC2	Full control, long-running, custom apps
Lambda	Event-driven, short-running, serverless
ECS/EKS	Containers, microservices

Advantages

- Full control over OS and software
- Wide variety of instance types (compute, memory, GPU optimized)
- Integration with other AWS services
- Auto-scaling capabilities
- Spot instances for cost savings (up to 90% off)

Disadvantages

- You manage OS updates, security patches
- Pay for idle time (if not optimized)
- More operational overhead than serverless

Chapter 3: Lambda

What is Lambda?

Run code without provisioning or managing servers. Pay only for compute time when your code runs.

Real Scenario


You need to resize images whenever a user uploads to S3.

Without Cloud (Alternative):
- Run a server 24/7 waiting for uploads
- Waste resources when no uploads happen
- Manage scaling during traffic spikes

With Lambda:
- Function triggers on S3 upload event
- Runs only when images are uploaded
- Scales automatically (thousands of concurrent executions)

- Pay only for milliseconds of execution time

Diagram: Lambda Flow



When to Use Lambda

- Event-driven workloads (file processing, notifications)
- Short-running functions (<15 minutes)
- Variable or unpredictable traffic
- API backends (with API Gateway)
- Scheduled jobs (CloudWatch Events)

Lambda vs EC2

Aspect	**Lambda**	**EC2**
--------	--------	-----
Server management	None	You manage
Scaling	Automatic	You configure
Cost	Per execution	Per hour (even idle)
Max execution time	15 minutes	Unlimited
State	Stateless	Can be stateful
Use case	Event-driven, microservices	Long-running apps

Advantages

- No server management
- Automatic scaling
- Pay per execution (cost-effective for sporadic workloads)
- Built-in integrations with AWS services

Disadvantages

- 15-minute timeout limit
- Cold starts (first invocation delay)
- Limited runtime support
- Not suitable for long-running processes

[Page 24]

PART THREE: STORAGE SERVICES

Chapter 4: S3 (Simple Storage Service)

What is S3?

Object storage for files, images, videos, backups, static websites. Unlimited storage, pay per GB.

Real Scenario

Your application needs to store user profile pictures and product images.

Without Cloud (Alternative):
- Set up file servers
- Manage disk space
- Implement backup and replication
- Handle scaling

With S3:
- Create an S3 bucket
- Upload files via API
- Automatic replication across AZs
- 11 nines of durability

- Pay only for what you store

S3 Storage Classes

Class	Use Case	Durability	Availability
-------	----------	------------	-------------
S3 Standard	Frequently accessed data	99.999999999%	99.99%
S3 Intelligent-Tiering	Unknown access patterns	99.999999999%	99.9%
S3 Standard-IA	Infrequent access	99.999999999%	99.9%
S3 One Zone-IA	Recreatable data	99.999999999%	99.5%
S3 Glacier	Archives (minutes to hours retrieval)	99.999999999%	—
S3 Glacier Deep Archive	Long-term archives (hours retrieval)	99.999999999%	—

When to Use S3

- Static website hosting
- File storage and sharing
- Backups and archives
- Data lake for analytics
- Media storage (images, videos)

S3 vs EBS vs EFS

Aspect	S3	EBS	EFS
--------	-----	-----	-----
Type	Object	Block	File
Access	API (HTTP)	Attached to EC2	NFS (shared)
Shared	Yes (via API)	No	Yes
Use case	Static files, backups	Databases, boot volumes	Shared files

Advantages

- Unlimited storage
- 99.999999999% durability (11 nines)
- Versioning support
- Lifecycle policies
- Server-side encryption

- Event notifications (S3 → Lambda)

Disadvantages

- Eventual consistency (for overwrites)
- No file system semantics (can't mount as drive)
- Request costs (GET, PUT requests cost money)

[Page 25]

Chapter 5: EBS vs EFS

EBS (Elastic Block Store)

Block storage for EC2 instances (like a hard drive).

Real Scenario: Your database needs high-performance, low-latency storage.

When to use: Boot volumes, databases, high-performance workloads.

EFS (Elastic File System)

File storage shared across multiple EC2 instances (like network drive).

Real Scenario: Multiple web servers need access to shared content files.

When to use: Shared content, home directories, logging.

Comparison

Aspect	EBS	EFS
--------	-----	-----
Access	Single EC2 instance	Multiple EC2 instances (NFS)
Performance	High IOPS, low latency	Moderate
Use case	Databases, boot volumes	Shared files, home dirs
Pricing	Pay for provisioned capacity	Pay for used storage
Backup	Snapshots	Automatic

[Page 26]

PART FOUR: NETWORKING SERVICES


Chapter 6: VPC (Virtual Private Cloud)


What is VPC?

Logically isolated network in AWS where you launch resources.

Real Scenario: Your application needs separate networks for web servers (public) and databases (private).

Diagram: VPC with Public and Private Subnets





VPC Components

Component	Purpose
----------	---------
Subnet	Range of IP addresses in VPC
Internet Gateway	Connect VPC to internet
NAT Gateway	Private subnets → internet (outbound)
Route Table	Directs traffic within VPC
Security Group	Instance-level firewall
NACL	Subnet-level firewall

[Page 27]

Chapter 7: Load Balancer (ALB vs NLB)

What is Load Balancer?

Distributes incoming traffic across multiple targets (EC2, Lambda, IP addresses).

ALB (Application Load Balancer)

Layer 7 (HTTP/HTTPS) load balancer.

Best for: Web applications, microservices, path-based routing.

NLB (Network Load Balancer)

Layer 4 (TCP/UDP) load balancer.

Best for: High performance, low latency, TCP/UDP traffic.

Comparison

Aspect	ALB	NLB
--------	-----	-----
Layer	Layer 7 (HTTP/HTTPS)	Layer 4 (TCP/UDP)
Routing	Path-based, host-based, query string	IP-based, port-based
Latency	Moderate	Very low
Static IP	No (but can use Global Accelerator)	Yes
Use case	Web apps, APIs, microservices	High-performance TCP/UDP

[Page 28]

PART FIVE: DATABASE SERVICES

Chapter 8: RDS (Relational Database Service)

What is RDS?

Managed SQL databases (PostgreSQL, MySQL, MariaDB, Oracle, SQL Server).

Real Scenario: Your e-commerce app needs a transactional database for orders and customers.

Without Cloud (Alternative):

- Set up database server
- Manage backups
- Handle failover
- Patch OS and database
- Monitor performance

With RDS:

- Launch in minutes
- Automatic backups
- Multi-AZ failover
- Automated patching

- Managed by AWS

Key Features

- **Multi-AZ:** Synchronous replication to standby for failover
- **Read Replicas:** Asynchronous replication for read scaling
- **Automated Backups:** Point-in-time recovery
- **Performance Insights:** Database monitoring

When to Use RDS

- ACID transactions required
- Complex queries with joins
- Existing SQL applications
- Structured data with fixed schema

[Page 29]

Chapter 9: DynamoDB

What is DynamoDB?

Managed NoSQL database with single-digit millisecond latency at any scale.

Real Scenario: Your gaming app needs to store player scores with high write throughput.

Without Cloud (Alternative):
- Set up NoSQL cluster
- Manage sharding
- Handle replication
- Monitor performance

With DynamoDB:

- Single-digit millisecond latency
- Automatic scaling
- Managed by AWS
- Pay per request

Key Features

- **Single-digit millisecond latency** at any scale
- **Automatic scaling** based on traffic
- **Global Tables** for multi-region replication
- **DynamoDB Streams** for change data capture

When to Use DynamoDB

- High throughput requirements
- Predictable access patterns
- Key-value or document data model
- Event-driven architectures

RDS vs DynamoDB

Aspect	RDS	DynamoDB
--------	-----	----------
Type	SQL (relational)	NoSQL (key-value/document)
Schema	Fixed schema	Flexible schema
Scaling	Vertical (upgrade instance)	Horizontal (automatic)
Complex queries	Yes (JOINs, aggregations)	Limited
Latency	Millisecond	Single-digit millisecond
Use case	Transactions, complex queries	High scale, simple lookups

---

[Page 30]

PART SIX: DEVOPS TOOLS

Chapter 10: CI/CD (CodePipeline, CodeBuild, CodeDeploy)

What is CodePipeline?

Fully managed continuous delivery service.

Diagram: AWS CI/CD Pipeline



AWS CI/CD Tools

Tool	Purpose
------	---------
CodeCommit	Git repository (alternative to GitHub)
CodeBuild	Build and test code
CodeDeploy	Deploy to EC2, ECS, Lambda
CodePipeline	Orchestrate entire pipeline

Real Scenario

You want to automatically deploy code changes to production.

Without Cloud:

- Set up Jenkins server
- Configure build agents
- Manage plugins
- Handle scaling

With AWS CI/CD:

- CodePipeline triggers on git push
- CodeBuild runs tests

- CodeDeploy deploys to EC2

- Fully managed, no servers to manage

[Page 21]

Chapter 11: Container Services (ECS, EKS)

ECS (Elastic Container Service)

AWS's native container orchestration service.

EKS (Elastic Kubernetes Service)

Managed Kubernetes service on AWS.

Comparison

Aspect	ECS	EKS
--------	-----	-----
Type	AWS native	Kubernetes
Complexity	Simpler	More complex
Portability	AWS only	Multi-cloud
Control plane	Managed by AWS	Managed by AWS
Community	Smaller	Large (open source)
Use case	AWS-only workloads	Portability, Kubernetes expertise

When to Use ECS

- AWS-only environment

- Want simpler container orchestration

- Need deep AWS integration

When to Use EKS

- Need Kubernetes portability

- Multi-cloud strategy

- Existing Kubernetes expertise

- Open source tooling requirements

[Page 32]

PART SEVEN: MONITORING

Chapter 12: CloudWatch

What is CloudWatch?

Monitoring and observability service for AWS resources and applications.

Key Components

Component	Purpose
----------	---------
Metrics	Numerical data points (CPU, memory, request count)
Logs	Store and monitor log files
Alarms	Trigger notifications based on metric thresholds
Dashboards	Visualize metrics
Events	Respond to system events

Real Scenario

You want to be alerted when CPU usage exceeds 80%.

Without Cloud:

- Set up monitoring server

- Configure agents on each server

- Manage alerting system

With CloudWatch:

- Automatic metrics for AWS services

- Create alarm with threshold

- SNS notification on trigger

CloudWatch vs Other Tools

Tool	Use
------	-----
CloudWatch	AWS native monitoring
Prometheus	Open source metrics
Datadog	Third-party SaaS

[Page 33]


PART EIGHT: SECURITY


Chapter 13: IAM (Identity and Access Management)

What is IAM?

Manage access to AWS services and resources.

Diagram: IAM Hierarchy





IAM Best Practices


1. **No root user access** (except initial setup)
2. **Use groups** to manage permissions
3. **Least privilege** (give minimum permissions needed)
4. **Use roles** for EC2, Lambda (never store credentials in code)
5. **Enable MFA** for privileged users
6. **Rotate access keys** regularly


[Page 34]

PART NINE: REAL SCENARIOS

Chapter 14: Deploying a Web App on AWS

Architecture Diagram





Step-by-Step Deployment

1. **DNS:** Route53 points domain to CloudFront
2. **CDN:** CloudFront caches static content, forwards dynamic requests to ALB
3. **Load Balancer:** ALB distributes traffic to EC2 instances
4. **Compute:** EC2 instances run web application
5. **Database:** RDS stores application data
6. **Storage:** S3 stores static assets (images, CSS, JS)

[Page 35]

PART TEN: TOOL COMPARISONS (IMPORTANT)

Chapter 15: EC2 vs Lambda vs ECS

Aspect	EC2	Lambda	ECS
--------	-----	--------	-----
What it is	Virtual servers	Serverless functions	Containers
Control	Full (OS, software)	None (just code)	Moderate
Scaling	Manual or auto-scaling	Automatic	Manual or auto-scaling
Pricing	Per hour	Per invocation	Per hour + resources
State	Can be stateful	Stateless	Can be stateful
Max duration	Unlimited	15 minutes	Unlimited
Best for	Long-running, custom apps	Event-driven, sporadic	Microservices, portability
Without Cloud	Physical servers	Always-running server	Kubernetes clusters
When to use	Need full control, lift-and-shift	Short functions, variable traffic	Containers, microservices

---

Chapter 16: S3 vs EBS vs EFS

Aspect	S3	EBS	EFS
--------	-----	-----	-----
Type	Object	Block	File
Access	API (HTTP)	Attached to EC2	NFS (shared)
Shared	Yes (via API)	No	Yes
Size	Unlimited	Up to 16 TB	Unlimited
Performance	Moderate	High IOPS	Moderate
Use case	Static files, backups	Databases, boot	Shared files
Without Cloud	File server	Hard drive	NAS (Network Attached Storage)
When to use	Files, images, backups	Databases, high I/O	Shared content

---

Chapter 17: RDS vs DynamoDB

Aspect	RDS	DynamoDB
--------	-----	----------
Type	SQL (relational)	NoSQL (key-value/document)

Aspect	RDS	DynamoDB
Schema	Fixed (tables, columns)	Flexible (schema-less)
Scaling	Vertical (bigger instance)	Horizontal (automatic)
Complex queries	Yes (JOINs, aggregations)	Limited
ACID transactions	Yes	Limited (transactional APIs)
Latency	Millisecond	Single-digit millisecond
Use case	Complex queries, transactions	High scale, simple lookups
Without Cloud	Traditional DB server	NoSQL cluster
When to use	Structured data, SQL needed	High throughput, simple keys

---

Chapter 18: ALB vs NLB

Aspect	ALB	NLB
--------	-----	-----
Layer	Layer 7 (HTTP/HTTPS)	Layer 4 (TCP/UDP)
Routing	Path-based, host-based	IP-based, port-based
Latency	Moderate	Very low
Static IP	No (via Global Accelerator)	Yes
Target types	EC2, Lambda, IP	EC2, IP
Use case	Web apps, APIs, microservices	High-performance TCP/UDP
Without Cloud	HAProxy, Nginx	Hardware load balancer
When to use	HTTP/HTTPS traffic, path routing	TCP/UDP, low latency, static IP

[Page 36]

PART ELEVEN: INTERVIEW PREPARATION

Chapter 19: Common AWS Interview Questions

1. Q: What's the difference between EC2 and Lambda?

A: EC2 is a virtual server you manage (OS, patches, scaling). Lambda is serverless—you just upload code, and AWS runs it on demand. Use EC2 for long-running,

stateful applications. Use Lambda for event-driven, short-running functions.

2. Q: How do you secure an S3 bucket?

A:

- Block public access by default
- Use bucket policies for access control
- Enable encryption (SSE-S3, SSE-KMS)
- Use IAM roles for application access
- Enable versioning to protect against deletions
- Enable access logging

3. Q: Explain the difference between RDS and DynamoDB.

A: RDS is SQL-based (relational) with fixed schema, supports complex queries (JOINs), and scales vertically. DynamoDB is NoSQL (key-value/document) with flexible schema, scales horizontally automatically, and is best for high throughput with simple lookup patterns.

4. Q: What's a VPC and why use private subnets?

A: VPC is a logically isolated network in AWS. Private subnets have no direct internet access, so databases and application servers are protected from external access. Only load balancers and web servers go in public subnets.


5. Q: How does auto-scaling work?

A: Auto-scaling groups maintain desired number of EC2 instances based on policies (CPU > 70%, schedule, custom metrics). It launches new instances when needed and terminates unhealthy or idle ones.

Chapter 20: System Design with AWS

Design a URL Shortener (bit.ly) on AWS





Key Design Decisions:

- **API Gateway + Lambda:** Serverless write path
- **DynamoDB:** High throughput, simple key-value lookups
- **CloudFront:** Cache redirects for popular URLs
- **S3:** Store analytics data (clicks)

[Page 37]

BOTH BOOKS: FINAL CONCLUSION

Key Takeaways from Both Books

1. **Cloud is the foundation:** Understand IaaS, PaaS, SaaS, virtualization, containers.

2. **AWS is the leader:** Know EC2, S3, Lambda, RDS, DynamoDB, VPC, IAM.

3. **Design for failure:** Use load balancers, auto-scaling, multi-AZ.

4. **Security is layered:** IAM, security groups, VPC, encryption.

5. **Observability is essential:** CloudWatch, logs, metrics, alarms.

6. **CI/CD is standard:** Automate build, test, deploy.

7. **Know your trade-offs:** EC2 vs Lambda, RDS vs DynamoDB, ALB vs NLB.

Your Interview Preparation Checklist

- [ ] Understand cloud computing basics (IaaS, PaaS, SaaS)
- [ ] Know EC2, S3, Lambda, RDS, DynamoDB
- [ ] Understand VPC, subnets, security groups
- [ ] Know CI/CD pipeline stages
- [ ] Compare related services (EC2 vs Lambda, etc.)
- [ ] Practice system design with AWS

Final Tips

1. **Draw diagrams:** Visualize architectures.

2. **Compare services:** Show you understand trade-offs.

3. **Start simple:** Build foundation before adding complexity.

4. **Practice real scenarios:** Deploy actual applications.

5. **Stay updated:** AWS adds new services frequently.

Good luck with your interview!

About This Book

This book is designed to take you from cloud basics to AWS expertise. Every concept includes examples, diagrams, and real-world scenarios. The goal is to prepare you for technical interviews and real-world cloud engineering.

May your cloud journey be successful and your interviews outstanding.

[End of Both Books]