

Recall: where the project stands

A memory store for people who cannot keep one, with a camera that does the filing and a second interface for the family member who knows what matters. Version 1 of this report was written while the database was still a schema file. Since then the database is live, the two interfaces talk to each other, testing started and found six things, and all six are fixed. This version says what is proven, what is still only written, what is blocked and on whom, and where the remaining hours of this sprint should go.

LIVE ZACHARIA-VIVES.GITHUB.IO/RECALL REPO GITHUB.COM/ZACHARIA-VIVES/RECALL COMMITS 20
COST EUR 0 PREPARED 8 SEPTEMBER 2026

2	24 / 25	6	1
interfaces live, and they now share one household	automated security checks pass, one fails on purpose	defects found by testing today, all six fixed and live	blocker left, and it needs five minutes in a browser

01

What Recall is, in one paragraph

Older people lose the thread of ordinary things: a face without a name, whether the pill was taken, what the hospital letter actually said, where a thing is kept. Every existing answer is a notes app or an alarm clock, and neither survives a week, because the person who forgets cannot file documents. Recall solves the intake problem instead of the storage problem. The keeper points a camera at a letter **because they cannot read the small print**; Recall magnifies it, reads it out loud, finds the date, and filing the card is what happens on the way. A magnifier is a free tool. A magnifier that files is a product.

After the pitch, one thing changed: the person who forgets is not the person who knows what matters. So the family gets an interface of its own, over the same store.

02

Scope and the rules we agreed

THREE DECISIONS THAT FIXED THE SHAPE OF THE PROJECT

DECISION	WHAT IT MEANS
The professor, 7 September	Only the memory module, with the camera folded into it as intake. The mobility module, memory walks, family messaging integrations and face recognition are parked on a roadmap for the end presentation, together with the security and identity work (itsme, FranceConnect and the EU Digital Identity Wallet).
The pitch jury, 8 September	A caretaker interface is needed as well: someone has to add what is not on paper, follow up on what was heard and done, and set the app up in the first place. A record therefore belongs to a household , not to a person.
The team, 8 September	Thirteen working hours are left, so: a dev freeze on Thursday at three in the afternoon, a cut list agreed in advance rather than in the panic (web push, export, unlinking a phone, the torch, spoken questions), one rehearsal with a timer, and all testing done by one person so that nobody marks their own homework.

What works today, and how we know

"Proven" means somebody ran it against the live database or on a phone and watched it happen. "Written" means the code exists and was reviewed but nothing has exercised it yet. The difference matters: version 1 of this report had nine rows of written and no database at all.

KEEPER APP, INDEX.HTML, THE PHONE THE OLDER PERSON HOLDS

CAPABILITY	STATUS	EVIDENCE OR GAP
Today screen, reminders first, read out loud	PROVEN	Reminders render large, each with read out loud and mark done
All cards, with search, and one card in detail	PROVEN	Six fields, the reminder, the last time it was done, the medical line
Camera with a magnifier up to four times	PROVEN	Runs on a phone. The screen now sizes itself to the device, so nothing has to be scrolled while she is holding a letter up to it
Reads only what the zoom is showing	PROVEN	Fixed today. It used to read the whole frame, which is not what she is looking at
On-device OCR, date parsing, national number stripped	PARTLY	Runs, and the redaction is in code. Accuracy on real folded paper is Luke's test and is not signed off yet
Works with no account, no internet, nothing leaving the phone	PROVEN	With the config empty, no database code is downloaded at all
Installs on the home screen, and now offers to	PROVEN	The offer appears at the one moment somebody competent is holding the phone, which is right after the family links it. iPhone gets the instructions instead, because Safari gives no prompt
Linking the phone: six letters, or a square to look at	PROVEN	The square carries the code in a link, so the phone lands linked with nothing typed
Family cards arriving on the phone, and binned cards leaving it	PROVEN	Both were broken this morning and both are fixed. Luke re-tests on his own phone

FAMILY APP, HELPER.HTML, THE PHONE THE DAUGHTER HOLDS

CAPABILITY	STATUS	EVIDENCE OR GAP
Sign in with an emailed link, no password	PROVEN	Luke signed in on his own account today
Create a household and pick between households	PROVEN	One press now makes one household. It used to make three
Cards: list, add by typing, photo, the spoken sentence	PROVEN	Luke added a card and it reached the keeper phone
Reminders with repeats, and follow-up	PROVEN	Three values and no more: coming, done, missed
Thirty day bin with restore	PROVEN	There is no delete policy in the database at all, so nothing can be destroyed outright

Who has access, by name, on the keeper side	PROVEN	Names, not a count, so the keeper can recognise them
Invite a second family member	WRITTEN	Token that expires after a week. Nobody has used one yet
Activity log the keeper can read	WRITTEN	Insert only for members, no update and no delete policy
Spoken consent screen and the consent record	NOT BUILT	Wednesday morning. Until it exists the upload path has a lawful basis on paper only

The one property worth stating plainly

Isolation is not a promise in this report, it is a test. `tests/r1s_test.py` opens two separate sessions, builds a household with a card and a photo in one, and then tries everything the other one could try: read the cards, read the households, read the log, write a row, download the photo, claim a made up code. Twenty five checks, twenty four green. The one red check is deliberate, and it is described in section 08.

04

What testing found today

Testing started this afternoon and immediately paid for itself. Every one of these was mine, and none of them would have been found by the person who wrote the code, which is the argument for having one person own testing.

SIX DEFECTS, ALL FIXED AND LIVE THE SAME AFTERNOON

#	WHAT WAS SEEN	WHAT WAS ACTUALLY WRONG
1	A card added by the family never arrived on the keeper phone	Three faults in one: the phone pushed before it pulled, the example cards collided with a real one on the way up, and after a successful sync nothing redrew the screen. The error was being swallowed, so the phone looked fine
2	One household appeared three times	The create button could be pressed again while the first request was still in flight
3	A family member silently became the keeper	Claiming a link code in a browser already signed in as family overwrote the role. Now the app refuses, and the database will refuse as well once the patch is run
4	Binned cards stayed on the keeper phone	Sync only added, it never reconciled what had been removed on the other side
5	Zooming in still read the whole page out loud	The capture ignored the zoom. It now crops to what the eye is actually seeing
6	The camera screen had to be scrolled	The screen was taller than a phone, so the read out loud button sat below the fold. It is now sized from the device, and re-measured when the phone is turned

05

Requirements, group by group

STATUS AGAINST THE NUMBERED REQUIREMENTS IN DOCS/ANALYSIS.MD

GROUP	WHAT IT COVERS	MUST DONE	REMAINING
R1	Cards, the core of the store	5 of 5	R1.8 spoken questions is on the cut list, deliberately
R2	Camera intake	5 of 5	Accuracy of R2.3 and R2.4 on real paper is still Luke's to sign off
R3	Reminders	2 of 2	R3.5, a notification while the app is closed, is not built and is no longer claimed anywhere in the app
R4	Accounts and sync	1 of 1	R4.5 export is on the cut list
R5	The family interface	6 of 6	R5.8 invites and R5.9 the log are written but unexercised
R6	Household, roles, device linking	4 of 4	R6.6, no role may be changed by claiming a code, holds in the app and needs the database patch to hold everywhere
N1-N11	Accessibility and quality	9 of 11	N2 contrast and N3 keyboard need the Axe and Lighthouse pass on Thursday. N11, the camera screen fitting the device, was added and finished today

P1-P14	Data protection	9 of 14	Isolation, redaction, no tracking, the log and who has access all hold and are tested. The consent record and the privacy notice are Wednesday
S1-S6	Safety and the medical line	4 of 6	Nothing is filed silently, nothing is summarised, the medical line is on the first screen and on every card. S5 and S6 are wording and review items

06

How it is built

Stack

- **No build step.** Plain HTML, CSS and ES modules, so what is in the repository is exactly what is served. Nothing can break between the two.
- **GitHub Pages** for hosting, free, HTTPS, deploy on push to `main`.
- **IndexedDB** for everything local, including the photo blobs.
- **Supabase** in Frankfurt: Postgres with row level security, magic link sign-in, anonymous sign-in for the keeper phone, and a private photo bucket reached through signed links.
- **Tesseract.js** for OCR on the device, **Web Speech** for reading out loud. Both free, both offline, neither sends a letter anywhere.

Data model

- `households` and `memberships`, with a role of keeper or helper.
- `records` carry the household, six fields, the spoken sentence and a `deleted_at` for the bin.
- `reminders` carry a repeat and who marked them done.
- `device_links`, `invites`, `activity` and `consents` for setup, audit and lawful basis.
- One `SECURITY DEFINER` function backs every policy, which is what stops the memberships table from checking itself and recursing.
- The keeper phone has an identity without ever having a password: an anonymous session, promoted to keeper of one household by a code the family made.

07

Data protection and safety, where we stand

People will put hospital letters, bank statements and identity cards into this. That makes it a processing of special-category data about a vulnerable person, so the constraints are product decisions rather than a compliance appendix.

- **Local by default.** No account, no upload, no controller relationship at all until a helper deliberately links the phone. Article 25 by default, and it is also our best demo.
- **OCR on the device.** A hospital letter never reaches a third party, which is exactly why cloud OCR was rejected even though it is more accurate.
- **The national number is stripped** before any text is stored, along with IBANs. Belgian letters carry a `rijksregisternummer` and we have no legal ground to hold one.
- **Deliberately not collected:** location, when the keeper opened the app, how long they looked at anything, and read receipts on cards. Reminder status has exactly three values.
- **Every helper action is logged** where the keeper can read it, in plain sentences, and the log has no update and no delete policy.

- **Never file silently, never summarise.** A date read off a letter is always shown and confirmed, and the app speaks the words that are written rather than a paraphrase.
- **Never promise what it cannot do.** The app used to say it would tell you in time. It now says a reminder waits on the Today screen, and that family should call for anything that really matters.

Still to write, both for the end presentation: a short DPIA, since article 35 is triggered twice over here, and a privacy notice in plain language that the app reads out loud.

08

What is blocked, and on whom

One blocker: five minutes in the Supabase SQL editor

Run `db/patch-001-roles.sql`. It does three things: it stops `claim_keeper_device` from touching a membership that already exists with another role, it adds a trigger that refuses to take a household creator out of the helper role, and it repairs the one membership that was already demoted. The security test carries a check for this and that check is red until the patch runs, which is the honest way to track it.

EVERYTHING ELSE THAT IS WAITING ON A PERSON

WAITING ON	WHAT	WHY IT MATTERS
Zacharia	Run the database patch, invite the team into Notion	The first is the blocker above. The second is why the board still has one reader
Luke	Re-test six fixes on a phone, then the camera and OCR on real paper	Six fixes went out in one afternoon and none of them is proven until a phone says so
Mattiece	The business model, the cost model and the pricing	Half the end presentation, and none of it can be improvised on Friday morning
Julia	Competitor scan, positioning, the slide deck	The SWOT is in. The positioning sentence is what the jury will quote back

09

Where the remaining hours go

THIRTEEN HOURS, IN THE ORDER THEY SHOULD BE SPENT

WHEN	WORK	WHY THEN
Tuesday, rest of the afternoon	The database patch, the Notion invites, the demo script, who presents what	All small, all blocking somebody else. The demo script is what the rehearsal runs against
Wednesday morning	Luke re-tests on a phone, the spoken consent screen, the business model canvas and the positioning	The consent screen is the last thing between us and a defensible upload path
Thursday, morning	Accessibility pass with Axe and Lighthouse, then fix what it finds. The DPIA	Graded, and also the product promise. Nothing here can wait until after the freeze

Thursday, afternoon	Slides, dev freeze at three, one rehearsal with a timer, one session with a real person over seventy	After three the code stops moving and only the words change
Friday, before the room	Wake the database, open both apps, one rehearsal	A free project pauses when it is idle. That is a checklist item, not a surprise

10

Risks worth watching

RISK	WHAT WE DO ABOUT IT
The database patch is forgotten and the demo shows the wrong roles	A red check in the test suite, and a task on the board with the blocker flag on it
A free Supabase project pauses after about a week idle	Local first means the demo still runs. Waking it is on the Friday checklist
The camera is blocked or absent in the demo room	Choose a photo exists, and a photograph of a letter on the phone is the fallback
OCR misreads a folded letter	Nothing is filed silently. The date is always shown next to the photo and confirmed
Six fixes in one afternoon break something that used to work	The security test runs against the live project, and Luke re-tests the whole flow rather than the six fixes one by one
The jury asks whether it rings when the app is closed	It does not, we say so, and web push with a scheduled sender is on the roadmap
Scope creeps back to three modules	The non-goals list and the roadmap slide, for anyone who asks

11

Appendix: what is in the repository

FILES THAT MATTER

<code>index.html</code>	keeper app, six screens
<code>helper.html</code>	family app
<code>js/app.js</code>	keeper routing, today, camera flow, sync, linking
<code>js/helper.js</code>	family app logic, households, the square
<code>js/store.js</code>	IndexedDB: cards, photos, reminders
<code>js/cloud.js</code>	the only file that talks to Supabase

WHERE THE PROJECT IS WRITTEN DOWN

Requirements analysis	in the repository, so it moves with the code
Two interfaces, one household	the household model, roles, permissions, the surveillance boundary
Notion	sprint board with a timeline, a board by day, a Kanban and a daily log that is written at the end of every session
This report	state of play, what testing found, blockers, the remaining hours

<code>js/install.js</code>	the home screen offer, and the iPhone fallback
<code>js/ocr.js</code>	OCR, date finding, redaction
<code>js/camera.js</code>	camera, magnifier, cropping to the zoom
<code>js/speech.js</code>	reading out loud, per language
<code>db/schema.sql</code>	tables, functions, policies, storage
<code>db/patch-001-roles.sql</code>	the blocker in section 08
<code>tests/rls_test.py</code>	twenty five checks against the live project
<code>docs/analysis.md</code>	the requirements, R1 to R6, N, P and S

Today, in commits

- Connect the app to the Supabase project in Frankfurt
- Add the security test, all twenty three checks passing
- Fix the keeper phone never seeing the family cards
- Fix three households from one, and a role demotion nobody could see
- Binned cards now disappear from the keeper phone
- Read and keep only what the zoom is showing
- Link the keeper phone with a square, and offer the home screen
- Camera screen fits the device it runs on
- Say what reminders actually do, and test the demotion bug
- Put the family and household requirements in the repository