HOMEWORK 3.1 · UNIT 3 · NC.8.EE.7

One- and Two-Step Equations

Oct 6 / Oct 7 · Targets: EE.7-1, EE.7-5, EE.7-9

Name _____ Date _____ Block _____

Remember: Use **inverse operations** to get the variable alone. Undo + with −, and undo × with ÷. Do the same thing to **both sides**.

Example: $3x - 5 = 16 \rightarrow$ add 5: $3x = 21 \rightarrow$ divide by 3: $x = 7$. Check: $3(7) - 5 = 16$ ✓

SCORE 3.0 Approaching · the basics

Targets: EE.7-1

1 Solve. $x - 6 = 11$ EE.7-1

2 Solve. $5x = 45$ EE.7-1

3 Solve. $2x - 7 = 9$ EE.7-1

Ⓐ $x = 1$ Ⓑ $x = 16$ Ⓒ $x = 8$ Ⓓ $x = 2$

4 Circle the **constant** on the left side of $7x - 4 = 24$. EE.7-1

7 −4 x

5 Solve. $\frac{x}{4} + 5 = 8$ EE.7-1

SCORE 4.0 Proficient · on target

Targets: EE.7-5

6 **Priya** made a mistake. Circle it. Explain it. Fix it. EE.7-5

PRIYA'S WORK

$-3x + 2 = -10$

$-3x = -12$

$x = -4$

7 Solve. $\frac{x}{2} - 3 = 5$ EE.7-5

8 $x = 3$ is a solution of $4x - 5 = 7$. EE.7-5

True False

SCORE 5.0 Mastery · go deeper

Targets: EE.7-9

9 A taxi charges \$3 plus \$2 for each mile. Theo paid \$17. Solve $2m + 3 = 17$. What does your answer mean? EE.7-9

m = _____ . This means _____ .

10 Jada wants to solve $4x + 8 = 20$ by dividing by 4 first. Will that work? Explain. EE.7-9

Jada's plan _____ work because _____ .