

Minimal example of UC Berkeley Beamer Theme

Zachary Lorico Hertz

August 04, 2025

This is a quick and dirty Beamer Template

- Beamer is often used by academics to virtue-signal their ability to use LaTeX
- I like using Beamer in an .rmd file in this case because it makes it easy to produce slides in a working directory nested in my project folder
- This lets me tweak figures in my slides using the R code, or read plots in from R code elsewhere in the directory, in a simple way.
- Sometimes you need to do nested bullet points.
 - You do this in a particular manner:
 - Add a plus sign
 - Then tab and voila.

Using LaTeX in your slides

Sometimes you need to use LaTeX in slides (e.g. to present your model). For example:

$$\text{Vote Share}_i = \beta_0 + \beta_1 \times \text{Incumbent}_i + \epsilon_i$$

Sometimes, to make your point...

- It becomes necessary to progress through bullets one at a time.

Sometimes, to make your point...

- It becomes necessary to progress through bullets one at a time.
- To do this, just add a $>$ to the front of your bullet points.

Sometimes, to make your point...

- It becomes necessary to progress through bullets one at a time.
- To do this, just add a $>$ to the front of your bullet points.
 - This also works with sub bullets!

Sometimes, to make your point...

- It becomes necessary to progress through bullets one at a time.
- To do this, just add a $>$ to the front of your bullet points.
 - This also works with sub bullets!
 - As so.

This is also powerful because

- It works with citations and can read those in with your usual .bib keys.
- This point is made by previous citations (Hertz 2023).
- Note that in its current form, I am suppressing the Works Cited at the end. You can modify this by changing `suppress-bibliography: true` in the YAML.


Presenting regression results

Table 1: Example Regression Model

	(1)
(Intercept)	0.354*** (0.001)
Incumbency	0.315*** (0.002)
Republican	0.018*** (0.002)
Num.Obs.	90878
R2	0.238
RMSE	0.27

Note: $\wedge \wedge *$ $p < 0.05$, $**$ $p < 0.01$, $***$ $p < 0.001$

Results: Plotting in Beamer



Thank you!

Zachary Lorico Hertz

@zacharylhertz

zachary_hertz@berkeley.edu