Project overview
Project configuration
Deploys
Preview Servers
Logs
Metrics
Domain management
Forms
Blobs

Configuration for drivehr-sync

drivehr-sync.netlify.app

Deploys from **GitHub**.

Last update at 7:23 PM (2 minutes ago).

General
Project details
Visitor access
Status badges
Project members
Danger zone
Build & deploy
Continuous deployment
Post processing
Split Testing
Build plugins
Environment variables
Environment variables
Project policies
Visual editor
Notifications
Slack notifications
Emails and webhooks
Functions
Identity
Access & security
Firewall Traffic Rules
Web Application Firewall
OAuth
Emails

Environment variables

Securely store secrets, API keys, tokens, and other environment variables

Learn more about environment variables in the docs ↗

Add a variable

Filter by key name | Any scope | Any context | Sort

DRIVEHR_COMPANY_ID

All scopes · Same value in all deploy contexts

Zach Atkinson updated 6 hours ago

Options

Deploy context	Value
Production	e25d37dd-a8bb-4c52-9112-c5d172390256
Deploy Previews	e25d37dd-a8bb-4c52-9112-c5d172390256
Branch deploys	e25d37dd-a8bb-4c52-9112-c5d172390256
Preview Server	e25d37dd-a8bb-4c52-9112-c5d172390256
Local development (Netlify CLI)	e25d37dd-a8bb-4c52-9112-c5d172390256

ENVIRONMENT

All scopes · 4 values in 4 deploy contexts

Zach Atkinson updated an hour ago

Options

Deploy context	Value
Production	production
Deploy Previews	staging
Branch deploys	development
Preview Server	Empty
Local development (Netlify CLI)	development

LOG_LEVEL

All scopes · 5 values in 5 deploy contexts

Zach Atkinson updated an hour ago

Options

Deploy context	Value
Production	info
Deploy Previews	info
Branch deploys	debug
Preview Server	debug
Local development (Netlify CLI)	debug

WEBHOOK_SECRET

Scoped to Builds, Functions, Runtime · 4 values in 4 deploy contexts

Zach Atkinson updated 5 hours ago

Options

Deploy context	Value
Production	**********pL9m
Deploy Previews	**********pL9m
Branch deploys	**********pL9m
Preview Server	**********pL9m
Local development (Netlify CLI)	Empty

WP_API_URL

All scopes · Same value in all deploy contexts

Zach Atkinson updated 5 hours ago

Options

Deploy context	Value
Production	https://consolidateddealers.com/webhook/drivehr-sync
Deploy Previews	https://consolidateddealers.com/webhook/drivehr-sync
Branch deploys	https://consolidateddealers.com/webhook/drivehr-sync
Preview Server	https://consolidateddealers.com/webhook/drivehr-sync
Local development (Netlify CLI)	https://consolidateddealers.com/webhook/drivehr-sync

Project policies

Configure project-wide environment variable policies

Sensitive variable policy

Deploy Previews triggered by a pull request from an unrecognized author's fork are considered untrusted deploys. Choose how to manage sensitive environment variable access for these deploys.

Untrusted deploys: **Require approval**

Learn more about sensitive variable policy in the docs ↗

Edit settings

© 2025 Netlify