
zachatkinson / kineticslider
Type / to search
Code
Issues
Pull requests 2
Actions
Projects
Wiki
Security 3
Insights
Settings
Re-run jobs
Search logs

🚀 CI/CD Pipeline

✖ fix: improve CI reliability with reduced parallelism and resource limits #125

Summary

Jobs

- ✓ 🔒 Security Scan
- ✖ 🧪 Test & Quality
- ✓ 🎭 E2E Setup
- ✓ 📊 Performance Analysis
- ✓ ♿ Accessibility Tests
- ✖ 🎭 E2E Tests (Shard 1/8)
- ✖ 🎭 E2E Tests (Shard 2/8)
- ✖ 🎭 E2E Tests (Shard 3/8)
- ✖ 🎭 E2E Tests (Shard 4/8)
- ✖ 🎭 E2E Tests (Shard 5/8)
- ✖ 🎭 E2E Tests (Shard 6/8)
- ✖ 🎭 E2E Tests (Shard 7/8)
- ✖ 🎭 E2E Tests (Shard 8/8)
- ⊘ 🚀 Deploy
- ✖ 📋 Quality Gate

Run details

- Usage
- Workflow file

🧪 Test & Quality

failed now in 10m 45s

✓ Set up job	2s
✓ 📥 Checkout	1s
✓ 📦 Setup pnpm	1s
✓ 🟢 Setup Node.js	9s
✓ 📥 Install dependencies	2s
✓ 🔍 TypeScript check	7s
✓ 🧹 Lint check	4s
✓ 💅 Format check	5s
✓ 🧪 Run Unit & Core tests	1m 51s
✓ 🔗 Run Integration tests	3m 15s
✓ 🎨 Run Rendering tests	3s
✓ 📊 Generate coverage report	4m 36s

```
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Performance Metrics > should track memory metrics 1ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Performance Metrics > should track rendering metrics 1ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Performance Metrics > should track loading metrics 1ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Cleanup and Disposal > should dispose without initialization 1ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Cleanup and Disposal > should dispose after initialization 1ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Cleanup and Disposal > should handle multiple dispose calls 1ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Error Handling > should handle PIXI application creation failure 1ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Error Handling > should provide meaningful error messages 2ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Configuration > should use default configuration when none provided 1ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Configuration > should merge custom configuration with defaults 1ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Configuration > should validate configuration values 1ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Performance Requirements > should initialize within 2 second requirement 1ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Performance Requirements > should maintain 60fps performance target 1ms
 ✓ src/__tests__/unit/pixi-renderer.test.ts > PixiRenderer > Performance Requirements > should stay under 150MB memory usage target 1ms
 ✓ src/__tests__/integration/slider-core-loop-integration.test.ts > SliderCore - LoopManager Integration > auto-play integration with loop > should work with auto-play when
loop is enabled 7004ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Event Subscription > should register event listeners 3ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Event Subscription > should handle multiple listeners for same event 2ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Event Subscription > should handle multiple events independently 1ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Event Emission > should emit events with correct data 0ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Event Emission > should handle events with no listeners 1ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Event Emission > should emit events without data 0ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Event Unsubscription > should remove specific listener 0ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Event Unsubscription > should remove all listeners for an event 0ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Event Unsubscription > should handle removing non-existent listener 0ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Event Unsubscription > should handle removing from non-existent event 0ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Event Listener Management > should not affect other events when removing listeners 0ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Error Handling > should handle listener errors gracefully 1ms
 ✓ src/__tests__/core/event-emitter.test.ts > SimpleEventEmitter > Memory Management > should not leak memory when adding/removing many listeners 31ms
 ✓ src/__tests__/core/slider-core.test.ts > SliderCore Simple Unit Tests > Basic State Management > should initialize with default state 5ms
 ✓ src/__tests__/core/slider-core.test.ts > SliderCore Simple Unit Tests > Basic State Management > should return immutable state copies 2ms
 ✓ src/__tests__/core/slider-core.test.ts > SliderCore Simple Unit Tests > Basic State Management > should update state after initialization 7010ms
 ✓ src/__tests__/core/slider-core.test.ts > SliderCore Simple Unit Tests > Configuration Validation > should reject empty slides array 3ms
 ✓ src/__tests__/core/slider-core.test.ts > SliderCore Simple Unit Tests > Configuration Validation > should reject invalid duration 1ms
 ✓ src/__tests__/core/slider-core.test.ts > SliderCore Simple Unit Tests > Configuration Validation > should reject null/undefined config 1ms
 ✓ src/__tests__/integration/error-system-basic.test.ts > Error System Basic Integration > should catch and handle basic errors 34ms
 ✓ src/__tests__/integration/error-system-basic.test.ts > Error System Basic Integration > should reset error state 4ms
 ✓ src/__tests__/integration/advanced-visual-effects.test.ts > Advanced Visual Effects Integration > DisplacementEffects + FilterChain Integration > should coordinate
displacement effects with filter chains 9ms
 ✓ src/__tests__/integration/advanced-visual-effects.test.ts > Advanced Visual Effects Integration > DisplacementEffects + FilterChain Integration > should handle
simultaneous transitions with filter chains 4ms
 ✓ src/__tests__/integration/advanced-visual-effects.test.ts > Advanced Visual Effects Integration > DisplacementEffects + FilterChain Integration > should handle filter
chain removal with active displacement effects 4ms
 ✓ src/__tests__/integration/advanced-visual-effects.test.ts > Advanced Visual Effects Integration > PerformanceOptimizer Integration > should optimize displacement effects
based on performance 3ms
 ✓ src/__tests__/integration/advanced-visual-effects.test.ts > Advanced Visual Effects Integration > PerformanceOptimizer Integration > should optimize filter chains based
on performance 4ms
 ✓ src/__tests__/integration/advanced-visual-effects.test.ts > Advanced Visual Effects Integration > Full Integration Scenarios > should handle interactive effects with
performance monitoring 4ms
 ✓ src/__tests__/integration/advanced-visual-effects.test.ts > Advanced Visual Effects Integration > Error Handling and Edge Cases > should handle disposal of components in
correct order 13ms
 ✓ src/__tests__/integration/advanced-visual-effects.test.ts > Advanced Visual Effects Integration > Error Handling and Edge Cases > should handle missing displacement
texture gracefully 3ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > start() > should start auto-play when enabled 7ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > start() > should not start if already playing 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > start() > should not start if disabled 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > start() > should schedule next slide after interval 2ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > start() > should continue scheduling after successful onNext 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > pause() > should pause auto-play with manual reason 3ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > pause() > should not schedule next slide when paused 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > pause() > should track multiple pause reasons 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > resume() > should resume when all pause reasons are cleared 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > resume() > should not resume if other pause reasons exist 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > stop() > should stop auto-play completely 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > toggle() > should start when stopped 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > toggle() > should pause when playing 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > toggle() > should resume when manually paused 0ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > handleHover() > should pause on hover when enabled 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > handleHover() > should resume on hover leave 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > handleHover() > should not pause on hover when disabled 0ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > handleFocus() > should pause on focus when enabled 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > handleFocus() > should resume on blur 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > handleInteraction() > should pause on interaction 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > handleInteraction() > should auto-resume after delay 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > handleInteraction() > should not auto-resume when disabled 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > updateConfig() > should update configuration 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > updateConfig() > should stop when disabled 0ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > updateConfig() > should emit config update event 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > error handling > should stop on error and emit error event 2ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > visibility handling > should pause when page becomes hidden 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > visibility handling > should emit resume event when page becomes visible 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > window blur handling > should pause on window blur 1ms
 ✓ src/__tests__/unit/auto-play-manager.test.ts > AutoPlayManager > window blur handling > should emit resume event on window focus 1ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Component Integration and Coordination > should initialize with real
components and coordinate them 5ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Component Integration and Coordination > should coordinate physics
calculations with renderer 2ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Component Integration and Coordination > should handle sprite management
across components 2ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Component Integration and Coordination > should update physics
configuration across components 2ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Real Component Workflow Integration > should execute complete animation
workflow with real components 2ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Real Component Workflow Integration > should coordinate performance
statistics from real renderer 2ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Real Component Workflow Integration > should handle batch animations
with real renderer coordination 2ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Advanced Integration Scenarios > should handle rapid successive
operations with real components 2ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Advanced Integration Scenarios > should coordinate cleanup across all
real components 2ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Advanced Integration Scenarios > should handle edge cases with real
component coordination 2ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Component Behavior Validation > should validate physics calculations are
applied to rendering 2ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Component Behavior Validation > should validate real momentum and spring
calculations 2ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Integration with Unit-Testable Components > should support dependency
injection for unit testing 2ms
 ✓ src/__tests__/integration/physics-facade-integration.test.ts > SliderPhysics Facade Integration > Integration with Unit-Testable Components > should maintain DRY
principles across test types 2ms
 ✓ src/__tests__/unit/loop-manager.test.ts > LoopManager > construction > should create with default configuration 4ms
 ✓ src/__tests__/unit/loop-manager.test.ts > LoopManager > construction > should create with custom configuration 1ms
 ✓ src/__tests__/unit/loop-manager.test.ts > LoopManager > infinite loop mode > should loop forward from last slide to first 3ms
 ✓ src/__tests__/unit/loop-manager.test.ts > LoopManager > infinite loop mode > should loop backward from first slide to last 1ms
 ✓ src/__tests__/unit/loop-manager.test.ts > LoopManager > infinite loop mode > should navigate normally within bounds 0ms
 ✓ src/__tests__/unit/loop-manager.test.ts > LoopManager > finite loop mode > should not loop forward from last slide 1ms
 ✓ src/__tests__/unit/loop-manager.test.ts > LoopManager > finite loop mode > should not loop backward from first slide 1ms
 ✓ src/__tests__/unit/loop-manager.test.ts > LoopManager > finite loop mode > should navigate normally within bounds 0ms
 ✓ src/__tests__/unit/loop-manager.test.ts > LoopManager > bounce loop mode > should bounce backward from last slide 1ms
 ✓ src/__tests__/unit/loop-manager.test.ts > LoopManager > bounce loop mode > should bounce forward from first slide 1ms
 ✓ src/__tests__/unit/loop-manager.test.ts > LoopManager > bounce loop mode > should handle bounce at edge of single slide 0ms
 ✓ src/__tests__/unit/loop-manager.test.ts > LoopManager > disabled loop > should not navigate when disabled 0ms
```

⌄ ✓ 📊 Upload coverage to Codecov 5s

⌄ ✗ ✅ Coverage threshold check 0s

⊘ Post 🟢 Setup Node.js 0s

⌄ ✓ Post 📦 Setup pnpm 0s

⌄ ✓ Post 📥 Checkout 0s

› ✓ Complete job 0s