

Multiple Cause of Death, 1999-2018 Request

1. Organize table layout:

Help

Group Results By

Year

▼

And By

Month

▼

And By

HHS Region

▼

And By

Ten-Year Age Groups

▼

And By

None

▼

Notes:

• Group Results By "15 Leading Causes" to see the top 15 rankable causes selected from the corresponding 113 or 130 Cause List.
[More information.](#)

Measures

(Default measures always checked and included. Check box to include any others.)

☒Deaths

☒Population

☒Crude Rate

For crude rates:

☒95% Confidence Interval

☐Standard Error

☐Age Adjusted Rate

☐95% Confidence Interval

☐Standard Error

☒Percent of Total Deaths

Title

Additional Rate Options

Click '+' for non-standard age adjusted rates and other options.

Help

2. Select location:

Help

Click a button to choose locations by State, Census Region or HHS Region.

States

Census Regions

HHS Regions

Browse

 or

search

 to find items in the HHS Regions Finder Tool, then **highlight** the items to use for this request.
(The *Currently selected* box displays all current request items.)

Finder Tool Help

Advanced Finder Options

HHS Regions

All (The United States)

+ HHS1 (HHS Region #1 CT, ME, MA, NH, RI, VT)

+ HHS2 (HHS Region #2 NJ, NY)

+ HHS3 (HHS Region #3 DE, DC, MD, PA, VA, WV)

+ HHS4 (HHS Region #4 AL, FL, GA, KY, MS, NC, SC, TN)

+ HHS5 (HHS Region #5 IL, IN, MI, MN, OH, WI)

+ HHS6 (HHS Region #6 AR, LA, NM, OK, TX)

+ HHS7 (HHS Region #7 IA, KS, MO, NE)

+ HHS8 (HHS Region #8 CO, MT, ND, SD, UT, WY)

+ HHS9 (HHS Region #9 AZ, CA, HI, NV)

+ HHS10 (HHS Region #10 AK, ID, OR, WA)

Currently selected:

All (The United States)

Browse

 the list by opening and closing items.
Use Ctrl+Click to multiple select, Shift+Click for a range.

Pick between:

2013 Urbanization

2006 Urbanization

All Categories

Large Central Metro

Large Fringe Metro

Medium Metro

Small Metro

Micropolitan (Nonmetro)

NonCore (Nonmetro)

3. Select demographics:

Help

Hint: Use Ctrl + Click for multiple selections, or Shift + Click for a range.

Pick between:

Ten-Year Age Groups

Five-Year Age Groups

Single-Year Ages

Infant Age Groups

All Ages

< 1 year

1-4 years

5-14 years

15-24 years

25-34 years

35-44 years

45-54 years

55-64 years

65-74 years

75-84 years

85+ years

Gender

All Genders

Female

Male

Hispanic Origin

All Origins

Hispanic or Latino

Not Hispanic or Latino

Not Stated

Race

All Races

American Indian or Alaska Native

Asian or Pacific Islander

Black or African American

White

Default rates per 100,000

4. Select year and month:

Help

Browse or **search** to find items in the Year/Month Finder Tool, then **highlight** the items to use for this request.
(The *Currently selected* box displays all current request items.)

[Finder Tool Help](#) [Advanced Finder Options](#)

Year/Month

+ 2008 (2008)

+ 2009 (2009)

+ 2010 (2010)

+ 2011 (2011)

+ 2012 (2012)

+ 2013 (2013)

+ 2014 (2014)

+ 2015 (2015)

+ 2016 (2016)

+ 2017 (2017)

+ 2018 (2018)

Currently selected:

2015 (2015)

2016 (2016)

2017 (2017)

2018 (2018)

Browse the list by opening and closing items.

Use Ctrl+Click to multiple select, Shift+Click for a range.

5. Select weekday, autopsy and place of death:

Help

Hint: Use Ctrl + Click for multiple selections, or Shift + Click for a range.

Weekday

All Weekdays

Sunday

Monday

Tuesday

Wednesday

Thursday

Friday

Saturday

Unknown

Autopsy

All Values

No

Yes

Unknown

Place of Death

Medical Facility - Inpatient

Medical Facility - Outpatient or ER

Medical Facility - Dead on Arrival

Medical Facility - Status unknown

Decedent's home

Hospice facility

Nursing home/long term care

Other

Place of death unknown

6. Select underlying cause of death:

Help

Click a button to select ICD codes by Chapters or by Groups.

☐ UCD - ICD-10 Codes

☐ UCD - ICD-10 130 Cause List (Infants)

☐ UCD - Drug/Alcohol Induced Causes

☒ UCD - ICD-10 113 Cause List

☐ UCD - Injury Intent and Mechanism

UCD - ICD-10 113 Cause List

All Causes of Death

#Salmonella infections (A01-A02)

#Shigellosis and amebiasis (A03,A06)

Certain other intestinal infections (A04,A07-A09)

#Tuberculosis (A16-A19)

Respiratory tuberculosis (A16)

Other tuberculosis (A17-A19)

#Whooping cough (A37)

#Scarlet fever and erysipelas (A38,A46)

#Meningococcal infection (A39)

#Septicemia (A40-A41)

#Syphilis (A50-A53)

#Acute poliomyelitis (A80)

#Arthropod-borne viral encephalitis (A83-A84,A85.2)

#Measles (B05)

#Viral hepatitis (B15-B19)

#Human immunodeficiency virus (HIV) disease (B20-B24)

#Malaria (B50-B54)

Other and unspecified infectious and parasitic diseases and their sequelae (A00-A05, A20, A36, A42, A44, A48, A49, A51, A52, A53, A54, A55, A56, A57, A58, A59, A60, A61, A62, A63, A64, A65, A66, A67, A68, A69, A70, A71, A72, A73, A74, A75, A76, A77, A78, A79, A80, A81, A82, A83, A84, A85, A86, A87, A88, A89, A90, A91, A92, A93, A94, A95, A96, A97, A98, A99)

Hint: Use Ctrl + Click for multiple selections, or Shift + Click for a range.

Note: Causes marked with '#' are rankable causes that can appear in results when '15 Leading Causes of Death' is picked from the Group Results By list. [More information.](#)

7. Select multiple cause of death:

Help

Click a button to select ICD codes by Chapters or by Groups.

- ☐ MCD - ICD-10 Codes
- ☒ MCD - ICD-10 113 Cause List
- ☐ MCD - ICD-10 130 Cause List (Infants)
- ☐ MCD - Drug/Alcohol Induced Causes

Items in the Select Records box will be used for your request.

Enter codes by hand, one per line, or find items in the Finder Tool and *Move (highlighted) Items Over*.

Finder Tool Help

Select Records

with any of these items:

AND any of these items:

Leave box empty, or use *All*, to select all values.

Move Items Over <<<

Move Items Over <<<

MCD - ICD-10 113 Cause List

All Causes of Death

Salmonella infections (A01-A02)

Shigellosis and amebiasis (A03,A06)

Certain other intestinal infections (A04,A07-A09)

Tuberculosis (A16-A19)

Respiratory tuberculosis (A16)

Other tuberculosis (A17-A19)

Whooping cough (A37)

Scarlet fever and erysipelas (A38,A46)

Meningococcal infection (A39)

Septicemia (A40-A41)

Syphilis (A50-A53)

Acute poliomyelitis (A80)

Arthropod-borne viral encephalitis (A83-A84,A85.2)

Measles (B05)

Viral hepatitis (B15-B19)

Human immunodeficiency virus (HIV) disease (B20-B24)

Malaria (B50-B54)

Other and unspecified infectious and parasitic diseases and their sequ

Note: Use both selection boxes to select results that contain items from both the first AND second box. See the [feature description](#) for more information.

Note: Javascript must be enabled for the "Move" and "Clear" buttons to work. Enter or clear codes by hand if the buttons don't work.

8. Other options:

Help

- Export Results

Show Totals

Show Zero Values

Show Suppressed Values

Precision

Data Access Timeout
- ☒

☒

☐

☐

6 ▾

10 ▾
- (Check box to download results to a file)

decimal places

minutes