## Computer Science Notes

Spring 2024

Zach Leach

Draft February 5, 2024

The University of Texas at Dallas

#### **Contents**

### **Preface**

These are my exam review notes taken throughout the Spring semester.  $\,$ 

February 5, 2024 Zach Leach

## Part I Computer Networks

## Part II Advanced Algorithms

## **Assignment 1**

#### **Assignment 2**

- 3.1 Are either  $\lceil \lg n \rceil$ ! or  $\lceil \lg \lg n \rceil$ ! polynomially bounded? Polynomially bounded means
- 3.2 Use induction to prove  $F_i = \frac{\phi^i \hat{\phi}^i}{\sqrt{5}}$ ; where  $F_i = F_{i-2} + F_{i-1}$ , and  $\phi$  is the golden ratio  $\frac{1+\sqrt{5}}{2}$ .
- 3.3 Show that  $k \lg k = \Theta(n)$  implies  $k = \Theta\left(\frac{n}{n \ln n}\right)$ .
- 3.4 Are either  $2^{n+1}$  or  $2^{2n}$  big-*O* of  $2^{n}$ ?
- 3.5 For each pair of functions (A,B), indicate whether A is  $O, o, \Omega, \omega$ , or  $\Theta$  of B. Assume  $k \ge 1$ ,  $\epsilon > 0$ , c > 1 are constants.

$$A \hspace{1cm} B \hspace{.1cm} \mid \hspace{.1cm} O \hspace{.1cm} \mid \hspace{.1cm} o \hspace{.1cm} \mid \hspace{.1cm} \Omega \hspace{.1cm} \mid \hspace{.1cm} \omega \hspace{.1cm} \mid \hspace{.1cm} \Theta$$

This is a test

3.6 Order the following functions such that  $f_1 = \Omega(f_2), f_2 = \Omega(f_3), ..., f_{29} = \Omega(f_{30})$ , and partition them into equivalence classes such that each function is big- $\Theta$  of each other.

## Part III Software Engineering

# Part IV Operating Systems