## MATH 2418: Linear Algebra

## Assignment#7

Due: Tuesday, 10/18/2022, 11:59pm Term: <u>Fall 2022</u>

[Last Name] [First Name] [Net ID] [Lab Section]

Recommended Problems:(Do not turn in)

**Sec 3.3:** 1, 2, 3, 4, 5, 7, 16, 17, 25, 27, 29

**Sec 3.4:** 1, 2, 3, 4, 5, 11, 12, 13, 15, 16.

1. Find the complete solution  $\mathbf{x} = \mathbf{x}_p + \mathbf{x}_n$  of the system  $A\mathbf{x} = \mathbf{b}$ ,  $A = \begin{bmatrix} 1 & 3 & 2 & 2 \\ 2 & 3 & -2 & 10 \\ 4 & 13 & 7 & -3 \\ 3 & 9 & 5 & 3 \end{bmatrix}$ ,  $\mathbf{b} = \begin{bmatrix} 5 \\ 7 \\ 3 \\ 9 \end{bmatrix}$ , where

 $\mathbf{x}_p$  stands for a particular solution and  $\mathbf{x}_n$  the general solution of the associated homogeneous system.

- 2. (a) Construct a matrix whose null space consists of all linear combinations of vectors (3, 2, 0, 1) and (-2, 5, 1, 0).
  - (b) Construct a 2 by 3 system  $A\mathbf{x} = \mathbf{b}$  with particular solution  $\mathbf{x}_p = (3, 2, 0)$  and special solution  $\mathbf{x}_n = (2, 5, 1)$ .

- 3. Consider the system  $A\mathbf{x} = \mathbf{b}$ , where  $A = \begin{bmatrix} 1 & 1 & -1 & 2 \\ 1 & 3 & -5 & 7 \\ 7 & 1 & 5 & -1 \end{bmatrix}$ ,  $\mathbf{b} = \begin{bmatrix} b_1 \\ b_2 \\ b_3 \end{bmatrix}$ .
  - (a) Find all possible values of **b** so that  $rank(A) = rank[A \mid \mathbf{b}]$ .
  - (b) Determine the values of k so that the rank of matrix  $C = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ k & 8 & 9 \end{bmatrix}$  is 2.

4. Consider 
$$\mathbf{v}_1 = \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}$$
,  $\mathbf{v}_2 = \begin{bmatrix} 5 \\ 6 \\ 4 \end{bmatrix}$ ,  $\mathbf{v}_3 = \begin{bmatrix} -3 \\ -7 \\ -1 \end{bmatrix}$ 

- (a) Show that  $\mathbf{v}_1$ ,  $\mathbf{v}_2$ ,  $\mathbf{v}_3$  are linearly independent.
- (b) Find the dimension of  $Span(\mathbf{v}_1, \mathbf{v}_2, \mathbf{v}_3)$ .
- (c) Is any vector  $(x, y, z) \in \mathbb{R}^3$  in  $\text{Span}(\mathbf{v}_1, \mathbf{v}_2, \mathbf{v}_3)$ ? If so, express the vector as a linear combination of  $\mathbf{v}_1, \mathbf{v}_2, \mathbf{v}_3$ .

5. Consider the  $4 \times 5$  matrix  $A = [u_1 \mid u_2 \mid u_3 \mid u_4 \mid u_5]$ , where the columns are

$$u_1 = \begin{bmatrix} 1 \\ 2 \\ 3 \\ 4 \end{bmatrix}, \ u_2 = \begin{bmatrix} 5 \\ 1 \\ 0 \\ 2 \end{bmatrix}, \ u_3 = \begin{bmatrix} 2 \\ -1 \\ -2 \\ 3 \end{bmatrix}, \ u_4 = \begin{bmatrix} 1 \\ 0 \\ -1 \\ 1 \end{bmatrix}, \ u_5 = \begin{bmatrix} 1 \\ 2 \\ 2 \\ 5 \end{bmatrix}$$

- a) Find a set of vectors in  $\{u_1, u_2, u_3, u_4, u_5\}$  which is a basis of the column space of A.
- b) Find the rank of A.

6. For each of the following matrices, find all possible real values of  $(c, d) \in \mathbb{R}^2$  such that matrices C and D have same rank and then find the rank.

(a) 
$$C = \begin{bmatrix} 0 & 0 & 1 & 0 \\ 0 & c & 0 & 0 \\ c & 0 & 0 & 0 \\ 0 & 0 & 0 & c \end{bmatrix}$$
,  $D = \begin{bmatrix} d \\ d \\ d \\ d \end{bmatrix}$ .

(b) 
$$C = \begin{bmatrix} 1 & 0 & 1 & 2 \\ 0 & c & 0 & 0 \end{bmatrix}$$
,  $D = \begin{bmatrix} d & 0 \\ 0 & d \end{bmatrix}$ .

(c) 
$$C = \begin{bmatrix} 1 & 0 & 2 & 1 \\ 0 & d & 0 & 0 \\ 0 & 0 & 0 & c \end{bmatrix}$$
,  $D = \begin{bmatrix} d & c \\ c & d \end{bmatrix}$ .