

Computational Interaction Science Citation Map

Core concepts mapped to supporting literature

Interaction

- (1982) Human-computer interaction: a preliminary RUDD, J., STERN, K. R. AND ISENSEE, S. (1996) Low social psychological analysis. Behavior Research: vs. High-fidelity Prototyping Debate. ACM Inter- Methods and Instrumentation, 13, (2), 210-220. actions Magazine, January, 76-85. References 501
- (1993) Human-Computer Interaction (2nd ed.). Analysis: Verbal Reports as Data. Cambridge, MA: London: Prentice-Hall Europe. The MIT Press.
- (1993) Project Ernestine: validating a GOMS J. (1993) Unpacking collaboration: the interac- analysis for predicting and explaining real-world tional organization of trading in a city dealing performance. Human-Computer Interaction, 8(3), room. In Proceedings of the Third European Con- 237-309. ference on Computer-Supported Cooperative
1. Interview: reproduced by permission of IDEO. (1997) Tangible Bits: towards seamless interfaces, in CH1'97 Proceedings, reprinted by permission of Chapter 2 Association for Computing Machinery, Inc.; Figure Figure 2.1 (on Color Plate 2): gif from www.ai.mit.edu/projects/medical-vision/surgery/ reproduced by permission of IBM; Figure 2.11 (iii): gif surgical-navigation.htm1 reproduced by permission from www.parc.xerox.com/red/members/richgold/ of Michael E. Leventon; Figure 2.6(a): gif from [livingdoc/slide6.html](http://livingdoc.slide6.html), reproduced by permission of <http://vibes.cs.uiuc.edu/ProjectNRIVirtueVirtueOve> Rich Gold of PARC Communications; Figure 2.12: rview.htm, reproduced by permission of Dr Daniel A. gif from www.mbay.net/brendaWarticles/IPDA. Reed (University of Illinois at Urbana-Champaign) Mar.951 reproduced by permission of General Magic, from work on the Collaborative Virtual Inc.; Figure 2.1 3(b):gif from [http://thesims.ea.com/us/Environments for Direct Software Manipulation](http://thesims.ea.com/us/Environments%20for%20Direct%20Software%20Manipulation) reproduced by permission of Electronic Arts Inc. O research project, supported in part by the Defense 2001 Electronic Arts Inc., all rights reserved; Figure Advanced Research Projects Agency under contract 2.14 (on Color Plate 2): gif from <http://graphics.stanford.edu/projects/iwork/> reproduced by DABT63-94-C0049, F30602-96-C-0161, stanford.EDU/projects/iwork/ reproduced by DABT63-96-C0027, N66001-97-C-8532, in part by the permission of Professor Terry Winograd; Cartoon: National Science Foundation under grants CDA 94- Copyright O Cartoonstock, www.CartoonStock.com. 504 Credits Chapter 3 organisations (pages 145-199) in Oskamp, S. and Figures 3.2(a) and (b): two screenshots of lodging Spacapan, S. (eds.) People's Reactions to information reproduced by permission of T. S. Tullis Technologies in Factories, Offices and Aerospace- from his Ph.D. Dissertation Predicting the Usability of The Claremont Symposium on Applied Psychology Alphanumeric Displays, Rice University, Houston, copyright O 1990 Sage Publications, reprinted by Texas, USA; Figures 3.3 and 3.1 0: screenshots of permission of Sage Publications Inc.; Figure 4.7:
- 5.4(a) and (b): Marcus, A. (1993) Human and Hix, D. (1989) How Microsoft builds software, communication in advanced uls, Figures 2 and 4 International Journal of Man-Machine Studies, 31, (pages 106 and 107) in Communications of the ACM, 477-494, the Star lifecycle model, reproduced by 36(4), 101-109, reprinted by permission of permission of Academic Press Ltd.; Figure 6.14: The Association for Computing Machinery, Inc.; Figure usability engineering lifecycle figure in The Usability
- A simplest systematics for the organization of SHNEIDERMAN, B. (1998) Designing the User Inter- turn-taking for conversation. Language, 50, face: Strategies for Effective Human-Computer 696-735. Interaction (3rd ed.). Reading, MA: Addison-
- Abramsky, S. (2013). Semantics of interaction. arXiv:1312.0121.
- and blind people. In Proceedings of ICCHP '92, GAVAR, B., DUNNE, T., AND PACENTI, E. (1999) Cul- Vienna: Austrian Computer Society, 114-119. tural probes. ACM Interactions Magazine, January
- AND SCHOONARD, J. (1987) The 1984 Olympic cally derived methodologies and tools for human- Message System: a test of behavioral principles of computer interface development. International system design. Communications of the ACM, Journal of Man-Machine Studies, 31, 477-494. 30(9), 758-769. HAUMER, P., JARKE, M., POHL, K., AND WEIDEN-
- Ashby, W. R. (1956). An Introduction to Cybernetics.

- Ashby, W. R. (1956). *An introduction to cybernetics*. Chapman & Hall.
- B. (1999) (eds.) *Readings in Information Visualization*. CUSUMANO, M. A. AND SELBY, R.W. (1997) *How Microsoft builds software*. Communications of the ACM, 40(6), 53-61.
- B. L. (1990) Informal communication in permission of Mark Laita; Figure 5.3(ii):screenshot of Credits 505 a Nokia mobile phone from www.nokia.com/phones at Netpliance from Information Appliances and
- Bahr, G. S., & Stary, C. (2016). What is interaction science? Revisiting the aims and scope of JoIS. *Journal of Interaction Science*, 4, Article 2. <https://doi.org/10.1186/s40166-016-0015-5>
- Baier, C., & Katoen, J.-P. (2008). *Principles of Model Checking*. MIT Press. Comparative Interaction | 10
- BAILEY, B. (2000) How to improve design decisions design of Xerox's 8010 'Star' office workstation. In *by reducing reliance on superstition. Let's start* J. Preece and L. Keller (eds.). *Human-Computer with Miller's Magic 722*. Human Factors International: A Reader. Heme Hempstead, U K : tional, Znc. www.humanfactors.com Prentice Hall, 368-382.
- BBDKER, S., GREENBAUM, J. AND KYNG, M. (1991) face agents. communications of the ACM, 43(3), Setting the stage for design as action. In J. Green- 70-79. baum and M. Kyng (eds.) *Design at Work: Cooper-* CHENG, L., STONE, L., FARNHAM, S., CLARK, A. M.,
- Beer, R. D. (1995). A dynamical systems perspective on agent-environment interaction. *Artificial Intelligence*, 72, 173-215.
- BELLOTTI, V AND ROGERS, Y. (1997) From web press Interactions Magazine, January and February, to web pressure: multimedia representations and 25-30. 494 References
- Blunden, A. (2015). Engeström's activity theory and social theory [Critical essay].

Representation and projection

- 5.4(a)and (b): Marcus, A. (1993) *Human and Hix*, D. (1989) *How Microsoft builds software*, communication in advanced 5.4(a) and (b): Figures 2 and 4 International Journal of Man-Machine Studies, 31, (pages 106 and 107) in *Communications of the ACM*, 477-494, the Star lifecycle model, reproduced by 36(4), 101-109, reprinted by permission of permission of Academic Press Ltd.; Figure 6.14: The Association for Computing Machinery, Inc.; Figure usability engineering lifecycle figure in *The Usability*
- AND MADACHY, R. (1998) Using the WinWin spi- Research. In *Proceedings of the Virtual Worlds ral model: a case study*. IEEE Computer, 31(7), Conference 2000, Paris, France.
- AND SCHOONARD, J. (1990) The 1984 Olympic models by extended traceability to captured system Message System: a test of behavioral principles of usage. *Interacting with Computers*, 13(1), 77-95.
- ATKINSON, P., AND HAMMERSLEY, M. (1994) Ethnog- quirements. In J. Bennett, D. Case, J. Sandelin, raphy and participant observation. In N. K. Den- and M. Smith (eds.) *Visual Display Terminals: Us- zin and Y. S. Lincoln (eds.) Handbook o f ability Issues and Health Concern*. Englewood Qualitative Research. London: Sage. Cliffs, NJ: Prentice-Hall.
- B. (1999) (eds.) *Readings in Information Visualization*. CUSUMANO, M. A. AND SELBY, R.W. (1997) *How Microsoft builds software*. Communications of the ACM, 40(6), 53-61.
- Baier, C., & Katoen, J.-P. (2008). *Principles of Model Checking*.
- Baier, C., & Katoen, J.-P. (2008). *Principles of Model Checking*. MIT Press.
- Baier, C., & Katoen, J.-P. (2008). *Principles of Model Checking*. MIT Press. Comparative Interaction | 10
- BELLOTTI, V AND ROGERS, Y. (1997) From web press Interactions Magazine, January and February, to web pressure: multimedia representations and 25-30. 494 References
- BOEHM, B. W. (1988) A spiral model of software de- Practices for the Web's Most Popular Sites.
- BREAZEL, C. (1999) Kismet: A robot for social interac- COMER, E. R. (1997) Alternative lifecycle models. In *tions with humans*. www.ai.mit.edu/projects/kismet/ Merlin Dorfman and Richard H. Thayer (eds.)
- Card, S. K. (1986). *The Model Human Processor: A Model for Making Engineering Calculations of Human Performance*. Proceedings of the Human Factors Society.

- Card, S. K., Mackinlay, J. D., & Shneiderman, B. (Eds.). (1999). Readings in information visualization. Morgan Kaufmann.
- Clarke, E. M., Grumberg, O., & Peled, D. A. (1999). Model Checking. MIT Press.
- Codd, E. F. (1970). A relational model of data for large shared data banks. *Communications of the ACM*, 13, 377-387.
- Cousot, P., & Cousot, R. (1977). Abstract interpretation: A unified lattice model for static analysis of programs by construction or approximation of fixpoints. *POPL*, 238-252.
- Cousot, P., & Cousot, R. (1977). Abstract interpretation: A unified lattice model for static analysis.
- EICK, S. G. (2001) Visualizing online activity. *Com- phy and Qualitative Design in Educational Re- munications of the ACM*, 44(8), 45-50. search. Orlando, FL: Academic Press.
- Farrell, S., & Lewandowsky, S. (2018). Computational modeling of cognition and behavior. Cambridge University Press. <https://doi.org/10.1017/9781316272503>
- Figure 4.1 6: Preece, J. and Keller, L. (1994) *Human- Computer Interaction*, Figure 3.5 (page 70) O Chapter 4 Selection and editorial material, the Open University, Figure 4.1 (on Color Plate 5): Three gifs of reprinted by permission of Pearson Education Ltd.; *BowieWorld* from www.worlds.com/bowie Cartoon: Copyright O Cartoonstock, reproduced by permission of worlds.com; Figure 4.2: www.CartoonStock.com. reprinted from *Decision Support Systems*, 5(2), Nunamaker, J. et al., Experiences at IBM with group support systems, 183-196, Figure 2 O 1989, with Chapter 5 permission from Elsevier Science; Figure 4.3: gif of Figure 5.1 : gif from [www.ai.mit.edu/projects/ Willow Tree](http://www.ai.mit.edu/projects/WillowTree) ACTIVboard reproduced by permission humanoid-robotics-group/kismet/kismet-html of Promethean Ltd.; Figure 4.4(a): photograph of an reproduced by permission of Peter Menzel early model of a videophone (prototype) by courtesy Photography; Figure 5.2: Figure 40 (page 40) from of BT Archives; Figure 4.4(b): photograph of the VP- Designing Visual Interfaces by K. Mullett and D. 210 Visualphone reproduced by permission of Sano O 1995 reprinted by permission of Pearson Kyocera Corporation, O 1999 Kyocera Corporation; Education, Inc., Upper Saddle River, NJ 07458; Figure 4.5: illustration of the Video Window System Figure 5.3 (on Color Plate 6) (i): photograph of an in use from Kraut, R. E., Root, R. W. and Chalfonte, iMac from www.apple.com/hardware reproduced by

Ontology and semantics

- (1994) The Goal Question Metric Paradigm: Ency- BEYNON-DAVIES, P. (1997) *Ethnography and infor- clopedia of Software Engineering*. New York: John mation systems development: ethnography of, for Wiley & Sons. and within IS development. *Information and Soft-*
- (1999) *MEDLINEplus Interface Evaluation: Final electronic teller of stories, Robots for Kids* (Druin, Report, reproduced by permission of Professor Keith C.A. and Helander, J., eds.) reproduced by Cogdill, College of Information Studies, University permission of Academic Press, Inc. and the authors, of Maryland; Figure 14.2: Figure 2, pages 67-80, Institute for Advanced Computer Studies, University from Lund, A.M. Ameritech's usability laboratory: of Maryland. from prototype to final design, Behaviour and
- (2000) A diary study of information capture in tool for all reasons. *Journal of the American Soci- working life*. In *Proceedings of CHI 2000, The ety for Information Science*, 40(3), 200-213.
- (2000) Designing Internet appliances at Netpli- KOENEMANN-BELLIVEAU, J., CARROLL, J. M., ance. In E. Bergman (ed.) *Information Appliances R o s s o -M*.
- (2000) Designing mobile phones and communica- board. In S. Jones (ed.) *Doing Internet Research: tors for consumers' needs at Nokia*. In E. Bergman *Critical Issues and Methods for Examining the Net*. (ed.) *Information Appliances and Beyond*. San Thousands Oaks, CA: Sage, 145-161.
1. Interview: reproduced by permission of IDEO. (1997) *Tangible Bits: towards seamless interfaces*, in *CHI'97 Proceedings*, reprinted by permission of Chapter 2 Association for Computing Machinery, Inc.; Figure Figure 2.1 (on Color Plate 2): gif from [www.ai.mit. 2.1 1](http://www.ai.mit.edu/projects/medical-vision/surgery/) (ii) gif from www.almaden.ibm.com/cs/blueeyes/ edu/projects/medical-vision/surgery/ reproduced by permission of IBM; Figure 2.11 (iii): gif surgical-navigation.html reproduced by permission from www.parc.xerox.com/red/members/richgold/ of Michael E. Leventon; Figure 2.6(a): gif from [livingdoc/slide6. html](http://livingdoc.slide6.html), reproduced by permission of <http://vibes.cs.uiuc.edu/ProjectNRIVirtue/VirtueOve> Rich Gold of PARC Communications; Figure 2.12: view.htm, reproduced by permission of Dr Daniel A. gif from [www.mbay.net/-brendaWarticles/IPDA](http://www.mbay.net/~brendaWarticles/IPDA). Reed (University of Illinois at Urbana-Champaign) Mar.951 reproduced by permission of General Magic, from work on the Collaborative Virtual Inc.; Figure 2.1 3(b):gif from <http://thesims.ea.com/us/>

Environments for Direct Software Manipulation reproduced by permission of Electronic Arts Inc. O research project, supported in part by the Defense 2001 Electronic Arts Inc., all rights reserved; Figure Advanced Research Projects Agency under contract 2.14 (on Color Plate 2): gif from <http://graphics.stanford.edu/projects/iwork/> reproduced by DABT63-94-C0049,F30602-96-C-0161, stanford.EDU/projects/iwork/ reproduced by DABT63-96-C0027, N66001-97-C-8532,in part by the permission of Professor Terry Winograd; Cartoon: National Science Foundation under grants CDA 94- Copyright O Cartoonstock, www.CartoonStock.com. 504 Credits Chapter 3 organisations (pages 145-199) in Oskamp, S. and Figures 3.2(a)and (b): two screenshots of lodging Spacapan, S. (eds.) People's Reactions to information reproduced by permission of T. S. Tullis Technologies in Factories, Offices and Aerospace- from his Ph.D. Dissertation Predicting the Usability of The Claremont Symposium on Applied Psychology Alphanumeric Displays, Rice University, Houston, copyright O 1990 Sage Publications, reprinted by Texas, USA; Figures 3.3 and 3.1 0: screenshots of permission of Sage Publications Inc.; Figure 4.7:

- Abramsky, S. (2013). Semantics of interaction. *arXiv:1312.0121*.
- B. (1999) (eds.) Readings in Information Visualiza- CUSUMANO, M. A. AND SELBY, R.W. (1997) How Mi- tion: Using Vision to Think. San Francisco: Mor- crosoft builds software. Communications of the gan Kaufmann. ACM, 40(6), 53-61.
- B. L. (1990) Informal communication in permission of Mark Laita; Figure 5.3(ii):screenshot of Credits 505 a Nokia mobile phone from www.nokia.com/phones at Netpliance from Information Appliances and
- BAILEY, R. W. (2001) Insights from Human Factors BERGMAN, E. AND HAITANI, R. (2000) Designing the International, Inc. (HFI) Providing consulting and Palmpilot: a conversation with Rob Haitani. In training in software ergonomics. January. Information Appliances. San Francisco: Morgan www.humanfactors.com/home/ Kaufmann.
- Bar-Hillel, Y., & Carnap, R. (1953). Semantic information. *British Journal for the Philosophy of Science*, 4, 147-157.
- Borko, H. (1968). Information science: What is it? *American Documentation*, 19(1), 3-5.
<https://doi.org/10.1002/asi.5090190103>
- BRAITERMAN, J., VERHAGE, S. AND CHOO, R. (2000) COGDILL, K. (1999) MEDLINEplus Interface Evalua- Designing with Users in Internet Time. ACM Zn- tion: Final Report. College Park, MD: College of teractions Magazine, VII.5,23-27. Information Studies, University of Maryland.
- BRINKLIN, D. (2001) VisiCalc: Information from its Sofnsare Engineering. Piscataway, NJ: IEEE Com- creators. www.bricklin.com/visicalc.htm puter Society Press.
- Card, S. K., Mackinlay, J. D., & Shneiderman, B. (Eds.). (1999). Readings in information visualization. Morgan Kaufmann.
- Casebook for Software Design. New York: John FITTS, P. M. (1954) The information capacity of the Wiley and Sons, 145-156. human motor system in controlling amplitude of
- Dretske, F. I. (1981). Knowledge and the Flow of Information. MIT Press.
- EASON, K. (1987) Information Technology and Orga- The art of science. In N. Denzin and Y. Lincoln nizational Change. London: Taylor and Francis. (eds.) Handbook of Qualitative Research. London:
- els. Behaviour and Information Technology, 10, ROGERS, Y. (1993) Coordinating computer-mediated 3-21. work. Computer Supported Cooperative Work, 1, Penpoint hci.stanford.edu/csl47/notes/penpoint.html 1995-3315.
- Evaluation: Final Report, reproduced by permission de Vries, G. (1996) Interaction design and human of Professor Keith Cogdill, College of Information factors support in the development of a personal Studies, University of Maryland; Figure 13.10: communicator for children, Figures 1,2,3,5,9,10 screenshot from <http://IIREI.com> reproduced by and 7 in CH1'96 Proceedings, reprinted by permission permission of Recreational Equipment, Inc.; Cartoon: of Association for Computing Machinery, Inc., O The 5th Wave, www.the5thwave.com. communicator concept development and execution by Philips Design, Eindhoven, The Netherlands; Figures 1 5.1 1-1 5.1 3: Figure 19 (page 28), Table 2 Chapter 14 (pages 24 and 25) and Figure 16 (page 25) from

Opportunity and affordance

- (1982) Human-computer interaction: a preliminary RUDD,J., STERN, K. R. AND ISENSEE, S. (1996) Low social psychological analysis. Behavior Research: vs. High-fidelity Prototyping Debate. ACM Inter- Methods and Instrumentation,13, (2), 210-220. actions Magazine, January, 76-85. References 501

- (1988) *Applied Cognitive Psychology*, Figure 3.1 by permission of Association for Computing Machinery (page 63) published by Routledge and reproduced by Machinery, Inc.; Figure 4.1 3: Winograd, T. and
- (1993) *Human-Computer Interaction* (2nd ed.). Analysis: Verbal Reports as Data. Cambridge, MA: London: Prentice-Hall Europe. The MIT Press.
- (1993) Project Ernestine: validating a GOMS J. (1993) Unpacking collaboration: the interactional analysis for predicting and explaining real-world interactional organization of trading in a city dealing performance. *Human-Computer Interaction*, 8(3), 237-309. In Proceedings of the Third European Conference on Computer-Supported Cooperative
- (1999) Mastering the Requirements Process, Figures Corporation; (ii): screenshot of www.ananova.com 10.3 (page 184) and 1.3 (page 9) O Pearson showing Ananova, the virtual news presenter, O Education Ltd 1999, reprinted by permission of Ananova Ltd. 2001, reproduced by permission of Pearson Education Ltd.; Figure 7.2: Bergman, E. and Ananova Ltd., all rights reserved; (iii): screenshot
- (1999) MEDLINEplus Interface Evaluation: Final electronic teller of stories, Robots for Kids (Druin, Report, reproduced by permission of Professor Keith C.A. and Helander, J., eds.) reproduced by Cogdill, College of Information Studies, University of Maryland; Figure 14.2: Figure 2, pages 67-80, permission of Academic Press, Inc. and the authors, of Maryland; Figure 14.2: Figure 2, pages 67-80, Institute for Advanced Computer Studies, University of Lund, A.M. Ameritech's usability laboratory: of Maryland. from prototype to final design, Behaviour and
- (2000) Video artifacts for design: bridging the gap between abstraction and detail. In Proceedings of DIS 2000, 55-65. In Proceedings of MATEAS, M., SALVADOR, T., SCHOLTZ, J. AND
- 07458; Figure 3.6: Lonsdale and Edmunds (1992) *Work Journal*, 1,303, Rogers, Y. Figure 3, *International Journal of Human Computer Studies*, reproduced with kind permission from Kluwer 26,97-126, Figure 3, reproduced by permission of Academic Publishers; Figure 4.10: reproduced by Academic Press Ltd; Figure 3.8: Mander, R., permission of the Xerox Research Centre Europe;
1. Interview: reproduced by permission of IDEO. (1997) *Tangible Bits: towards seamless interfaces*, in CH1'97 Proceedings, reprinted by permission of Chapter 2 Association for Computing Machinery, Inc.; Figure 2.1 (on Color Plate 2): gif from www.ai.mit.edu/projects/medical-vision/surgery/ reproduced by permission of IBM; Figure 2.11 (iii): gif www.parc.xerox.com/red/members/richgold/ of Michael E. Leventon; Figure 2.6(a): gif from [livingdoc/slide6.html](http://livingdoc.slide6.html), reproduced by permission of <http://vibes.cs.uiuc.edu/ProjectNRIVirtualVirtueOve> Rich Gold of PARC Communications; Figure 2.12: [view.htm](http://www.mbay.net/~brendaWarticles/IPDA.Reed), reproduced by permission of Dr Daniel A. gif from www.mbay.net/~brendaWarticles/IPDA.Reed (University of Illinois at Urbana-Champaign) Mar.951 reproduced by permission of General Magic, from work on the Collaborative Virtual Inc.; Figure 2.1 3(b): gif from <http://thesims.ea.com/us/EnvironmentsforDirectSoftwareManipulation> reproduced by permission of Electronic Arts Inc. O research project, supported in part by the Defense 2001 Electronic Arts Inc., all rights reserved; Figure Advanced Research Projects Agency under contract 2.14 (on Color Plate 2): gif from <http://graphics.stanford.edu/projects/iwork/> reproduced by DABT63-96-C0027, N66001-97-C-8532, in part by the permission of Professor Terry Winograd; Cartoon: National Science Foundation under grants CDA 94- Copyright O Cartoonstock, www.CartoonStock.com. 504 Credits Chapter 3 organisations (pages 145-199) in Oskamp, S. and Figures 3.2(a) and (b): two screenshots of lodging Spacapan, S. (eds.) *People's Reactions to information* reproduced by permission of T. S. Tullis Technologies in Factories, Offices and Aerospace- from his Ph.D. Dissertation Predicting the Usability of The Claremont Symposium on Applied Psychology Alphanumeric Displays, Rice University, Houston, copyright O 1990 Sage Publications, reprinted by Texas, USA; Figures 3.3 and 3.1 0: screenshots of permission of Sage Publications Inc.; Figure 4.7:
- 5.4(a) and (b): Marcus, A. (1993) *Human and Hix, D. (1989) How Microsoft builds software, communication in advanced* Figures 2 and 4 *International Journal of Man-Machine Studies*, 31, (pages 106 and 107) in *Communications of the ACM*, 477-494, the Star lifecycle model, reproduced by 36(4), 101-109, reprinted by permission of permission of Academic Press Ltd.; Figure 6.14: The Association for Computing Machinery, Inc.; Figure usability engineering lifecycle figure in *The Usability*
- A simplest systematics for the organization of SHNEIDERMAN, B. (1998) *Designing the User Interface: turn-taking for conversation*. Language, 50, face: Strategies for Effective Human-Computer 696-735. *Interaction* (3rd ed.). Reading, MA: Addison-
- Abramsky, S. (2013). *Semantics of interaction*. arXiv:1312.0121.
- and blind people. In Proceedings of ICCHP '92, GAVAR, B., DUNNE, T., AND PACENTI, E. (1999) *Cultural probes*. ACM Interactions Magazine, January

- B. L. (1990) Informal communication in permission of Mark Laita; Figure 5.3(ii):screenshot of Credits 505 a Nokia mobile phone from www.nokia.com/phones at Netpliance from Information Appliances and
- Bahr, G. S., & Stry, C. (2016). What is interaction science? Revisiting the aims and scope of JoIS. *Journal of Interaction Science*, 4, Article 2. <https://doi.org/10.1186/s40166-016-0015-5>
- Baier, C., & Katoen, J.-P. (2008). *Principles of Model Checking*. MIT Press. Comparative Interaction | 10
- BAILEY, B. (2000) How to improve design decisions design of Xerox's 8010 'Star' office workstation. In by reducing reliance on superstition. Let's start J. Preece and L. Keller (eds.). *Human-Computer with Miller's Magic 722*. Human Factors Interna- Interaction: A Reader. Heme1 Hempstead, U K : tional, Znc. www.humanfactors.com Prentice Hall, 368-382.
- BBDKER, S. (2000) Scenarios in user-centered de- CARROLL, J. M. (1990) The Nurnberg Funnel. Cam- sign-setting the stage for reflection and action. bridge, MA: MIT Press.
- BBDKER, S., GREENBAUM, J. AND KYNG, M. (1991) face agents. *communications of the ACM*, 43(3), Setting the stage for design as action. In J. Green- 70-79. baum and M. Kyng (eds.) *Design at Work: Cooper- CHENG, L., STONE, L., FARNHAM, S., CLARK, A. M.,*
- Beer, R. D. (1995). A dynamical systems perspective on agent-environment interaction. *Artificial Intelligence*, 72, 173-215.

Behavior

- (1982) Human-computer interaction: a preliminary RUDD,J., STERN, K. R. AND ISENSEE, S. (1996) Low social psychological analysis. *Behavior Research: vs. High-fidelity Prototyping Debate*. *ACM Inter- Methods and Instrumentation*,13, (2), 210-220. *actions Magazine*, January, 76-85. References 501
- (1988) *Applied Cognitive Psychology*, Figure 3.1 by permission of Association for Computing (page 63) published by Routledge and reproduced by Machinery, Inc.; Figure 4.1 3: Winograd, T. and
- (1993) Project Ernestine: validating a GOMS J. (1993) Unpacking collaboration: the interac- analysis for predicting and explaining real-world tional organization of trading in a city dealing performance. *Human-Computer Interaction*, 8(3), room. In *Proceedings of the Third European Con- 237-309. ference on Computer-Supported Cooperative*
- AND SCHOONARD, J. (1987) The 1984 Olympic cally derived methodologies and tools for human- Message System: a test of behavioral principles of computer interface development. *International system design. Communications of the ACM, Journal of Man-Machine Studies*, 31,477-494. 30(9), 758-769. HAUMER, P., JARKE, M., POHL, K., AND WEIDEN-
- AND SCHOONARD, J. (1990) The 1984 Olympic models by extended traceability to captured system Message System: a test of behavioral principles of usage. *Interacting with Computers*, 13(1),77-95.
- Anderson, J. R. (1982). Acquisition of cognitive skill. *Psychological Review*, 89, 369-406.
- Books. SPENCER, R. (2000) *The streamlined cognitive walk-*
- Card, S. K. (1986). *The Model Human Processor: A Model for Making Engineering Calculations of Human Performance*. *Proceedings of the Human Factors Society*.
- Chemero, A. (2009). *Radical embodied cognitive science*. MIT Press.
- Ericsson, K. A., Krampe, R. T., & Tesch-Romer, C. (1993). The role of deliberate practice in the acquisition of expert performance. *Psychological Review*, 100, 363-406.
- Farrell, S., & Lewandowsky, S. (2018). *Computational modeling of cognition and behavior*. Cambridge University Press. <https://doi.org/10.1017/9781316272503>
- Fidel, R. (2012). *Human information interaction: An ecological approach to information behavior*. MIT Press.
- Figure 2.1, page 26, reproduced by permission of Figure 4.1 4: Winograd, T. (1988) *Where the action is*, Lawrence Erlbaum Associates, Inc.; Figure 3.1 3: Table A (page 257) in *BYTE*, reproduced by reproduced courtesy of Lucent Technologies Inc. O permission of CMP Media LLC and Byte.com; Figure [19971 Lucent Technologies Inc., all rights reserved; 4.15: after Halverson, C., *Inside the cognitive Cartoon: Reproduced by permission of Randy workplace: new technology and air traffic control*.
- Fitts, P. M., & Posner, M. I. (1967). *Human Performance*. Brooks/Cole.
- Gentner, D. (1983). Structure-mapping: A theoretical framework for analogy. *Cognitive Science*, 7, 155-170.

- Gick, M. L., & Holyoak, K. J. (1983). Schema induction and analogical transfer. *Cognitive Psychology*, 15, 1-38.
- GREEN, T. R. G. (1990) The cognitive dimension of Work. Dordrecht: Kluwer. viscosity: A sticky problem for HCI. In D. DIAPER, HEINBOCKEL, T., SONNENTAG, S., FRESE, M., STOLTE,
- Green, T. R. G., & Petre, M. (1996). Usability analysis of visual programming environments: A cognitive dimensions framework. *Journal of Visual Languages & Computing*, 7, 131-174.
- HALVERSON, C. (1995) Inside the cognitive work- Design: principles and practice. In D. Wixon and J. place: new technology and air traffic control. PhD Ramey, (eds.) *Field Methods Casebook for Soft- Thesis*, Dept. of Cognitive Science, University of ware Design. New York: John Wiley and Sons, California, San Diego. 301-333.
- Hartson, H. R. (2003). Cognitive, physical, sensory, and functional affordances in interaction design. *Behaviour & Information Technology*, 22(5), 315-338.

Measurement

- (1995) Bifocal tools for scenarios and representa- Evaluating the usability of an evolving collabora- tions in participatory activities with users. In J. M. tive product--changes in user type, tasks and eval- Carroll (ed.) *Scenario-Based Design*. New York: uation methods over time. In *Proceedings of John Wiley & Sons*, 135-163. GROUP'99, 150-159.
- (1999) MEDLINEplus Interface Evaluation: Final electronic teller of stories, Robots for Kids (Druin, Report, reproduced by permission of Professor Keith C.A. and Helander, J., eds.) reproduced by Cogdill, College of Information Studies, University permission of Academic Press, Inc. and the authors, of Maryland; Figure 14.2: Figure 2, pages 67-80, Institute for Advanced Computer Studies, University from Lund, A.M. Ameritech's usability laboratory: of Maryland. from prototype to final design, *Behaviour and*
- (2000) PETS: A personal electronic teller of sto- NIELSEN, J. (1992) Finding usability problems through ries.' In C.A. Druin & J. Helander (eds.) *Robots heuristic evaluation*. In *Proceedings of CHI'92*, for Kids. San Francisco: Morgan Kaufmann. 373-800.
- , B., AND SINGLEY, M. K. (1994) Com- and Beyond. San Francisco: Morgan Kaufmann. parative usability evaluation: critical incidents and
1. Interview: reproduced by permission of IDEO. (1997) *Tangible Bits: towards seamless interfaces*, in CHI'97 *Proceedings*, reprinted by permission of Chapter 2 Association for Computing Machinery, Inc.; Figure Figure 2.1 (on Color Plate 2): gif from www.ai.mit.edu/projects/medical-vision/surgery/ reproduced by permission of IBM; Figure 2.11 (iii): [gif surgical-navigation.htm](http://www.parc.xerox.com/red/members/richgold/surgical-navigation.htm) reproduced by permission from www.parc.xerox.com/red/members/richgold/ of Michael E. Leventon; Figure 2.6(a): gif from [livingdoc/slide6.html](http://livingdoc.slide6.html), reproduced by permission of <http://vibes.cs.uiuc.edu/ProjectNRIVirtue/VirtueOve> Rich Gold of PARC Communications; Figure 2.12: [view.htm](http://www.mbay.net/~brendaWarticles/IPDA.Reed), reproduced by permission of Dr Daniel A. gif from www.mbay.net/~brendaWarticles/IPDA.Reed (University of Illinois at Urbana-Champaign) Mar.951 reproduced by permission of General Magic, from work on the Collaborative Virtual Inc.; Figure 2.1 3(b): gif from <http://thesims.ea.com/us/Environments> for Direct Software Manipulation reproduced by permission of Electronic Arts Inc. O research project, supported in part by the Defense 2001 Electronic Arts Inc., all rights reserved; Figure Advanced Research Projects Agency under contract 2.14 (on Color Plate 2): gif from <http://graphics.stanford.edu/projects/iwork/> reproduced by DABT63-94-C0049, F30602-96-C-0161, stanford.EDU/projects/iwork/ reproduced by DABT63-96-C0027, N66001-97-C-8532, in part by the permission of Professor Terry Winograd; Cartoon: National Science Foundation under grants CDA 94- Copyright O Cartoonstock, www.CartoonStock.com. 504 Credits Chapter 3 organisations (pages 145-199) in Oskamp, S. and Figures 3.2(a) and (b): two screenshots of lodging Spacapan, S. (eds.) *People's Reactions to information* reproduced by permission of T. S. Tullis Technologies in *Factories, Offices and Aerospace-* from his Ph.D. Dissertation *Predicting the Usability of The Claremont Symposium on Applied Psychology Alphanumeric Displays*, Rice University, Houston, copyright O 1990 Sage Publications, reprinted by Texas, USA; Figures 3.3 and 3.1 0: screenshots of permission of Sage Publications Inc.; Figure 4.7:
3344. CHI Panel (2000) *Scaling for the Masses: Usability*
- 5.4(a) and (b): Marcus, A. (1993) *Human and Hix, D. (1989) How Microsoft builds software, communication in advanced* 5.4(a) and (b): Figures 2 and 4 *International Journal of Man-Machine Studies*, 31, (pages 106 and 107) in *Communications of the ACM*, 477-494, the Star lifecycle model, reproduced by 36(4), 101-109, reprinted by permission of permission of Academic Press Ltd.; Figure 6.14: *The Association for Computing Machinery, Inc.; Figure usability engineering lifecycle figure in The Usability*

BAUM, F. L., AND DENSLOW, W. (1900) The Wizard of and R. L. Mack (eds.) Usability Inspection Methods. New York: Random House, Inc. eds. New York: John Wiley & Sons.

Brooke, J. (1996). SUS: A quick and dirty usability scale. In Usability Evaluation in Industry.

Cartwright, N. (1989). Nature's capacities and their measurement. Oxford University Press.

cation system. In Proceedings of CSCW'98, NIELSEN, J. (1994b) Enhancing the explanatory power 149-158. of usability heuristics. In Proceedings of ACM

characters. Communications of the ACM, 37(7), BIAS, R. G. (1994) The pluralistic usability walk- 122-125. through-coordinated empathies. In J. Nielsen

cially translucent systems: social proxies, persistent GOULD, J. D., AND LEWIS, C. H. (1985) Designing for conversation and the design of "Babble". In Proceedings of CHI'99, 72-79.

Communications of the ACM, 28(3), 300-311. 496 References

Conference on System Science (HZCSS). BENNETT, J. (1984) Managing to meet usability re-

Cronbach, L. J., & Meehl, P. E. (1955). Construct validity in psychological tests. Psychological Bulletin, 52(4), 281-302.

CSCW '97, 63-70. NIELSEN, J. (2000) Designing Web Usability. Indianapolis: Morgan Kaufmann.

design tool in human-computer interaction. MAYHEW, D. J. (1999) The Usability Engineering Human-Computer Interaction, 7, 91-139. Lifecycle. San Francisco: Morgan Kaufmann.

DUMAS, J. S., AND REDISH, J. C. (1999) A Practical Computer-Supported Cooperative Work. Dordrecht, The Netherlands: Kluwer, 431-450.

Green, T. R. G., & Petre, M. (1996). Usability analysis of visual programming environments: A cognitive dimensions framework. Journal of Visual Languages & Computing, 7, 131-174.

HOLLAND, S., AND CAREY, T. (1994) Human-Computer Interaction. Wokingham, UK: Addison-Wesley.

RUBIN, J. (1994) Handbook of Usability testing: How to Plan, Design and Conduct Effective tests. New York: John Wiley & Sons.

Similarity and equivalence

Abate, A., Bacci, G., Bacci, G., & Larsen, K. G. (2017). On the relationship between bisimulation and trace equivalence in an approximate probabilistic context.

García-Bañuelos, L., van Beest, N. R. T. P., Dumas, M., La Rosa, M., & Mertens, W. (2018). Complete and interpretable conformance checking of business processes. IEEE Transactions on Software Engineering, 44(3), 262-290.

Gower, J. C. (1971). A general coefficient of similarity and some of its properties. Biometrics, 27, 857-871.

Lange, M., Lozes, E., & Vargas Guzman, M. (2013). Model-checking process equivalences. Theoretical Computer Science, 560, 326-347.

Park, D. (1981). Concurrency and automata on infinite sequences. In Theoretical Computer Science. Springer. Page 12

Interaction Similarity

Syring, A. F., Tax, N., & van der Aalst, W. M. P. (2019). Evaluating conformance measures in process mining using conformance propositions.

Tversky, A. (1977). Features of similarity. Psychological Review, 84(4), 327-352.

van der Aalst, W. M. P. (2016). Process Mining: Data Science in Action (2nd ed.). Springer.

van der Aalst, W. M. P. (2016). Process Mining: Data Science in Action. Springer.

W3C. (2023). Web Content Accessibility Guidelines (WCAG) 2.2. Project paper. Representation, Invariance, and Projection: A Cross-Disciplinary Theory of What Representations Preserve, Transform, and Enable. Project paper. Ontology, Semantics, Representation, and Interpretation: Toward a Layered Theory of Computational Meaning. Project paper. Opportunity, Affordance, and Action Availability: Toward a Formal Account of What an Agent Can Perceive, Believe, and Do. Project paper. Interaction: Toward a General Theory of Interaction. Project paper. Behavior: Toward a Scientific Theory of Computational Behavior. Project paper. Measurement: Toward a Scientific Framework for Interaction Research. Project paper. Interaction Similarity: Toward a General Theory of Comparable Interactions. Project paper. Interaction Transfer: Toward a Theory of Experience and Adaptation. Project paper. Interaction Strategies: Toward a Theory of Behavioral Organization. Project paper. Formal Models of Computational

Interaction: Toward a Mathematical Foundation. Project paper. Predicting Interaction: Toward a Predictive Theory of Computational Interaction. Comparative Interaction | 11

Yarkoni, T., & Westfall, J. (2017). Choosing Prediction Over Explanation in Psychology: Lessons From Machine Learning. *Perspectives on Psychological Science*, 12(6), 1100-1122. Earlier papers in the Computational Interaction research program: Interaction; Behavior; Measurement; Representation, Invariance, and Projection; Opportunity, Affordance, and Action Availability; Interaction Similarity; Interaction Transfer; Interaction Strategies; Formal Models of Computational Interaction. Predicting Interaction - Toward a Predictive Theory of Computational Interaction

Transfer and expertise

Anderson, J. R. (1982). Acquisition of cognitive skill. *Psychological Review*, 89, 369-406.

Barnett, S. M., & Ceci, S. J. (2002). When and where do we apply what we learn? A taxonomy for far transfer. *Psychological Bulletin*, 128(4), 612-637.

Beach, K. (1999). Consequential transitions: A sociocultural expedition beyond transfer in education. *Review of Research in Education*, 24, 101-139.

Engestrom, Y. (1987). Learning by Expanding.

Engestrom, Y. (1987). Learning by Expanding. Orienta-Konsultit.

Engestrom, Y. (1987). Learning by Expanding: An Activity-Theoretical Approach to Developmental Research. Orienta-Konsultit.

Engeström, Y. (1987). Learning by expanding: An activity-theoretical approach to developmental research. Orienta-Konsultit.

Gentner, D. (1983). Structure-mapping: A theoretical framework for analogy. *Cognitive Science*, 7, 155-170.

Gick, M. L., & Holyoak, K. J. (1983). Schema induction and analogical transfer. *Cognitive Psychology*, 15, 1-38.

Greeno, J. G., Smith, D. R., & Moore, J. L. (1993). Transfer of situated learning. In *Transfer on Trial*.

Khetarpal, K., Ahmed, Z., Comanici, G., Abel, D., & Precup, D. (2020). What can I do here? A theory of affordances in reinforcement learning. arXiv:2006.15085.

Lave, J., & Wenger, E. (1991). *Situated learning: Legitimate peripheral participation*. Cambridge University Press. <https://doi.org/10.1017/CBO9780511815355> INTERACTION AS A SCIENTIFIC EXPLANANDUM

M. (1997) Designing for or designing with? Infor- HARSLEM, E. (1982) Designing the Star user inter- mant design for interactive learning environments. face. *Byte*, 7(4), 242-82.

NICKY, B., AND KIRSH D. (1999) Interactive skill in Doing Internet Research: Critical Issues and Meth- Scrabble. In *Proceedings of Twenty-first Annual ods for Examining the Net*. Thousand Oaks, CA: Conference of the Cognitive Science Society. Mah- Sage, 163-178.

Nodder, C., Williams, G. and Dubrow, D. (1999) appropriate source. If there are any errors or Evaluating the usability of an evolving collaborative omissions please contact the publisher, who will make product-changes in user type, tasks and evaluation suitable acknowledgement when the book is reprinted, Index Page references followed by italic 1 Amazon.com awareness mechanisms, in indicate material in tables. Page cognitive walkthrough of book collaboration. 124-126 references followed by italic n purchase, 421-422 indicate material in footnotes. one-click purchasing, 14,179 Babble, 128 animated agents, 4647,158 back channeling, 106,108 animation, 143 Barney, example of avoiding gratuitous use on anthropomorphism, 154 abstraction websites, 416 biases dynalinki~igfor learning, 87 annotating, 98-100 in evaluation data, 355-356 loss of information, 293 shared external representations, in interview questions, 391 realism contrasted, 66-67 121 in questionnaires, 406 access, to websites, 415-416 ANOVA (analysis of variance), 457 BlueEyes, 61,63 ACM Code of Ethics, 351-352 Ananova (virtual newscaster), BlueTooth, 57 ACRE (Acquisition 392-394 Bly, Sara, interview with, 387-388 REquirements), 219 anthropomorphism, 153-157 Bob (friendly interface agent), 144, ActiMates, 154 apologies, by computers, 153 146 ACTIVBoard, 114t appearance body-area network, 60 activities, of people interacting with of interfaces, user frustration body language, 106,108 products, 4-5 with, 152 bookmarking, 80 activity-based conceptual models, of virtual characters, 160-161 problem space definition, 37-38 41-51,250,252 Apple Macintosh, See Macintosh book metaphor, problems of using, activity-based planning, 184,282 architectural design, 168 59 activity theory, 136,382 artifact model (Contextual Design branding, web pages, 273 actors, 226-230 method), 301,305 browsers, See web browsers aesthetics, 27,409 artifacts, collection in field studies, browsing-based conceptual models, user experience

goal, 18,19 342 41,49 affective aspects, 141-142 artist-design bulletin boards and anthropomorphism, 153-157 approach to users, 212-213 conversational analysis, 354 expressive interfaces, 143-147 relation to interaction design, 8 discourse analysis, 384 user frustration, 147-153 Ask Jeeves, 155 usage tracking, 378 affective computing, 142 Ask Jeeves for Kids, 44-45 affinity diagrams (Contextual asynchronous communication, 327 CARD (Collaborative Analysis of Design method), 304,305 computer-mediated, 112-113t Requirements and Design), 307, affordance, 25-26,29 atomic requirements, 236-237 309-311 agents attention, 75-76 case-based reasoning, 175 for conversation-based conceptual design implications, 77 CASE (Computer-Aided Software models, 46-47,50 attentive environments, 62,63,257 Engineering), 259 design, 160-162 audio recording. See also interviews CD-ROM tutorials, 16 friendly interface agents, 144, data analysis, 381-385 cell phones, 38-39,463. See also 146 interaction logging with, 378 mobile communicators types of, 157-160 in observation, 365,369,374,3761 culture change required for, Aibo, 157 in requirements identification, 218 173 alternative designs augmented reality, 36,63 evaluation, 322 choosing among, 179-182 autistic communication-support physical design, 265-266 conceptual models, 254 device, 241-242 transparency of functioning, 95 generation, 12,166,169,174-179 Auto Attendant interface, TRIS, chatrooms, 110, 112 t and lifecycle model, 186 485,486 conversational analysis, 354 and prototyping, 241 automated phone-based systems, 45 discourse analysis, 384 510 Index check boxes, in questionnaires, designing to support coordination, Nokia mobile communicators, 400401 122-124 472-473 children designing to support social usability principle, 27 computerized toy evaluation, conversation,110-118 consolidation (Contextual Design 419-420 collaborative virtual environments, method), 296 participant observation, 110-111,112t constraints, 21-23 479-480 color, avoiding gratuitous use on support tools designed to chunks, of memory, 82 websites, 416 maintain, 276 ClearBoard,115,118 command-based interfaces, 42,50 construction, 248-249 Clippy, 49,144,146 memory aspects, 79-80 content analysis, 342 closely-knitted teams, 125-126 command-based programming described, 383 cluster analysis, 407 languages, 7 context-free grammars, 276 COG, 142 commercial style guides, 267 context of use, 207. See also cognition, 74-75,286. See also communication, See collaboration environmental requirements memory and communication mobile communicators, 463 and attention, 75-76,77 component systems, 276 and user-centered development, distributed, 98,133-136 computational offloading, 99,100 286 external, 98-101 computer conferencing, 110 context-sensitive information, 94, information processing, 96-98 computerized toys, 419-420 100 and learning, 86,87 computer-mediated communication, Contextual Design method, 250, and memory, 7 6 , 7 8 4 111,115-118 310t mental models, 92-95,101 types, 112-114t described, 295-300,313-315 and perception, 76-78 computer science, relation to Nokia mobile communicators, and problem solving, reasoning, interaction design, 9 465-466 and decision making, 88-89 computer-supported cooperative for office products design, 297-298 and reading, speaking, and work. relation to interaction contextual inquiry process listening, 86-88, 89 design, 9 (Contextual Design method), cognitive dimensions, 102 conceptual design, 239,249-250 296,298-300,313 cognitive engineering, relation to iterative nature of, 250,265 contextualized observations, 372 interaction design, 9 and physical design, 265 controlled environment studies, See cognitive ergonomics, relation to prototypes in, 262-265 laboratory studies interaction design, 9 scenarios in, 259-262 convenience sampling, 406 cognitive science, relation to conceptual models, 39-41, conventions interaction design, 9 249-250 for collaborative meetings, 121 cognitive tracing, 98-100 activity-based, 41-51,250,252 reasons for not following,122 cognitive walkthroughs, 420-423 for collaboration and conversational analysis, 342,384 coherence method, 293-295,310t communication, 130-136 conversational mechanisms, in cohort, 401 expanding, 257-259 collaboration, 107-110 collaboration and communication, hybrid, 54-55 conversation-based conceptual 105 and interaction modes, 40-55, models, 41,44-47 awareness mechanisms, 124-126 250-253 conversations for action (CfA), conversational mechanisms, and interaction paradigms, 40, 130-131 106-110 6044,257 coordination mechanisms, in coordination mechanisms, 118-122 and interface metaphors, 40, collaboration, 118-122 difficulties with in design, 554,253-257 Coordinator System, 131-133 198-199 from model to physical design, coping strategies, in physical world, distributed cognition approach, 64-68 90-91 130-133 object-based, 51-53,250,253 copyright, 179 ethnographic studies, 129 Philips mobile communicator, corporate style guides, 267 languagelaction framework 481-482 counterbalancing,4 4 5 4 6 approach, 130-133 process- vs. product-oriented, 253, Crampton Smith, Gillian, interview and physical design, 267 254-255 with, 198-199 for user involvement, 281 user understanding of, 54 creativity collaborative technologies, 105 consistency, 408 enhancing in design process, 175 designing to support awareness, design principle, 24-25,29,266, user experience goal, 18,19,141 126-128 412 and user involvement, 247-248 Index 51 1 creativity-support tools, 459 design room (Contextual Design email questionnaires, 405 Creatures, 157 method), 306 embodied conversational interface critical incident analysis, 382 desktop paradigm, 60,257 agents, 159-160 critical mass, 327 dialog boxes, 267,413 emoticons, 146-147,147t critical user tasks, 467,469 design for closure, 266 for online patient support crit reports, 347t expressive interfaces, 144,145 community, 322 Cruiser, 117 diaries, 377 emotional agents, 158-159 cues, in conversation, 107,108 different participant design, of emotional fulfillment, user cultural constraints, 22-23 experiments, 445,446t experience goal, 18,19,141 cultural diversity, 173,350 digital butler, 50 emulation, of physical

world cultural model (Contextual Design digital desk, 63 knowledge, 90-91 method), 301-302, 305 direct manipulation interfaces, engineering, 6 cultural probes, 212 47-49, 50 relation to interaction design, 9 and learning through doing, 86 enjoyment, user experience goal, 18, Dangling String, 61 discount evaluation, 410 19, 141 data-flow diagrams, 220 discourse analysis, 342 entertainment, user experience goal, data gathering described, 383-384 18.19 in evaluation, 3 4 4 distributed awareness systems, entity-relationship diagrams, 221 in experiments, 446-448 127-128 environmental requirements, 207. MEDLINEplus user testing, distributed cognition, 98 See also context of use 435-436 and collaboration, 133-136 mobile communicators, 463-464 in observation, 363, 365, 371-377, Distributed Systems Technology ergonomics, relation to interaction 376t Center, 117 design, 9 props with, 210 documentation, 180 error handling, 266 in requirements activity, 202-203, as usability principle, 27 error messages, 147, 14&150 210-218, 213t use in requirements activity, 213t, design, 149, 266 in TRIS redesign, 487 214-215 error prevention, 27, 266, 408, 413 data interpretation and analysis drop-down menus, 268 error recovery, 27, 408 in evaluation, 355-356 dynalinking, 77, 87 essential use cases, 229-231 in experiments, 446-448 dynamic icons, 143 and functional requirements, 258 in interviews, 392, 398 Dynamic Systems Development e-tailing, See e-commerce MEDLINEplus user testing, Method (DSDM), 190 ethical issues 436-438 dynamic visualization, 476, 477 in evaluation, 352-355 in observation, 365, 372, 376t, dyslexics, 88 in observation, 378 379-385, 387 in unstructured interviews, 392 in questionnaires, 407 ecological validity, of evaluation, in user testing, 443 in requirements activity, 202-203, 356 Ethnograph, 381, 398 219-221 e-commerce ethnography. See also field studies data requirements, 206-207 culture change required for, 173 adapting to fit development DECIDE evaluation framework, efficiency, 14 process, 373 348-356 educational software, 7 coherence method, 293-295, 310t observation application, 379 effectiveness, usability goal, 14 of communication, 129 user testing application, 438-443 efficiency contextual Design method, 250, decision making, 88-89 usability criteria, 18 295-300, 310t, 313-315 defibrillator, chest-implanted usability goal, 14 example, 289-290 automatic, 251 usability principle, 27 goals, 360 dependent variables, 444 e-jacket, 60 of home technology use, 291 design, 166. See also interaction electronic calculator, 167-168, 175 Nokia mobile communicators, design electronic commerce, See e- 465 The Design of Everyday Things commerce in observation, 361, 363, 364, (Norman), 21, 25 electronic ink, 5 380-381 design principles electronic meeting rooms, 113t and participant observation, 364, described, 20-27 electronic whiteboards. 124 370-373 level of guidance and terms used Elvin, 127-128 in user-centered development, with, 28 email, 110 279, 288-306, 310t for physical design, 268 conversational analysis, 354 ethnomethodology, 136 512 Index Eudora, safe and unsafe menus, expert opinions, 346, 347t gesturing, 106, 108 15 Hutchworld case study, 325 gIBIS, 114t evaluation, 12, 169-170, 317-318. in quick and dirty evaluation, 341 gimmicks, user frustration with, See also DECIDE evaluation in TRIS redesign, 485, 488 148 framework; field studies; exploration-based conceptual GOMS model (goals, operators, predictive evaluation; usability models, 41, 49 methods, and selection rules), testing; user testing expressive interfaces, 143-147 102, 231, 346 ethical issues, 352-355 external cognition, 98-101 benefits and limitations, 453-454 formative and summative, 323 externalization, of memories, described, 449-450 goals, 360-361 98-99 in TRIS redesign, 485, 488 Hutchworld case study, 318, Google, 22, 77 324-336, 440 facial expressions, 106 background information on insider vs. outsider, 342, 361-364 feedback operation, 95 integration with design, 461-462 design and usability principles for, graphical user interfaces, 7, 42, 60 and lifecycle model, 186 20-21 and affordance, 25-26 mobile communicators case study, in evaluation paradigms, 344t and learning through doing, 86 See mobile communicators interview-like, 397 memory aspects, 79-80 Nokia mobile communicators, and iterative design, 170 memory load reduction, 101 466-467 in observation, 376t shading for menu item Philips mobile communicator, field studies, 341. See also deactivation, 21-22 482 ethnography graphic design, 416 phone-based response system challenges, 388 relation to interaction design, 8 redesign case study, 482-489 described, 342 graphics, avoiding gratuitous use on pilot studies, 356 goals, 360 websites, 416 practical issues, 350-351 observation, 359, 363-364, 368-370 group interviews, 390 reasons for, 319-323 techniques applied, 347t described, 396-397 terminology, 340, 345 user screening, 350 Groupsystem, 113t what to evaluate, 318-319 file locking, for coordinating groupware, 105. See also when to evaluate, 323-324 collaborative technologies, 122 collaborative technologies when to stop, 334 file management systems, 81, 83 GUIs, See graphical user interfaces evaluation paradigms, 340, 341-345, and pile phenomenon, 91 GVU survey, 406 344t film industry, relation to interaction choosing in DECIDE framework, design, 9 Hawthorne effect, 356 349 Fitts' Law, 454-455 HCI Bibliography Project, xxii, xxiii techniques used with, 347t flaming, 113t, 153 hearing, 77 evaluation techniques, 345-347 flexibility, 409 help, 409 choosing in DECIDE framework, of observation data-collection as usability principle, 27 349 techniques, 376t helpfulness, user experience goal, event languages, 276 usability principle, 27 18, 19 flight strips, 296 Herman the Bug, 158 flow chart diagrams, for heuristic evaluation, 26, 341, 343 expectation management, and user constraining, 22 adapting to Web, 248-249 involvement, 280-281 focus groups described, 408-410 experiential cognition, 74 use in evaluation, 396-397 MEDLINEplus, 412 416, 432 experimental conditions, 444 use in requirements activity, 213t, of online communities, 417-419 experiments, 430, 431, 443-444 214, 217 problems with, 411 allocation of participants to formal communication, 110 process of,

410-412 conditions, 445-446 formal language-based tools, 276 walkthroughs, 210, 420-423 data collection and analysis, formative evaluations, 323 of websites, 412-417 446-448 Fred Hutchison Cancer Research heuristics, 26-27, 28, 408-409, usability testing contrasted, Center, 324-325, 334 419 420. See also usability 457-458 friendly interface agents, 144, 146 principles variables and conditions, 430, fun, user experience goal, 18, 19 for predictive evaluation, 343 443-445 functional requirements, 205, 206 for website evaluation, 412-413 website design structure, 447 analysis, 220-221 Hierarchical Task Analysis, expert crit, 410 and conceptual model, 258-259 231-233 Index 513 1 high-fidelity prototyping, 245-246, inspections, 407-408. See also interaction styles, 41, 250 I 246t, 263 heuristic evaluation; interactive development high-level programming languages, walkthroughs environment, 422 7 walkthroughs, 210, 420-423 interactive graphical tools, 276 Holtzblatt, Karen, interview with, instruction-based conceptual interactive interaction designers, 11 313-315 models, 4 1 , 4 2 4 interactive learning environments, 7 HOME RUN heuristic, 409 interaction design. See also affective interactive pets, 157 horizontal prototyping, 248 aspects; cognition; conceptual interactive phone-based response human-computer interaction, design; conceptual models; system redesign, 482-489 458-459 interaction design process; interactive products, 1-2. See also design patterns, 272 lifecycle models; physical conceptual models; evaluation and ethnography, 342 design; requirements; usability defined, 2n lifecycle models in, 192-196 goals; user experience goals; interaction paradigms, 4 0 , 6 0 4 relation to interaction design, 9 specific types of interfaces interface metaphors, 4 0 , 5 5 4 human factors, relation to aim of, 1-2 problem space, 36-39 interaction design, 9 and anthropomorphism, 153-157 interactive toys, 5 Hutchinson Cancer Research in business, 10-12 interactive voice response systems, Center, 324-325, 334 defined, 6-12, 166-168 485 HutchWorld case study, 318, emulation of physical world interface designers, 11 324-336, 440 knowledge, 90-91 interface metaphors, 40, 55 40, hyperlinks, 273-274 good and poor contrasted, 2-6 253-257 HyperMirror, 118 history, 7-8 Philips mobile communicators, hypertext, 274, 276 and human-computer interaction, 8 474-475 hypotheses, 4 4 3 4 , 4 4 5 integration with evaluation, intergenerational design teams, 479 461-462 internal consistency, .. 413. 414 IBM usability laboratory, 441 iterative nature of, See iterative internal locus of control, 266, 413 icons, 268 design Internal Revenue Service, TRIS design, 270-271 mobile communicators case study, redesign (telephone response IDEO Scout, 12 See mobile communicators information system), 443, IDEO TechBox, 176-178 multidisciplinary teams for, 9-10, 482-489 incidents, analyzing in observational 282 inter-research reliability rating, 383 data, 381-382 notation for, 222 interrupt-driven tasks, 319 independent variables, 444 and other approaches, 9 interviews. See also semi-structured index cards, prototyping with, 244 phone-based response system interviews; structured indirect observation, 377-379 redesign case study, 482-489 interviews; unstructured industrial design, relation to realism or abstraction?, 66-67 interviews interaction design, 9 relation of other approaches, 8 believability of responses, 397 informal communication, 110 terminology, 11 data analysis, 398 informatics, relation to interaction from theory to practice, 100-101 in evaluation pilot studies, 356 design, 9 trade-offs, 166 field studies technique, 342 information appliances, 9 what to design: activities HutchWorld case study, 330 information architects, 11 supported, 4-6 planning for, 391 information design, of websites, interaction design process, 12-13, question development, 390-391 416 165-170. See also alternative in requirements activity, 210, 211, information display design, designs; lifecycle models; 213t, 214, 215, 217 274-275 prototyping retrospective, 372 information processing, 96-98 activities associated with, 16&170 types of, 392-397 information retrieval, 81, 83 building interactive design usability testing technique, 340, 341 information visualization, 7, 101 versions, 12, 169 for user opinion solicitation, 346 informed consent, 352-353, 354, 365 practical issues, 170-182 i-opener, 191 unstructured interviews, 392 interaction logs, 354, 365 ISO 9241, 268, 269 infrared sensing, 7 described, 377-379 ISO 13407, 268 innovation interaction modes, 40-55, 250-253 I S O 14915, 268 and prototyping culture, 247-248 interaction paradigms, 40 iterative design, 64-65, 68 and user involvement, 247-248 and conceptual design, 257 in conceptual design, 250, 264 insider evaluation, 342, 361-364 types of, 60-64 and feedback, 170 514 Index iterative design, (Continued) liveboards (ubiquitous computing Microsoft Corporation. See also in physical design, 265 device), 61, 62 Windows environment in prototyping, 239, 247, 248 logical constraints, 22-23 Hutchworld involvement, 324, real world pressure, 461 London Underground, 125-126, 326, 328 in requirements activity, 203 361 synch and stabilize software and user-centered development, low-fidelity prototyping, 243-245, design process, 183, 184-185 285, 462 246t, 249, 263 usability laboratory, 441, 442 in user need identification, 203 for rapid feedback, 250 user involvement, 282 IT project failure, 203 lurking behavior, 378 Microsoft Office 4.0, usability testing, 282 jargon, avoiding in interviews, 391 Macintosh Microsoft Windows, See Windows Java, 57 direct manipulation as conceptual environment Java Beans, 276 model, 47-49 Microsoft Word 2001, sorting Joint Application Development expressive interface: smiling and operation, 24-25 (JAD) workshops, 190, 214 sad Macs, 143 minimalist design, 27, 409 garbage can, user confusion with, minus scenarios, 260-261 keystroke level method, 102, 346 49, 58 mnemonics, 81 described, 450-453 pile approach used by, 91 mobile communicators, 463-464 scope, 356 Macromedia Director, for Nokia's approach to design, KidPad, I I 4 t prototyping, 245 464-474 Kismet, 142 Magic Cap, 66 Philips' approach to design, knowledge manipulation-based conceptual 474-482 circulation in social circles, 106 models, 41, 474 9 mobile

computing, 7 emulation of physical world's, mapping, 23 mobile telephones, See cell phones 90-91 marble phone answering machine, mobile usability laboratories, 365,442 Knowledge Navigator, 161 example of good design, 3-4 mockup and text with customers KordGrip (WetPC), 208 matched-participants design, of (contextual Design method), I experiments, 446,446t 296 laboratory studies, 345 measurement, 285. See also user mockups, 240-241,307 ecological validity, 356 testing monitors (visual display units), 7 observation, 359,363,365-368 importance of, 457 MOOS, 111 user screening, 350 in usability testing, 341-342 motivation, user experience goal, 18, languagelaction framework, 130-133 media spaces, 110,111,112t 19,141 laptop computers, in observation, MEDLINEplus MUDS, 111,112t 369,374 heuristic evaluation, 412-416, multidisciplinary teams, 9-10 large interactive screens, 9 432 user involvement with, 282 learnability user testing, 432-438 multimedia applications, 5,7 usability criteria, 18 MeetingMaker, 120 dynaiinking, 87 usability goal, 14,1617 meetings, 290 MUMMS (Measuring the Usability learning, 86 MEMOIRS, 83 of Multi-Media Systems), 407 design implications, 87 memorability musical playing devices, 23 , resistance to time spent, 94 usability criteria, 18 library catalog, 252,256 usability goal, 14,17,19 naturalistic observation, 279. See task description and analysis, memory, 78-85 also field studies 222-234 design implications, 85,266, use in requirements activity, 213t, lifecycle models, 182-186 268,413 214,217 in human-computer interaction, externalizing to reduce load, natural-language-based systems, 44, 192-196 98-99 88 Nokia mobile communicators, and information processing, navigation, 415 465-467 97 navigation-based conceptual in software development, 187-192 and perception, 76 models, 41,4749 Likert scales, 401-403 seven chunks theory, 82 need identification, See user need listening, 86-88 mental models, 92-95,101 identification design implications, 89 menus, 268 NetMeeting, 442 listserver discussion groups, lurking design, 268-270 Netpliance, 173 behavior, 378 messaging, 110,112t spiral development cycle, 191-192 networked classrooms, 114t online interviews, 397 Philips Vision of the Future Project, networked clothing, 5 online patient support communities 10 networking, 7 evaluation, 322 phone answering system (marble Nielson, Jakob, interview with, HutchWorld case study, 318, answering machine), as example 426-427 324-336 of good design, 3-4 Nokia, mobile communicator design online questionnaires, 405-407 phone banking, 83-85 approach, 464474 online tutorials, 16 phone-based response system Nokia 9000 communicator, 467 open-ended interviews, See redesign, 482-489 Nokia 9210 communicator, 465 unstructured interviews photocopiers, 179-180 Nokia 7110 mobile phone, 470-471 open-ended problem spaces, 39 problems with, 1 Nokia 9000 web browser, 472-473 order effects, 446 PhotoFinder, 458459 nonfunctional requirements, 205,206 ordering effects, 445 physical constraints, 22 non-verbal communication, 106,119 organizational environment, 207 and evaluation, 340 Northernlight, 365-367 orphan pages, 415 Nokia mobile communicators, note taking outsider evaluation, 342,361-364 470-473 in observation, 365,369,370,374, overhearing, 125-126 physical design, 239,265-266 376t overseeing, 125-126 from conceptual model to, 64-68 in requirements identification, 218 ownership, and user involvement, guidelines and standards, 266-267, noticeboards, 121 280,281 268 NUDIST, 381,382,383,398 icons, 270-271 pads (ubiquitous computing device), information displays, 274-275 object-based conceptual models, 61,62 menus, 267-270 51-53,250,253 Palmpilot, 60,63 screens, 271-272,274 objective evaluations, 345 requirements activity, 205-206 physical limitations, 286 object-oriented programming, 276 wooden prototype, 241 physical model (Contextual Design object-oriented software paradigms, 183n. See also evaluation method), 302,303,305 engineering, 195,259 paradigms; interaction physicallyvirtual integration, 63 Object Oriented SofhYare paradigms; lifecycle models PICTIVE (Plastic Interface for Engineering, 226 PARC Media Space project, 387 Collaborative Technology observation. See also naturalistic participant observation, 342,361, Initiatives through Video observation 363. See also observation Exploration), 307-309 approaches to, 363-364 with children and adults, 479480 pilot studies in controlled environments, described, 364,370-373 in evaluation, 356 365-368 Philips mobile communicator, for refining structured interview data gathering, 363,365,371,372, 478 questions, 394 373-377,376t participatory design, 306311,310t in requirements identification, 217 data interpretation and analysis, participatory prototyping, 210 pleasure factors, See user experience 365,372,376t, 379-385,387 patenting, 179 goals described, 345-346,347t patterns plug-and-play interfaces, % ethical issues, 378 analyzing in observational data, plug-ins, user frustration with, in field studies, 342,368-370 381-382 151-152 framework for, 368-369 analyzing in questionnaires, 407 pluralistic walkthroughs, 420,423 goals, 360-361 design, 272 plus scenarios, 260-261 HutchWorld case study, 327 PDAs, 463 Pokemon, 157 indirect, 377-379 perception, 76-78 POLITeam workspace system, 135 trend toward real world design implications, 78 pop-up menus, 268 observation, 319 Perl, 276 portal website, conceptual model, 56 usability testing technique, 340,341 personalization Portholes, 126127,127 what and when to observe, 361-363 Nokia mobile communicator, 468 predictive evaluation, 449. See also when to stop, 372 Philips mobile communicator, 478 GOMS model; keystroke level Observer Video-Pro, 382-383 personal workstations, 7 method

Pan, S. J., & Yang, Q. (2010). A survey on transfer learning. *IEEE Transactions on Knowledge and Data Engineering*, 22(10), 1345-1359.

- PICARD, R. W. (1998) *Affective Computing*. Cambridge, MA: MIT Press.
- ROGERS, Y. AND SCAIFE, M. (1998) How can interactive multimedia facilitate learning? In J. Lee (ed.) *Active Multimedia*. Cambridge, MA: MIT Press.
- Rasmussen, J. (1983). Skills, rules, and knowledge; signals, signs, and symbols, and other distinctions in human performance models. *IEEE Transactions on Systems, Man, and Cybernetics*, SMC-13(3), 257-266.
- SCHANK, R. C. (1982) *Dynamic Memory: a Theory of Learning in Computers and People*. Cambridge, MA: MIT Press.
- SHARF, B. F. (1999) Beyond netiquette: the ethics of talking dinosaur: learning across media with doing naturalistic discourse research on the Internet. In *Proceedings of CHI'98*, Seattle, WA. In S. Jones (ed.) *Doing Internet Research: Critical Issues*. Cambridge, MA: MIT Press.

Strategy and policy

- (2000) *PETS: A personal electronic teller of stories*. In C.A. Druin & J. Helander (eds.) *Robots heuristic evaluation*. In *Proceedings of CHI'92*, for Kids. San Francisco: Morgan Kaufmann. 373-800.
- cation system. In *Proceedings of CSCW'98*, NIELSEN, J. (1994b) Enhancing the explanatory power of usability heuristics. In *Proceedings of ACM*
- Gigerenzer, G., & Gaissmaier, W. (2011). Heuristic decision making. *Annual Review of Psychology*, 62, 451- 482.
- In *Proceedings of the CSCW '90*, 381-393. NIELSEN, J. (1994a) Heuristic evaluation. In J. Nielsen (ed.) *Interface Design*, edited by B. Laurel (1990), reproduced by permission of IEEE; Figure 2.9: Addison Wesley; Figure 1.5: gif from www.ideo.com/studies/scout.htm, reproduced by permission of Everyday Things, by Donald A. Norman, copyright © IDEO; Figure 1.6(a) and (b): screenshots from 1988 by Donald A. Norman, reprinted by permission of Basic Books, a member of Perseus Books, L.L.C.; permission of QUALCOMM Eudora Products; Figure 2.10: Figure 32 (page 33) from *Designing Visual Interfaces* by K. Mullett and D. Sano © 1995 reproduced by permission of Pearson Education, Inc., Incorporated; Table 1: reproduced by permission of Upper Saddle River, NJ 07458; Figure 2.1 1(i): gif from www.useit.com/papers/heuristic/heuristic-list.html, from <http://tangible.media.mit.edu/papers/> copyright © Jakob Nielsen. All Rights Reserved. Fig Tangible-Bits-CHI97.htm1, Ishii, H. and Ullmer, B.
- Kaelbling, L. P., Littman, M. L., & Cassandra, A. R. (1998). Planning and acting in partially observable stochastic domains. *Artificial Intelligence*, 101, 99-134.
- Kaelbling, L. P., Littman, M. L., & Cassandra, A. R. (1998). Planning and acting in partially observable stochastic domains. *Artificial Intelligence*, 101, 99-134.
- Khetarpal, K., Ahmed, Z., Comanici, G., Abel, D., & Precup, D. (2020). What can I do here? A theory of affordances in reinforcement learning. *arXiv:2006.15085*.
- Nodder, C., Williams, G. and Dubrow, D. (1999) *Evaluating the usability of an evolving collaborative system*. If there are any errors or omissions please contact the publisher, who will make product-changes in user type, tasks and evaluation suitable acknowledgement when the book is reprinted, Index Page references followed by italic 1 Amazon.com awareness mechanisms, in indicate material in tables. Page cognitive walkthrough of book collaboration. 124-126 references followed by italic n purchase, 421-422 indicate material in footnotes. one-click purchasing, 14, 179 Babble, 128 animated agents, 4647, 158 back channeling, 106, 108 animation, 143 Barney, example of avoiding gratuitous use on anthropomorphism, 154 abstraction websites, 416 biases dynalink-igfor learning, 87 annotating, 98-100 in evaluation data, 355-356 loss of information, 293 shared external representations, in interview questions, 391 realism contrasted, 66-67 121 in questionnaires, 406 access, to websites, 415-416 ANOVA (analysis of variance), 457 BlueEyes, 61, 63 ACM Code of Ethics, 351-352 Ananova (virtual newscaster), BlueTooth, 57 ACRE (Acquisition 392-394 Bly, Sara, interview with, 387-388 REquirements), 219 anthropomorphism, 153-157 Bob (friendly interface agent), 144, ActiMates, 154 apologies, by computers, 153 146 ACTIVBoard, 114t appearance body-area network, 60 activities, of people interacting with of interfaces, user frustration body language, 106, 108 products, 4-5 with, 152 bookmarking, 80 activity-based conceptual models, of virtual characters, 160-161 problem space definition, 37-38 41-51, 250, 252 Apple Macintosh, See Macintosh book metaphor, problems of using, activity-based planning, 184, 282 architectural design, 168 59 activity theory, 136, 382

artifact model (Contextual Design branding, web pages, 273 actors, 226-230 method), 301,305 browsers, See web browsers aesthetics, 27,409 artifacts, collection in field studies, browsing-based conceptual models, user experience goal, 18,19 342 41,49 affective aspects, 141-142 artist-design bulletin boards and anthropomorphism, 153-157 approach to users, 212-213 conversational analysis, 354 expressive interfaces, 143-147 relation to interaction design, 8 discourse analysis, 384 user frustration, 147-153 Ask Jeeves, 155 usage tracking, 378 affective computing, 142 Ask Jeeves for Kids, 44-45 affinity diagrams (Contextual asynchronous communication, 327 CARD (Collaborative Analysis of Design method), 304,305 computer-mediated, 112-113t Requirements and Design), 307, affordance, 25-26,29 atomic requirements, 236-237 309-311 agents attention, 75-76 case-based reasoning, 175 for conversation-based conceptual design implications, 77 CASE (Computer-Aided Software models, 46-47,50 attentive environments, 62,63,257 Engineering), 259 design, 160-162 audio recording. See also interviews CD-ROM tutorials, 16 friendly interface agents, 144, data analysis, 381-385 cell phones, 38-39,463. See also 146 interaction logging with, 378 mobile communicators types of, 157-160 in observation, 365,369,374,3761 culture change required for, Aibo, 157 in requirements identification, 218 173 alternative designs augmented reality, 36,63 evaluation, 322 choosing among, 179-182 autistic communication-support physical design, 265-266 conceptual models, 254 device, 241-242 transparency of functioning, 95 generation, 12,166,169,174-179 Auto Attendant interface, TRIS, chatrooms, 110, 112 t and lifecycle model, 186 485,486 conversational analysis, 354 and prototyping, 241 automated phone-based systems, 45 discourse analysis, 384 510 Index check boxes, in questionnaires, designing to support coordination, Nokia mobile communicators, 400401 122-124 472-473 children designing to support social usability principle, 27 computerized toy evaluation, conversation,110-118 consolidation (Contextual Design 419-420 collaborative virtual environments, method), 296 participant observation, 110-111,112t constraints, 21-23 479-480 color, avoiding gratuitous use on support tools designed to chunks, of memory, 82 websites, 416 maintain, 276 ClearBoard,115,118 command-based interfaces, 42,50 construction, 248-249 Clippy, 49,144,146 memory aspects, 79-80 content analysis, 342 closely-knitted teams, 125-126 command-based programming described, 383 cluster analysis, 407 languages, 7 context-free grammars, 276 COG, 142 commercial style guides, 267 context of use, 207. See also cognition, 74-75,286. See also communication, See collaboration environmental requirements memory and communication mobile communicators, 463 and attention, 75-76,77 component systems, 276 and user-centered development, distributed, 98,133-136 computational offloading, 99,100 286 external, 98-101 computer conferencing, 110 context-sensitive information, 94, information processing, 96-98 computerized toys, 419-420 100 and learning, 86,87 computer-mediated communication, Contextual Design method, 250, and memory, 7 6 , 7 8 4 111,115-118 310t mental models, 92-95,101 types, 112-114t described, 295-300,313-315 and perception, 76-78 computer science, relation to Nokia mobile communicators, and problem solving, reasoning, interaction design, 9 465-466 and decision making, 88-89 computer-supported cooperative for office products design, 297-298 and reading, speaking, and work. relation to interaction contextual inquiry process listening, 86-88, 89 design, 9 (Contextual Design method), cognitive dimensions, 102 conceptual design, 239,249-250 296,298-300,313 cognitive engineering, relation to iterative nature of, 250,265 contextualized observations, 372 interaction design, 9 and physical design, 265 controlled environment studies, See cognitive ergonomics, relation to prototypes in, 262-265 laboratory studies interaction design, 9 scenarios in, 259-262 convenience sampling, 406 cognitive science, relation to conceptual models, 39-41, conventions interaction design, 9 249-250 for collaborative meetings, 121 cognitive tracing, 98-100 activity-based, 41-51,250,252 reasons for not following,122 cognitive walkthroughs, 420-423 for collaboration and conversational analysis, 342,384 coherence method, 293-295,310t communication, 130-136 conversational mechanisms, in cohort, 401 expanding, 257-259 collaboration, 107-110 collaboration and communication, hybrid, 54-55 conversation-based conceptual 105 and interaction modes, 40-55, models, 41,44-47 awareness mechanisms, 124-126 250-253 conversations for action (CfA), conversational mechanisms, and interaction paradigms, 40, 130-131 106-110 6044,257 coordination mechanisms, in coordination mechanisms, 118-122 and interface metaphors, 40, collaboration, 118-122 difficulties with in design, 554,253-257 Coordinator System, 131-133 198-199 from model to physical design, coping strategies, in physical world, distributed cognition approach, 64-68 90-91 130-133 object-based, 51-53,250,253 copyright, 179 ethnographic studies, 129 Philips mobile communicator, corporate style guides, 267 languagelaction framework 481-482 counterbalancing,4 4 5 4 6 approach, 130-133 process- vs. product-oriented, 253, Crampton Smith, Gillian, interview and physical design, 267 254-255 with, 198-199 for user involvement, 281 user understanding of, 54 creativity collaborative technologies, 105 consistency, 408 enhancing in design process, 175 designing to support awareness, design principle, 24-25,29,266, user experience goal, 18,19,141 126-128 412 and user involvement, 247-248 Index 51 1 creativity-support tools, 459 design room (Contextual Design email questionnaires, 405 Creatures, 157 method), 306 embodied conversational interface critical incident analysis, 382 desktop paradigm, 60,257 agents, 159-160 critical mass, 327 dialog boxes, 267,413 emoticons, 146-147,147t critical user tasks, 467,469 design for closure, 266 for online patient support crit reports, 347t expressive interfaces, 144,145 community, 322 Cruiser, 117 diaries, 377 emotional agents, 158-159 cues, in

conversation, 107,108 different participant design, of emotional fulfillment, user cultural constraints, 22-23
 experiments, 445,446t experience goal, 18,19,141 cultural diversity, 173,350 digital butler, 50 emulation, of physical
 world cultural model (Contextual Design digital desk, 63 knowledge, 90-91 method), 301-302,305 direct manipulation
 interfaces, engineering, 6 cultural probes, 212 47-49,50 relation to interaction design, 9 and learning through doing,
 86 enjoyment, user experience goal, 18, Dangling String, 61 discount evaluation, 410 19,141 data-flow diagrams,
 220 discourse analysis, 342 entertainment, user experience goal, data gathering described, 383-384 18.19 in
 evaluation, 3 4 4 distributed awareness systems, entity-relationship diagrams, 221 in experiments, 446-448 127-128
 environmental requirements, 207. MEDLINEplus user testing, distributed cognition, 98 See also context of use 435-
 436 and collaboration, 133-136 mobile communicators, 463-464 in observation, 363,365,371-377, Distributed
 Systems Technology ergonomics, relation to interaction 376t Center, 117 design, 9 props with, 210 documentation,
 180 error handling, 266 in requirements activity, 202-203, as usability principle, 27 error messages, 147,14&150
 210-218,213t use in requirements activity, 213t, design, 149,266 in TRIS redesign, 487 214-215 error prevention,
 27,266,408,413 data interpretation and analysis drop-down menus, 268 error recovery, 27,408 in evaluation, 355-
 356 dynalinking, 77,87 essential use cases, 229-231 in experiments, 446-448 dynamic icons, 143 and functional
 requirements, 258 in interviews, 392,398 Dynamic Systems Development e-tailing, See e-commerce MEDLINEplus
 user testing, Method (DSDM), 190 ethical issues 436-438 dynamic visualization, 476,477 in evaluation, 352-355 in
 observation, 365,372,376t, dyslexics, 88 in observation, 378 379-385,387 in unstructured interviews, 392 in
 questionnaires, 407 ecological validity, of evaluation, in user testing, 443 in requirements activity, 202-203, 356
 Ethnograph, 381,398 219-221 e-commerce ethnography. See also field studies data requirements, 206-207 culture
 change required for, 173 adapting to fit development DECIDE evaluation framework, efficiency, 14 process, 373
 348-356 educational software, 7 coherence method, 293-295,310t observation application, 379 effectiveness,
 usability goal, 14 of communication, 129 user testing application, 438-443 efficiency contextual Design method, 250,
 decision making, 88-89 usability criteria, 18 295-300,310t, 313-315 defibrillator, chest-implanted usability goal, 14
 example, 289-290 automatic, 251 usability principle, 27 goals, 360 dependent variables, 444 e-jacket, 60 of home
 technology use, 291 design, 166. See also interaction electronic calculator, 167-168,175 Nokia mobile
 communicators, design electronic commerce, See e- 465 The Design of Everyday Things commerce in observation,
 361,363,364, (Norman), 21,25 electronic ink, 5 380-381 design principles electronic meeting rooms, 113t and
 participant observation, 364, described, 20-27 electronic whiteboards. 124 370-373 level of guidance and terms
 used Elvin, 127-128 in user-centered development, with, 28 email, 110 279,288-306,310t for physical design, 268
 conversational analysis, 354 ethnomethodology, 136 512 Index Eudora, safe and unsafe menus, expert opinions,
 346,347t gesturing, 106,108 15 Hutchworld case study, 325 gIBIS, 114t evaluation,12,169-170,317-318. in quick
 and dirty evaluation, 341 gimmicks, user frustration with, See also DECIDE evaluation in TRIS redesign, 485,488
 148 framework; field studies; exploration-based conceptual GOMS model (goals, operators, predictive evaluation;
 usability models, 41,49 methods, and selection rules), testing; user testing expressive interfaces, 143-147
 102,231,346 ethical issues, 352-355 external cognition, 98-101 benefits and limitations, 453-454 formative and
 summative, 323 externalization,of memories, described, 449-450 goals, 360-361 98-99 in TRIS redesign, 485,488
 Hutchworld case study, 318, Google, 22,77 324-336,440 facial expressions, 106 background information on insider
 vs. outsider, 342,361-364 feedback operation, 95 integration with design, 461-462 design and usability principles for,
 graphical user interfaces, 7,42,60 and lifecycle model, 186 20-21 and affordance, 25-26 mobile communicators case
 study, in evaluation paradigms, 344t and learning through doing, 86 See mobile communicators interview-like, 397
 memory aspects, 79-80 Nokia mobile communicators, and iterative design, 170 memory load reduction, 101 466-
 467 in observation, 376t shading for menu item Philips mobile communicator, field studies, 341. See also
 deactivation,21-22 482 ethnography graphic design, 416 phone-based response system challenges, 388 relation to
 interaction design, 8 redesign case study, 482-489 described, 342 graphics, avoiding gratuitous use on pilot studies,
 356 goals, 360 websites, 416 practical issues, 350-351 observation, 359,363-364,368-370 group interviews, 390
 reasons for, 319-323 techniques applied, 347t described, 396-397 terminology, 340,345 user screening, 350
 Groupsystem, 113t what to evaluate, 318-319 file locking, for coordinating groupware,105. See also when to
 evaluate, 323-324 collaborative technologies, 122 collaborative technologies when to stop, 334 file management
 systems, 81,83 GUIs, See graphical user interfaces evaluation paradigms, 340,341-345, and pile phenomenon, 91
 GVU survey, 406 344t film industry, relation to interaction choosing in DECIDE framework, design, 9 Hawthorne
 effect, 356 349 Fitts' Law, 454-455 HCI Bibliography Project, xxii, xxiii techniques used with, 347t flaming, 113t, 153
 hearing,77 evaluation techniques, 345-347 flexibility, 409 help, 409 choosing in DECIDE framework, of observation
 data-collection as usability principle, 27 349 techniques, 376t helpfulness, user experience goal, event languages,
 276 usability principle, 27 18,19 flight strips, 296 Herman the Bug, 158 flow chart diagrams, for heuristic evaluation,
 26,341,343 expectation management, and user constraining,22 adapting to Web, 248-249 involvement, 280-281
 focus groups described, 408-410 experiential cognition, 74 use in evaluation, 396-397 MEDLINEplus, 412416,432

experimental conditions, 444 use in requirements activity, 213t, of online communities, 417-419 experiments, 430,431,443-444 214,217 problems with, 411 allocation of participants to formal communication,110 process of, 410-412 conditions, 445-446 formal language-based tools, 276 walkthroughs, 210,420-423 data collection and analysis, formative evaluations, 323 of websites, 412-417 446-448 Fred Hutchison Cancer Research heuristics, 26-27,28,408-409, usability testing contrasted, Center, 324-325,334 419420. See also usability 457-458 friendly interface agents, 144,146 principles variables and conditions,430, fun, user experience goal, 18,19 for predictive evaluation, 343 443-445 functional requirements, 205,206 for website evaluation, 412-413 website design structure, 447 analysis, 220-221 Hierarchical Task Analysis, expert crit, 410 and conceptual model, 258-259 231-233 Index 513 1 high-fidelity prototyping, 245-246, inspections, 407-408. See also interaction styles, 41,250 I 246t, 263 heuristic evaluation; interactive development high-level programming languages, walkthroughs environment, 422 7 walkthroughs, 210,420-423 interactive graphical tools, 276 Holtzblatt, Karen, interview with, instruction-basedconceptual interactivelinteraction designers, 11 313-315 models, 4 1 , 4 2 4 interactive learning environments,7 HOME RUN heuristic,409 interaction design. See also affective interactive pets, 157 horizontal prototyping, 248 aspects; cognition; conceptual interactive phone-based response human-computer interaction, design; conceptual models; system redesign, 482-489 458-459 interaction design process; interactive products, 1-2. See also design patterns, 272 lifecycle models; physical conceptual models; evaluation and ethnography, 342 design; requirements; usability defined, 2n lifecycle models in, 192-196 goals; user experience goals; interaction paradigms, 4 0 , 6 0 4 relation to interaction design, 9 specific types of interfaces interface metaphors, 4 0 , 5 5 4 human factors, relation to aim of, 1-2 problem space, 36-39 interaction design, 9 and anthropomorphism, 153-157 interactive toys, 5 Hutchinson Cancer Research in business, 10-12 interactive voice response systems, Center, 324-325,334 defined, 6-12,166-168 485 HutchWorld case study, 318, emulation of physical world interface designers, 11 324-336,440 knowledge, 90-91 interface metaphors, 40,5540, hyperlinks, 273-274 good and poor contrasted, 2-6 253-257 HyperMirror, 118 history,7-8 Philips mobile communicators, hypertext, 274,276 and human-computer interaction, 8 474-475 hypotheses, 4 4 3 4 , 4 4 5 integration with evaluation, intergenerational design teams, 479 461-462 internal consistency, ..413.414 IBM usability laboratory, 441 iterative nature of, See iterative internal locus of control, 266,413 icons, 268 design Internal Revenue Service, TRIS design, 270-271 mobile communicatorscase study, redesign (telephone response IDEO Scout, 12 See mobile communicators information system), 443, IDEO TechBox, 176-178 multidisciplinary teams for, 9-10, 482-489 incidents, analyzing in observational 282 inter-research reliability rating, 383 data, 381-382 notation for, 222 interrupt-driven tasks, 319 independent variables, 444 and other approaches, 9 interviews. See also semi-structured index cards, prototyping with, 244 phone-based response system interviews; structured indirect observation, 377-379 redesign case study, 482-489 interviews; unstructured industrial design, relation to realism or abstraction?, 66-67 interviews interaction design, 9 relation of other approaches, 8 believability of responses, 397 informal communication,110 terminology, 11 data analysis, 398 informatics, relation to interaction from theory to practice, 100-101 in evaluation pilot studies, 356 design, 9 trade-offs, 166 field studies technique, 342 information appliances, 9 what to design: activities HutchWorld case study, 330 information architects, 11 supported, 4-6 planning for, 391 information design, of websites, interaction design process, 12-13, question development, 390-391 416 165-170. See also alternative in requirements activity, 210,211, information display design, designs; lifecycle models; 213t, 214,215,217 274-275 prototyping retrospective, 372 information processing, 96-98 activities associated with, 16&170 types of, 392-397 information retrieval, 81,83 building interactive design usability testing technique, 340,341 information visualization,7,101 versions, 12,169 for user opinion solicitation, 346 informed consent, 352-353,354,365 practical issues, 170-182 i-opener, 191 unstructured interviews, 392 interaction logs, 354,365 ISO 9241,268,269 infrared sensing, 7 described, 377-379 ISO 13407,268 innovation interaction modes, 40-55,250-253 I S O 14915,268 and prototyping culture, 247-248 interaction paradigms, 40 iterative design, 64-65,68 and user involvement, 247-248 and conceptual design, 257 in conceptual design, 250,264 insider evaluation, 342,361-364 types of, 60-64 and feedback, 170 514 Index iterative design, (Continued) liveboards (ubiquitous computing Microsoft Corporation. See also in physical design, 265 device), 61,62 Windows environment in prototyping, 239,247,248 logical constraints, 22-23 Hutchworld involvement, 324, real world pressure, 461 London Underground, 125-126, 326,328 in requirements activity, 203 361 synch and stabilize software and user-centered development, low-fidelity prototyping, 243-245, design process, 183,184-185 285,462 246t, 249,263 usability laboratory, 441,442 in user need identification, 203 for rapid feedback, 250 user involvement, 282 IT project failure, 203 lurking behavior, 378 Microsoft Office 4.0, usability testing, 282 jargon, avoiding in interviews, 391 Macintosh Microsoft Windows, See Windows Java, 57 direct manipulation as conceptual environment Java Beans, 276 model, 47-49 Microsoft Word 2001, sorting Joint Application Development expressive interface: smiling and operation, 24-25 (JAD) workshops, 190,214 sad Macs, 143 minimalist design, 27,409 garbage can, user confusion with, minus scenarios, 260-261 keystroke level method, 102,346 49,58 mnemonics, 81 described, 450-453 pile approach used by, 91 mobile communicators, 463-464 scope, 356 Macromedia Director, for

Nokia's approach to design, KidPad, 114 t prototyping, 245 464-474 Kismet, 142 Magic Cap, 66 Philips' approach to design, knowledge manipulation-based conceptual 474-482 circulation in social circles, 106 models, 41,4749 mobile computing, 7 emulation of physical world's, mapping, 23 mobile telephones, See cell phones 90-91 marble phone answering machine, mobile usability laboratories, 365,442 Knowledge Navigator, 161 example of good design, 3-4 mockup and text with customers KordGrip (WetPC), 208 matched-participants design, of (contextual Design method), 1 experiments, 446,446t 296 laboratory studies, 345 measurement, 285. See also user mockups, 240-241,307 ecological validity, 356 testing monitors (visual display units), 7 observation, 359,363,365-368 importance of, 457 MOOS, 111 user screening, 350 in usability testing, 341-342 motivation, user experience goal, 18, languagelaction framework, 130-133 media spaces, 110,111,112t 19,141 laptop computers, in observation, MEDLINEplus MUDS, 111,112t 369,374 heuristic evaluation, 412-416, multidisciplinary teams, 9-10 large interactive screens, 9 432 user involvement with, 282 learnability user testing, 432-438 multimedia applications, 5,7 usability criteria, 18 MeetingMaker, 120 dynainking, 87 usability goal, 14,1617 meetings, 290 MUMMS (Measuring the Usability learning, 86 MEMOIRS, 83 of Multi-Media Systems), 407 design implications, 87 memorability musical playing devices, 23 , resistance to time spent, 94 usability criteria, 18 library catalog, 252,256 usability goal, 14,17,19 naturalistic observation, 279. See task description and analysis, memory, 78-85 also field studies 222-234 design implications, 85,266, use in requirements activity, 213t, lifecycle models, 182-186 268,413 214,217 in human-computer interaction, externalizing to reduce load, natural-language-based systems, 44, 192-196 98-99 88 Nokia mobile communicators, and information processing, navigation, 415 465-467 97 navigation-based conceptual in software development, 187-192 and perception, 76 models, 41,4749 Likert scales, 401-403 seven chunks theory, 82 need identification, See user need listening, 86-88 mental models, 92-95,101 identification design implications, 89 menus, 268 NetMeeting, 442 listserver discussion groups, lurking design, 268-270 Netpliance, 173 behavior, 378 messaging, 110,112t spiral development cycle, 191-192 networked classrooms, 114t online interviews, 397 Philips Vision of the Future Project, networked clothing, 5 online patient support communities 10 networking, 7 evaluation, 322 phone answering system (marble Nielson, Jakob, interview with, HutchWorld case study, 318, answering machine), as example 426-427 324-336 of good design, 3-4 Nokia, mobile communicator design online questionnaires, 405-407 phone banking, 83-85 approach, 464474 online tutorials, 16 phone-based response system Nokia 9000 communicator, 467 open-ended interviews, See redesign, 482-489 Nokia 9210 communicator, 465 unstructured interviews photocopiers, 179-180 Nokia 7110 mobile phone, 470-471 open-ended problem spaces, 39 problems with, 1 Nokia 9000 web browser, 472-473 order effects, 446 PhotoFinder, 458459 nonfunctional requirements, 205,206 ordering effects, 445 physical constraints, 22 non-verbal communication, 106,119 organizational environment, 207 and evaluation, 340 Northernlight, 365-367 orphan pages, 415 Nokia mobile communicators, note taking outsider evaluation, 342,361-364 470-473 in observation, 365,369,370,374, overhearing, 125-126 physical design, 239,265-266 376t overseeing, 125-126 from conceptual model to, 64-68 in requirements identification, 218 ownership, and user involvement, guidelines and standards, 266-267, noticeboards, 121 280,281 268 NUDIST, 381,382,383,398 icons, 270-271 pads (ubiquitous computing device), information displays, 274-275 object-based conceptual models, 61,62 menus, 267-270 51-53,250,253 Palmpilot, 60,63 screens, 271-272,274 objective evaluations, 345 requirements activity, 205-206 physical limitations, 286 object-oriented programming, 276 wooden prototype, 241 physical model (Contextual Design object-oriented software paradigms, 183n. See also evaluation method), 302,303,305 engineering, 195,259 paradigms; interaction physicallyvirtual integration, 63 Object Oriented SofhYare paradigms; lifecycle models PICTIVE (Plastic Interface for Engineering, 226 PARC Media Space project, 387 Collaborative Technology observation. See also naturalistic participant observation, 342,361, Initiatives through Video observation 363. See also observation Exploration), 307-309 approaches to, 363-364 with children and adults, 479480 pilot studies in controlled environments, described, 364,370-373 in evaluation, 356 365-368 Philips mobile communicator, for refining structured interview data gathering, 363,365,371,372, 478 questions, 394 373-377,376t participatory design, 306311,310t in requirements identification, 217 data interpretation and analysis, participatory prototyping, 210 pleasure factors, See user experience 365,372,376t, 379-385,387 patenting, 179 goals described, 345-346,347t patterns plug-and-play interfaces, % ethical issues, 378 analyzing in observational data, plug-ins, user frustration with, in field studies, 342,368-370 381-382 151-152 framework for, 368-369 analyzing in questionnaires, 407 pluralistic walkthroughs, 420,423 goals, 360-361 design, 272 plus scenarios, 260-261 HutchWorld case study, 327 PDAs, 463 Pokemon, 157 indirect, 377-379 perception, 76-78 POLITeam workspace system, 135 trend toward real world design implications, 78 pop-up menus, 268 observation, 319 Perl, 276 portal website, conceptual model, 56 usability testing technique, 340,341 personalization Portholes, 126127,127 what and when to observe, 361-363 Nokia mobile communicator, 468 predictive evaluation, 449. See also when to stop, 372 Philips mobile communicator, 478 GOMS model; keystroke level Observer Video-Pro, 382-383 personal workstations, 7 method

Olympic Messaging System (1984), pervasive computing, 60,257 benefits and limitations, 453-454 285,319,323,336 Phil, Knowledge Navigator agent, defined, 343,344t described, 320-321 160-161 Fitts' Law, 454-455 online communities, heuristic Philips, mobile communicator techniques applied, 347t evaluation, 417419 design approach, 474-482 predictive models<\#208>455 516 Index Presence Project, 212 proxy-users, 280 recognition, preferred to recall, 27, primary users, 171 psychology, 6 408 privacy protection relation to interaction design, 8 recycle bins, 57-58 in evaluation, 351-352,353,354 putting it into practice (Contextual redesign, phone-based response in observation, 378 Design method), 296 system case study, 482-489 probes, in semi-structured Python, 276 reflective cognition, 74 interviews, 394 REI.com, 416-417,422 problem solving, 88-89 qualitative evaluations, 345 reliability design implications, 89 importance of, 387 of evaluation data, 355 problem space, of interactive quality, for choosing between of observation data, 376t, 383 products, 36-39 alternative designs, 18&181 requirements activity, 64,201-202 process, of interaction design, See quantitative evaluations, 345 balancing conflicting, 166 interaction design process Questionnaire for User Interaction data gathering, 202-203,210-218, process models, 183n. See also Satisfaction (QUIS), 402,404, 213t lifecycle models 435 data interpretation and analysis, process-oriented conceptual models, questionnaires 202-203,219-221 253,254-255 administering, 404 defined, 204-208,236 product design, relation to data analysis, 407 essential use cases, 229-231 interaction design, 8 design, 399-400 iterative nature of, 203 product-oriented conceptual in evaluation pilot studies, 356 and lifecycle models, 186-188,195 models, 253,254-255 HutchWorld case study, 330 mobile communicators, 463-464 Project Ernestine, 453-454 MEDLINEplus user testing, 435, for new Internet appliances, 191 project failure, reasons for, 203 438 and prototyping, 241 project management systems, 123 online, 405-407 scenarios, 211,223-226 prompting, in semi-structured question and response format, task analysis, 231-234 interviews, 394 400-403 task description, 222-231 props, with data-gathering in requirements activity, 211,213t, types of requirements, 205-208 techniques, 210 215.217 use cases, 226-229 prototyping, 64-65,169 usability testing technique, 340, what, how, and why of, 202-204 compromises in, 246-248 341,342 requirements analysis, 204 in conceptual design, 262-265 for user opinion solicitation, 346 requirements engineering, 204 and construction, 248-249 user screening, 350 requirements specification template, defined, 180,240-241 quick and dirty evaluation 238 evolutionary, 248,249 defined, 341,344t retrospective interviews, 372 high-fidelity, 245-246,246t, 263 goals, 360 reviews, 408 horizontal and vertical, 248 HutchWorld case study, 336 rewarding activities, user experience HutchWorld case study, 325-326 observation, 363,364 goal, 18,19 iterative nature of, 239,247,248 techniques applied, 347t rich descriptions, 380 low-fidelity, 243-245,246t, 249,263 user testing, 431 risk analysis, and spiral lifecycle notation formality of software, 222 Quicken, 53 model, 188 observation for evaluation, 345 QUIS (Questionnaire for User Robertson, Suzanne, interview with, participatory, 210 Interaction Satisfaction), 402, 236-238 Philips mobile communicators, 404.435 role-playing prototyping 474-478 walkthroughs, 210 rapid, 195 radio-frequency tags, 9 Royal National Institute for the reasons for doing, 241-242 ranges, in questionnaires, 400-401 Blind, telephone design role-playing walkthroughs, 210 Rapid Application Development guidelines, 472 scenarios as scripts for user (RAD), 187,188-190 rules evaluation, 261 rapid prototyping, 195 for collaborative meetings, 121 and spiral lifecycle model, 188 Razor Freestyle Scooter, 67 level of guidance and terms used throw-away, 248-249 Rea, 159 with, 28 and Usability Engineering reading, 86-88 for physical design, 268 Lifecycle model, 195 design implications, 89 user involvement, 284 realism, abstraction contrasted, 66-67 safety, usability goal, 14-16 value of, 181 reasoning, 88-89 Salomon, Gitta, interview with, prototyping cultures, 247-248 design implications, 89 31-33 Index 517 same-participant design, of Smalltalk scenario construction, 223, experiments, 445446,446~ programming manual efficiency 259-260 satisfaction, user experience goal, observation, 381-382 and WinWin spiral lifecycle 18,19 for prototyping, 245 model, 188 scenarios. See also prototyping smart (intelligent) fridges, 5,62 standards, 408 in conceptual design, 259-262 Smith, Gillian Crampton, interview for evaluation, 323 and functional requirements, with, 19&199 for physical design, 268 258 soap opera online community, usability principle, 27 interviews for eliciting, 211 371-372 Star interface, 53,55,430,431 in pluralistic walkthroughs, 423 social environment, 207 Star lifecycle model, 192-193 plus and minus, 260-261 social mechanisms state charts, 221 in requirements activity, 223-226 in collaboration, 106-128 statistical analysis usage, 467468 in patient support communities, experiments, 431,457-458 schedules, for meetings, 119-120 325,334-335 observation, 381 scope social sciences, 6 questionnaires, 407 of evaluation, 356 relation to interaction design, 8 Steelcase showroom, 32 of redesign, limiting, 489 software bots, 155 stock exchange dealers, 290 Scout Modo, 12 software development storyboards, 64,243-244 screen design, 271-272,274 ethnographic studies, 288 for incident analysis, 382-383 scripting languages, 276 heuristic evaluation. 343 as prototypes, 241,243-245 scrollbar, conceptual model, 56 lifecycle models in, 187-192 structured interviews, 211 search engines, 89 Microsoft's synch-and-stabilize data analysis, 398 background information on process, 183,184-185 described, 394 operation, 95 prototyping in, 241,245-246,248 structured tasks, Hutchworld case as interface metaphor, 55 prototyping vs. specification study, 328,331-333 secondary users, 171 cultures, 247-248 style guides, 267,268 Sellen, Abigail, interview with, relation to interaction design, 6 , 8 subjective evaluations, 345 138-140 requirements, 205 SUM1

(Software Usability semantic differential scales, software inspections, 346 Measurement Inventory), 407 401403 software reviews, 346 summative evaluations, 323 semi-structured interviews, 211 software upgrades Swim Interaction Design Studio, 11, described, 394-396 evaluation, 323 31 sequence model (Contextual Design evolutionary vs. revolutionary, synch-and-stabilize process method), 301 102 (Microsoft), 183,184-185 seven chunks theory, 82 user frustration with, 150,152 synchronous communication, shared calendars, 120,121,252, sounds, 143 computer-mediated, 112t 256 spaghetti code, 248 synthetic characters, 157-158 card-based prototype, 263-265 speaking, 87-89 system status visibility, 27 physical design, 269-271,275 design implications, 90 task description and analysis, specification culture, 247 tabs (ubiquitous computing device), 222-234,258,259 speech act theory, 130 61,62 shared external representations, speech recognition, 88 talking, 107-110 121-122,123 scenario applications, 262 tangible bits, 61,62,63,257 shared feedback, 127 spiral lifecycle model, 187,188 task allocation, 258 Sherlock, 84 spoken messages, 143 task analysis, 231-234,259 Shneiderman, Ben, interview with, spreadsheets, 51-53 early focus on, 285,286 457459 stakeholders mobile communicators, 464 shortcuts, 266,413 conflict resolution, 236-237 and screen design, 271 Shredit, 114t defined, 171-172 task description, 222-231 Silas The Dog, 157-158,161 discussing ideas with, 241,250 technical environment, 207 simplicity, design principle, 27 needs identification, 203 telephone design guidelines, 472 Sims World, 67 prototypes for discussing ideas telephone interviews, 211,397 single-dialog menus, 268 with, 241 templates situated action and common ground and quality of design, 181 for diaries, 377 theory, 136 and requirements activity, 214, for requirements identification, sketching, for prototyping, 244 215,216-217 204-205,219 518 Index ten-minute rule, 16 terms used with, 28 PICTIVE approach, 211,307-309 tertiary users, 171 trade-offs, 29,65 and requirements activity, thick descriptions, 380 usability criteria, 18 203-204 think-aloud technique, 365-368 usability engineering, 181-182,193, user characteristics, See user data analysis, 381 195 abilities Third Age suit, 251-252 and evaluation, 323,342 user control, 27,408 3D games Usability Engineering Lifecycle, user environment design conceptual model, 49 193-196 (Contextual Design method), realism in, 67 usability engineers, 11 296 3D rendering, 66-67 usability goals user-experience designers, 11 throw-away prototyping, 248-249 clarifying, 37 user experience goals Tickertape, 127-128 described, 14-18 clarifying, 37 ticket machines, 44 and evaluation, 319-322,339 described, 18-20 Tognazzini, Bruce, 219,321 identification in design process, and evaluation, 322,339 tool support, 275 170 identification in design process, toolbars, 268 level of guidance and terms used 170 conceptual model, 56 with, 28 level of guidance and terms used touch, 77 Nokia mobile communicators, with, 28 training 469,470 Nokia mobile communicators, for ethnographic studies, 291, overlooking, 36 469,470 293 Philips mobile communicators, Philips mobile communicators, for expectation management, 475 475 280-281 and requirements activity, 208 and requirements activity, 208 of experts to be evaluators, 411 usability laboratories, 441-442 user experiences, 6,319 training simulators, 7 mobile, 365,442 understanding, 251-252 transcription, of observational usability principles, 26-27 user freedom, 27,408

participatory design. In Proceedings of CHI '91, NIELSEN, J. (2001) Ten Usability Heuristics. 225-231.
www.useit.com/papers/heuristic

Shneiderman (1998) Designing the User Interface: (1998) Web page design: implications of memory, Strategies for Effective Human-Computer Interaction, structure and scent for information retrieval, Figure 1 Third Edition, Table 4.1, Part 3 (page 136), Addison (page 28), in CHI'98 Proceedings, reprinted by Wesley; Figure 13.4: from Andrews et al., A permission of Association for Computing Machinery, Conceptual Framework framework for demographic Inc.; Cartoon: From The Wall Street Journal- groups resistant to online community interaction. In Permission, Cartoon Features Syndicate. Proceedings of I E E E Hawaiian International Conference on System Science (HICSS), 2001; Figure Chapter 15 13.5: Nielsen, J., Finding Usability Problems through Figure 15.1: screenshot of the Nokia 9210 Heuristic Evaluation. In Proceedings of CHI'92, Communicator from <http://www.nokia.com/press/> 373-800; Figure 13.6: Adapted from Appendix G. photo/phones/jpeg/9210-09.jpg reproduced by

Sutton, R. S., & Barto, A. G. (2018). Reinforcement Learning: An Introduction (2nd ed.). MIT Press.

Sutton, R. S., & Barto, A. G. (2018). Reinforcement Learning: An Introduction, 2nd ed.

Sutton, R. S., Precup, D., & Singh, S. (1999). Between MDPs and semi-MDPs: A framework for temporal abstraction in reinforcement learning. Artificial Intelligence, 112, 181-211.

Taylor, M. E., & Stone, P. (2009). Transfer learning for reinforcement learning domains: A survey. Journal of Machine Learning Research, 10, 1633-1685.

Formal models

(1990) Guides: characterizing the interface. In the Requirements Process. Boston: Addison-Wesley.

- (1999) Mastering the Requirements Process, Figures Corporation; (ii): screenshot of www.ananova.com 10.3 (page 184) and 1.3 (page 9) O Pearson showing Ananova, the virtual news presenter, O Education Ltd 1999, reprinted by permission of Ananova Ltd. 2001, reproduced by permission of Pearson Education Ltd.; Figure 7.2: Bergman, E. and Ananova Ltd., all rights reserved; (iii): screenshot
- Baier, C., & Katoen, J.-P. (2008). Principles of Model Checking.
- Baier, C., & Katoen, J.-P. (2008). Principles of Model Checking. MIT Press.
- Baier, C., & Katoen, J.-P. (2008). Principles of Model Checking. MIT Press. Comparative Interaction | 10
- Beach, K. (1999). Consequential transitions: A sociocultural expedition beyond transfer in education. *Review of Research in Education*, 24, 101-139.
- Card, S. K. (1986). The Model Human Processor: A Model for Making Engineering Calculations of Human Performance. *Proceedings of the Human Factors Society*.
- Clarke, E. M., Grumberg, O., & Peled, D. A. (1999). Model Checking. MIT Press.
- García-Bañuelos, L., van Beest, N. R. T. P., Dumas, M., La Rosa, M., & Mertens, W. (2018). Complete and interpretable conformance checking of business processes. *IEEE Transactions on Software Engineering*, 44(3), 262-290.
- GUINDON, R. (1990) Designing the design process: ex- tory Design: Principles and Practice, Hillsdale, NJ: ploiting opportunistic thoughts. *Human-Computer Lawrence Erlbaum Associates*, 177-210.
- Harel, D. (1987). Statecharts: A visual formalism for complex systems.
- Harel, D. (1987). Statecharts: A visual formalism for complex systems. *Science of Computer Programming*, 8, 231-274.
- Hoare, C. A. R. (1985). Communicating Sequential Processes. Prentice Hall.
- Hoare, C. A. R. (1985). Communicating sequential processes. Prentice Hall. INTERACTION AS A PRIMARY SCIENTIFIC OBJECT
- Inc.; Figure 6.9: Boehm, B. W. A spiral model of J. F. (2000) Experience prototyping, Figure 1, in software development and enhancement, IEEE Boyarski, D. and Kellogg, W. (eds.) *DIS 2000-Design Computer*, 21 (5), Figure 2 (page 64) reproduced by Interactive Systems, Processes, Practices, Methods, permission of IEEE C1988 IEEE; Figures 6.1 1 and Techniques, Conference Proceedings, reprinted by 6.1 2: Isensee, S. et al. Designing internet appliances permission of Association for Computing Machinery, 506 Credits Inc.; Figure 8.6(a) and (b): photographs reproduced exploration in participatory design, Figures 1 and 2 by permission of ICE Ergonomics Ltd., (page 26) in CHI'91 Proceedings, reprinted by Loughborough, UK; Figure 8.7: text quoted from permission of Association for Computing Machinery,
- Jastrzembski, T. S., & Charness, N. (2007). The Model Human Processor and the Older Adult: Parameter Estimation and Validation Within a Mobile Phone Task. *Journal of Experimental Psychology: Applied*, 13(4), 224-248.
- Lange, M., Lozes, E., & Vargas Guzman, M. (2013). Model-checking process equivalences. *Theoretical Computer Science*, 560, 326-347.
- MAIDEN, N. A. M. AND RUGG, G. (1996) ACRE: se- Processing Information. *Psychological Review*, 63, lecting methods for requirements acquisition. *Soft-* 81-97.
- Murata, T. (1989). Petri nets: Properties, analysis and applications. *Proceedings of the IEEE*, 77(4), 541-580.
- Nodder, C., Williams, G. and Dubrow, D. (1999) appropriate source. If there are any errors or Evaluating the usability of an evolving collaborative omissions please contact the publisher, who will make product-changes in user type, tasks and evaluation suitable acknowledgement when the book is reprinted, Index Page references followed by italic 1 Amazon.com awareness mechanisms, in indicate material in tables. Page cognitive walkthrough of book collaboration. 124-126 references followed by italic n purchase, 421-422 indicate material in footnotes. one-click purchasing, 14,179 Babble, 128 animated agents, 4647,158 back channeling, 106,108 animation, 143 Barney, example of avoiding gratuitous use on anthropomorphism, 154 abstraction websites, 416 biases dynalink-igfor learning, 87 annotating, 98-100 in evaluation data, 355-356 loss of information, 293 shared external representations, in interview questions, 391 realism contrasted, 66-67 121 in questionnaires, 406 access, to websites, 415-416 ANOVA (analysis of variance), 457 BlueEyes, 61,63 ACM Code of Ethics, 351-352 Ananova (virtual newscaster), BlueTooth, 57 ACRE (Acquisition 392-394 Bly, Sara, interview with, 387-388 REquirements), 219 anthropomorphism, 153-157 Bob (friendly interface agent), 144, ActiMates, 154 apologies, by computers, 153 146 ACTIVBoard, 114t appearance body-area network, 60 activities, of people interacting with of interfaces, user frustration body language, 106,108 products, 4-5 with, 152 bookmarking, 80 activity-based conceptual models, of virtual characters, 160-161 problem space definition, 37-38 41-51,250,252 Apple Macintosh, See Macintosh book

metaphor, problems of using, activity-based planning, 184,282 architectural design, 168 59 activity theory, 136,382 artifact model (Contextual Design branding, web pages, 273 actors, 226-230 method), 301,305 browsers, See web browsers aesthetics, 27,409 artifacts, collection in field studies, browsing-based conceptual models, user experience goal, 18,19 342 41,49 affective aspects, 141-142 artist-design bulletin boards and anthropomorphism, 153-157 approach to users, 212-213 conversational analysis, 354 expressive interfaces, 143-147 relation to interaction design, 8 discourse analysis, 384 user frustration, 147-153 Ask Jeeves, 155 usage tracking, 378 affective computing, 142 Ask Jeeves for Kids, 44-45 affinity diagrams (Contextual asynchronous communication, 327 CARD (Collaborative Analysis of Design method), 304,305 computer-mediated, 112-113t Requirements and Design), 307, affordance, 25-26,29 atomic requirements, 236-237 309-311 agents attention, 75-76 case-based reasoning, 175 for conversation-based conceptual design implications, 77 CASE (Computer-Aided Software models, 46-47,50 attentive environments, 62,63,257 Engineering), 259 design, 160-162 audio recording. See also interviews CD-ROM tutorials, 16 friendly interface agents, 144, data analysis, 381-385 cell phones, 38-39,463. See also 146 interaction logging with, 378 mobile communicators types of, 157-160 in observation, 365,369,374,3761 culture change required for, Aibo, 157 in requirements identification, 218 173 alternative designs augmented reality, 36,63 evaluation, 322 choosing among, 179-182 autistic communication-support physical design, 265-266 conceptual models, 254 device, 241-242 transparency of functioning, 95 generation, 12,166,169,174-179 Auto Attendant interface, TRIS, chatrooms, 110, 112 t and lifecycle model, 186 485,486 conversational analysis, 354 and prototyping, 241 automated phone-based systems, 45 discourse analysis, 384 510 Index check boxes, in questionnaires, designing to support coordination, Nokia mobile communicators, 400401 122-124 472-473 children designing to support social usability principle, 27 computerized toy evaluation, conversation,110-118 consolidation (Contextual Design 419-420 collaborative virtual environments, method), 296 participant observation, 110-111,112t constraints, 21-23 479-480 color, avoiding gratuitous use on support tools designed to chunks, of memory, 82 websites, 416 maintain, 276 ClearBoard,115,118 command-based interfaces, 42,50 construction, 248-249 Clippy, 49,144,146 memory aspects, 79-80 content analysis, 342 closely-knitted teams, 125-126 command-based programming described, 383 cluster analysis, 407 languages, 7 context-free grammars, 276 COG, 142 commercial style guides, 267 context of use, 207. See also cognition, 74-75,286. See also communication, See collaboration environmental requirements memory and communication mobile communicators, 463 and attention, 75-76,77 component systems, 276 and user-centered development, distributed, 98,133-136 computational offloading, 99,100 286 external, 98-101 computer conferencing, 110 context-sensitive information, 94, information processing, 96-98 computerized toys, 419-420 100 and learning, 86,87 computer-mediated communication, Contextual Design method, 250, and memory, 7 6 , 7 8 4 111,115-118 310t mental models, 92-95,101 types, 112-114t described, 295-300,313-315 and perception, 76-78 computer science, relation to Nokia mobile communicators, and problem solving, reasoning, interaction design, 9 465-466 and decision making, 88-89 computer-supportedcooperative for office products design, 297-298 and reading, speaking, and work. relation to interaction contextual inquiry process listening, 86-88, 89 design, 9 (Contextual Design method), cognitive dimensions, 102 conceptual design, 239,249-250 296,298-300,313 cognitive engineering, relation to iterative nature of, 250,265 contextualized observations, 372 interaction design, 9 and physical design, 265 controlled environment studies, See cognitive ergonomics, relation to prototypes in, 262-265 laboratory studies interaction design, 9 scenarios in, 259-262 convenience sampling, 406 cognitive science, relation to conceptual models, 39-41, conventions interaction design, 9 249-250 for collaborative meetings, 121 cognitive tracing, 98-100 activity-based, 41-51,250,252 reasons for not following,122 cognitive walkthroughs, 420-423 for collaboration and conversational analysis, 342,384 coherence method, 293-295,310t communication, 130-136 conversational mechanisms, in cohort, 401 expanding, 257-259 collaboration, 107-110 collaboration and communication, hybrid, 54-55 conversation-based conceptual 105 and interaction modes, 40-55, models, 41,44-47 awareness mechanisms, 124-126 250-253 conversations for action (CfA), conversational mechanisms, and interaction paradigms, 40, 130-131 106-110 6044,257 coordination mechanisms, in coordination mechanisms, 118-122 and interface metaphors, 40, collaboration, 118-122 difficulties with in design, 554,253-257 Coordinator System, 131-133 198-199 from model to physical design, coping strategies, in physical world, distributed cognition approach, 64-68 90-91 130-133 object-based, 51-53,250,253 copyright, 179 ethnographic studies, 129 Philips mobile communicator, corporate style guides, 267 languagelaction framework 481-482 counterbalancing,4 4 5 4 6 approach, 130-133 process- vs. product-oriented, 253, Crampton Smith, Gillian, interview and physical design, 267 254-255 with, 198-199 for user involvement, 281 user understanding of, 54 creativity collaborative technologies, 105 consistency, 408 enhancing in design process, 175 designing to support awareness, design principle, 24-25,29,266, user experience goal, 18,19,141 126-128 412 and user involvement, 247-248 Index 51 1 creativity-support tools, 459 design room (Contextual Design email questionnaires, 405 Creatures, 157 method), 306 embodied conversational interface critical incident analysis, 382 desktop paradigm, 60,257 agents, 159-160 critical mass, 327 dialog boxes, 267,413 emoticons, 146-147,147t critical user tasks, 467,469 design for closure, 266 for online patient support crit reports,

347t expressive interfaces, 144,145 community, 322 Cruiser, 117 diaries, 377 emotional agents, 158-159 cues, in conversation, 107,108 different participant design, of emotional fulfillment, user cultural constraints, 22-23 experiments, 445,446t experience goal, 18,19,141 cultural diversity, 173,350 digital butler, 50 emulation, of physical world cultural model (Contextual Design digital desk, 63 knowledge, 90-91 method), 301-302,305 direct manipulation interfaces, engineering, 6 cultural probes, 212 47-49,50 relation to interaction design, 9 and learning through doing, 86 enjoyment, user experience goal, 18, Dangling String, 61 discount evaluation, 410 19,141 data-flow diagrams, 220 discourse analysis, 342 entertainment, user experience goal, data gathering described, 383-384 18.19 in evaluation, 3 4 4 distributed awareness systems, entity-relationship diagrams, 221 in experiments, 446-448 127-128 environmental requirements, 207. MEDLINEplus user testing, distributed cognition, 98 See also context of use 435-436 and collaboration, 133-136 mobile communicators, 463-464 in observation, 363,365,371-377, Distributed Systems Technology ergonomics, relation to interaction 376t Center, 117 design, 9 props with, 210 documentation, 180 error handling, 266 in requirements activity, 202-203, as usability principle, 27 error messages, 147,14&150 210-218,213t use in requirements activity, 213t, design, 149,266 in TRIS redesign, 487 214-215 error prevention, 27,266,408,413 data interpretation and analysis drop-down menus, 268 error recovery, 27,408 in evaluation, 355-356 dynalinking, 77,87 essential use cases, 229-231 in experiments, 446-448 dynamic icons, 143 and functional requirements, 258 in interviews, 392,398 Dynamic Systems Development e-tailing, See e-commerce MEDLINEplus user testing, Method (DSDM), 190 ethical issues 436-438 dynamic visualization, 476,477 in evaluation, 352-355 in observation, 365,372,376t, dyslexics, 88 in observation, 378 379-385,387 in unstructured interviews, 392 in questionnaires, 407 ecological validity, of evaluation, in user testing, 443 in requirements activity, 202-203, 356 Ethnograph, 381,398 219-221 e-commerce ethnography. See also field studies data requirements, 206-207 culture change required for, 173 adapting to fit development DECIDE evaluation framework, efficiency, 14 process, 373 348-356 educational software, 7 coherence method, 293-295,310t observation application, 379 effectiveness, usability goal, 14 of communication, 129 user testing application, 438-443 efficiency contextual Design method, 250, decision making, 88-89 usability criteria, 18 295-300,310t, 313-315 defibrillator, chest-implanted usability goal, 14 example, 289-290 automatic, 251 usability principle, 27 goals, 360 dependent variables, 444 e-jacket, 60 of home technology use, 291 design, 166. See also interaction electronic calculator, 167-168,175 Nokia mobile communicators, design electronic commerce, See e- 465 The Design of Everyday Things commerce in observation, 361,363,364, (Norman), 21,25 electronic ink, 5 380-381 design principles electronic meeting rooms, 113t and participant observation, 364, described, 20-27 electronic whiteboards. 124 370-373 level of guidance and terms used Elvin, 127-128 in user-centered development, with, 28 email, 110 279,288-306,310t for physical design, 268 conversational analysis, 354 ethnomethodology, 136 512 Index Eudora, safe and unsafe menus, expert opinions, 346,347t gesturing, 106,108 15 Hutchworld case study, 325 gIBIS, 114t evaluation,12,169-170,317-318. in quick and dirty evaluation, 341 gimmicks, user frustration with, See also DECIDE evaluation in TRIS redesign, 485,488 148 framework; field studies; exploration-based conceptual GOMS model (goals, operators, predictive evaluation; usability models, 41,49 methods, and selection rules), testing; user testing expressive interfaces, 143-147 102,231,346 ethical issues, 352-355 external cognition, 98-101 benefits and limitations, 453-454 formative and summative, 323 externalization,of memories, described, 449-450 goals, 360-361 98-99 in TRIS redesign, 485,488 Hutchworld case study, 318, Google, 22,77 324-336,440 facial expressions, 106 background information on insider vs. outsider, 342,361-364 feedback operation, 95 integration with design, 461-462 design and usability principles for, graphical user interfaces, 7,42,60 and lifecycle model, 186 20-21 and affordance, 25-26 mobile communicators case study, in evaluation paradigms, 344t and learning through doing, 86 See mobile communicators interview-like, 397 memory aspects, 79-80 Nokia mobile communicators, and iterative design, 170 memory load reduction, 101 466-467 in observation, 376t shading for menu item Philips mobile communicator, field studies, 341. See also deactivation,21-22 482 ethnography graphic design, 416 phone-based response system challenges, 388 relation to interaction design, 8 redesign case study, 482-489 described, 342 graphics, avoiding gratuitous use on pilot studies, 356 goals, 360 websites, 416 practical issues, 350-351 observation, 359,363-364,368-370 group interviews, 390 reasons for, 319-323 techniques applied, 347t described, 396-397 terminology, 340,345 user screening, 350 Groupsystem, 113t what to evaluate, 318-319 file locking, for coordinating groupware,105. See also when to evaluate, 323-324 collaborative technologies, 122 collaborative technologies when to stop, 334 file management systems, 81,83 GUIs, See graphical user interfaces evaluation paradigms, 340,341-345, and pile phenomenon, 91 GVU survey, 406 344t film industry, relation to interaction choosing in DECIDE framework, design, 9 Hawthorne effect, 356 349 Fitts' Law, 454-455 HCI Bibliography Project, xxii, xxiii techniques used with, 347t flaming, 113t, 153 hearing,77 evaluation techniques, 345-347 flexibility, 409 help, 409 choosing in DECIDE framework, of observation data-collection as usability principle, 27 349 techniques, 376t helpfulness, user experience goal, event languages, 276 usability principle, 27 18,19 flight strips, 296 Herman the Bug, 158 flow chart diagrams, for heuristic evaluation, 26,341,343 expectation management, and user constraining,22 adapting to Web, 248-249 involvement, 280-281

focus groups described, 408-410 experiential cognition, 74 use in evaluation, 396-397 MEDLINEplus, 412416,432 experimental conditions, 444 use in requirements activity, 213t, of online communities, 417-419 experiments, 430,431,443-444 214,217 problems with, 411 allocation of participants to formal communication,110 process of, 410-412 conditions, 445-446 formal language-based tools, 276 walkthroughs, 210,420-423 data collection and analysis, formative evaluations, 323 of websites, 412-417 446-448 Fred Hutchison Cancer Research heuristics, 26-27,28,408-409, usability testing contrasted, Center, 324-325,334 419420. See also usability 457-458 friendly interface agents, 144,146 principles variables and conditions,430, fun, user experience goal, 18,19 for predictive evaluation, 343 443-445 functional requirements, 205,206 for website evaluation, 412-413 website design structure, 447 analysis, 220-221 Hierarchical Task Analysis, expert crit, 410 and conceptual model, 258-259 231-233 Index 513 1 high-fidelity prototyping, 245-246, inspections, 407-408. See also interaction styles, 41,250 I 246t, 263 heuristic evaluation; interactive development high-level programming languages, walkthroughs environment, 422 7 walkthroughs, 210,420-423 interactive graphical tools, 276 Holtzblatt, Karen, interview with, instruction-basedconceptual interactivelinteraction designers, 11 313-315 models, 4 1 , 4 2 4 interactive learning environments,7 HOME RUN heuristic,409 interaction design. See also affective interactive pets, 157 horizontal prototyping, 248 aspects; cognition; conceptual interactive phone-based response human-computer interaction, design; conceptual models; system redesign, 482-489 458-459 interaction design process; interactive products, 1-2. See also design patterns, 272 lifecycle models; physical conceptual models; evaluation and ethnography, 342 design; requirements; usability defined, 2n lifecycle models in, 192-196 goals; user experience goals; interaction paradigms, 4 0 , 6 0 4 relation to interaction design, 9 specific types of interfaces interface metaphors, 4 0 , 5 5 4 human factors, relation to aim of, 1-2 problem space, 36-39 interaction design, 9 and anthropomorphism, 153-157 interactive toys, 5 Hutchinson Cancer Research in business, 10-12 interactive voice response systems, Center, 324-325,334 defined, 6-12,166-168 485 HutchWorld case study, 318, emulation of physical world interface designers, 11 324-336,440 knowledge, 90-91 interface metaphors, 40,5540, hyperlinks, 273-274 good and poor contrasted, 2-6 253-257 HyperMirror, 118 history,7-8 Philips mobile communicators, hypertext, 274,276 and human-computer interaction, 8 474-475 hypotheses, 4 4 3 4 , 4 4 5 integration with evaluation, intergenerational design teams, 479 461-462 internal consistency, ..413.414 IBM usability laboratory, 441 iterative nature of, See iterative internal locus of control, 266,413 icons, 268 design Internal Revenue Service, TRIS design, 270-271 mobile communicators case study, redesign (telephone response IDEO Scout, 12 See mobile communicators information system), 443, IDEO TechBox, 176-178 multidisciplinary teams for, 9-10, 482-489 incidents, analyzing in observational 282 inter-research reliability rating, 383 data, 381-382 notation for, 222 interrupt-driven tasks, 319 independent variables, 444 and other approaches, 9 interviews. See also semi-structured index cards, prototyping with, 244 phone-based response system interviews; structured indirect observation, 377-379 redesign case study, 482-489 interviews; unstructured industrial design, relation to realism or abstraction?, 66-67 interviews interaction design, 9 relation of other approaches, 8 believability of responses, 397 informal communication,110 terminology, 11 data analysis, 398 informatics, relation to interaction from theory to practice, 100-101 in evaluation pilot studies, 356 design, 9 trade-offs, 166 field studies technique, 342 information appliances, 9 what to design: activities HutchWorld case study, 330 information architects, 11 supported, 4-6 planning for, 391 information design, of websites, interaction design process, 12-13, question development, 390-391 416 165-170. See also alternative in requirements activity, 210,211, information display design, designs; lifecycle models; 213t, 214,215,217 274-275 prototyping retrospective, 372 information processing, 96-98 activities associated with, 16&170 types of, 392-397 information retrieval, 81,83 building interactive design usability testing technique, 340,341 information visualization,7,101 versions, 12,169 for user opinion solicitation, 346 informed consent, 352-353,354,365 practical issues, 170-182 i-opener, 191 unstructured interviews, 392 interaction logs, 354,365 ISO 9241,268,269 infrared sensing, 7 described, 377-379 ISO 13407,268 innovation interaction modes, 40-55,250-253 I S O 14915,268 and prototyping culture, 247-248 interaction paradigms, 40 iterative design, 64-65,68 and user involvement, 247-248 and conceptual design, 257 in conceptual design, 250,264 insider evaluation, 342,361-364 types of, 60-64 and feedback, 170 514 Index iterative design, (Continued) liveboards (ubiquitous computing Microsoft Corporation. See also in physical design, 265 device), 61,62 Windows environment in prototyping, 239,247,248 logical constraints, 22-23 Hutchworld involvement, 324, real world pressure, 461 London Underground, 125-126, 326,328 in requirements activity, 203 361 synch and stabilize software and user-centered development, low-fidelity prototyping, 243-245, design process, 183,184-185 285,462 246t, 249,263 usability laboratory, 441,442 in user need identification, 203 for rapid feedback, 250 user involvement, 282 IT project failure, 203 lurking behavior, 378 Microsoft Office 4.0, usability testing, 282 jargon, avoiding in interviews, 391 Macintosh Microsoft Windows, See Windows Java, 57 direct manipulation as conceptual environment Java Beans, 276 model, 47-49 Microsoft Word 2001, sorting Joint Application Development expressive interface: smiling and operation, 24-25 (JAD) workshops, 190,214 sad Macs, 143 minimalist design, 27,409 garbage can, user confusion with, minus scenarios, 260-261 keystroke level method, 102,346 49,58 mnemonics, 81

described, 450-453 pile approach used by, 91 mobile communicators, 463-464 scope, 356 Macromedia Director, for Nokia's approach to design, KidPad, 114 t prototyping, 245 464-474 Kismet, 142 Magic Cap, 66 Philips' approach to design, knowledge manipulation-based conceptual 474-482 circulation in social circles, 106 models, 41,4749 mobile computing, 7 emulation of physical world's, mapping, 23 mobile telephones, See cell phones 90-91 marble phone answering machine, mobile usability laboratories, 365,442 Knowledge Navigator, 161 example of good design, 3-4 mockup and text with customers KordGrip (WetPC), 208 matched-participants design, of (contextual Design method), 1 experiments, 446,446t 296 laboratory studies, 345 measurement, 285. See also user mockups, 240-241,307 ecological validity, 356 testing monitors (visual display units), 7 observation, 359,363,365-368 importance of, 457 MOOS, 111 user screening, 350 in usability testing, 341-342 motivation, user experience goal, 18, languagelaction framework, 130-133 media spaces, 110,111,112t 19,141 laptop computers, in observation, MEDLINEplus MUDS, 111,112t 369,374 heuristic evaluation, 412-416, multidisciplinary teams, 9-10 large interactive screens, 9 432 user involvement with, 282 learnability user testing, 432-438 multimedia applications, 5,7 usability criteria, 18 MeetingMaker, 120 dynaiinking, 87 usability goal, 14,1617 meetings, 290 MUMMS (Measuring the Usability learning, 86 MEMOIRS, 83 of Multi-Media Systems), 407 design implications, 87 memorability musical playing devices, 23 , resistance to time spent, 94 usability criteria, 18 library catalog, 252,256 usability goal, 14,17,19 naturalistic observation, 279. See task description and analysis, memory, 78-85 also field studies 222-234 design implications, 85,266, use in requirements activity, 213t, lifecycle models, 182-186 268,413 214,217 in human-computer interaction, externalizing to reduce load, natural-language-based systems, 44, 192-196 98-99 88 Nokia mobile communicators, and information processing, navigation, 415 465-467 97 navigation-based conceptual in software development, 187-192 and perception, 76 models, 41,4749 Likert scales, 401-403 seven chunks theory, 82 need identification, See user need listening, 86-88 mental models, 92-95,101 identification design implications, 89 menus, 268 NetMeeting, 442 listserver discussion groups, lurking design, 268-270 Netpliance, 173 behavior, 378 messaging, 110,112t spiral development cycle, 191-192 networked classrooms, 114t online interviews, 397 Philips Vision of the Future Project, networked clothing, 5 online patient support communities 10 networking, 7 evaluation, 322 phone answering system (marble Nielson, Jakob, interview with, HutchWorld case study, 318, answering machine), as example 426-427 324-336 of good design, 3-4 Nokia, mobile communicator design online questionnaires, 405-407 phone banking, 83-85 approach, 464474 online tutorials, 16 phone-based response system Nokia 9000 communicator, 467 open-ended interviews, See redesign, 482-489 Nokia 9210 communicator, 465 unstructured interviews photocopiers, 179-180 Nokia 7110 mobile phone, 470-471 open-ended problem spaces, 39 problems with, 1 Nokia 9000 web browser, 472-473 order effects, 446 PhotoFinder, 458459 nonfunctional requirements, 205,206 ordering effects, 445 physical constraints, 22 non-verbal communication, 106,119 organizational environment, 207 and evaluation, 340 Northernlight, 365-367 orphan pages, 415 Nokia mobile communicators, note taking outsider evaluation, 342,361-364 470-473 in observation, 365,369,370,374, overhearing, 125-126 physical design, 239,265-266 376t overseeing, 125-126 from conceptual model to, 64-68 in requirements identification, 218 ownership, and user involvement, guidelines and standards, 266-267, noticeboards, 121 280,281 268 NUDIST, 381,382,383,398 icons, 270-271 pads (ubiquitous computing device), information displays, 274-275 object-based conceptual models, 61,62 menus, 267-270 51-53,250,253 PalmPilot, 60,63 screens, 271-272,274 objective evaluations, 345 requirements activity, 205-206 physical limitations, 286 object-oriented programming, 276 wooden prototype, 241 physical model (Contextual Design object-oriented software paradigms, 183n. See also evaluation method), 302,303,305 engineering, 195,259 paradigms; interaction physicallyvirtual integration, 63 Object Oriented SofhYare paradigms; lifecycle models PICTIVE (Plastic Interface for Engineering, 226 PARC Media Space project, 387 Collaborative Technology observation. See also naturalistic participant observation, 342,361, Initiatives through Video observation 363. See also observation Exploration), 307-309 approaches to, 363-364 with children and adults, 479480 pilot studies in controlled environments, described, 364,370-373 in evaluation, 356 365-368 Philips mobile communicator, for refining structured interview data gathering, 363,365,371,372, 478 questions, 394 373-377,376t participatory design, 306311,310t in requirements identification, 217 data interpretation and analysis, participatory prototyping, 210 pleasure factors, See user experience 365,372,376t, 379-385,387 patenting, 179 goals described, 345-346,347t patterns plug-and-play interfaces, % ethical issues, 378 analyzing in observational data, plug-ins, user frustration with, in field studies, 342,368-370 381-382 151-152 framework for, 368-369 analyzing in questionnaires, 407 pluralistic walkthroughs, 420,423 goals, 360-361 design, 272 plus scenarios, 260-261 HutchWorld case study, 327 PDAs, 463 Pokemon, 157 indirect, 377-379 perception, 76-78 POLITeam workspace system, 135 trend toward real world design implications, 78 pop-up menus, 268 observation, 319 Perl, 276 portal website, conceptual model, 56 usability testing technique, 340,341 personalization Portholes, 126127,127 what and when to observe, 361-363 Nokia mobile communicator, 468 predictive evaluation, 449. See also when to stop, 372 Philips mobile communicator, 478 GOMS model; keystroke level Observer Video-Pro, 382-383 personal workstations, 7 method

Prediction and causality

- Angelopoulos, A. N., & Bates, S. (2021). A Gentle Introduction to Conformal Prediction and Distribution-Free Uncertainty Quantification. arXiv:2107.07511.
- Casebook for Software Design. New York: John FITTS, P. M. (1954) The information capacity of the human motor system in controlling amplitude of movement, 145-156.
- Fitts, P. M. (1954). The Information Capacity of the Human Motor System in Controlling the Amplitude of Movement. *Journal of Experimental Psychology*, 47(6), 381-391.
- Fitts, P. M., & Posner, M. I. (1967). Human Performance. Brooks/Cole.
- Hick, W. E. (1952). On the Rate of Gain of Information. *Quarterly Journal of Experimental Psychology*, 4(1), 11- 26.
- MACKENZIE, I. S. (1992) Fitts' law as a research and the home. *Companion for CHI '96*, ACM, 283-284.
- Nodder, C., Williams, G. and Dubrow, D. (1999) appropriate source. If there are any errors or Evaluating the usability of an evolving collaborative omissions please contact the publisher, who will make product-changes in user type, tasks and evaluation suitable acknowledgement when the book is reprinted, Index Page references followed by italic 1 Amazon.com awareness mechanisms, in indicate material in tables. Page cognitive walkthrough of book collaboration. 124-126 references followed by italic n purchase, 421-422 indicate material in footnotes. one-click purchasing, 14,179 Babble, 128 animated agents, 4647,158 back channeling, 106,108 animation, 143 Barney, example of avoiding gratuitous use on anthropomorphism, 154 abstraction websites, 416 biases dynalink-igfor learning, 87 annotating, 98-100 in evaluation data, 355-356 loss of information, 293 shared external representations, in interview questions, 391 realism contrasted, 66-67 121 in questionnaires, 406 access, to websites, 415-416 ANOVA (analysis of variance), 457 BlueEyes, 61,63 ACM Code of Ethics, 351-352 Ananova (virtual newscaster), BlueTooth, 57 ACRE (Acquisition 392-394 Bly, Sara, interview with, 387-388 REquirements), 219 anthropomorphism, 153-157 Bob (friendly interface agent), 144, ActiMates, 154 apologies, by computers, 153 146 ACTIVBoard, 114t appearance body-area network, 60 activities, of people interacting with of interfaces, user frustration body language, 106,108 products, 4-5 with, 152 bookmarking, 80 activity-based conceptual models, of virtual characters, 160-161 problem space definition, 37-38 41-51,250,252 Apple Macintosh, See Macintosh book metaphor, problems of using, activity-based planning, 184,282 architectural design, 168 59 activity theory, 136,382 artifact model (Contextual Design branding, web pages, 273 actors, 226-230 method), 301,305 browsers, See web browsers aesthetics, 27,409 artifacts, collection in field studies, browsing-based conceptual models, user experience goal, 18,19 342 41,49 affective aspects, 141-142 artist-design bulletin boards and anthropomorphism, 153-157 approach to users, 212-213 conversational analysis, 354 expressive interfaces, 143-147 relation to interaction design, 8 discourse analysis, 384 user frustration, 147-153 Ask Jeeves, 155 usage tracking, 378 affective computing, 142 Ask Jeeves for Kids, 44-45 affinity diagrams (Contextual asynchronous communication, 327 CARD (Collaborative Analysis of Design method), 304,305 computer-mediated, 112-113t Requirements and Design), 307, affordance, 25-26,29 atomic requirements, 236-237 309-311 agents attention, 75-76 case-based reasoning, 175 for conversation-based conceptual design implications, 77 CASE (Computer-Aided Software models, 46-47,50 attentive environments, 62,63,257 Engineering), 259 design, 160-162 audio recording. See also interviews CD-ROM tutorials, 16 friendly interface agents, 144, data analysis, 381-385 cell phones, 38-39,463. See also 146 interaction logging with, 378 mobile communicators types of, 157-160 in observation, 365,369,374,3761 culture change required for, Aibo, 157 in requirements identification, 218 173 alternative designs augmented reality, 36,63 evaluation, 322 choosing among, 179-182 autistic communication-support physical design, 265-266 conceptual models, 254 device, 241-242 transparency of functioning, 95 generation, 12,166,169,174-179 Auto Attendant interface, TRIS, chatrooms, 110, 112 t and lifecycle model, 186 485,486 conversational analysis, 354 and prototyping, 241 automated phone-based systems, 45 discourse analysis, 384 510 Index check boxes, in questionnaires, designing to support coordination, Nokia mobile communicators, 400401 122-124 472-473 children designing to support social usability principle, 27 computerized toy evaluation, conversation,110-118 consolidation (Contextual Design 419-420 collaborative virtual environments, method), 296 participant observation, 110-111,112t constraints, 21-23 479-480 color, avoiding gratuitous use on support tools designed to chunks, of memory, 82 websites, 416 maintain, 276 ClearBoard,115,118 command-based interfaces, 42,50 construction, 248-249 Clippy, 49,144,146 memory aspects, 79-80 content analysis, 342 closely-knitted teams, 125-126 command-based programming described, 383 cluster analysis, 407 languages, 7 context-free grammars, 276 COG, 142 commercial style guides, 267 context of use, 207. See also cognition, 74-75,286. See also communication, See collaboration environmental requirements memory and communication mobile communicators, 463 and attention, 75-76,77 component systems, 276 and user-centered development, distributed, 98,133-136 computational offloading, 99,100 286 external, 98-101 computer conferencing,

110 context-sensitive information, 94, information processing, 96-98 computerized toys, 419-420 100 and learning, 86,87 computer-mediated communication, Contextual Design method, 250, and memory, 7 6 , 7 8 4 111,115-118 310t mental models, 92-95,101 types, 112-114t described, 295-300,313-315 and perception, 76-78 computer science, relation to Nokia mobile communicators, and problem solving, reasoning, interaction design, 9 465-466 and decision making, 88-89 computer-supported cooperative for office products design, 297-298 and reading, speaking, and work. relation to interaction contextual inquiry process listening, 86-88, 89 design, 9 (Contextual Design method), cognitive dimensions, 102 conceptual design, 239,249-250 296,298-300,313 cognitive engineering, relation to iterative nature of, 250,265 contextualized observations, 372 interaction design, 9 and physical design, 265 controlled environment studies, See cognitive ergonomics, relation to prototypes in, 262-265 laboratory studies interaction design, 9 scenarios in, 259-262 convenience sampling, 406 cognitive science, relation to conceptual models, 39-41, conventions interaction design, 9 249-250 for collaborative meetings, 121 cognitive tracing, 98-100 activity-based, 41-51,250,252 reasons for not following,122 cognitive walkthroughs, 420-423 for collaboration and conversational analysis, 342,384 coherence method, 293-295,310t communication, 130-136 conversational mechanisms, in cohort, 401 expanding, 257-259 collaboration, 107-110 collaboration and communication, hybrid, 54-55 conversation-based conceptual 105 and interaction modes, 40-55, models, 41,44-47 awareness mechanisms, 124-126 250-253 conversations for action (CfA), conversational mechanisms, and interaction paradigms, 40, 130-131 106-110 6044,257 coordination mechanisms, in coordination mechanisms, 118-122 and interface metaphors, 40, collaboration, 118-122 difficulties with in design, 554,253-257 Coordinator System, 131-133 198-199 from model to physical design, coping strategies, in physical world, distributed cognition approach, 64-68 90-91 130-133 object-based, 51-53,250,253 copyright, 179 ethnographic studies, 129 Philips mobile communicator, corporate style guides, 267 languagelaction framework 481-482 counterbalancing,4 4 5 4 6 approach, 130-133 process- vs. product-oriented, 253, Crampton Smith, Gillian, interview and physical design, 267 254-255 with, 198-199 for user involvement, 281 user understanding of, 54 creativity collaborative technologies, 105 consistency, 408 enhancing in design process, 175 designing to support awareness, design principle, 24-25,29,266, user experience goal, 18,19,141 126-128 412 and user involvement, 247-248 Index 51 1 creativity-support tools, 459 design room (Contextual Design email questionnaires, 405 Creatures, 157 method), 306 embodied conversational interface critical incident analysis, 382 desktop paradigm, 60,257 agents, 159-160 critical mass, 327 dialog boxes, 267,413 emoticons, 146-147,147t critical user tasks, 467,469 design for closure, 266 for online patient support crit reports, 347t expressive interfaces, 144,145 community, 322 Cruiser, 117 diaries, 377 emotional agents, 158-159 cues, in conversation, 107,108 different participant design, of emotional fulfillment, user cultural constraints, 22-23 experiments, 445,446t experience goal, 18,19,141 cultural diversity, 173,350 digital butler, 50 emulation, of physical world cultural model (Contextual Design digital desk, 63 knowledge, 90-91 method), 301-302,305 direct manipulation interfaces, engineering, 6 cultural probes, 212 47-49,50 relation to interaction design, 9 and learning through doing, 86 enjoyment, user experience goal, 18, Dangling String, 61 discount evaluation, 410 19,141 data-flow diagrams, 220 discourse analysis, 342 entertainment, user experience goal, data gathering described, 383-384 18.19 in evaluation, 3 4 4 distributed awareness systems, entity-relationship diagrams, 221 in experiments, 446-448 127-128 environmental requirements, 207. MEDLINEplus user testing, distributed cognition, 98 See also context of use 435-436 and collaboration, 133-136 mobile communicators, 463-464 in observation, 363,365,371-377, Distributed Systems Technology ergonomics, relation to interaction 376t Center, 117 design, 9 props with, 210 documentation, 180 error handling, 266 in requirements activity, 202-203, as usability principle, 27 error messages, 147,14&150 210-218,213t use in requirements activity, 213t, design, 149,266 in TRIS redesign, 487 214-215 error prevention, 27,266,408,413 data interpretation and analysis drop-down menus, 268 error recovery, 27,408 in evaluation, 355-356 dynalinking, 77,87 essential use cases, 229-231 in experiments, 446-448 dynamic icons, 143 and functional requirements, 258 in interviews, 392,398 Dynamic Systems Development e-tailing, See e-commerce MEDLINEplus user testing, Method (DSDM), 190 ethical issues 436-438 dynamic visualization, 476,477 in evaluation, 352-355 in observation, 365,372,376t, dyslexics, 88 in observation, 378 379-385,387 in unstructured interviews, 392 in questionnaires, 407 ecological validity, of evaluation, in user testing, 443 in requirements activity, 202-203, 356 Ethnograph, 381,398 219-221 e-commerce ethnography. See also field studies data requirements, 206-207 culture change required for, 173 adapting to fit development DECIDE evaluation framework, efficiency, 14 process, 373 348-356 educational software, 7 coherence method, 293-295,310t observation application, 379 effectiveness, usability goal, 14 of communication, 129 user testing application, 438-443 efficiency contextual Design method, 250, decision making, 88-89 usability criteria, 18 295-300,310t, 313-315 defibrillator, chest-implanted usability goal, 14 example, 289-290 automatic, 251 usability principle, 27 goals, 360 dependent variables, 444 e-jacket, 60 of home technology use, 291 design, 166. See also interaction electronic calculator, 167-168,175 Nokia mobile communicators, design electronic commerce, See e- 465 The Design of Everyday Things commerce in observation, 361,363,364, (Norman), 21,25 electronic ink, 5 380-381 design principles electronic meeting rooms, 113t and

participant observation, 364, described, 20-27 electronic whiteboards, 124 370-373 level of guidance and terms used Elvin, 127-128 in user-centered development, with, 28 email, 110 279,288-306,310t for physical design, 268 conversational analysis, 354 ethnomethodology, 136 512 Index Eudora, safe and unsafe menus, expert opinions, 346,347t gesturing, 106,108 15 Hutchworld case study, 325 giBIS, 114t evaluation,12,169-170,317-318. in quick and dirty evaluation, 341 gimmicks, user frustration with, See also DECIDE evaluation in TRIS redesign, 485,488 148 framework; field studies; exploration-based conceptual GOMS model (goals, operators, predictive evaluation; usability models, 41,49 methods, and selection rules), testing; user testing expressive interfaces, 143-147 102,231,346 ethical issues, 352-355 external cognition, 98-101 benefits and limitations, 453-454 formative and summative, 323 externalization,of memories, described, 449-450 goals, 360-361 98-99 in TRIS redesign, 485,488 Hutchworld case study, 318, Google, 22,77 324-336,440 facial expressions, 106 background information on insider vs. outsider, 342,361-364 feedback operation, 95 integration with design, 461-462 design and usability principles for, graphical user interfaces, 7,42,60 and lifecycle model, 186 20-21 and affordance, 25-26 mobile communicators case study, in evaluation paradigms, 344t and learning through doing, 86 See mobile communicators interview-like, 397 memory aspects, 79-80 Nokia mobile communicators, and iterative design, 170 memory load reduction, 101 466-467 in observation, 376t shading for menu item Philips mobile communicator, field studies, 341. See also deactivation,21-22 482 ethnography graphic design, 416 phone-based response system challenges, 388 relation to interaction design, 8 redesign case study, 482-489 described, 342 graphics, avoiding gratuitous use on pilot studies, 356 goals, 360 websites, 416 practical issues, 350-351 observation, 359,363-364,368-370 group interviews, 390 reasons for, 319-323 techniques applied, 347t described, 396-397 terminology, 340,345 user screening, 350 Groupsystem, 113t what to evaluate, 318-319 file locking, for coordinating groupware,105. See also when to evaluate, 323-324 collaborative technologies, 122 collaborative technologies when to stop, 334 file management systems, 81,83 GUIs, See graphical user interfaces evaluation paradigms, 340,341-345, and pile phenomenon, 91 GVU survey, 406 344t film industry, relation to interaction choosing in DECIDE framework, design, 9 Hawthorne effect, 356 349 Fitts' Law, 454-455 HCI Bibliography Project, xxii, xxiii techniques used with, 347t flaming, 113t, 153 hearing,77 evaluation techniques, 345-347 flexibility, 409 help, 409 choosing in DECIDE framework, of observation data-collection as usability principle, 27 349 techniques, 376t helpfulness, user experience goal, event languages, 276 usability principle, 27 18,19 flight strips, 296 Herman the Bug, 158 flow chart diagrams, for heuristic evaluation, 26,341,343 expectation management, and user constraining,22 adapting to Web, 248-249 involvement, 280-281 focus groups described, 408-410 experiential cognition, 74 use in evaluation, 396-397 MEDLINEplus, 412416,432 experimental conditions, 444 use in requirements activity, 213t, of online communities, 417-419 experiments, 430,431,443-444 214,217 problems with, 411 allocation of participants to formal communication,110 process of, 410-412 conditions, 445-446 formal language-based tools, 276 walkthroughs, 210,420-423 data collection and analysis, formative evaluations, 323 of websites, 412-417 446-448 Fred Hutchison Cancer Research heuristics, 26-27,28,408-409, usability testing contrasted, Center, 324-325,334 419420. See also usability 457-458 friendly interface agents, 144,146 principles variables and conditions,430, fun, user experience goal, 18,19 for predictive evaluation, 343 443-445 functional requirements, 205,206 for website evaluation, 412-413 website design structure, 447 analysis, 220-221 Hierarchical Task Analysis, expert crit, 410 and conceptual model, 258-259 231-233 Index 513 1 high-fidelity prototyping, 245-246, inspections, 407-408. See also interaction styles, 41,250 I 246t, 263 heuristic evaluation; interactive development high-level programming languages, walkthroughs environment, 422 7 walkthroughs, 210,420-423 interactive graphical tools, 276 Holtzblatt, Karen, interview with, instruction-basedconceptual interactivelinteraction designers, 11 313-315 models, 4 1 , 4 2 4 interactive learning environments,7 HOME RUN heuristic,409 interaction design. See also affective interactive pets, 157 horizontal prototyping, 248 aspects; cognition; conceptual interactive phone-based response human-computer interaction, design; conceptual models; system redesign, 482-489 458-459 interaction design process; interactive products, 1-2. See also design patterns, 272 lifecycle models; physical conceptual models; evaluation and ethnography, 342 design; requirements; usability defined, 2n lifecycle models in, 192-196 goals; user experience goals; interaction paradigms, 4 0 , 6 0 4 relation to interaction design, 9 specific types of interfaces interface metaphors, 4 0 , 5 5 4 human factors, relation to aim of, 1-2 problem space, 36-39 interaction design, 9 and anthropomorphism, 153-157 interactive toys, 5 Hutchinson Cancer Research in business, 10-12 interactive voice response systems, Center, 324-325,334 defined, 6-12,166-168 485 HutchWorld case study, 318, emulation of physical world interface designers, 11 324-336,440 knowledge, 90-91 interface metaphors, 40,5540, hyperlinks, 273-274 good and poor contrasted, 2-6 253-257 HyperMirror, 118 history,7-8 Philips mobile communicators, hypertext, 274,276 and human-computer interaction, 8 474-475 hypotheses, 4 4 3 4 , 4 4 5 integration with evaluation, intergenerational design teams, 479 461-462 internal consistency, ..413.414 IBM usability laboratory, 441 iterative nature of, See iterative internal locus of control, 266,413 icons, 268 design Internal Revenue Service, TRIS design, 270-271 mobile communicators case study, redesign (telephone response IDEO Scout, 12 See mobile communicators information system), 443, IDEO

TechBox, 176-178 multidisciplinary teams for, 9-10, 482-489 incidents, analyzing in observational 282 inter-research reliability rating, 383 data, 381-382 notation for, 222 interrupt-driven tasks, 319 independent variables, 444 and other approaches, 9 interviews. See also semi-structured index cards, prototyping with, 244 phone-based response system interviews; structured indirect observation, 377-379 redesign case study, 482-489 interviews; unstructured industrial design, relation to realism or abstraction?, 66-67 interviews interaction design, 9 relation of other approaches, 8 believability of responses, 397 informal communication, 110 terminology, 11 data analysis, 398 informatics, relation to interaction from theory to practice, 100-101 in evaluation pilot studies, 356 design, 9 trade-offs, 166 field studies technique, 342 information appliances, 9 what to design: activities HutchWorld case study, 330 information architects, 11 supported, 4-6 planning for, 391 information design, of websites, interaction design process, 12-13, question development, 390-391 416 165-170. See also alternative in requirements activity, 210, 211, information display design, designs; lifecycle models; 213t, 214, 215, 217 274-275 prototyping retrospective, 372 information processing, 96-98 activities associated with, 16&170 types of, 392-397 information retrieval, 81, 83 building interactive design usability testing technique, 340, 341 information visualization, 7, 101 versions, 12, 169 for user opinion solicitation, 346 informed consent, 352-353, 354, 365 practical issues, 170-182 i-opener, 191 unstructured interviews, 392 interaction logs, 354, 365 ISO 9241, 268, 269 infrared sensing, 7 described, 377-379 ISO 13407, 268 innovation interaction modes, 40-55, 250-253 I S O 14915, 268 and prototyping culture, 247-248 interaction paradigms, 40 iterative design, 64-65, 68 and user involvement, 247-248 and conceptual design, 257 in conceptual design, 250, 264 insider evaluation, 342, 361-364 types of, 60-64 and feedback, 170 514 Index iterative design, (Continued) liveboards (ubiquitous computing Microsoft Corporation. See also in physical design, 265 device), 61, 62 Windows environment in prototyping, 239, 247, 248 logical constraints, 22-23 Hutchworld involvement, 324, real world pressure, 461 London Underground, 125-126, 326, 328 in requirements activity, 203 361 synch and stabilize software and user-centered development, low-fidelity prototyping, 243-245, design process, 183, 184-185 285, 462 246t, 249, 263 usability laboratory, 441, 442 in user need identification, 203 for rapid feedback, 250 user involvement, 282 IT project failure, 203 lurking behavior, 378 Microsoft Office 4.0, usability testing, 282 jargon, avoiding in interviews, 391 Macintosh Microsoft Windows, See Windows Java, 57 direct manipulation as conceptual environment Java Beans, 276 model, 47-49 Microsoft Word 2001, sorting Joint Application Development expressive interface: smiling and operation, 24-25 (JAD) workshops, 190, 214 sad Macs, 143 minimalist design, 27, 409 garbage can, user confusion with, minus scenarios, 260-261 keystroke level method, 102, 346 49, 58 mnemonics, 81 described, 450-453 pile approach used by, 91 mobile communicators, 463-464 scope, 356 Macromedia Director, for Nokia's approach to design, KidPad, 114 t prototyping, 245 464-474 Kismet, 142 Magic Cap, 66 Philips' approach to design, knowledge manipulation-based conceptual 474-482 circulation in social circles, 106 models, 41, 4749 mobile computing, 7 emulation of physical world's, mapping, 23 mobile telephones, See cell phones 90-91 marble phone answering machine, mobile usability laboratories, 365, 442 Knowledge Navigator, 161 example of good design, 3-4 mockup and text with customers KordGrip (WetPC), 208 matched-participants design, of (contextual Design method), 1 experiments, 446, 446t 296 laboratory studies, 345 measurement, 285. See also user mockups, 240-241, 307 ecological validity, 356 testing monitors (visual display units), 7 observation, 359, 363, 365-368 importance of, 457 MOOS, 111 user screening, 350 in usability testing, 341-342 motivation, user experience goal, 18, languagelaction framework, 130-133 media spaces, 110, 111, 112t 19, 141 laptop computers, in observation, MEDLINEplus MUDS, 111, 112t 369, 374 heuristic evaluation, 412-416, multidisciplinary teams, 9-10 large interactive screens, 9 432 user involvement with, 282 learnability user testing, 432-438 multimedia applications, 5, 7 usability criteria, 18 MeetingMaker, 120 dynaiinking, 87 usability goal, 14, 1617 meetings, 290 MUMMS (Measuring the Usability learning, 86 MEMOIRS, 83 of Multi-Media Systems), 407 design implications, 87 memorability musical playing devices, 23 , resistance to time spent, 94 usability criteria, 18 library catalog, 252, 256 usability goal, 14, 17, 19 naturalistic observation, 279. See task description and analysis, memory, 78-85 also field studies 222-234 design implications, 85, 266, use in requirements activity, 213t, lifecycle models, 182-186 268, 413 214, 217 in human-computer interaction, externalizing to reduce load, natural-language-based systems, 44, 192-196 98-99 88 Nokia mobile communicators, and information processing, navigation, 415 465-467 97 navigation-based conceptual in software development, 187-192 and perception, 76 models, 41, 4749 Likert scales, 401-403 seven chunks theory, 82 need identification, See user need listening, 86-88 mental models, 92-95, 101 identification design implications, 89 menus, 268 NetMeeting, 442 listserver discussion groups, lurking design, 268-270 Netpliance, 173 behavior, 378 messaging, 110, 112t spiral development cycle, 191-192 networked classrooms, 114t online interviews, 397 Philips Vision of the Future Project, networked clothing, 5 online patient support communities 10 networking, 7 evaluation, 322 phone answering system (marble Nielson, Jakob, interview with, HutchWorld case study, 318, answering machine), as example 426-427 324-336 of good design, 3-4 Nokia, mobile communicator design online questionnaires, 405-407 phone banking, 83-85 approach, 464474 online tutorials, 16 phone-based response system Nokia 9000 communicator, 467 open-ended interviews, See redesign, 482-489 Nokia 9210 communicator, 465

unstructured interviews photocopyers, 179-180 Nokia 7110 mobile phone, 470-471 open-ended problem spaces, 39 problems with, 1 Nokia 9000 web browser, 472-473 order effects, 446 PhotoFinder, 458-459 nonfunctional requirements, 205, 206 ordering effects, 445 physical constraints, 22 non-verbal communication, 106, 119 organizational environment, 207 and evaluation, 340 Northernlight, 365-367 orphan pages, 415 Nokia mobile communicators, note taking outsider evaluation, 342, 361-364 470-473 in observation, 365, 369, 370, 374, overhearing, 125-126 physical design, 239, 265-266 376t overseeing, 125-126 from conceptual model to, 64-68 in requirements identification, 218 ownership, and user involvement, guidelines and standards, 266-267, noticeboards, 121 280, 281 268 NUDIST, 381, 382, 383, 398 icons, 270-271 pads (ubiquitous computing device), information displays, 274-275 object-based conceptual models, 61, 62 menus, 267-270 51-53, 250, 253 PalmPilot, 60, 63 screens, 271-272, 274 objective evaluations, 345 requirements activity, 205-206 physical limitations, 286 object-oriented programming, 276 wooden prototype, 241 physical model (Contextual Design object-oriented software paradigms, 183n. See also evaluation method), 302, 303, 305 engineering, 195, 259 paradigms; interaction physically virtual integration, 63 Object Oriented SoftWare paradigms; lifecycle models PICTIVE (Plastic Interface for Engineering, 226 PARC Media Space project, 387 Collaborative Technology observation. See also naturalistic participant observation, 342, 361, Initiatives through Video observation 363. See also observation Exploration), 307-309 approaches to, 363-364 with children and adults, 479-480 pilot studies in controlled environments, described, 364, 370-373 in evaluation, 356 365-368 Philips mobile communicator, for refining structured interview data gathering, 363, 365, 371, 372, 478 questions, 394 373-377, 376t participatory design, 306 311, 310t in requirements identification, 217 data interpretation and analysis, participatory prototyping, 210 pleasure factors, See user experience 365, 372, 376t, 379-385, 387 patenting, 179 goals described, 345-346, 347t patterns plug-and-play interfaces, % ethical issues, 378 analyzing in observational data, plug-ins, user frustration with, in field studies, 342, 368-370 381-382 151-152 framework for, 368-369 analyzing in questionnaires, 407 pluralistic walkthroughs, 420, 423 goals, 360-361 design, 272 plus scenarios, 260-261 HutchWorld case study, 327 PDAs, 463 Pokemon, 157 indirect, 377-379 perception, 76-78 POLITeam workspace system, 135 trend toward real world design implications, 78 pop-up menus, 268 observation, 319 Perl, 276 portal website, conceptual model, 56 usability testing technique, 340, 341 personalization Portholes, 126 127, 127 what and when to observe, 361-363 Nokia mobile communicator, 468 predictive evaluation, 449. See also when to stop, 372 Philips mobile communicator, 478 GOMS model; keystroke level Observer Video-Pro, 382-383 personal workstations, 7 method

Olympic Messaging System (1984), pervasive computing, 60, 257 benefits and limitations, 453-454 285, 319, 323, 336 Phil, Knowledge Navigator agent, defined, 343, 344t described, 320-321 160-161 Fitts' Law, 454-455 online communities, heuristic Philips, mobile communicator techniques applied, 347t evaluation, 417-419 design approach, 474-482 predictive models 455 516 Index Presence Project, 212 proxy-users, 280 recognition, preferred to recall, 27, primary users, 171 psychology, 6 408 privacy protection relation to interaction design, 8 recycle bins, 57-58 in evaluation, 351-352, 353, 354 putting it into practice (Contextual redesign, phone-based response in observation, 378 Design method), 296 system case study, 482-489 probes, in semi-structured Python, 276 reflective cognition, 74 interviews, 394 REI.com, 416-417, 422 problem solving, 88-89 qualitative evaluations, 345 reliability design implications, 89 importance of, 387 of evaluation data, 355 problem space, of interactive quality, for choosing between of observation data, 376t, 383 products, 36-39 alternative designs, 18&181 requirements activity, 64, 201-202 process, of interaction design, See quantitative evaluations, 345 balancing conflicting, 166 interaction design process Questionnaire for User Interaction data gathering, 202-203, 210-218, process models, 183n. See also Satisfaction (QUIS), 402, 404, 213t lifecycle models 435 data interpretation and analysis, process-oriented conceptual models, questionnaires 202-203, 219-221 253, 254-255 administering, 404 defined, 204-208, 236 product design, relation to data analysis, 407 essential use cases, 229-231 interaction design, 8 design, 399-400 iterative nature of, 203 product-oriented conceptual in evaluation pilot studies, 356 and lifecycle models, 186-188, 195 models, 253, 254-255 HutchWorld case study, 330 mobile communicators, 463-464 Project Ernestine, 453-454 MEDLINEplus user testing, 435, for new Internet appliances, 191 project failure, reasons for, 203 438 and prototyping, 241 project management systems, 123 online, 405-407 scenarios, 211, 223-226 prompting, in semi-structured question and response format, task analysis, 231-234 interviews, 394 400-403 task description, 222-231 props, with data-gathering in requirements activity, 211, 213t, types of requirements, 205-208 techniques, 210 215. 217 use cases, 226-229 prototyping, 64-65, 169 usability testing technique, 340, what, how, and why of, 202-204 compromises in, 246-248 341, 342 requirements analysis, 204 in conceptual design, 262-265 for user opinion solicitation, 346 requirements engineering, 204 and construction, 248-249 user screening, 350 requirements specification template, defined, 180, 240-241 quick and dirty evaluation 238 evolutionary, 248, 249 defined, 341, 344t retrospective interviews, 372 high-fidelity, 245-246, 246t, 263 goals, 360 reviews, 408 horizontal and vertical, 248 HutchWorld case study, 336 rewarding activities, user experience HutchWorld case study, 325-326 observation,

363,364 goal, 18,19 iterative nature of, 239,247,248 techniques applied, 347t rich descriptions, 380 low-fidelity, 243-245,246t, 249,263 user testing, 431 risk analysis, and spiral lifecycle notation formality of software, 222 Quicken, 53 model, 188 observation for evaluation, 345 QUIS (Questionnaire for User Robertson, Suzanne, interview with, participatory, 210 Interaction Satisfaction), 402, 236-238 Philips mobile communicators, 404.435 role-playing prototyping 474-478 walkthroughs, 210 rapid, 195 radio-frequency tags, 9 Royal National Institute for the reasons for doing, 241-242 ranges, in questionnaires, 400-401 Blind, telephone design role-playing walkthroughs, 210 Rapid Application Development guidelines, 472 scenarios as scripts for user (RAD), 187,188-190 rules evaluation, 261 rapid prototyping, 195 for collaborative meetings, 121 and spiral lifecycle model, 188 Razor Freestyle Scooter, 67 level of guidance and terms used throw-away, 248-249 Rea, 159 with, 28 and Usability Engineering reading, 86-88 for physical design, 268 Lifecycle model, 195 design implications, 89 user involvement, 284 realism, abstraction contrasted, 66-67 safety, usability goal, 14-16 value of, 181 reasoning, 88-89 Salomon, Gitta, interview with, prototyping cultures, 247-248 design implications, 89 31-33 Index 517 same-participant design, of Smalltalk scenario construction, 223, experiments, 445446,446~ programming manual efficiency 259-260 satisfaction, user experience goal, observation, 381-382 and WinWin spiral lifecycle 18,19 for prototyping, 245 model, 188 scenarios. See also prototyping smart (intelligent) fridges, 5,62 standards, 408 in conceptual design, 259-262 Smith, Gillian Crampton, interview for evaluation, 323 and functional requirements, with, 19&199 for physical design, 268 258 soap opera online community, usability principle, 27 interviews for eliciting, 211 371-372 Star interface, 53,55,430,431 in pluralistic walkthroughs, 423 social environment, 207 Star lifecycle model, 192-193 plus and minus, 260-261 social mechanisms state charts, 221 in requirements activity, 223-226 in collaboration, 106-128 statistical analysis usage, 467468 in patient support communities, experiments, 431,457-458 schedules, for meetings, 119-120 325,334-335 observation, 381 scope social sciences, 6 questionnaires, 407 of evaluation, 356 relation to interaction design, 8 Steelcase showroom, 32 of redesign, limiting, 489 software bots, 155 stock exchange dealers, 290 Scout Modo, 12 software development storyboards, 64,243-244 screen design, 271-272,274 ethnographic studies, 288 for incident analysis, 382-383 scripting languages, 276 heuristic evaluation. 343 as prototypes, 241,243-245 scrollbar, conceptual model, 56 lifecycle models in, 187-192 structured interviews, 211 search engines, 89 Microsoft's synch-and-stabilize data analysis, 398 background information on process, 183,184-185 described, 394 operation, 95 prototyping in, 241,245-246,248 structured tasks, Hutchworld case as interface metaphor, 55 prototyping vs. specification study, 328,331-333 secondary users, 171 cultures, 247-248 style guides, 267,268 Sellen, Abigail, interview with, relation to interaction design, 6 , 8 subjective evaluations, 345 138-140 requirements, 205 SUM1 (Software Usability semantic differential scales, software inspections, 346 Measurement Inventory), 407 401403 software reviews, 346 summative evaluations, 323 semi-structured interviews, 211 software upgrades Swim Interaction Design Studio, 11, described, 394-396 evaluation, 323 31 sequence model (Contextual Design evolutionary vs. revolutionary, synch-and-stabilize process method), 301 102 (Microsoft), 183,184-185 seven chunks theory, 82 user frustration with, 150,152 synchronous communication, shared calendars, 120,121,252, sounds, 143 computer-mediated, 112t 256 spaghetti code, 248 synthetic characters, 157-158 card-based prototype, 263-265 speaking, 87-89 system status visibility, 27 physical design, 269-271,275 design implications, 90 task description and analysis, specification culture, 247 tabs (ubiquitous computing device), 222-234,258,259 speech act theory, 130 61,62 shared external representations, speech recognition, 88 talking, 107-110 121-122,123 scenario applications, 262 tangible bits, 61,62,63,257 shared feedback, 127 spiral lifecycle model, 187,188 task allocation, 258 Sherlock, 84 spoken messages, 143 task analysis, 231-234,259 Shneiderman, Ben, interview with, spreadsheets, 51-53 early focus on, 285,286 457459 stakeholders mobile communicators, 464 shortcuts, 266,413 conflict resolution, 236-237 and screen design, 271 Shredit, 114t defined, 171-172 task description, 222-231 Silas The Dog, 157-158,161 discussing ideas with, 241,250 technical environment, 207 simplicity, design principle, 27 needs identification, 203 telephone design guidelines, 472 Sims World, 67 prototypes for discussing ideas telephone interviews, 211,397 single-dialog menus, 268 with, 241 templates situated action and common ground and quality of design, 181 for diaries, 377 theory, 136 and requirements activity, 214, for requirements identification, sketching, for prototyping, 244 215,216-217 204-205,219 518 Index ten-minute rule, 16 terms used with, 28 PICTIVE approach, 211,307-309 tertiary users, 171 trade-offs, 29,65 and requirements activity, thick descriptions, 380 usability criteria, 18 203-204 think-aloud technique, 365-368 usability engineering, 181-182,193, user characteristics, See user data analysis, 381 195 abilities Third Age suit, 251-252 and evaluation, 323,342 user control, 27,408 3D games Usability Engineering Lifecycle, user environment design conceptual model, 49 193-196 (Contextual Design method), realism in, 67 usability engineers, 11 296 3D rendering, 66-67 usability goals user-experience designers, 11 throw-away prototyping, 248-249 clarifying, 37 user experience goals Tickertape, 127-128 described, 14-18 clarifying, 37 ticket machines, 44 and evaluation, 319-322,339 described, 18-20 Tognazzini, Bruce, 219,321 identification in design process, and evaluation, 322,339 tool support, 275 170 identification in design process, toolbars, 268 level of guidance and terms used 170 conceptual model, 56 with, 28 level of guidance and terms used touch, 77 Nokia

mobile communicators, with, 28 training 469,470 Nokia mobile communicators, for ethnographic studies, 291, overlooking, 36 469,470 293 Philips mobile communicators, Philips mobile communicators, for expectation management, 475 475 280-281 and requirements activity, 208 and requirements activity, 208 of experts to be evaluators, 411 usability laboratories, 441-442 user experiences, 6,319 training simulators, 7 mobile, 365,442 understanding, 251-252 transcription, of observational usability principles, 26-27 user freedom, 27,408

Pearl, J. (2000). *Causality*. Cambridge University Press.

Pearl, J. (2009). *Causality*, 2nd ed.

Pearl, J. (2009). *Causality: Models, Reasoning, and Inference* (2nd ed.). Cambridge University Press.

Salmon, W. C. (1984). *Scientific explanation and the causal structure of the world*. Princeton University Press.

VanderWeele, T. J., & Robinson, W. R. (2014). On the causal interpretation of race in regressions adjusting for confounding and mediating variables. *Epidemiology*, 25(4), 473-484.
<https://doi.org/10.1097/EDE.000000000000105>

Woodward, J. (2003). *Making things happen: A theory of causal explanation*. Oxford University Press.

Yarkoni, T., & Westfall, J. (2017). Choosing Prediction Over Explanation in Psychology: Lessons From Machine Learning. *Perspectives on Psychological Science*, 12(6), 1100-1122. Earlier papers in the Computational Interaction research program: Interaction; Behavior; Measurement; Representation, Invariance, and Projection; Opportunity, Affordance, and Action Availability; Interaction Similarity; Interaction Transfer; Interaction Strategies; Formal Models of Computational Interaction. Predicting Interaction - Toward a Predictive Theory of Computational Interaction

Comparative interaction

(1995) Bifocal tools for scenarios and representa- Evaluating the usability of an evolving collabora- tions in participatory activities with users. In J. M. tive product--changes in user type, tasks and eval- Carroll (ed.) *Scenario-Based Design*. New York: uation methods over time. In *Proceedings of John Wiley & Sons*, 135-163. GROUP'99,150-159.

(1999) MEDLINEplus Interface Evaluation: Final electronic teller of stories, Robots for Kids (Druin, Report, reproduced by permission of Professor Keith C.A. and Helander, J., eds.) reproduced by Cogdill, College of Information Studies, University permission of Academic Press, Inc. and the authors, of Maryland; Figure 14.2: Figure 2, pages 67-80, Institute for Advanced Computer Studies, University from Lund, A.M. Ameritech's usability laboratory: of Maryland. from prototype to final design, Behaviour and

(2000) PETS: A personal electronic teller of sto- NIELSEN, J. (1992) Finding usability problems through ries.' In C.A. Druin & J. Helander (eds.) *Robots heuristic evaluation*. In *Proceedings of CHI'92*, for Kids. San Francisco: Morgan Kaufmann. 373-800.

, B., AND SINGLEY, M. K. (1994) *Com- and Beyond*. San Francisco: Morgan Kaufmann. parative usability evaluation: critical incidents and

1. Interview: reproduced by permission of IDEO. (1997) *Tangible Bits: towards seamless interfaces*, in CH1'97 *Proceedings*, reprinted by permission of Chapter 2 Association for Computing Machinery, Inc.; Figure Figure 2.1 (on Color Plate 2): gif from www.ai.mit.edu/projects/medical-vision/surgery/ reproduced by permission of IBM; Figure 2.11 (iii): gif www.parc.xerox.com/red/members/richgold/ of Michael E. Leventon; Figure 2.6(a): gif from [livingdoc/slide6.html](http://livingdoc.slide6.html), reproduced by permission of <http://vibes.cs.uiuc.edu/ProjectNRIVirtue/VirtueOve> Rich Gold of PARC Communications; Figure 2.12: [view.htm](http://www.mbay.net/~brendaWarticles/IPDA.Reed), reproduced by permission of Dr Daniel A. gif from www.mbay.net/~brendaWarticles/IPDA.Reed (University of Illinois at Urbana-Champaign) Mar.951 reproduced by permission of General Magic, from work on the Collaborative Virtual Inc.; Figure 2.1 3(b): gif from <http://thesims.ea.com/us/> Environments for Direct Software Manipulation reproduced by permission of Electronic Arts Inc. O research project, supported in part by the Defense 2001 Electronic Arts Inc., all rights reserved; Figure Advanced Research Projects Agency under contract 2.14 (on Color Plate 2): gif from <http://graphics.stanford.edu/projects/iwork/> reproduced by DABT63-94-C0049,F30602-96-C-0161, stanford.EDU/projects/iwork/ reproduced by DABT63-96-C0027, N66001-97-C-8532, in part by the permission of Professor Terry Winograd; Cartoon: National Science Foundation under grants CDA 94- Copyright O Cartoonstock, www.CartoonStock.com. 504 Credits Chapter 3 organisations (pages 145-199) in Oskamp, S. and Figures 3.2(a) and (b): two screenshots of lodging Spacapan, S. (eds.) *People's Reactions to information* reproduced by permission of T. S. Tullis Technologies in Factories, Offices and Aerospace- from his Ph.D. Dissertation Predicting the Usability of The Claremont Symposium on Applied Psychology Alphanumeric Displays, Rice University, Houston,

copyright © 1990 Sage Publications, reprinted by Texas, USA; Figures 3.3 and 3.10: screenshots of permission of Sage Publications Inc.; Figure 4.7:

3344. CHI Panel (2000) Scaling for the Masses: Usability

5.4(a) and (b): Marcus, A. (1993) Human and Hix, D. (1989) How Microsoft builds software, communication in advanced tools, Figures 2 and 4 International Journal of Man-Machine Studies, 31, (pages 106 and 107) in Communications of the ACM, 477-494, the Star lifecycle model, reproduced by 36(4), 101-109, reprinted by permission of permission of Academic Press Ltd.; Figure 6.14: The Association for Computing Machinery, Inc.; Figure usability engineering lifecycle figure in The Usability

BAUM, F. L., AND DENSLOW, W. (1900) The Wizard of and R. L. Mack (eds.) Usability Inspection Methods. New York: Random House, Inc. eds. New York: John Wiley & Sons.

Brooke, J. (1996). SUS: A quick and dirty usability scale. In Usability Evaluation in Industry.

cation system. In Proceedings of CSCW'98, NIELSEN, J. (1994b) Enhancing the explanatory power 149-158. of usability heuristics. In Proceedings of ACM

characters. Communications of the ACM, 37(7), BIAS, R. G. (1994) The pluralistic usability walk- 122-125. through-coordinated empathies. In J. Nielsen

cially translucent systems: social proxies, persistent GOULD, J. D., AND LEWIS, C. H. (1985) Designing for conversation and the design of "Babble". In Proceedings of CHI'99, 72-79. Communications of the ACM, 28(3), 300-311. 496 References

Conference on System Science (HZCSS). BENNETT, J. (1984) Managing to meet usability re-

CSCW '97, 6, 53-70. NIELSEN, J. (2000) Designing Web Usability. Indi-

design tool in human-computer interaction. MAYHEW, D. J. (1999) The Usability Engineering Human-Computer Interaction, 7, 91-139. Lifecycle. San Francisco: Morgan Kaufmann.

DUMAS, J. S., AND REDISH, J. C. (1999) A Practical Computer-Supported Cooperative Work. Dordrecht, The Netherlands: Kluwer, 431-450.

Evaluation: Final Report, reproduced by permission de Vries, G. (1996) Interaction design and human factors support in the development of a personal Studies, University of Maryland; Figure 13.10: communicator for children, Figures 1, 2, 3, 5, 9, 10 screenshot from <http://IIREI.com> reproduced by and 7 in CHI'96 Proceedings, reprinted by permission of permission of Recreational Equipment, Inc.; Cartoon: of Association for Computing Machinery, Inc., O The 5th Wave, www.the5thwave.com. communicator concept development and execution by Philips Design, Eindhoven, The Netherlands; Figures 1 5.1 1-1 5.1 3: Figure 19 (page 28), Table 2 Chapter 14 (pages 24 and 25) and Figure 16 (page 25) from

García-Bañuelos, L., van Beest, N. R. T. P., Dumas, M., La Rosa, M., & Mertens, W. (2018). Complete and interpretable conformance checking of business processes. IEEE Transactions on Software Engineering, 44(3), 262-290.

Green, T. R. G., & Petre, M. (1996). Usability analysis of visual programming environments: A cognitive dimensions framework. Journal of Visual Languages & Computing, 7, 131-174.

HOLLAND, S., AND CAREY, T. (1994) Human-Computer Interaction. Wokingham, UK: Addison-Wesley. RUBIN, J. (1994) Handbook of Usability testing: How to Plan, Design and Conduct Effective tests. New York: John Wiley & Sons.