

Theater Ticketing System

Software Requirements Specification

Version 1

9/24/2026

Group #19

Zachary Gass

Ryoka Kobayashi

Prepared for

CS 250- Introduction to Software Systems

Instructor: Gus Hanna, Ph.D.

Fall 2023

Revision History

Date	Description	Author	Comments
<date>	<Version 1>	<Your Name>	<First Revision>
		Zachary Gass	
		Ryoka Kobayashi	

Document Approval

The following Software Requirements Specification has been accepted and approved by the following:

Signature	Printed Name	Title	Date
	<Your Name>	Software Eng.	
	Dr. Gus Hanna	Instructor, CS 250	

Table of Contents

REVISION HISTORY	ii
DOCUMENT APPROVAL	ii
1. INTRODUCTION	1
1.1 PURPOSE	1
1.2 SCOPE	1
1.3 DEFINITIONS, ACRONYMS, AND ABBREVIATIONS	1
1.4 REFERENCES	1
1.5 OVERVIEW	1
2. GENERAL DESCRIPTION	2
2.1 PRODUCT PERSPECTIVE	2
2.2 PRODUCT FUNCTIONS	2
2.3 USER CHARACTERISTICS	2
2.4 GENERAL CONSTRAINTS	2
2.5 ASSUMPTIONS AND DEPENDENCIES	2
3. SPECIFIC REQUIREMENTS	2
3.1 EXTERNAL INTERFACE REQUIREMENTS	3
3.1.1 <i>User Interfaces</i>	3
3.1.2 <i>Hardware Interfaces</i>	3
3.1.3 <i>Software Interfaces</i>	3
3.1.4 <i>Communications Interfaces</i>	3
3.2 FUNCTIONAL REQUIREMENTS	3
3.2.1 <i><Functional Requirement or Feature #1></i>	3
3.2.2 <i><Functional Requirement or Feature #2></i>	3
3.3 USE CASES	3
3.3.1 <i>Use Case #1</i>	3
3.3.2 <i>Use Case #2</i>	3
3.4 CLASSES / OBJECTS	3
3.4.1 <i><Class / Object #1></i>	3
3.4.2 <i><Class / Object #2></i>	3
3.5 NON-FUNCTIONAL REQUIREMENTS	4
3.5.1 <i>Performance</i>	4
3.5.2 <i>Reliability</i>	4
3.5.3 <i>Availability</i>	4
3.5.4 <i>Security</i>	4
3.5.5 <i>Maintainability</i>	4
3.5.6 <i>Portability</i>	4
3.6 INVERSE REQUIREMENTS	4
3.7 DESIGN CONSTRAINTS	4
3.8 LOGICAL DATABASE REQUIREMENTS	4
3.9 OTHER REQUIREMENTS	4
4. ANALYSIS MODELS	4
4.1 SEQUENCE DIAGRAMS	5
4.3 DATA FLOW DIAGRAMS (DFD)	5
4.2 STATE-TRANSITION DIAGRAMS (STD)	5
5. CHANGE MANAGEMENT PROCESS	5
A. APPENDICES	5
A.1 APPENDIX 1	5
A.2 APPENDIX 2	5

1. Introduction

1.1 Purpose

This SRS describes what the Theater Ticketing System needs to do and the limits it has to work within. The requirements come from interviews with our client, the theater chain's management, and each one is written so it can be checked during testing.

The document is written for:

- The client(theater management), to review the requirements and point out anything missing or incorrect.
- Designers and developers, to use as the basis for building the system.
- Testers, to write test cases against each requirement.
- Project managers and the course instructor, to keep track of scope and progress.

1.2 Scope

The product covered here is the Theater Ticketing System. It will replace the ticketing software the chain uses today. The current system does sell tickets, but it is slow, and bugs from past updates have built up to the point where they are hard to manage.

Customers will be able to buy tickets online through a web browser or in person at kiosks in each theater. Both use the same live data, so a seat sold at a kiosk is immediately unavailable on the website, and prices match everywhere. Main features include:

- Browsing movies and showtimes, picking seats, and buying up to 20 tickets in one transaction
- Discounted tickets for students and military members
- Several payment options, with tickets sent digitally or printed
- Optional customer accounts that keep purchase history and loyalty points
- Unique tickets that can't be duplicated, to cut down on scalping
- An administrator mode for setting showtimes, moving movies between theaters, and fixing purchase mistakes
- A short feedback prompt after checkout, plus reviews and critic scores shown alongside each movie

A mobile app is not part of this project; the system is browser-based only. A feature that suggests nearby theaters is also out of scope for now, though the client may revisit it in a later release.

Tickets are only valid at the chain's San Diego locations.

The client's main priorities are a quicker and more dependable way for customers to buy tickets, fair access to seats for popular releases, and better reporting on ticket sales and pricing for each movie. They want a prototype ready for user testing within four months, with a budget of around \$500,000.

1.3 Definitions, Acronyms, and Abbreviations

Administrator - Theater staff with higher access, who manage showtimes, theaters, and correct purchase errors.

Bot - Automated software used to buy large numbers of tickets to resell them.

Deluxe theater - A theater with premium seating and a smaller capacity than a regular theater.

Kiosk - A self-service ticket terminal in a theater lobby.

Loyalty account - An optional customer account that stores contact details, saved payment methods, past purchases, and loyalty points for rewards.

Moviegoer - A customer buying tickets through the system.

Scalping - Buying tickets in bulk to resell them at a markup.

Seat hold - A short reservation on selected seats while the customer finishes checking out.

Showtime - A scheduled screening of a movie in a particular theater. Also called a showing.

IEEE - Institute of Electrical and Electronics Engineers.

SRS - Software Requirements Specification.

UI - User Interface.

1.4 References

- IEEE Std 830-1998, IEEE Recommended Practice for Software Requirements Specifications. Institute of Electrical and Electronics Engineers, 1998.
- W. Y. Arms, "Scenarios and Use Cases," CS 5150 Software Engineering lecture notes, Cornell University.
- Software Requirements Specification Template, CS 250 Introduction to Software Systems, Dr. Gus Hanna.
- Theater Ticketing System client interview notes, CS 250 in-class client interviews. Available from the authors.

1.5 Overview

The rest of this SRS is organized as follows:

- Section 2, General Description: Background on the product, its users, and the constraints and assumptions behind the requirements. This section is written for a non-technical reader and easy to understand.
- Section 3, Specific Requirements: The detailed requirements, including interfaces, functional requirements, use cases, and non-functional requirements such as performance and security. Requirements are numbered so they can be traced into design and testing.
- Section 4, Analysis Models: Sequence, data flow, and state transition diagrams.
- Section 5, Change Management Process: How changes to this document are requested and approved.
- Appendices: Supporting material such as client interview notes.

2. General Description

2.1 Product Perspective

The Theater Ticketing System will replace the existing ticketing software used by the chain's 20 San Diego theaters. The current system sells tickets, but it is slow, and bugs from past updates have become hard to manage.

With the new system, customers can buy tickets in two ways: only through a web browser, or in person at kiosks in each theater. Both use the same live data, so a seat sold at a kiosk is immediately unavailable on the website, and prices are the same everywhere. Tickets are only valid at the chain's San Diego locations.

The new system is intended to provide a faster and more reliable ticket-buying experience while keeping ticket information consistent between online and in-person sales.

2.2 Product Functions

The main functions of the system are:

- Browse movies and showtimes
- Pick seats and buy up to 20 tickets in one transaction
- Get discounted tickets for students and military member
- Pay with several payment options
- Receive tickets digitally or as printed tickets
- Create an optional customer account that keeps purchase history and loyalty points
- Get unique tickets that can't be duplicated, to cut down on scalping
- Give customers fair access to seats for popular releases
- Let administrators set showtimes, move movies between theaters, and fix purchase mistakes
- Answer a short feedback prompt after checkout, and see reviews and critic scores for each movie
- Provide reporting on ticket sales and pricing for each movie.

2.3 User Characteristics

The system has two types of users:

- Customers: people who buy tickets online or at kiosks. Some are students or military members who qualify for discounted tickets. They can choose whether or not to create a loyalty account.
- Administrators: Theater staff with higher access, who manage showtimes and theater and correct purchase errors.

2.4 General Constraints

The following constraints limit the system's design options:

- The system will only run on the web browser; a mobile app will not be developed.

- The system is entirely local, only being applicable to the San Diego theatre locations.
- One transaction has a hard limit of 20 tickets.
- Selected seats are temporarily reserved in checkout, unavailable to other online and in person buyers until the transaction is completed, or 5 minutes have passed.
- Each ticket must be unique.
- The system must support multiple languages, including English, Spanish, and Swedish.
- Website downtime should only happen when necessary, and kept to a minimum.
- Must be able to handle up to 10 million users simultaneously.
- Tickets can go on sale up to 2 weeks before the showing, and 10 mins after it has started playing.
- A working prototype must be available in 4 months with a budget of \$500,000.
- Only 1 device can be logged into a customer account at once.
- All theatres share one database.

2.5 Assumptions and Dependencies

The requirements assume and depend on the following. If any change, the document may need to be reworked:

- Customers using the website have access to the internet with a working web browser.
- Each theatre has working kiosks, a good internet connection, and the ability to print tickets.
- Rotten Tomatoes and other critic/review websites continue to stay up and allow for the system to integrate its information.
- An email service is available and able to be automated to send digital confirmations and transaction receipts.
- The current showtimes and seating data is available to be transferred into the new platform's database.
- Third party payment options(such as Bitcoin, credit cards, etc.) remain available and allow their services to be integrated.

3. Specific Requirements

3.1 External Interface Requirements

3.1.1 User Interfaces

- 3.1.1.1 The system shall provide a web browser interface for moviegoers to browse movies and showtimes, pick seats, and buy tickets.
- 3.1.1.2 The system shall provide a kiosk interface in each theater for moviegoers to buy tickets in person.
- 3.1.1.3 The system shall show which seats are available for a selected showtime.
- 3.1.1.4 The system shall be available in multiple languages, including English and Spanish.
- 3.1.1.5 The system shall let moviegoers create an optional customer account and view their purchase history and loyalty points.
- 3.1.1.6 The system shall show a short feedback prompt after checkout.
- 3.1.1.7 The system shall show reviews and critic scores alongside each movie.
- 3.1.1.8 The system shall provide an administrator mode for setting showtimes, moving movies between theaters, and fixing purchase mistakes.

3.1.2 Hardware Interfaces

- 3.1.2.1 The system shall run on kiosks located in each of the chain's theaters.
- 3.1.2.2 The system shall support printed tickets.
- 3.1.2.3 Moviegoers shall be able to use the website from a device with a web browser.

3.1.3 Software Interfaces

- 3.1.3.1 The system shall run in a web browser. A mobile app will not be developed.
- 3.1.3.2 The website and kiosks shall use the same live data, so seat availability and prices match everywhere.
- 3.1.3.3 The system shall accept several payment options.

3.1.4 Communications Interfaces

- 3.1.4.1 When a seat is sold at a kiosk, it shall immediately become unavailable on the website, and when a seat is sold on the website, it shall immediately become unavailable at the kiosks.
- 3.1.4.2 Seats held during checkout shall be unavailable to other online and in-person buyers until the transaction is completed or the hold times out.
- 3.1.4.3 The system shall send tickets to moviegoers digitally.

3.2 Functional Requirements

3.2.1 <Browse Movies and Showtimes>

3.2.1.1 Introduction

Moviegoers shall be able to browse movies and showtimes at the chain's San Diego theaters, online or at a kiosk.

3.2.1.2 Inputs

The theater, movie, and showtime chosen by the moviegoer.

3.2.1.3 Processing

The system shall retrieve movies and showtimes for the chosen from the same live data used by both the website and kiosks.

3.2.1.4 Outputs

A list of movies and their showtimes, with reviews and critic scores shown alongside each movie.

3.2.1.5 Error Handling

If a movie has no available showtimes, the system shall tell the moviegoer.

3.2.2 <Seat Selection and Seat Hold>

3.2.2.1 Introduction

Moviegoers shall be able to pick seats from a seat map. Selected seats are held while the moviegoer checks out.

3.2.2.2 Inputs

The Selected showtime and the seats the moviegoer picks.

3.2.2.3 Processing

The system shall show a seat map for the selected showtime. When the moviegoer picks seats, the system shall hold them for up to 5 minutes. Held seats shall be unavailable to other online and in-person buyers until the transaction is completed or the hold times out.

3.2.2.4 Outputs

The seat map showing available seats, the seats held for the moviegoer, and the total price.

3.2.2.5 Error Handling

Seats that are already sold or held shall not be selectable. If the transaction is not completed within 5 minutes, the hold shall expire and the seats shall become available to other buyers.

3.2.3 <Ticket Purchase>

3.2.3.1 Introduction

Moviegoers shall be able to buy tickets online or at a kiosk. Payments are processed by an outside payment processor.

3.2.3.2 Inputs

The number of tickets, the ticket type for each ticket(adult, student, senior, or military), and the payment method and payment details.

3.2.3.3 Processing

The system shall allow up to 20 tickets in one transaction. It shall apply the price for each ticket type, and prices shall be the same on the website and at kiosks. The system shall send the payment information to the payment processor for authorization. When the payment is authorized, the seats shall become unavailable on both the website and kiosk within 1 second.

3.2.3.4 Outputs

The total price before payment, and a purchase confirmation after payment is authorized.

3.2.3.5 Error Handling

The system shall not allow more than 20 tickets in one transaction. If the payment processor does not authorize the payment, no tickets shall be issued.

3.2.4 <Ticket Delivery>

3.2.4.1 Introduction

The system shall create unique tickets and deliver them to the moviegoer. Unique tickets help cut down on scalping.

3.2.4.2 Inputs

The authorized purchase and whether it was made online or at a kiosk.

3.2.4.3 Processing

The system shall create a unique ticket for each seat purchased. Tickets shall not be able to be duplicated. Tickets for online purchases shall be emailed to the moviegoer. Tickets for kiosk purchases shall be printed within 1 minute of the purchase being confirmed.

3.2.4.4 Outputs

Emailed tickets for online purchases, or printed tickets for kiosk purchases.

3.2.4.5 Error Handling

If a kiosk printer fails or runs out of paper, the kiosk shall use a backup printer or give the moviegoer a digital receipt.

3.2.5 <Customer Accounts>

3.2.5.1 Introduction

Moviegoers may create an optional loyalty account. Moviegoers can buy tickets without one.

3.2.5.2 Inputs

The moviegoer's name, email, and password, and optionally their payment information.

3.2.5.3 Processing

The system shall check that the email is not already used by another account. It shall then create the account and send a confirmation email. After the moviegoer confirms the email, they shall be logged into their account as a member. The account shall keep the moviegoer's contact details, past purchases, and loyalty points. Saved payment information shall not be stored on the system's server.

3.2.5.4 Outputs

A confirmation email, and the moviegoer's purchase history and loyalty points.

3.2.5.5 Error Handling

If the email is already in use, the system shall not create the account and shall tell the moviegoer.

3.2.6 <Administrator Mode>

3.2.6.1 Introduction

Administrators shall be able to manage showtimes, move movies between theaters, and correct purchase errors.

3.2.6.2 Inputs

Administrator login credentials, the selected theater, and the showtime to add, edit, or remove.

3.2.6.3 Processing

The system shall confirm the administrator's credentials before allowing access. It shall show the selected theater's current movies and showtimes. When the administrator adds, edits, or removes a showtime, the system shall check for conflicts, such as overlapping showtimes or showtimes that have already sold tickets. The system shall save the changes and update the website and kiosks within 1 second.

3.2.6.4 Outputs

The theater's current movies and showtimes, and the updated showtimes on the website and kiosks.

3.2.6.5 Error Handling

If the credentials are not valid, the system shall deny access to administrator mode. If a change creates a conflict, the system shall not save the change and shall tell the administrator.

3.2.7 <Feedback, Reviews, and Critic Scores>

3.2.7.1 Introduction

The system shall offer an optional feedback prompt after checkout and show reviews and critic scores for each movie.

3.2.7.2 Inputs

The moviegoer's answers to the feedback prompt, if they choose to answer.

3.2.7.3 Processing

The system shall show the feedback prompt after checkout. The moviegoer may skip it. The system shall store any answers given.

3.2.7.4 Outputs

Reviews and critic scores shown alongside each movie.

3.2.7.5 Error Handling

If the moviegoer skips the feedback prompt, the purchase shall still be completed.

3.2.8 <Sales Reporting>

3.2.8.1 Introduction

The system shall provide reports on ticket sales and pricing for each movie.

3.2.8.2 Inputs

The movie selected for the report.

3.2.8.3 Processing

The system shall gather ticket sales and pricing data for the selected movie.

3.2.8.4 Outputs

A report of ticket sales and pricing for the movie.

3.2.8.5 Error Handling

If there are no sales for the selected movie, the report shall show zero sales.

3.3 Use Cases

3.3.1 Use Case #1- Purchase Tickets

Actor: Customer

Event flow:

- Customer goes to the in person kiosk or opens the website
- Customer chooses a theatre, movie, and showtime
- System shows a seatmap for the specified showing
- Customer chooses up to 20 tickets and chooses the types(adult, student, senior, military)

- System reserves the seats for up to 5 minutes and displays the total
- Customer chooses a payment method and enters the details
- System sends the information to the payment processor
- Payment processor authorizes the payment
- System creates unique tickets and either emails them or prints them for pickup, for online and in person purchases respectively
- System displays an optional feedback prompt

3.3.2 Use Case #2- Register Account

Actor: Customer

Event Flow:

- Customer selects the option to create the account
- System prompts the user for their name, email, and a password to create the account
- Customer enters the information, with an option to save payment information
- System confirms the email isn't already in use
- System creates an account and sends a confirmation email
- Customer confirms the email and is logged into their account as a member

Use Case #3- Manage Showtimes

Actor: Administrator

Event Flow:

- Administrator logs into an Administrator account
- System confirms the Administrator's credentials
- Administrator selects a theatre
- System shows the theatre's current movies and showtimes
- Administrator adds a new showtime, or edits/removes an existing one
- System checks for conflicts, such as overlapping/conflicting show times, or already sold tickets
- System saves the changes and updates the websites and kiosks immediately
- Administrator logs out of the Administrator account

...

3.4 Classes / Objects



3.4.1 <Movie>

3.4.1.1 Attributes

- Title
- Reviews
- Critic scores

3.4.1.2 Functions

- Show the movie's showtimes
- Show reviews and critic score alongside the movie

<Related requirements: 3.2.1, 3.2.7; use case 3.3.1>

3.4.2 <Theater>

3.4.2.1 Attributes

- Location (San Diego)
- Theater type (regular or deluxe)
- Seats
- Current movies and showtimes

3.4.2.2 Functions

- Show the theater's current movies and showtimes

<Related requirements:3.2.1, 3.2.6; use case 3.3.1, 3.3.3>

3.4.3 <Showtime>

3.4.3.1 Attributes

- Movie
- Theater
- Time
- Seat Availability

3.4.3.2 Functions

- Show a seat map
- Check for conflicts with other showtimes and sold tickets when added, edited, or removed

<Related requirements:3.2.1, 3.2.2, 3.2.6; use case 3.3.1, 3.3.3>

3.4.4 <Seat>

3.4.4.1 Attributes

- Seat number
- Status (available, held, or sold)
- Hold expiration time

3.4.4.2 Functions

- Hold the seat for up to 5 minutes
- Release the seat when the hold times out
- Mark the seat as sold

<Related requirements:3.2.2, 3.2.3; use case 3.3.1>

3.4.5 <Purchase>

3.4.5.1 Attributes

- Tickets (up to 20)
- Ticket types (adult, student, senior, or military)
- Total price
- Payment method
- Purchase location(online or kiosk)

3.4.5.2 Functions

- Calculate the total price
- Send payment information to the payment processor
- Confirm the purchase after payment is authorized

<Related requirements: 3.2.3; use case 3.3.1>

3.4.6 <Ticket>

3.4.6.1 Attributes

- Unique tickets ID
- Showtime
- Seat
- Ticket type
- Price

3.4.6.2 Functions

- Create a unique ticket that cannot be duplicated
- Email the ticket (online purchases)
- Print the ticket (kiosk purchases)

<Related requirements:3.2.4; use case 3.3.1>

3.4.7 <CustomerAccount>

3.4.7.1 Attributes

- Name
- Password
- Purchase history
- Loyalty points

3.4.7.2 Functions

- Check that the email is not already in use
- Create the account and send a confirmation email
- Show purchase history and loyalty points

<Related requirements:3.2.5; use case 3.3.2>

3.4.8 <Seat>

3.4.8.1 Attributes

- Login credentials

3.4.8.2 Functions

- Log in and log out of administrator mode
- Add, edit, or remove showtimes
- Move movies between theaters
- Fix purchase mistakes

<Related requirements:3.2.6; use case 3.3.3>

3.4.9 <Feedback>

3.4.9.1 Attributes

- Moviegoer's answers to the feedback prompt

3.4.9.2 Functions

- Store the answers given after checkout

<Related requirements:3.2.7; use case 3.3.1>


3.4.10 <Sales Report>

3.4.10.1 Attributes

- Movie
- Ticket Sales
- Pricing

3.4.10.2 Functions

- Create a report of ticket sales and pricing for a movie



<Related requirements:3.2.8>

3.5 Non-Functional Requirements

3.5.1 Performance

- 95% of transactions must be processed in less than 3 seconds, only varying on the customer's own connection speed
- The system should load new pages(such as seat viewing, theatre selection, ticket selection, as well as account creation and logging in) in less than 1 second
- Updates from the system to the kiosk and the website should be processed within less than a second- seats sold should appear as reserved within 2 seconds of the reservation
- Tickets should be printed within the minute the purchase is confirmed by the system; customers waiting for over 5 minutes
- The system should be able to support at minimum over 1000 concurrent users without noticeable delay or lag in interactions

3.5.2 Reliability

- Kiosks should have backup printers or offer digital receipts in the events printers fail or run out of printing paper
- System downtime should be kept at a minimum of 1 hour per day, exclusively during periods of low activity, such as overnight hours(12AM -6AM PST)
- If a transaction fails or is interrupted, the customer will not be charged and tickets will not be issued.

- The system will never sell the same seat twice. Once a unique ticket is issued, it can no longer be issued again, and if transactions happen within seconds, the late user will have their purchase refunded if the purchase went through before the system updates.

3.5.3 Availability

- The website should be readily accessible and able to be navigated on any platform that is able to access it; different layouts(such as mobile layouts, desktop, tablets) should all be able to perform the same functions for every user accessing them
- Kiosks must be accessible physically(via ramps, elevators, and flat ground) as an alternative to stairs to persons with disabilities. Purchased tickets should be automatically sent to the customer's associated email, and in person purchases should have receipts and tickets handed to them after purchase by kiosk workers
- Scheduled maintenance will occur within the hours of 2AM - 6AM PST exclusively, where a notification will be posted on the website to warn customers prior. Maintenance will also only be implemented in emergency situations(vulnerabilities, system bugs or errors) when necessary, and will always be done as close to the range of 2AM -6AM PST if possible

3.5.4 Security

- Backup databases of movie showtimes and customer purchase logs should be stored and maintained in the event of a system wide failure, or a 3rd party breach
- Payment information will either be stored locally, or with the customer's 3rd party. No payment information will be stored on the system's server, in the event admins attempt to defraud the government or a breach occurs
- All website data shall be sent of HTTPS
- Each ticket will have a unique token and signature, such that duplicates are rejected; tickets will follow the same identifying structure as NFTs(with a contact address, metadata associated with the ticket and which account purchased it, and a unique token).
- Only one device can be logged into an account at a time
- To prevent scalping, a user canceling a transaction or timing out will be temporarily capped at the total amount of seats they can preserve for 2 minutes, to allow other users and in person users to purchase the seats before they can be reserved by the same person consecutively.
- Passwords will be stored encrypted to prevent unauthorized access
- Card payments will meet PCI DSS standard
- The system will implement a bot detection captcha for account creation, log in, and ticket purchasing for high demand showings

3.5.5 Maintainability

- Server code and implementation should be thoroughly documented so fixes and additions can be easily implemented
- The system should be built off modules, such that changes or maintenance in one department doesn't affect the availability of the others

- Updates shall be processed such that the website isn't fully disabled and still has functionality

3.5.6 Portability

- This system should be able to add new locations without major system reworks or changes
- All kiosks will run the same web application as the websites
- The website shall run on all current versions of Google Chrome, Windows explorer, Safari, Firefox, and Edge, on desktop and mobile devices

3.6 Inverse Requirements

- 3.6.1 The system shall not allow more than 20 tickets in one transaction.
- 3.6.2 The system shall not allow a seat that is held or sold to be selected by another online or in-person buyer.
- 3.6.3 The system shall not issue two tickets for the same seat and showtime, and tickets shall not be able to be duplicated.
- 3.6.4 The system shall not issue tickets if the payment processor does not authorize the payment.
- 3.6.5 The system shall not charge different prices for the same ticket on the website and at kiosks.
- 3.6.6 The system shall not require moviegoers to create an account to buy tickets.
- 3.6.7 The system shall not require moviegoers to answer the feedback prompt to complete a purchase.
- 3.6.8 The system shall not store payment information on the system's server.
- 3.6.9 The system shall not allow users without administrator access to use administrator mode.
- 3.6.10 The system shall not create an account with an email that is already in use.
- 3.6.11 The system shall not save showtime changes that conflict with other showtimes or with already sold tickets.
- 3.6.12 The system shall not include a mobile app or a feature that suggests nearby theaters.
- 3.6.13 Tickets shall not be valid at locations outside the chain's San Diego theaters.

3.7 Design Constraints

Specify design constraints imposed by other standards, company policies, hardware limitation, etc. that will impact this software project.

3.8 Logical Database Requirements

Will a database be used? If so, what logical requirements exist for data formats, storage capabilities, data retention, data integrity, etc.

3.9 Other Requirements

Catchall section for any additional requirements.

4. Analysis Models

List all analysis models used in developing specific requirements previously given in this SRS. Each model should include an introduction and a narrative description. Furthermore, each model should be traceable the SRS's requirements.

4.1 Sequence Diagrams

4.3 Data Flow Diagrams (DFD)

4.2 State-Transition Diagrams (STD)

5. Change Management Process

Identify and describe the process that will be used to update the SRS, as needed, when project scope or requirements change. Who can submit changes and by what means, and how will these changes be approved.

A. Appendices

Appendices may be used to provide additional (and hopefully helpful) information. If present, the SRS should explicitly state whether the information contained within an appendix is to be considered as a part of the SRS's overall set of requirements.

Example Appendices could include (initial) conceptual documents for the software project, marketing materials, minutes of meetings with the customer(s), etc.

A.1 Appendix 1

A.2 Appendix 2