



This is our semi-Star schema with our fact table, **“factSales”**, in the center. The tables **“dimStore”**, **“dimCustomer”**, and **“dimProduct”** each have a connecting element to the factSales table which enables us to access information between primary and foreign keys.



With **factSales** being our Primary key, our foreign key, **dimStore**, correlates with have a **1-to-many** relationship via the **StoreKey** column.

dimStore
OpenDate
CloseDate
CountryCode
CountryName
Description
GeoAreaKey
SquareMeters
State
Status
StoreCode
StoreKey

dimProduct
Brand
CategoryKey
CategoryName
Color
Cost
Manufacturer
Price
ProductCode
ProductKey
ProductName
SubCategory
SubCategoryName
Weight
WeightUnit

factSales
OrderKey
OrderDate
DeliveryDate
LineNumber
ProductKey
StoreKey
CustomerKey
Quantity
ExchangeRate
LineNumber
NetPrice
UnitCost
UnitPrice


dimCustomer
Age
Birthday
City
Company
Continent
Country
CountryFull
CustomerKey
Gender
GivenName
StreetAddress



In likewise fashion, again with **factSales** being our Primary key, the foreign **CustomerKey** from **dimCustomer** also establishes a **1-to-many** relationship.

dimStore
OpenDate
CloseDate
CountryCode
CountryName
Description
GeoAreaKey
SquareMeters
State
Status
StoreCode
StoreKey

dimCustomer
Age
Birthday
City
Company
Continent
Country
CountryFull
CustomerKey
Gender
GivenName
StreetAddress



dimProduct
Brand
CategoryKey
CategoryName
Color
Cost
Manufacturer
Price
ProductCode
ProductKey
ProductName
SubCategory
SubCategoryName
Weight
WeightUnit

A third table, **dimProduct**, also shares this exact same relationship with the **factSales** table through the **ProductKey** column.