



Certificate of Radio Equipment in JAPAN 201-250733 / 00

Issued 29 September 2025
Page 1 of 7
This certificate has THREE Annexes

Kiwa Nederland B.V., operating as Japan Conformity Assessment Body (CAB ID Number: 201), according procedure RD_740, declares that the listed product complies with the Technical Regulations Conformity Certification of Specified Radio equipment (ordinance of MPT N° 37,1981)

Product description: NT26-FJP
Trademark: Lierda
Type designation: NT26-FJP
Hardware / Software: NT26FJPD70NNA / NT26FJPD70NNA-Q02010950

Manufacturer: Zhejiang Lierda Internet of Things Technology Co., Ltd.
Address: Room 1402, Building 1, No. 1326, Wenyi West Road, Cangqian street, Yuhang District
City: Hangzhou, Zhejiang Prov.
Country: China

This certificate is granted to:

Name: Zhejiang Lierda Internet of Things Technology Co., Ltd.
Address: Room 1402, Building 1, No. 1326, Wenyi West Road, Cangqian street, Yuhang District
City: Hangzhou, Zhejiang Prov.
Country: China

Ron Scheepers
Managing director

Kiwa Nederland B.V.
Wilmersdorf 50
Postbus 137
7300 AC Apeldoorn
The Netherlands

[https://www.kiwa.com/nl/en/markets/
radio-wireless-and-electrical-
equipment/](https://www.kiwa.com/nl/en/markets/radio-wireless-and-electrical-equipment/)

Chamber of commerce
08090048



- The validity of this Certificate is limited to products, which are equal to the one examined in the type-examination
- When the manufacturer (or holder of this certificate) is placing the product on the Japanese market, the product must be affixed with the following Specified Radio Equipment marking:



R 201-250733

Remarks and observations

The following conditions are applicable:

Antennas for LTE:

Max gain of 3 dBi at LTE FDD Band and max gain of 4 dBi at LTE TDD Band 41

Documentation lodged for this type-examination

Test Reports:

- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2571132-501, 25 September 2025
- Shenzhen BALUN Technology Co.,Ltd.: BL-SZ2571132-502, 25 September 2025

Product Documentation:

- Assembly drawings
- Bill of materials
- Block diagram
- Electrical diagrams
- Antenna specifications
- Internal photos
- External photos
- Manual
- Production quality
- Test setup photos

Technical Standards and Specifications

The product shows no non-compliances with:

- Equipment Radio Regulations: 2008 (including amendments)

Chapter I, General Provisions

Chapter II, Transmitting equipment

Chapter III, Receiving Equipment

Chapter IV, section 4.27 article 49.29

Chapter IV, section 4.4.5 article 49.6.9

Radio equipment specified in:

Item 11-19, Paragraph 1, Article 2

Item 54, Paragraph 1, Article 2

Technical features and characteristics

The product includes the following features and characteristics:

LTE FDD Band 1

- Operating frequency range: 1922.5-1924.1 MHz (100kHz interval 17 channels, Frequency which can be simultaneous transmission is the continuous maximum 1.08MHz width)
- ITU designation: 5M00 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 1

- Operating frequency range: 1924.2-1977.5 MHz (100kHz interval 534 channels)
- ITU designation: 5M00 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 1

- Operating frequency range: 1930.7-1975.0 MHz (100kHz interval 444 channels)
- ITU designation: 10M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 1

- Operating frequency range: 1938.2-1972.5 MHz (100kHz interval 344 channels)
- ITU designation: 15M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 1

- Operating frequency range: 1932.5-1932.5 MHz [A-MPR]
- ITU designation: 15M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 12-23 dBm rated

LTE FDD Band 1

- Operating frequency range: 1945.7-1970.0 MHz (100kHz interval 244 channels)
- ITU designation: 20M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 1

- Operating frequency range: 1930.0-1930.0 MHz [A-MPR]
- ITU designation: 20M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 12-23 dBm rated

LTE FDD Band 3

- Operating frequency range: 1711.5-1783.5 MHz (100kHz interval 721 channels)
- ITU designation: 3M00 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 3

- Operating frequency range: 1712.5-1782.5 MHz (100kHz interval 701 channels)
- ITU designation: 5M00 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 3

- Operating frequency range: 1715.0-1780.0 MHz (100kHz interval 651 channels)
- ITU designation: 10M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 3

- Operating frequency range: 1717.5-1777.5 MHz (100kHz interval 601 channels)
- ITU designation: 15M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 3

- Operating frequency range: 1720.0-1775.0 MHz (100kHz interval 551 channels)
- ITU designation: 20M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 8

- Operating frequency range: 901.5-913.5 MHz (100kHz interval 121 channels)
- ITU designation: 3M00 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 8

- Operating frequency range: 902.5-912.5 MHz (100kHz interval 101 channels)
- ITU designation: 5M00 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 8

- Operating frequency range: 910.0-910.0 MHz (Frequency which can be simultaneous transmission is the continuous maximum 5.76MHz width between 906.22 - 914.5MHz)
- ITU designation: 10M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 18

- Operating frequency range: 817.5-827.5 MHz (100kHz interval 101 channels)
- ITU designation: 5M00 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 18

- Operating frequency range: 820.0-825.0 MHz (100kHz interval 51 channels)
- ITU designation: 10M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 18

- Operating frequency range: 822.5-822.5 MHz
- ITU designation: 15M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 19

- Operating frequency range: 832.5-842.5 MHz (100kHz interval 101 channels)
- ITU designation: 5M00 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 19

- Operating frequency range: 835.0-840.0 MHz (100kHz interval 51 channels)
- ITU designation: 10M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 19

- Operating frequency range: 837.5-837.5 MHz
- ITU designation: 15M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 26

- Operating frequency range: 816.5-843.5 MHz (100kHz interval 271 channels)
- ITU designation: 3M00 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 26

- Operating frequency range: 817.5-842.5 MHz (100kHz interval 251 channels)
- ITU designation: 5M00 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 26

- Operating frequency range: 820.0-840.0 MHz (100kHz interval 201 channels)
- ITU designation: 10M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 26

- Operating frequency range: 822.5-837.5 MHz (100kHz interval 151 channels)
- ITU designation: 15M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 28

- Operating frequency range: 716.5-746.5 MHz (100kHz interval 301 channels)
- ITU designation: 3M00 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 28

- Operating frequency range: 720.5-745.5 MHz (100kHz interval 251 channels)
- ITU designation: 5M00 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 28

- Operating frequency range: 723.0-743.0 MHz (100kHz interval 201 channels)
- ITU designation: 10M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 28

- Operating frequency range: 725.5-740.5 MHz (100kHz interval 151 channels)
- ITU designation: 15M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE FDD Band 28

- Operating frequency range: 728.0-738.0 MHz (100kHz interval 101 channels)
- ITU designation: 20M0 D1A,D1B,D1C,D1D,D1F,D1X,D7W,G1A,G1B,G1C,G1D,G1F,G1X,G7W
- Maximum output power: 23 dBm rated

LTE TDD Band 41

- Operating frequency range: 2547.5-2647.5 MHz (100kHz interval 1001 channels)
- ITU designation: 5M00 X1A,X1B,X1C,X1D,X1F,X1X,X7W
- Maximum output power: 23 dBm rated

LTE TDD Band 41

- Operating frequency range: 2550.0-2645.0 MHz (100kHz interval 951 channels)
- ITU designation: 10M0 X1A,X1B,X1C,X1D,X1F,X1X,X7W
- Maximum output power: 23 dBm rated

LTE TDD Band 41

- Operating frequency range: 2555.0-2640.0 MHz (100kHz interval 851 channels)
- ITU designation: 20M0 X1A,X1B,X1C,X1D,X1F,X1X,X7W
- Maximum output power: 23 dBm rated

The product as described in this Certificate includes the following type designations:

- | | |
|------------------------|-------------------------|
| - Product description: | NT26-FJP |
| - Trademark: | Lierda |
| - Type designation: | NT26-FJP |
| - Hardware version: | NT26FJPD70NNA |
| - Software version: | NT26FJPD70NNA-Q02010950 |