

ZAP by Checkmarx

Scanning Report

Generated with  ZAP on Thu 14 May 2026, at 19:11:47

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Contents

- [About This Report](#)
 - [Report Parameters](#)
- [Summaries](#)
 - [Alert Counts by Risk and Confidence](#)
 - [Alert Counts by Site and Risk](#)
 - [Alert Counts by Alert Type](#)
 - [Insights](#)
- [Alerts](#)
 - [Risk=Medium, Confidence=High \(1\)](#)
 - [Risk=Medium, Confidence=Medium \(1\)](#)
 - [Risk=Low, Confidence=High \(1\)](#)

- [Risk=Low, Confidence=Low \(1\)](#)
- [Risk=Informational, Confidence=Medium \(1\)](#)
- [Appendix](#)
 - [Alert Types](#)

About This Report

Report Parameters

Contexts

No contexts were selected, so all contexts were included by default.

Sites

The following sites were included:

- <http://demo.owasp-juice.shop>

(If no sites were selected, all sites were included by default.)

An included site must also be within one of the included contexts for its data to be included in the report.

Risk levels

Included: [High](#), [Medium](#), [Low](#), [Informational](#)

Excluded: None

Confidence levels

Included: [User Confirmed](#), [High](#), [Medium](#), [Low](#)

Excluded: User Confirmed, High, Medium, Low, False Positive

Summaries

Alert Counts by Risk and Confidence

This table shows the number of alerts for each level of risk and confidence included in the report.

(The percentages in brackets represent the count as a percentage of the total number of alerts included in the report, rounded to one decimal place.)

		Confidence				
		User Confirmed	High	Medium	Low	Total
Risk	High	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
	Medium	0 (0.0%)	1 (20.0%)	1 (20.0%)	0 (0.0%)	2 (40.0%)
	Low	0 (0.0%)	1 (20.0%)	0 (0.0%)	1 (20.0%)	2 (40.0%)
	Informational	0 (0.0%)	0 (0.0%)	1 (20.0%)	0 (0.0%)	1 (20.0%)
	1					
Total		0 (0.0%)	2 (40.0%)	2 (40.0%)	1 (20.0%)	5 (100%)

Alert Counts by Site and Risk

This table shows, for each site for which one or more alerts were raised, the number of alerts raised at each risk level.

Alerts with a confidence level of "False Positive" have been excluded from these counts.

(The numbers in brackets are the number of alerts raised for the site at or above that risk level.)

Site	Risk			Informational
	High (= High)	Medium (>= Medium)	Low (>= Low)	(>= Informational)
http://demo.owasp-juice.shop	0 (0)	2 (2)	2 (4)	1 (5)

Alert Counts by Alert Type

This table shows the number of alerts of each alert type, together with the alert type's risk level.

(The percentages in brackets represent each count as a percentage, rounded to one decimal place, of the total number of alerts included in this report.)

Alert type	Risk	Count
Content Security Policy (CSP) Header Not Set	Medium	5 (100.0%)
Cross-Domain Misconfiguration	Medium	5 (100.0%)
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	3 (60.0%)
Total		5

Alert type	Risk	Count
Timestamp Disclosure - Unix	Low	5 (100.0%)
Modern Web Application	Informational	5 (100.0%)
Total		5

Insights

This table shows information that is likely to be very relevant to you, but which is not related to vulnerabilities, or potentially even related to the application in question.

Level	Reason	Site	Description	Statistic
Medium	Exceeded Low		Percentage of memory used	83
Low	Warning		ZAP warnings logged - see the zap.log file for details	3
Info	Informational	http://demo.owasp-juice.shop	Percentage of responses with status code 2xx	92 %
Info	Informational	http://demo.owasp-juice.shop	Percentage of responses with status code 3xx	5 %

Level	Reason	Site	Description	Statistic
Info	Informational	http://demo.owasp-juice.shop	Percentage of responses with status code 4xx	2 %
Info	Informational	http://demo.owasp-juice.shop	Percentage of endpoints with content type application/javascript	9 %
Info	Informational	http://demo.owasp-juice.shop	Percentage of endpoints with content type application/octet-stream	3 %
Info	Informational	http://demo.owasp-juice.shop	Percentage of endpoints with content type image/x-icon	5 %
Info	Informational	http://demo.owasp-juice.shop	Percentage of endpoints with content type text/css	5 %
Info	Informational	http://demo.owasp-juice.shop	Percentage of endpoints with content type text/html	82 %
Info	Informational	http://demo.owasp-juice.shop	Percentage of endpoints with	2 %

Level	Reason	Site	Description	Statistic
		asp-juice.shop	content type text/markdown	
Info	Informational	http://demo.owasp-juice.shop	Percentage of endpoints with content type text/plain	5 %
Info	Informational	http://demo.owasp-juice.shop	Percentage of endpoints with method GET	100 %
Info	Informational	http://demo.owasp-juice.shop	Count of total endpoints	135
Info	Informational	http://demo.owasp-juice.shop	Percentage of slow responses	100 %

Alerts

Risk=Medium, Confidence=High (1)

<http://demo.owasp-juice.shop> (1)

Content Security Policy (CSP) Header Not Set (1)

► GET http://demo.owasp-juice.shop/

Risk=Medium, Confidence=Medium (1)

http://demo.owasp-juice.shop (1)

Cross-Domain Misconfiguration (1)

► GET http://demo.owasp-juice.shop/chunk-GNBE0V4E.js

Risk=Low, Confidence=High (1)

http://demo.owasp-juice.shop (1)

Server Leaks Version Information via "Server" HTTP Response Header Field (1)

► GET http://demo.owasp-juice.shop/ftp/package.json.bak

Risk=Low, Confidence=Low (1)

http://demo.owasp-juice.shop (1)

Timestamp Disclosure - Unix (1)

► GET http://demo.owasp-juice.shop/robots.txt

Risk=Informational, Confidence=Medium (1)

http://demo.owasp-juice.shop (1)

Modern Web Application (1)

► GET http://demo.owasp-juice.shop/

Appendix

Alert Types

This section contains additional information on the types of alerts in the report.

Content Security Policy (CSP) Header Not Set

Source	raised by a passive scanner (Content Security Policy (CSP) Header Not Set)
CWE ID	693
WASC ID	15
Reference	▪ https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP ▪ https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html ▪ https://www.w3.org/TR/CSP/ ▪ https://w3c.github.io/webappsec-csp/ ▪ https://web.dev/articles/csp ▪ https://caniuse.com/#feat=contentsecuritypolicy

- <https://content-security-policy.com/>

Cross-Domain Misconfiguration

Source	raised by a passive scanner (Cross-Domain Misconfiguration)
CWE ID	264
WASC ID	14
Reference	▪ https://vulncat.fortify.com/en/detail?category=HTML5&subcategory=Overly%20Permissive%20CORS%20Policy

Server Leaks Version Information via "Server" HTTP Response Header Field

Source	raised by a passive scanner (HTTP Server Response Header)
CWE ID	497
WASC ID	13
Reference	▪ https://httpd.apache.org/docs/current/mod/core.html#servertokens ▪ https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10) ▪ https://www.troyhunt.com/shhh-dont-let-your-response-headers/

Timestamp Disclosure - Unix

Source	raised by a passive scanner (Timestamp Disclosure)
CWE ID	497
WASC ID	13
Reference	■ https://cwe.mitre.org/data/definitions/200.html

Modern Web Application

Source	raised by a passive scanner (Modern Web Application)
---------------	--