

One-Touch Striker

Progress & monetization report

Assessment: the game has enough implemented gameplay for a controlled alpha. Commercial readiness is still unproven. The next milestone should establish reliable device performance and voluntary repeat play, then introduce a small monetization experiment. Revenue cannot be guaranteed by adding features.

Reviewed branch: **feat/stage-challenges** at [bec737c](#). Dates below are commit dates converted to Malaysia time, not claims of build or playtest completion.

Date 2026	Published work	Evidence
6 Sep	Prototype and early polish. Classic shooting, scoring, chances and persistence; rendering cache, tap cues, Fire/Last Chance and post feedback.	c37e066846a855
8 Sep	Stage challenges. Six stages, varied objectives, saved stars and collision anchors aligned with visible opponents. Workflow changed to manual-only.	d9d81b9
8 Sep	Motion and results. Continuous movement, eased highlights, consistent trails, cached objects; accuracy, longest streak and best-score celebration.	38164fb
10 Sep	Beat the Keeper. Three keeper profiles, earlier challenge Fire Shots, original audio, saved mute and immediate stage retries.	d9073fe
10 Sep	Champion stages. Expanded to 12 stages and 36 stars, including harder timed/corner objectives and a third defender.	c84327e
10 Sep	Professional keeper progression. Academy to World Class; dives, rushes/slides, marking and save taunts using shared pose/contact geometry.	2d2a3d2
11 Sep	Rival Cup. Four showdowns/trophies, keeper win/loss records and five cosmetic rewards earned from existing stars.	a13e4c2
11 Sep	First-session guidance. Guided opening match, Continue action, persistent miss advice, locked target and earlier replay buttons.	4930f9c
12 Sep	Manual curves. Touch captures aim, sideways drag controls curve/banana bend, release fires; preview and collision use the same path.	41bc6e0
12 Sep	Knuckles and practice. Blue release window, physical late wobble, three five-ball drills, saved drill bests and technique/outcome feedback.	bec737c

Evidence limit: the owner reported a successful iPhone simulator build, no major errors and brief lag; the project records this on 6 September. Later milestones were published as source changes with unexecuted regression cases. Current Android installation, physical-device performance and retention are not confirmed by the available feedback. [Project status](#)

What exists, and what remains unproven

Area	Evidence today	Commercial gap
Gameplay	12 stages, Classic, 4 showdowns, 5 earned cosmetics, manual shot techniques and 3 drills.	Check whether unfamiliar players understand the controls and voluntarily replay.
Feel and fairness	Shared keeper pose/contact geometry and source changes addressing motion discontinuities.	No measured before/after frame trace or current device validation.
Records	Separate local Classic, star, rival, equipment and practice saves.	Exercise relaunch, upgrades and interruptions; future paid entitlements need purchase recovery.
Monetization	No ad or purchase integration in the reviewed app source/dependencies.	Add and validate one ad placement and one permanent cosmetic product.
Measurement	Opt-in local performance trace; no production retention/crash reporting integration.	Establish a consent-aware funnel and returning-player cohorts.
Distribution	Android/iOS projects and app IDs exist. Version is 0.1.0+1. Android release config uses debug signing.	Create a signed release candidate, complete store setup and validate the actual distributed build.

Source basis: [feature inventory](#), [dependencies/version](#), [local-only tracing](#), [Android signing configuration](#).

My next three priorities

- 1. Validate the current build.** Resolve dependencies locally, produce a device build, and check controls, contact fairness, pause/restart, sound, heat and saves on low/mid-range Android and a physical iPhone. Trace first touch, release, goal feedback and retry. Fix the observed cause of lag before adding visual effects.
- 2. Measure the hook.** Track first launch, first shot/goal, stage or drill start/end, retries, exits and session return. Record build, mode and outcome; keep timing classification separate from goal/save. Use a cohort identifier only under an appropriate data/consent design. No per-frame analytics.
- 3. Run an unmonetized playtest.** Recruit 10-20 unfamiliar football-game players. Observe the first session without coaching, then collect return behavior for seven days. Prioritize the three most repeated problems, preserving the stage branch the owner prefers.

The hook to prove

A player lands a deliberate shot, sees why it worked or failed, and immediately wants another attempt. After that works, test one rotating daily skill challenge and a shareable result card as reasons to return. Those two additions are proposals, not completed features.

Start with a small monetization experiment

Proposed positioning: **one-finger football skill against increasingly capable keepers**. Start with teen/adult football fans in Malaysia, Android first and iOS after device validation. This is a launch hypothesis; no audience or market result has been established.

Offer	Initial design	What must be proved
Optional rewarded ad	After a completed run, offer a clearly labelled premium ball preview for the next completed run. First-session play remains uninterrupted.	Do players choose it, receive the reward once, and continue playing? A failed/no-fill ad must leave normal play available.
Supporter cosmetic pack	One permanent pack of new ball/net looks. Test RM9.90 as an initial price hypothesis, using the actual store price returned in-app.	Do players value the appearance enough to buy? Confirm purchase, restore, cancellation, pending payment and refund handling.

Preserve existing star-earned cosmetics and skill-based scoring. Defer subscriptions, paid power, forced interstitials and multiplayer. An optional-only ad model does not yet justify a separate "remove ads" product.

Use test ads during development and grant rewards through the reward-earned callback, not just ad dismissal. Store billing is the planned route for digital cosmetics. [AdMob rewarded guidance](#); [Google Play payments](#); [Apple purchase/restore rules](#).

What ad income would require

Illustration, not a forecast: monthly ad revenue = average daily active users (DAU) x served impressions per DAU daily x eCPM / 1,000 x 30 days. eCPM is revenue per 1,000 impressions. Below: **2 served impressions per DAU daily**. Usage and eCPMs are assumptions, not Malaysian benchmarks.

Average DAU	US\$2 eCPM	US\$5 eCPM	US\$10 eCPM
100	US\$12/month	US\$30/month	US\$60/month
1,000	US\$120/month	US\$300/month	US\$600/month
10,000	US\$1,200/month	US\$3,000/month	US\$6,000/month

At 1,000 DAU and US\$5 eCPM, 0.5 served impressions per DAU daily yields US\$75/month. Ad requests are not impressions. Opt-in, consent, fill, country and demand change revenue. Figures exclude operating costs and tax; they are not profit.

Purchase illustration: 5,000 monthly active users x 1% buying a RM9.90 pack = RM495 gross for that month. This is an assumed one-time conversion, before store fees, taxes and refunds. Existing owners cannot be counted as new pack buyers again every month.

Known entry costs

Google Play registration: **US\$25 once**. Apple Developer Program: **US\$99/year**, with regional pricing possible. Eligible/enrolled small developers can access 15% digital-sales fee programs; do not assume enrollment or apply this commission to ad revenue. [Play fee](#); [Apple fee](#); [Play 15% tier](#); [Apple Small Business Program](#).

Obtain actual costs for hosting, purchase verification, telemetry, art and devices. Fund broad advertising only after observed contribution per acquired player exceeds acquisition cost.

A six-week route to a measured launch

These are working dates for one developer with coding assistance and regular local testing. Store approval, tester recruitment and unresolved defects can extend them. Each next step depends on evidence from the previous step.

Window	Deliverable	Exit decision
14-20 Sep Week 1	Prepare a release candidate from the preferred branch. Add measurement/crash reporting, resolve reproducible lag, exercise saves, configure release signing and check account eligibility.	A locally verified build with no known launch-blocking defect and reliable event counts.
21-27 Sep Week 2	Start a closed Android playtest with 10-20 players; recruit at least 12 continuous opt-ins if the new-personal-account rule applies. Observe first-session behavior.	Controls are understood and replay occurs without coaching; fix the three strongest observed issues.
28 Sep-4 Oct Week 3	Continue the test and inspect D1/D7 cohorts. If the shooting loop works, trial one daily skill challenge and a simple result card for sharing.	A clear reason to return. If players still find play dull, tune the loop and postpone monetization rollout.
5-11 Oct Week 4	Implement one rewarded cosmetic placement and the supporter pack; owner validates test ads and store test purchases. Complete privacy and store assets. Apply for production access when eligible.	Reward delivery, purchase recovery and gameplay lifecycle survive success, failure and interruption.
12-18 Oct Week 5	Subject to approval and quality gates, release to a limited Android audience. Verify AdMob readiness. Record short real-game clips; track listing visits, installs, retention and revenue.	Real cohorts and real monetization data; distinguish launch traffic from recurring players.
19-25 Oct Week 6	Review seven-day outcomes, ads versus the unmonetized baseline and purchase support issues. Tune the weakest step. Prepare iOS release only after physical-device and store validation.	Choose to improve retention, adjust the offer or grow distribution. Continue observation if the sample is too small.

Critical calendar dependency

For personal Play accounts created after 13 November 2023, Google requires at least 12 testers continuously opted in for 14 days before applying for production access. A qualifying test beginning 21 September reaches 14 elapsed days on 5 October at the corresponding time; approval is a separate step. [Official testing requirement](#)

Initial distribution

Recruit from football/futsal communities and personal networks. Demonstrate three real moments: a banana bend around a wall, a clean knuckle, and a difficult keeper save. Link each post or creator outreach to a measurable store visit/install path. Start with organic distribution; expand only when retention and revenue justify acquisition spend.

Keep scope focused: the first launch should prove the existing techniques and keeper progression. More stages, real-player licensing, online PvP and live leaderboards can wait for evidence that retained players need them.

How we decide whether to monetize and grow

All thresholds below are **proposed internal targets**, not measured results or claimed industry benchmarks. Small tests identify problems; they do not establish market demand. Report raw counts, cohort size, build and device alongside each percentage.

Question	Initial gate	How to read it
Are controls clear?	At least 8 of 10 observed new players release their first shot within 15 seconds, without help.	If missed, simplify instruction and gesture feedback before changing difficulty.
Does the first session hook?	At least 60% voluntarily start another run/drill after the first result; observe at least 20 players.	Coached testers and retries requested by us do not count as voluntary replay.
Do players return?	Working targets: D1 at least 30%, D7 at least 10%. Seek 100 eligible new users per cohort before relying on the rates.	D1/D7 = return on day 1/day 7 after first launch, using one documented day/timezone definition. Wait until each cohort has matured.
Is it reliable?	No unresolved crash, save-loss or payment/reward blocker; aim for at least 99.5% crash-free sessions once 1,000 sessions are observed.	A small zero-crash sample is not proof of production reliability. Review failures by device/build.
Does it feel smooth?	For 60 Hz test devices, target p95 UI and raster work each within the 16.7 ms frame budget during steady play.	Measure profile/device traces; inspect first-shot and result hitches separately. Include lower-end Android.
Does monetization help?	Each valid earned reward granted once; valid purchases recover correctly; normal play survives no-fill/cancel/offline cases.	Compare return/replay with the pre-ad baseline. Change one offer at a time; small differences may be noise.

Minimal measurement plan

Capture **first launch, session start, first shot, first goal, stage/drill start, result, retry and quit**. Add **ad offer, impression, reward earned, purchase started/completed/restored** only when those systems exist. Attach app build, mode and stage/drill ID. Track early/clean/late execution separately from goal/save/block.

Define abandoned attempts explicitly and prevent duplicate result/reward events. Queue small event batches outside animation work. An analytics failure must not stop a shot. Keep the existing local trace for performance diagnosis; it is not a substitute for returning-user data. [Current trace design](#); [Existing profiling handoff](#).

Commercial decision rule

If first-session clarity is weak, improve onboarding. If replay is weak, improve shot feel and fairness. If D1/D7 return is weak, improve the reason to return. If retention works but revenue is weak, test the offer and placement. Increase content or advertising spend only after identifying the actual bottleneck.

Make the first commercial release concrete

Work item	Required outcome and basis
Release package	Replace the Android debug release signing setup with a protected upload key/Play App Signing configuration. Validate a signed AAB locally and through the intended test track; set unique version codes and verify current SDK/store requirements. Current config ; Flutter release guide .
Accounts and listing	Confirm Play account type/age and developer verification; record production-access eligibility. Prepare icon, screenshots, gameplay clip, support contact, age/content rating and accurate store copy. An APK alone is not a store launch. Play testing .
Privacy and audience	Publish a public privacy page linked in-app and in Play; make Data safety/App Privacy declarations match all SDKs. Decide the real target audience before choosing ad treatment; including children brings Families requirements. Play data policy ; Families ; Apple privacy rules .
Ads readiness	Configure consent/required privacy options before requesting ads. Complete new-app app-ads.txt verification and AdMob readiness review. Handle refusal/no-fill without blocking play; use ATT on iOS if the chosen data use constitutes tracking. UMP ; App verification ; Ad readiness ; ATT rules .
Purchases and assets	Use store billing for the cosmetic pack, validate entitlements, provide restore and handle interrupted/pending/refunded purchases. Keep records of artwork/audio rights; real players or club branding would need a separate rights review. Play payments ; Apple purchases and intellectual property .

Start here: Release Candidate & Retention Proof

Implementation work: prepare source changes for release configuration, a small event/crash reporting layer, and the top reproducible gameplay defects. Keep changes on the preferred stage branch and preserve its existing earned records.

Owner validation: pull the branch, resolve the dependency lockfile, run local checks/builds, test the current APK on physical Android and the game on a physical iPhone, then record device/build plus observed results. Developer-account access, signing keys and store submissions stay under owner control.

End-of-sprint evidence: one identified release candidate, a device matrix, a short issue list, verified event definitions, and a recruited test group. Choose the next three fixes from observation. Ads and store billing follow when the core loop is ready.

Evidence and scope notes

Repository history and pinned files were checked on 13 September 2026 Malaysia time. [Full branch timeline](#) and [reviewed head](#) distinguish published source from proposals. The README records the earlier simulator report; no newer physical-device pass, retention dataset, store-account status or revenue statement was supplied. The roadmap is therefore conditional.

Official platform sources linked beside the relevant claims were checked on the same date. Fees, policies and store/account requirements should be rechecked at submission. Revenue tables are transparent arithmetic assumptions, not external market estimates. No profitability, approval or launch date is promised.

This report changed no game code and triggered no game analyzer, tests, builds, app runs or GitHub workflows. The branch workflow remains [manual-only](#). Local validation in the roadmap is assigned to the owner, consistent with the established workflow.