






APP-06(E)(2) only tactical graphics





Working reference for implementation. Each row reproduces the normative Template cell and the explanatory Example cell from NATO APP-06 Edition E Version 2. The examples may include grey contextual symbols that are explicitly not part of the control measure.







Scope: 64 graphics in the current project catalog that map to APP-06 and not to FM 1-02.2. Names are the application's display names; the six-digit identifier is APP-06 Annex A Table A-32's entity code. Source page references use the PDF's physical page number followed by the printed APP-06 page number.



How to use this reference




Implement the black Template geometry and required text first. Use the Example to verify operational context and label behavior, but do not copy grey supporting graphics into the tactical graphic. Return to the source row's Draw Rules column for anchor count, orientation, size, and static/dynamic requirements.





Graphic	Template (normative)	Example (explanatory)
counterattack by fire APP-06 340700 PDF p. 681 / printed p. 647		
avenue of approach APP-06 152300 PDF p. 477 / printed p. 443	 Note: Field H should be movable to avoid obscuring key geographic information from the underlying foundation GEOINT (map or imagery).	
light line APP-06 110200 PDF p. 438 / printed p. 404		







Graphic	Template (normative)	Example (explanatory)
line, generic APP-06 110400 PDF p. 439 / printed p. 405		
handover line APP-06 141800 PDF p. 489 / printed p. 455		
named area of interest line APP-06 142000 PDF p. 490 / printed p. 456		







Graphic	Template (normative)	Example (explanatory)
holding line APP-06 141500 PDF p. 488 / printed p. 454		
no fire line APP-06 260300 PDF p. 564 / printed p. 530		
battlefield coordination line APP-06 260400 PDF p. 564 / printed p. 530		







Graphic	Template (normative)	Example (explanatory)
bomb area APP-06 240808 PDF p. 571 / printed p. 537		
terminally guided munition footprint APP-06 242000 PDF p. 591 / printed p. 557		
bridgehead APP-06 120800 PDF p. 446 / printed p. 412		




Graphic	Template (normative)	Example (explanatory)
enemy prisoner of war holding area APP-06 310200 PDF p. 650 / printed p. 616		
human terrain APP-06 370100 PDF p. 658 / printed p. 624		
penetration box APP-06 151900 PDF p. 484 / printed p. 450		







Graphic	Template (normative)	Example (explanatory)
area APP-06 150100 PDF p. 459 / printed p. 425		
joint tactical action area APP-06 150501 PDF p. 460 / printed p. 426		
area, generic APP-06 120700 PDF p. 445 / printed p. 411		






Graphic	Template (normative)	Example (explanatory)
zone of fire APP-06 242600 PDF p. 562 / printed p. 528	 Note 1: The boundary, if displayed, shall be a broken line in all status depictions. Note 2: The boundary of the Zone of Fire shall be able to be switched off leaving only the label and T amplifier visible.	
restricted terrain APP-06 152400 PDF p. 462 / printed p. 428	 Note: Field H must be displayed and contain the cause of the restriction.	 Note: Optional sector 2 defined colour hatching.
severely restricted terrain APP-06 152500 PDF p. 462 / printed p. 428	 Note: Field H must be displayed and contain the cause of the restriction.	 Note: Optional sector 2 defined colour cross hatching.





Graphic	Template (normative)	Example (explanatory)
biological contaminated area APP-06 271700 PDF p. 631 / printed p. 597		
chemical contaminated area APP-06 271800 PDF p. 631 / printed p. 597		
nuclear contaminated area APP-06 271900 PDF p. 632 / printed p. 598		




Graphic	Template (normative)	Example (explanatory)
radiological contaminated area APP-06 272000 PDF p. 632 / printed p. 598		
artillery maneuver area APP-06 242400 PDF p. 561 / printed p. 527		
artillery reserved area APP-06 242500 PDF p. 562 / printed p. 528		







Graphic	Template (normative)	Example (explanatory)
fighter engagement zone APP-06 171400 PDF p. 498 / printed p. 464	 A hexagonal template containing the following text and symbols: FEZ [T] MIN ALT: [X] MAX ALT: [X1] TIME FROM: [W] TIME TO: [W1]	 A hexagonal example containing the following text: FEZ ATF MIN ALT: 750FT AGL MAX ALT: 150000FT AGL TIME FROM:030100ZOCT2018 TIME TO:210100ZDEC2018
extraction zone APP-06 150700 PDF p. 460 / printed p. 426	 An oval template containing the text "EZ" followed by a square box containing the letter "T".	 An oval example containing the text "EZ ROCK".
regimental support area APP-06 310500 PDF p. 651 / printed p. 617	 An oval template containing the text "RSA".	 An oval example containing the text "RSA".






Graphic	Template (normative)	Example (explanatory)
airfield zone APP-06 120400 PDF p. 444 / printed p. 410	 Note: The Field "H" for this symbol includes type of airfield, length of runway and other pertinent information.	
minefield, dynamic depiction APP-06 270707 PDF p. 617 / printed p. 583		
mined area, fenced APP-06 270801 PDF p. 619 / printed p. 585		







Graphic	Template (normative)	Example (explanatory)
PsyOps zone, irregular APP-06 242701 PDF p. 597 / printed p. 563		
PsyOps zone, rectangular APP-06 242702 PDF p. 598 / printed p. 564		
target build up area irregular APP-06 241701 PDF p. 585 / printed p. 551		






Graphic	Template (normative)	Example (explanatory)
target build up area rectangular APP-06 241702 PDF p. 586 / printed p. 552		
target value area irregular APP-06 241801 PDF p. 587 / printed p. 553		
target value area rectangular APP-06 241802 PDF p. 588 / printed p. 554		







Graphic	Template (normative)	Example (explanatory)
zone of responsibility irregular APP-06 241901 PDF p. 589 / printed p. 555	 The template shows a rectangular box labeled 'W' and 'W1' to its left. To the right of this box is an irregular, hand-drawn shape labeled 'ZOR'. Inside the 'ZOR' shape is a smaller rectangle labeled 'T'.	 The example shows a rectangular box with the text '241030ZMAY2026' and '251600ZMAY2026' to its left. To the right is an irregular, hand-drawn shape labeled 'ZOR'. Inside the 'ZOR' shape is a smaller rectangle labeled '3BDE 4ID'.
zone of responsibility rectangular APP-06 241902 PDF p. 590 / printed p. 556	 The template shows a rectangular box labeled 'W' and 'W1' to its left. To the right is a rectangular shape labeled 'ZOR'. Inside the 'ZOR' shape is a smaller rectangle labeled 'T'. The 'ZOR' shape has two points labeled 'PT 1' and 'PT 2' on its right side, with a vertical double-headed arrow between them labeled '(UP/DOWN)'. The 'ZOR' shape also has a vertical double-headed arrow on its right side labeled '(UP/DOWN)'. The 'ZOR' shape also has a vertical double-headed arrow on its right side labeled '(UP/DOWN)'.	 The example shows a rectangular box with the text '241030ZMAY2026' and '251600ZMAY2026' to its left. To the right is a rectangular shape labeled 'ZOR'. Inside the 'ZOR' shape is a smaller rectangle labeled '3BDE 4ID'.
cordon and knock APP-06 342600 PDF p. 692 / printed p. 658	 The template shows a circular shape with a central point labeled 'PT. 1 (CENTER POINT)'. A line points to the top of the circle labeled 'PT. 2 (START POINT)'. The circle is divided into segments by lines radiating from the center. The circle is labeled 'C/K' on the right side.	 The example shows a circular shape with a central point labeled 'C/K' on the right side. The circle is divided into segments by lines radiating from the center.





Graphic	Template (normative)	Example (explanatory)
locate APP-06 343900 PDF p. 701 / printed p. 667		
deny APP-06 343400 PDF p. 698 / printed p. 664		
target build up area circular APP-06 241703 PDF p. 586 / printed p. 552		241030ZMAY2026 - 251600ZMAY2026 






Graphic	Template (normative)	Example (explanatory)
target value area circular APP-06 241803 PDF p. 588 / printed p. 554		241030ZMAY2026 - 251600ZMAY2026 
zone of responsibility circular APP-06 241903 PDF p. 590 / printed p. 556		241030ZMAY2026 - 251600ZMAY2026 
PsyOps zone, circular APP-06 242703 PDF p. 598 / printed p. 564		241030ZMAY2026 - 251600ZMAY2026 



Graphic	Template (normative)	Example (explanatory)
mineline APP-06 290101 PDF p. 611 / printed p. 577		
obstacle bypass easy APP-06 270601 PDF p. 607 / printed p. 573	 Note: Obstacle bypass symbols indicate a mobility function and should be rendered in black.	
obstacle bypass difficult APP-06 270602 PDF p. 607 / printed p. 573	 Note: Obstacle bypass symbols indicate a mobility function and should be rendered in black.	

Graphic	Template (normative)	Example (explanatory)
obstacle bypass impossible APP-06 270603 PDF p. 608 / printed p. 574	 The diagram shows a path that splits into two parallel horizontal lines. The top line ends with an arrow pointing right, labeled PT.1. The bottom line ends with an arrow pointing right, labeled PT.2. A vertical line segment connects the two horizontal lines on the left, with an arrow pointing left, labeled PT.3. Note: Obstacle bypass symbols indicate a mobility function and should be rendered in black.	 The diagram shows a path that splits into two parallel horizontal lines. The top line ends with an arrow pointing right, labeled PT.1. The bottom line ends with an arrow pointing right, labeled PT.2. A vertical line segment connects the two horizontal lines on the left, with an arrow pointing left, labeled PT.3. Two red diamond-shaped obstacles are placed between the two horizontal lines.
decision line APP-06 110500 PDF p. 439 / printed p. 405	 The diagram shows two star-shaped symbols. The left star is labeled PT 1 and the right star is labeled PT 2. A horizontal line connects the two stars. Each star has a small box labeled T/AS inside it.	 The diagram shows two star-shaped symbols. The left star is labeled 1X/007 and the right star is labeled 1X/007. A horizontal line connects the two stars. Each star has a small box labeled XX inside it.
escort APP-06 343600 PDF p. 699 / printed p. 665	 The diagram shows a central point labeled PT. 1 (Centre Point) with an arrow pointing up to it. Two horizontal lines extend from the central point, one to the left and one to the right. The left line ends with an arrow pointing left, labeled PT. 2. The right line ends with an arrow pointing right, labeled PT. 3. The central point is labeled E.	 The diagram shows a central point labeled E. Two horizontal lines extend from the central point, one to the left and one to the right. The left line ends with an arrow pointing left, labeled PT. 2. The right line ends with an arrow pointing right, labeled PT. 3. The central point is labeled E. Below the central point is a box containing the text M1A2 5. Below the box is the text 240500ZMAY2026 - 260800ZMAY2026.

Graphic	Template (normative)	Example (explanatory)
demonstration APP-06 343300 PDF p. 697 / printed p. 663		
capture APP-06 343000 PDF p. 695 / printed p. 661		
evacuate APP-06 344500 PDF p. 706 / printed p. 672		

Graphic	Template (normative)	Example (explanatory)
recover APP-06 344600 PDF p. 706 / printed p. 672		
mobility corridor APP-06 142100 PDF p. 490 / printed p. 456	 Note: Field B is mandatory to articulate the size of force that could exploit the Mobility Corridor. Field H should be movable to avoid obscuring key geographic information from the underlying foundation GEOINT (map or imagery).	
mine cluster APP-06 290400 PDF p. 624 / printed p. 590		

Graphic	Template (normative)	Example (explanatory)
trip wire APP-06 290500 PDF p. 624 / printed p. 590		
raft site APP-06 290800 PDF p. 628 / printed p. 594		
fortified position APP-06 291000 PDF p. 630 / printed p. 596	 Note: The symbol typically faces enemy forces.	

Graphic	Template (normative)	Example (explanatory)
advance to contact APP-06 342900 PDF p. 694 / printed p. 660	 The diagram shows a curved arrow pointing right. Labels include PT,N at the top left, W and W1 in the middle, PT,1 at the top right, PT,2 and PT,3 below the arrow, and PT,N-1 at the bottom left.	 The diagram shows a curved arrow pointing right. Labels include DAVID at the bottom left, 000400020CT1202R in the middle, and 120300020CT1202R at the top right.