



Remote Sensing Laboratory  
Dept. of Information Engineering and Computer Science  
University of Trento  
Via Sommarive, 14, I-38123 Povo, Trento, Italy



# Digital Signal Processing Lecture 5-Supplementary

## Quote of the Day

The longer mathematics lives the more abstract – and therefore, possibly also the more practical – it becomes.

Eric Temple Bell

E-mail: [demir@disi.unitn.it](mailto:demir@disi.unitn.it)  
Web page: <http://rslab.disi.unitn.it>

# Correlation

- **Correlation** ~ identifies similarity between sequences:

Cross correlation of  $x$  against  $y$  “lag”

$$r_{xy}[\ell] = \sum_{n=-\infty}^{\infty} x[n]y[n - \ell]$$

- **Note:**  $r_{yx}[\ell] = \sum_{n=-\infty}^{\infty} y[n]x[n - \ell]$  call  $m = n - \ell$

$$= \sum_{m=-\infty}^{\infty} y[m + \ell]x[m] = r_{xy}[-\ell]$$

# Correlation

- Correlation: 
$$r_{xy}[n] = \sum_{k=-\infty}^{\infty} x[k]y[k - n]$$
- Convolution: 
$$x[n] \circledast y[n] = \sum_{k=-\infty}^{\infty} x[k]y[n - k]$$
- Hence: 
$$r_{xy}[n] = x[n] \circledast y[-n]$$

Correlation may be calculated by  
convolving with time-reversed sequence

## Autocorrelation

- **Autocorrelation** (AC) is correlation of signal with itself:

$$r_{xx}[\ell] = \sum_{n=-\infty}^{\infty} x[n]x[n-\ell] = r_{xx}[-\ell]$$

- Note:  $r_{xx}[0] = \sum_{n=-\infty}^{\infty} x^2[n] = \varepsilon_x$  **Energy of sequence  $x[n]$**



## Autocorrelation

- **Autocorrelation** (AC) is correlation of signal with itself:

$$r_{xx}[\ell] = \sum_{n=-\infty}^{\infty} x[n]x[n-\ell] = r_{xx}[-\ell]$$

- Note:  $r_{xx}[0] = \sum_{n=-\infty}^{\infty} x^2[n] = \varepsilon_x$  **Energy of sequence  $x[n]$**

## Correlation maxima

- Note:  $r_{xx}[\ell] \leq r_{xx}[0] \Rightarrow \left| \frac{r_{xx}[\ell]}{r_{xx}[0]} \right| \leq 1$
- Similarly:  $r_{xy}[\ell] \leq \sqrt{\varepsilon_x \varepsilon_y} \Rightarrow \frac{r_{xy}[\ell]}{\sqrt{r_{xx}[0]r_{yy}[0]}} \leq 1$