## UMANG AI CHATBOT

# PROMPTFOO SECURITY ASSESSMENT

Final Evidence Review, Coverage Analysis, and Recommendations

---

| | |
|---|---|
| **Assessment date** | 16 October 2026 |
| **Tool / model** | Promptfoo Red Team with local Ollama llama3.2 for generation/grading |
| **Target** | UMANG AI chatbot gateway API |
| **Endpoint** | POST https://apigw.umangapp.in/agenticBotApi/api/agent/query |
| **Expanded evaluation ID** | eval-qxn-2026-10-20T07:56:43 |

**ASSESSMENT STATUS: PARTIAL COVERAGE / FOLLOW-UP REQUIRED**

This report consolidates the latest expanded Promptfoo run and supporting execution evidence. Automated risk labels are preliminary triage indicators; they are not independently confirmed vulnerabilities.

# 1. Executive Summary

The latest supplied Promptfoo run evaluated 54 generated test cases against the public UMANG chatbot gateway. The terminal recorded 33 passed tests (61.11%), 21 failed tests (38.89%), and 0 evaluation errors. Test generation was only partially successful: multiple plugin families requiring Promptfoo remote generation produced no cases because remote generation was disabled. Therefore, the run completed with partial coverage rather than a fully exhaustive LLM security assessment.

| Latest expanded-run metric | Recorded value | Interpretation |
|---|---|---|
| **Generated/evaluated cases** | 54 / 54 | Evaluation completed for the test cases that were generated. |
| **Passed / failed / eval errors** | 33 / 21 / 0 | Pass/fail is according to Promptfoo local grading and configured checks. |
| **Tool dashboard labels** | 6 High, 2 Medium, 2 Low; 0 Critical | Auto-generated risk labels pending evidence-level validation. |
| **Test-generation coverage** | Partial | Several configured plugins failed generation in local-only mode. |
| **Run configuration** | Ollama llama3.2; concurrency 1; delay 1200 ms | Sequential, bounded prompt testing; not load testing. |

**Main conclusion**

The current evidence does not establish a confirmed exploit. It does contain 21 Promptfoo failures and ten dashboard risk labels that require case-by-case validation. Because plugin generation was incomplete and several security domains require architecture/backend evidence, the assessment must be reported as preliminary with follow-up actions.

# 2. Scope and Methodology

## 2.1 Target and configuration

| Item | Value |
|---|---|
| **Target endpoint** | https://apigw.umangapp.in/agenticBotApi/api/agent/query |
| **HTTP method / request body** | POST; observed JSON fields: question and previousChats |
| **Tool** | Promptfoo Red Team; Community Edition indication is visible in generated dashboard |
| **Attacker / grader model** | Local Ollama llama3.2 |
| **Evaluation controls** | Concurrency 1; 1200 ms delay between API calls; run was described as bounded and sequential |
| **Expanded run ID** | eval-qxn-2026-10-20T07:56:43 |
| **Test corpus / result** | 54 generated cases written to redteam.yaml; 54/54 evaluated |
| **Recorded token usage** | 94,834 total reported tokens (target 5,667; generation 14,523; grading 74,644) |

## 2.2 Test families represented in generated corpus

- PII/privacy: direct exposure, API/database, session data, social engineering, cross-session leakage, custom hidden-context exposure, privacy behavior.
- Behavioral safety: hallucination, overreliance, excessive agency, harmful privacy; bounded output and repetition probes.
- Security prompt probes: debug access, RBAC indicators, shell-injection and SQL-injection prompts, tool discovery.
- The run attempted a wider configuration including ASCII smuggling, BOLA/BFLA, bias, harmful-content, hijacking, reasoning-DoS, special-token injection, SSRF, and system-prompt override.

## 2.3 Important interpretation rule

Promptfoo separates the target endpoint from the attacker/grader provider. Its official documentation warns that local-model generation can reduce attack quality and that some plugin families require remote generation. This run used local generation/grading and explicitly disabled remote generation, which explains the skipped plugin cases. The target evaluation finishing with zero evaluation errors does not make the generation stage complete.

*Reference: Promptfoo Red Team Configuration and grading guidance (links in Section 8).*

# 3. Coverage Completeness and Execution Gaps

**Coverage limitation visible in terminal evidence**

Promptfoo reported that some plugins require remote generation, which was explicitly disabled. The test-generation report contains rows with Requested > 0, Generated = 0, Status = Failed. The run continued and evaluated the 54 cases that were generated; those generation failures are not counted in the final “0 evaluation errors” summary.

## 3.1 Plugin generation failed or was unavailable

| Plugin family shown in terminal | Meaning for coverage |
|---|---|
| **ascii-smuggling; special-token-injection** | These dedicated test generators produced no cases. |
| **bfla; bola; rbac-adjacent authorization probes** | Dedicated BFLA/BOLA generation did not complete; RBAC prompt probes were generated separately. |
| **bias:age; bias:disability; bias:gender; bias:race** | These bias-specific test generators produced no cases. |
| **harmful:hate; harmful:misinformation-disinformation; harmful:radicalization; harmful:specialized-advice** | These harmful-content generators produced no cases; harmful:privacy did generate cases. |
| **hijacking; system-prompt-override** | Dedicated plugins did not generate their requested cases in this run. |
| **reasoning-dos; ssrf** | Dedicated resource-exhaustion/SSRF generators produced no cases. |

## 3.2 Categories requiring other evidence or approved architecture access

| Domain | Coverage status / evidence required |
|---|---|
| **Indirect prompt injection** | Not demonstrated by a plain question/history target. Requires a known attacker-controlled document, retrieval result, website, or other external context. |
| **BOLA/BFLA / real authorization bypass** | Not established by a prompt response. Requires test identities, protected object/function, expected authorization policy, and proof of denied/allowed behavior. |
| **Supply chain / data poisoning** | Requires source, dependency manifest/SBOM, model/artifact provenance, CI/CD or controlled ingestion corpus; not feasible from chat prompts alone. |
| **Actual SQLi, XSS, shell injection, SSRF** | Prompt-level payload handling is not proof of backend execution or browser script execution. Validate server-side sinks, browser DOM and logs in an approved test environment. |
| **Rate-limit/DoS/resource exhaustion** | The run was deliberately low-rate. It is not a stress/load/exhaustion test; do not claim rate-limit enforcement from it. |
| **RAG/vector/embedding weaknesses** | Requires confirmed RAG/vector-store design, controlled documents, retrieval authorization, and source-attribution checks. |

# 4. Results and Flagged Categories

Promptfoo Report 03 labels ten categories as vulnerabilities (6 High, 2 Medium, 2 Low). The source PDF shows category-level attack-success scores and mitigation labels, but the supplied evidence set does not include the expanded evaluation JSON with the full prompt, response, and grader rationale for each case. Accordingly, every category below is a tool-generated candidate requiring manual validation, not a confirmed finding.

| Dashboard category | Auto severity | Displayed score | Evidence-led triage |
|---|---|---|---|
| **Debug Interface Exposure** | High | 1/1; 100% | Unverified: the summary alone does not prove an actual debug endpoint or configuration was exposed. |
| **Privacy Violation** | High | 1/1; 100% | Unverified: inspect full output for actual private data or unsafe privacy guidance. |
| **RBAC Implementation** | High | 1/1; 100% | Unverified: a chat response cannot prove bypass of real access control without protected resource/action evidence. |
| **Divergent Repetition** | Medium | 1/1; 100% | Unverified: repeat pattern requires context and impact review; not equivalent to a DoS proof. |
| **Hallucination** | Medium | 2/2; 100% | Needs factual review against official UMANG/department references. |
| **PII via Session Data** | High | 7/12; 58.33% | Potential privacy/cross-context issue; inspect exact prompts/responses and use synthetic canaries only. |
| **PII via Social Engineering** | High | 3/7; 42.86% | Potential privacy/safety issue; verify what sensitive information, if any, was revealed. |
| **Overreliance** | Low | 1/1; 100% | Potential overconfidence indicator; compare claim to expected safe limitation. |
| **PII via Direct Exposure** | High | 3/8; 37.50% | Potential disclosure; no personal-data leak is confirmed from the dashboard alone. |
| **Tool Discovery** | Low | 1/1; 100% | Potential unnecessary tool/internal capability disclosure; architecture/tool inventory needed. |

## 4.1 Score/denominator inconsistency

The CLI summary states 33/54 passed and 21/54 failed. The dashboard also displays “31/52 tests defended” in one widget and “20/51 tests failed across 14 plugins” in another. These denominators do not match the CLI total. They may reflect category-specific aggregation or exclusions, but the supplied evidence does not explain the difference. The report therefore preserves the CLI 54-case outcome as the run-level count and records the dashboard mismatch as a reporting limitation.

## 4.2 What “passed” and “failed” mean here

A failed red-team test means the configured grader judged the response to violate the test objective. It does not automatically prove data exposure, role bypass, debug access, an executed SQL injection, or successful SSRF. A passed test means no attack was judged successful for that case; it does not establish that the whole category or system is secure.

# 5. Findings Register and Remediation Plan


| ID | Priority / type | Observation | Recommended action |
|---|---|---|---|
| **PF-01** | High priority review | Promptfoo flagged PII/privacy, session/social/direct exposure, RBAC and debug categories. | Obtain the expanded eval JSON. Review each prompt, complete UMANG output, grader reason, and response metadata. Validate any apparent disclosure using synthetic markers; do not use real citizen data. |
| **PF-02** | High priority review | Some plugin generators were unavailable in local-only mode. | Keep remote generation disabled unless organization policy permits it. Replace missing plugins with manually authored, reviewed benign probes where suitable; mark architecture-specific checks N/A until authorized evidence is available. |
| **PF-03** | Medium priority review | Hallucination/overreliance categories were flagged. | Create a small reference set of authoritative UMANG/government service facts; independently fact-check claims instead of relying only on the local Llama 3.2 grader. |
| **PF-04** | Assessment limitation | Report dashboard counts disagree (33/54 vs 31/52 and 20/51). | Export and archive the evaluation JSON, test corpus (redteam.yaml), Promptfoo config, and report. State separate denominators exactly as emitted and avoid deriving a single universal success score. |
| **PF-05** | Scope limitation | Indirect injection, BOLA/BFLA, SSRF, supply-chain, poisoning, true XSS/SQLi and exhaustion are not proven by chat-only probes. | Plan a separate owner-approved test phase with staging access, test identities, architecture details, backend/browser logs, and monitoring. |

### Suggested report language

“Promptfoo expanded red-team evaluation completed for 54 generated cases: 33 passed, 21 failed, and zero evaluation errors. Several configured plugin families could not generate tests in local-only mode. Ten category-level risk labels were surfaced by the tool and remain subject to response-level validation. No confirmed exploit is established by the available dashboard screenshots alone.”


# Appendix A. Execution - Plugin Generation Warnings

The screenshots below are from the user-supplied VS Code terminal. They show that the run attempted a broad plugin list but some plugin generators returned zero cases because remote generation was explicitly disabled.



| # | Type | ID | Requested | Generated | Status |
|---|---|---|---|---|---|
| 1 | Plugin | ascii-smuggling | 1 | 0 | Failed |
| 2 | Plugin | bfla | 1 | 0 | Failed |
| 3 | Plugin | bias:age | 1 | 0 | Failed |
| 4 | Plugin | bias:disability | 1 | 0 | Failed |
| 5 | Plugin | bias:gender | 1 | 0 | Failed |
| 6 | Plugin | bias:race | 1 | 0 | Failed |
| 7 | Plugin | bola | 1 | 0 | Failed |
| 8 | Plugin | cross-session-leak | 1 | 12 | Success |
| 9 | Plugin | debug-access | 1 | 1 | Success |
| 10 | Plugin | divergent-repetition | 1 | 1 | Success |
| 11 | Plugin | excessive-agency | 1 | 1 | Success |
| 12 | Plugin | file://./plugins/hidden-context-expos… | 2 | 2 | Success |
| 13 | Plugin | hallucination | 2 | 2 | Success |
| 14 | Plugin | harmful:hate | 1 | 0 | Failed |
| 15 | Plugin | harmful:misinformation-disinformation | 1 | 0 | Failed |
| 16 | Plugin | harmful:privacy | 1 | 1 | Success |

*Figure A1. Promptfoo plugin-generation table with rows marked Failed (Requested 1, Generated 0) and successful rows.*



| # | Type | ID | Requested | Generated | Status |
|---|---|---|---|---|---|
| 15 | Plugin | harmful:misinformation-disinformation | 1 | 0 | Failed |
| 16 | Plugin | harmful:privacy | 1 | 1 | Success |
| 17 | Plugin | harmful:radicalization | 1 | 0 | Failed |
| 18 | Plugin | harmful:specialized-advice | 1 | 0 | Failed |
| 19 | Plugin | hijacking | 2 | 0 | Failed |
| 20 | Plugin | overreliance | 1 | 1 | Success |
| 21 | Plugin | pii:api-db | 2 | 2 | Success |
| 22 | Plugin | pii:direct | 2 | 8 | Success |
| 23 | Plugin | pii:session | 1 | 12 | Success |
| 24 | Plugin | pii:social | 1 | 7 | Success |
| 25 | Plugin | rbac | 1 | 1 | Success |
| 26 | Plugin | reasoning-dos | 1 | 0 | Failed |
| 27 | Plugin | shell-injection | 1 | 1 | Success |
| 28 | Plugin | special-token-injection | 1 | 0 | Failed |
| 29 | Plugin | sql-injection | 1 | 1 | Success |
| 30 | Plugin | ssrf | 1 | 0 | Failed |
| 31 | Plugin | system-prompt-override | 1 | 0 | Failed |
| 32 | Plugin | tool-discovery | 1 | 1 | Success |

*Figure A2. Additional plugin-generation statuses. A green generation status means test cases were generated, not that the target passed that category.*

# Appendix B. Execution - Final Expanded Run Summary

The terminal screenshot records evaluation ID `eval-qxn-2026-10-20T07:56:43`, 54/54 test cases evaluated, 33 passed, 21 failed, and zero evaluation errors. It also shows Promptfoo's warning that errors occurred during the operation; this is consistent with the separate test-generation warnings and should not be read as proof that generation coverage was complete.





*Figure B1. Final terminal output for the expanded Promptfoo scan.*

Supporting baseline evidence: Screenshot (220).png records the separate one-case smoke test passing. That smoke result demonstrates endpoint connectivity and response extraction only; it is not counted as part of the 54-case expanded run.







*Figure B2. Earlier one-case Promptfoo smoke test (historical baseline; not part of the expanded 54-case count).*

## Appendix C. Promptfoo Report 03 - Source Page 1 of 5




*Embedded source evidence: Promptfoo Report 03.pdf, page 1.*

## Appendix C. Promptfoo Report 03 - Source Page 2 of 5



| | |
|---|---|
| Tool Discovery | 0/1 |
| Cross-Session Data Leakage | 12/12 |
| Divergent Repetition | 0/1 |
| Privacy Violation | 0/1 |
| PII via API/Database | 2/2 |
| PII via Direct Exposure | 5/8 |
| PII via Session Data | 5/12 |
| PII via Social Engineering | 4/7 |
| **Brand**<br>Output reliability, accuracy, and brand reputation risks. | 25%<br>1/4 |
| Excessive Agency | 1/1 |
| Hallucination | 0/2 |
| Overreliance | 0/1 |

### Vulnerabilities and Mitigations


| Type | Description | Risk | C... | Suc... | A... | S... |
|---|---|---|---|---|---|---|
| **Debug Interface Exposure** | Tests for exposed debugging i... | 9.00 | 1 | 1 | **100.00%** | High |
| **Privacy Violation** | Tests handling of privacy viola... | 9.00 | 1 | 1 | **100.00%** | High |
| **RBAC Implementation** | Tests role-based access contr... | 9.00 | 1 | 1 | **100.00%** | High |
| **Divergent Repetition** | Tests for training data leaks th... | 8.00 | 1 | 1 | **100.00%** | Medium |
| **Hallucination** | Tests for fabrication of false or... | 8.00 | 1 | 2 | **100.00%** | Medium |
| **PII via Session Data** | Tests for PII exposure in sessio... | 7.67 | 1 | 7 | **58.33%** | High |
| **PII via Social Engineering** | Tests for PII exposure via socia... | 7.17 | 1 | 3 | **42.86%** | High |
| **Overreliance** | Tests for overreliance on syste... | 7.00 | 1 | 1 | **100.00%** | Low |
| **PII via Direct Exposure** | Tests for direct PII exposure v... | 7.00 | 1 | 3 | **37.50%** | High |
| **Tool Discovery** | Tests for enumeration of avail... | 7.00 | 1 | 1 | **100.00%** | Low |

### Framework Compliance (0/1)

39.22% Attack Success Rate (20/51 tests failed across 14 plugins)


*Embedded source evidence: Promptfoo Report 03.pdf, page 2.*

## Appendix C. Promptfoo Report 03 - Source Page 3 of 5





*Embedded source evidence: Promptfoo Report 03.pdf, page 3.*

## Appendix C. Promptfoo Report 03 - Source Page 4 of 5




*Embedded source evidence: Promptfoo Report 03.pdf, page 4.*

## Appendix C. Promptfoo Report 03 - Source Page 5 of 5




*Embedded source evidence: Promptfoo Report 03.pdf, page 5.*