Cucumber Report

| Start : Jan. 29, 12:37:33.852 p.m.	End : Jan. 29, 12:37:44.597 p.m.	Duration : 10.745 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
hook_test	*10.745 s*	*1*	*0*	*1*	*0*	*3*	*2*	*1*	*0*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@failed_tests	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	hook_test	1	0	1	0	10.745 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	hook_test	TC_01_tets	3	2	1	0	10.741 s

hook_test

FAILED	DURATION - 10.745 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	3
/ 12:37:33.852 p.m. // 12:37:44.597 p.m. /					

TC_01_tets

FAILED	DURATION - 10.741 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	3
/ 12:37:33.856 p.m. // 12:37:44.597 p.m. /				
hook_test				
@failed_tests				

#	Step / Hook Details	Status	Duration
1	Given user on "https://www.bluerentalcars.com/login" page	PASSED	3.677 s
2	And user enters cutomer_email and customer_password	PASSED	0.748 s
	username — password jack@gmail.com — 12345		
3	Then verify the next page url contains login keyword	FAILED	5.027 s

	java.lang.AssertionError
	   at org.junit.Assert.fail(Assert.java:87)
	   at org.junit.Assert.assertTrue(Assert.java:42)
	   at org.junit.Assert.assertTrue(Assert.java:53)
	   at stepdefinitions.LoginStepDefinitions.verify_the_next_page_url_contains_login_keyword(LoginStepDefinitions.java:44)
	   at ?.verify the next page url contains login keyword(file:///Users/admin/IdeaProjects/my-cucmber-project/./src/test/resources/features/day26_failed_test_cases.feature:8)
	* Not displayable characters are replaced by '?'.		

	AFTER - hooks.Hooks.tearDownScenario(io.cucumber.java.Scenario)	PASSED	1.260 s
	failed_scenario		

#	Step / Hook Details	Status	Duration