

Name : Shan

Sap :72387

Lab task # 5

Object Orinted Programming

◆ **Question : 1**

❖ Write a Bank Account System Stores customer information, manage bank account,

Allow deposit , Withdraw etc in java language.

• **Input :**

```
public class Bank {  
    public static void main(String[]args){  
        Customer c1 =new Customer();  
        c1.name= "salman";// 72387,Shan  
        c1.customerid = 5001;  
  
        BankAccount acc1=new BankAccount();  
        acc1.accountNumber =1234567;  
        acc1.balance= 10000;// 72387,Shan  
        acc1.customer =c1;  
  
        acc1.displayAccount();  
        acc1.deposit(2000);  
        acc1.withdraw(200);// 72387,Shan  
        acc1.displayAccount();  
    }  
}
```

Bank Java

```
public class Customer {  
    String name;  
    int customerid;// 72387,Shan  
    void displayCustomer(){  
        System.out.println("Customer Name:"+name);  
    }  
}
```

**Customer
Java**

```
public class BankAccount {  
    int accountNumber;  
    double balance;// 72387,Shan  
    Customer customer;  
    void deposit(double amount){  
        balance = balance + amount;// 72387,Shan  
        System.out.println("Deposited:"+amount);  
    }  
    void withdraw (double amount){  
        if (amount <= balance){  
            balance =balance-amount;// 72387,Shan  
            System.out.println("Withdraw:"+amount);  
        } else{  
            System.out.println("Insufficient balance!");// 72387,Shan  
        }  
    }  
    void displayAccount(){  
        customer.displayCustomer();// 72387,Shan  
        System.out.println("Account Number:"+  
accountNumber);  
        System.out.println("Current Balance:"+balance);  
    }  
}
```

**Bank
Account**

run:

Output

Customer Name:Salman

Customer ID:5001

Account Number:1234567

Current Balance:10000.0

Deposited:2000.0

Withdraw:200.0

Customer Name:Salman

Customer ID:5001

Account Number:1234567

Current Balance:11800.0

BUILD SUCCESSFUL (total time: 0 seconds)

◆ Question : 2

❖ PRIME NUMBER PROGRAM IN JAVA

• Input :

```
import java.util.Scanner;
```

```
public class JavaBasic {  
    public static void main(String[] args) { // 72387,Shan  
        Scanner s = new Scanner(System.in);  
        System.out.println("Enter Number:");  
        int n;  
        int count = 0;  
        n = s.nextInt();  
        for (int i = 1; i <= n; i++) { // 72387,Shan  
            if (n % i == 0) {  
                count++;  
            }  
        }  
        if (count == 2) {  
            System.out.println(n + " Is A Prime Number");  
        } else {  
            System.out.println(n + " Is Not A Prime Number");  
        }  
    }  
}
```

- **Output :**

```
Run (JavaBasic) X Run (JavaBasic) X
Enter Number:
7
7 Is A Prime Number

-----
BUILD SUCCESS
-----
Total time: 6.237 s
Finished at: 2026-02-25T21:08:02+05:00
-----
```

◆ Question : 3

❖ FIND LENGTH OF ARRAY

- **Input :**

```
package com.mycompany.javabasic;

public class JavaBasic { // 72387,Shan
    public static void main(String[] args) {
        int[] a = {1, 2, 8, 6, 9, 10}; // 72387,Shan
        int length;
        length = a.length; // 72387,Shan
        System.out.println("Length Of Array Is: " + length);
    }
}
```

- **Output :**

```
Recompiling the module because of changed source code.
Compiling 1 source file with javac [debug release 25] to target\classes

--- exec:3.5.1:exec (default-cli) @ JavaBasic ---
Length Of Array Is: 6

-----
BUILD SUCCESS
-----
Total time: 2.092 s
Finished at: 2026-02-25T21:18:41+05:00
-----
```

◆ Question : 4

❖ FIND THE NUMBER IS PALINDROME OR NOT

- Input :

```
package com.mycompany.javabasic;
import java.util.Scanner;
public class JavaBasic { // 72387,Shan
    public static void main(String[] args){
        Scanner s=new Scanner(System.in);
        int num,temp,r=0;// 72387,Shan
        System.out.println("Enter Number:");
        num=s.nextInt();
        temp=num;// 72387,Shan
        while(num>0){
            r=r*10+(num%10);
            num/=10;// 72387,Shan
        }
        if(temp==r)
            System.out.println(temp+" Is Palindrome");
        else// 72387,Shan
            System.out.println(temp+" Is Not Palindrome");
        }
    }
}
```

- Output :

```
t - Run (JavaBasic) ×
| --- exec:3.5.1:exec (default-cli) @ JavaBasic ---
Enter Number:
6 7 8
6 Is Palindrome
-----
BUILD SUCCESS
-----
Total time: 9.289 s
Finished at: 2026-02-25T21:24:14+05:00
-----
```

◆ Question : 5

❖ FIND FACTORIAL OF A NUMBER THROUGH FUNCTION

- Input :

```

import java.util.Scanner;

public class Main {

static void fact(){

Scanner s=new Scanner(System.in);// 72387,Shan

int a;

System.out.println("Enter Number For Factorial:");

a=s.nextInt();

int fact=1; // 72387,Shan

for(int i=1;i<=a;i++)

fact*=i; // 72387,Shan

System.out.println("Factorial Of "+a+" Is = "+fact);

}

public static void main(String[] args){


fact();

}

}

```

- **Output :**



```

Enter Number For Factorial:
5
Factorial Of 5 Is = 120

Process finished with exit code 0

```

◆ Question : 6

SWAPPING NUMBERS USING TWO VARIABLES

- **Input :**

```

import java.util.Scanner;

public class Main {

```

```

public static void main(String[] args){
Scanner s=new Scanner(System.in);

int a,b; // 72387,Shan

System.out.println("Enter Values For Swap:");

a=s.nextInt();

b=s.nextInt();

a=a+b; // 72387,Shan

b=a-b;

a=a-b;

System.out.println("Values After Swap Are:");

System.out.println("a= "+a);


System.out.println("b= "+b);

}

}

```

- **Output :**



```

Enter Values For Swap:
8
5
Values After Swap Are:
a= 5
b= 8

```

◆ Question : 7

SWAPPING NUMBERS USING Three VARIABLES

- **Input :**

```

import java.util.Scanner;

public class Main {

public static void main(String[] args){

Scanner s=new Scanner(System.in);

int a , b, temp; // 72387,Shan

System.out.println("Enter Values For Swap:");


```

```

a=s.nextInt();
b=s.nextInt();
temp=a; // 72387,Shan
a=b;
b=temp;
System.out.println("Values After Swap Are:");
System.out.println("a= "+a);
System.out.println("b= "+b); // 72387,Shan
}
}

```

- **Output :**



```

Enter Values For Swap:
8
5
Values After Swap Are:
a= 5
b= 8

```

◆ Question : 8

RIGHT ANGLED TRIANGLE PATTERN USING NESTED LOOP

- **Input :**

```

public class Main {
    public static void main(String[] args) {
        for (int i = 1; i <= 5; i++) {
            for (int j = 1; j <= i; j++) {

```



```
System.out.print("*"); // 72387,Shan
} // 72387,Shan
System.out.println();
}
}
}
```

- **Output:**

