

SOURCE CODE:

SOCIAL MEDIA PLATFORM MANAGEMENT SYSTEM

❖ PACKAGE com.hr.bean:-

USERS CLASS:

```
package com.hr.bean;

public class USERS {
    private int id;
    private String first_Name;
    private String last_Name;
    private String email;
    private String password;
    public int getId() {
        return id;
    }
    public void setId(int id) {
        this.id = id;
    }
    public String getFirst_Name() {
        return first_Name;
    }
    public void setFirstName(String first_Name) {
        this.first_Name = first_Name;
    }
    public String getLast_Name() {
        return last_Name;
    }
    public void setLastName(String last_Name) {
        this.last_Name = last_Name;
    }
    public String getEmail() {
        return email;
    }
    public void setEmail(String email) {
        this.email = email;
    }
    public String getPassword() {
        return password;
    }
    public void setPassword(String password) {
        this.password = password;
    }
}
```

```
// Getters and Setters  
}
```

FRIENDS CLASS:

```
package com.hr.bean;
```

```
public class FRIENDS {  
    private int friend_Id;  
    private int user_Id;  
    private int friend_User_Id;  
    private String status;  
  
    // Getters and Setters  
    public int getFriendId() {  
        return friend_Id;  
    }  
  
    public void setFriendId(int friendId) {  
        this.friend_Id = friendId;  
    }  
  
    public int getUserId() {  
        return user_Id;  
    }  
  
    public void setUserId(int userId) {  
        this.user_Id = userId;  
    }  
  
    public int getFriendUserId() {  
        return friend_User_Id;  
    }  
  
    public void setFriendUserId(int friendUserId) {  
        this.friend_User_Id = friendUserId;  
    }  
  
    public String getStatus() {  
        return status;  
    }  
  
    public void setStatus(String status) {  
        this.status = status;  
    }  
}
```

COMMENTS CLASS:

```

package com.hr.bean;

public class COMMENTS {
    private int id;
    private int post_Id;
    private String content;
    private int user_id;
    public int getUser_id() {
        return user_id;
    }
    public void setUser_id(int user_id) {
        this.user_id = user_id;
    }
    private String comment_date;
    public int getId() {
        return id;
    }
    public void setId(int id) {
        this.id = id;
    }
    public int getPost_Id() {
        return post_Id;
    }
    public void setPost_Id(int post_Id) {
        this.post_Id = post_Id;
    }
    public String getContent() {
        return content;
    }
    public void setContent(String content) {
        this.content = content;
    }
    public String getComment_date() {
        return comment_date;
    }
    public void setComment_date(String comment_date) {
        this.comment_date = comment_date;
    }
}

// Getters and setters
}

```

LIKES CLASS:

```

package com.hr.bean;

```

```

public class Likes {
    private int likeId;
    private int userId;
    private int postId;

    // Getters and Setters
    public int getLikeId() {
        return likeId;
    }

    public void setLikeId(int likeId) {
        this.likeId = likeId;
    }

    public int getUserId() {
        return userId;
    }

    public void setUserId(int userId) {
        this.userId = userId;
    }

    public int getPostId() {
        return postId;
    }

    public void setPostId(int postId) {
        this.postId = postId;
    }
}

```

POSTS CLASS:

```

package com.hr.bean;

import java.util.Date;

public class POSTS {
    private int id;
    private int userId;
    private String content;
    private Date postDate;

    public int getId() {
        return id;
    }

    public void setId(int id) {

```

```

        this.id = id;
    }

    public int getUserId() {
        return userId;
    }

    public void setUserId(int userId) {
        this.userId = userId;
    }

    public String getContent() {
        return content;
    }

    public void setContent(String content) {
        this.content = content;
    }

    public Date getPostDate() {
        return postDate;
    }

    public void setPostDate(Date postDate) {
        this.postDate = postDate;
    }
}

```

PROFILE CLASS:

```

package com.hr.bean;

public class Profile {

    private int user_Id;
    private String bio;
    private String profile_pic;
    public int getUser_Id() {
        return user_Id;
    }
    public void setUser_Id(int user_Id) {
        this.user_Id = user_Id;
    }
    public String getBio() {
        return bio;
    }
    public void setBio(String bio) {

```

```

        this.bio = bio;
    }
    public String getProfile_pic() {
        return profile_pic;
    }
    public void setProfile_pic(String profile_pic) {
        this.profile_pic = profile_pic;
    }
}

```

❖ **PACKAGE com.hr.dao:-**

DATABASE CLASS:

```

package com.hr.dao;

import java.sql.Connection;

import java.sql.DriverManager;

import java.sql.PreparedStatement;

import java.sql.ResultSet;

import java.sql.SQLException;

import java.sql.Date;

import com.hr.bean.*;

public class Database {

    private static final String URL = "jdbc:oracle:thin:@localhost:1521:ORCL";

    private static final String USER = "hr";

    private static final String PASSWORD = "hr";

```

```
public static Connection getConnection() throws SQLException {  
    return DriverManager.getConnection(URL, USER, PASSWORD);  
}  
  
// Method to create a new user  
  
public boolean createUser USERS user {  
    String sql = "INSERT INTO USERS (id, first_name, last_name, email, password)  
VALUES (?, ?, ?, ?, ?)";  
  
    try (Connection conn = getConnection();  
        PreparedStatement pstmt = conn.prepareStatement(sql)) {  
        pstmt.setInt(1, user.getId());  
        pstmt.setString(2, user.getFirst_Name());  
        pstmt.setString(3, user.getLast_Name());  
        pstmt.setString(4, user.getEmail());  
        pstmt.setString(5, user.getPassword());  
  
        int affectedRows = pstmt.executeUpdate();  
        return affectedRows > 0;  
    } catch (SQLException e) {  
        e.printStackTrace();  
        return false;  
    }  
}
```

// Method to find a user by email and password

```
public USERS findUserByEmailAndPassword(String email, String password) {  
  
    String sql = "SELECT * FROM USERS WHERE email = ? AND password = ?";  
  
    try (Connection conn = getConnection();  
  
        PreparedStatement pstmt = conn.prepareStatement(sql)) {  
  
        pstmt.setString(1, email);  
  
        pstmt.setString(2, password);  
  
  
        ResultSet rs = pstmt.executeQuery();  
  
        if (rs.next()) {  
  
            USERS user = new USERS();  
  
            user.setId(rs.getInt("id"));  
  
            user.setFirstName(rs.getString("first_name"));  
  
            user.setLastName(rs.getString("last_name"));  
  
            user.setEmail(rs.getString("email"));  
  
            user.setPassword(rs.getString("password"));  
  
            return user;  
  
        }  
  
    } catch (SQLException e) {  
  
        e.printStackTrace();  
  
    }  
  
    return null;  
}
```



```
}
```

```
// Method to add a friend
```

```
public boolean addFriend(FRIENDS friend) {
```

```
    String sql = "INSERT INTO FRIENDS (FRIEND_ID, USER_ID, FRIEND_USER_ID,  
STATUS) VALUES (?, ?, ?, ?)";
```

```
    try (Connection conn = getConnection();
```

```
        PreparedStatement pstmt = conn.prepareStatement(sql)) {
```

```
        pstmt.setInt(1, friend.getFriendId());
```

```
        pstmt.setInt(2, friend.getUserId());
```

```
        pstmt.setInt(3, friend.getFriendUserId());
```

```
        pstmt.setString(4, friend.getStatus());
```

```
        int affectedRows = pstmt.executeUpdate();
```

```
        return affectedRows > 0;
```

```
    } catch (SQLException e) {
```

```
        e.printStackTrace();
```

```
        return false;
```

```
    }
```

```
}
```

```
// Method to find a friend by ID
```

```
public FRIENDS findFriendById(int friend_Id) {
```

```
    String sql = "SELECT * FROM FRIENDS WHERE FRIEND_ID = ?";
```

```

try (Connection conn = getConnection();

    PreparedStatement pstmt = conn.prepareStatement(sql)) {

    pstmt.setInt(1, friend_Id);

    ResultSet rs = pstmt.executeQuery();

    if (rs.next()) {

        FRIENDS friend = new FRIENDS();

        friend.setFriendId(rs.getInt("FRIEND_ID"));

        friend.setUserId(rs.getInt("USER_ID"));

        friend.setFriendUserId(rs.getInt("FRIEND_USER_ID"));

        friend.setStatus(rs.getString("STATUS"));

        return friend;

    }

} catch (SQLException e) {

    e.printStackTrace();

}

return null;

}

public boolean deleteFriend(int friend_Id) {

    String sql = "DELETE FROM FRIENDS WHERE FRIEND_ID = ?";

    try (Connection conn = getConnection(); PreparedStatement pstmt =
conn.prepareStatement(sql)) {

        pstmt.setInt(1, friend_Id);

        int affectedRows = pstmt.executeUpdate();

```

```
        return affectedRows > 0;
    } catch (SQLException e) {
        e.printStackTrace();
        return false;
    }
}
```

```
public boolean updateFriend(FRIENDS friend) {

    String sql = "UPDATE FRIENDS SET USER_ID = ?,FRIEND_USER_ID = ?, STATUS =
? WHERE FRIEND_ID = ?";

    try (Connection conn = getConnection(); PreparedStatement pstmt =
conn.prepareStatement(sql)) {

        pstmt.setInt(1, friend.getUserId());

        pstmt.setInt(2, friend.getFriendUserId());

        pstmt.setString(3, friend.getStatus());

        pstmt.setInt(4, friend.getFriendId());

        int affectedRows = pstmt.executeUpdate();

        return affectedRows > 0;
    } catch (SQLException e) {
        e.printStackTrace();
        return false;
    }
}

// Method to create a new post
```

```

public boolean createPost(POSTS post) {

    String sql = "INSERT INTO POSTS (id, user_id, content, post_date) VALUES (?, ?, ?, ?)";

    try (Connection conn = getConnection();

        PreparedStatement pstmt = conn.prepareStatement(sql)) {

        pstmt.setInt(1, post.getId());

        pstmt.setInt(2, post.getUserId());

        pstmt.setString(3, post.getContent());

        pstmt.setDate(4, new Date(post.getPostDate().getTime()));

        int affectedRows = pstmt.executeUpdate();

        return affectedRows > 0;

    } catch (SQLException e) {

        e.printStackTrace();

        return false;

    }

}

```

// Method to find a post by ID

```

public POSTS findPostById(int postId) {

    String sql = "SELECT * FROM POSTS WHERE id = ?";

    try (Connection conn = getConnection();

        PreparedStatement pstmt = conn.prepareStatement(sql)) {

        pstmt.setInt(1, postId);

    }
}

```

```
ResultSet rs = pstmt.executeQuery();

if (rs.next()) {

    POSTS post = new POSTS();

    post.setId(rs.getInt("id"));

    post.setUserId(rs.getInt("user_id"));

    post.setContent(rs.getString("content"));

    post.setPostDate(rs.getDate("post_date"));

    return post;

}

} catch (SQLException e) {

    e.printStackTrace();

}

return null;

}

public static boolean deleteUser(int id) {

    String sql = "DELETE FROM USERS WHERE ID = ?";

    try (Connection conn = getConnection();

        PreparedStatement pstmt = conn.prepareStatement(sql)) {

        pstmt.setInt(1, id);

        int affectedRows = pstmt.executeUpdate();

        return affectedRows > 0;

    } catch (SQLException e) {
```

```
        e.printStackTrace();

        return false;

    }

}
```

```
    public static boolean updateUser(int id, String first_Name, String last_Name, String email,
String password) {
```

```
        String sql = "UPDATE USERS SET FIRST_NAME = ?, LAST_NAME = ?, EMAIL = ?,
PASSWORD = ? WHERE ID = ?";
```

```
        try (Connection conn = getConnection();
```

```
            PreparedStatement pstmt = conn.prepareStatement(sql)) {
```

```
            pstmt.setString(1, first_Name);
```

```
            pstmt.setString(2, last_Name);
```

```
            pstmt.setString(3, email);
```

```
            pstmt.setString(4, password);
```

```
            pstmt.setInt(5, id);
```

```
            int rowsUpdated = pstmt.executeUpdate();
```

```
            return rowsUpdated > 0;
```

```
        } catch (SQLException e) {
```

```
            e.printStackTrace();
```

```
            return false;
```

```
        }
```

```
    }
```

```
    public void createComment(int id,int postId, int userId,String content, String commentdate)
throws SQLException {
```

```
String sql = "INSERT INTO COMMENTS (ID,POST_ID, USER_ID,CONTENT,  
COMMENT_DATE) VALUES (?,?, ?, ?,?)";
```

```
try (Connection conn = getConnection();  
     PreparedStatement stmt = conn.prepareStatement(sql)) {  
    stmt.setInt(1, id);  
  
    stmt.setInt(2, postId);  
  
    stmt.setInt(3, userId);  
  
    stmt.setString(4, content);  
  
    stmt.setString(5, commentdate);  
  
    stmt.executeUpdate();  
}  
}
```

```
public void updateComment(int commentId, String newCommentText) throws  
SQLException {
```

```
String sql = "UPDATE COMMENTS SET COMMENT_DATE = ? WHERE ID = ?";
```

```
try (Connection conn = getConnection();  
     PreparedStatement stmt = conn.prepareStatement(sql)) {  
  
    stmt.setString(1, newCommentText);  
  
    stmt.setInt(2, commentId);  
  
    stmt.executeUpdate();  
}
```

```
}  
}
```

```
public void deleteComment(int commentId) throws SQLException {
```

```
    String sql = "DELETE FROM COMMENTS WHERE ID = ?";
```

```
        try (Connection conn = getConnection();
```

```
            PreparedStatement stmt = conn.prepareStatement(sql)) {
```

```
            stmt.setInt(1, commentId);
```

```
            stmt.executeUpdate();
```

```
        }
```

```
    }
```

```
public boolean deletePost(int postId) {
```

```
    String sql = "DELETE FROM POSTS WHERE id = ?";
```

```
    try (Connection conn = getConnection(); PreparedStatement pstmt =  
conn.prepareStatement(sql)) {
```

```
        pstmt.setInt(1, postId);
```

```
        int affectedRows = pstmt.executeUpdate();
```

```
        return affectedRows > 0;
```

```
    } catch (SQLException e) {
```

```
        e.printStackTrace();
```

```
        return false;
```

```
    }
```

```
}
```



```

public boolean updatePost(POSTS post) {

    String sql = "UPDATE POSTS SET user_id = ?, content = ?, post_date = ? WHERE id =
?";

    try (Connection conn = getConnection(); PreparedStatement pstmt =
conn.prepareStatement(sql)) {

        pstmt.setInt(1, post.getUserId());

        pstmt.setString(2, post.getContent());

        pstmt.setTimestamp(3, new java.sql.Timestamp(post.getPostDate().getTime()));

        pstmt.setInt(4, post.getId());

        int affectedRows = pstmt.executeUpdate();

        return affectedRows > 0;

    } catch (SQLException e) {

        e.printStackTrace();

        return false;

    }

}

public boolean addProfile(Profile profile) {

    String sql = "INSERT INTO Profile (user_Id, bio, profile_pic) VALUES (?, ?, ?)";

    try (Connection conn = getConnection(); PreparedStatement pstmt =
conn.prepareStatement(sql)) {

        pstmt.setInt(1, profile.getUser_Id());

        pstmt.setString(2, profile.getBio());

        pstmt.setString(3, profile.getProfile_pic());

        int affectedRows = pstmt.executeUpdate();

```

```
        return affectedRows > 0;
    } catch (SQLException e) {
        e.printStackTrace();
        return false;
    }
}
```

```
public boolean updateProfile(Profile profile) {
    String sql = "UPDATE Profile SET bio = ?, profile_pic = ? WHERE user_Id = ?";
    try (Connection conn = getConnection(); PreparedStatement pstmt =
conn.prepareStatement(sql)) {
        pstmt.setString(1, profile.getBio());
        pstmt.setString(2, profile.getProfile_pic());
        pstmt.setInt(3, profile.getUser_Id());
        int affectedRows = pstmt.executeUpdate();
        return affectedRows > 0;
    } catch (SQLException e) {
        e.printStackTrace();
        return false;
    }
}
```

```
public boolean deleteProfile(int userId) {
    String sql = "DELETE FROM Profile WHERE user_Id = ?";
```

```

        try (Connection conn = getConnection(); PreparedStatement pstmt =
conn.prepareStatement(sql)) {

            pstmt.setInt(1, userId);

            int affectedRows = pstmt.executeUpdate();

            return affectedRows > 0;

        } catch (SQLException e) {

            e.printStackTrace();

            return false;

        }

    }

    public boolean addLike(Likes like) {

        String sql = "INSERT INTO Likes (likeId, userId, postId) VALUES (?, ?, ?)";

        try (Connection conn = getConnection(); PreparedStatement pstmt =
conn.prepareStatement(sql)) {

            pstmt.setInt(1, like.getLikeId());

            pstmt.setInt(2, like.getUserId());

            pstmt.setInt(3, like.getPostId());

            int affectedRows = pstmt.executeUpdate();

            return affectedRows > 0;

        } catch (SQLException e) {

            e.printStackTrace();

            return false;

        }

    }
}

```

```
public boolean updateLike(Likes like) {  
  
    String sql = "UPDATE Likes SET userId = ?, postId = ? WHERE likeId = ?";  
  
    try (Connection conn = getConnection(); PreparedStatement pstmt =  
conn.prepareStatement(sql)) {  
  
        pstmt.setInt(1, like.getUserId());  
  
        pstmt.setInt(2, like.getPostId());  
  
        pstmt.setInt(3, like.getLikeId());  
  
        int affectedRows = pstmt.executeUpdate();  
  
        return affectedRows > 0;  
  
    } catch (SQLException e) {  
  
        e.printStackTrace();  
  
        return false;  
  
    }  
  
}
```

```
public boolean deleteLike(int likeId) {  
  
    String sql = "DELETE FROM Likes WHERE likeId = ?";  
  
    try (Connection conn = getConnection(); PreparedStatement pstmt =  
conn.prepareStatement(sql)) {  
  
        pstmt.setInt(1, likeId);  
  
        int affectedRows = pstmt.executeUpdate();  
  
        return affectedRows > 0;  
  
    } catch (SQLException e) {
```

```
        e.printStackTrace();

        return false;

    }

}

}
```

❖ **PACKAGE com.hr.gui:-**

WELCOMESCREEN CLASS:

```
package com.hr.gui;

import javax.swing.*;
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;
import com.hr.dao.Database;
import java.awt.Color;
import java.awt.Font;

public class WelcomeScreen {

    private JFrame frame;

    private Database database;

    public WelcomeScreen(Database database) {

        this.database = database;

        initialize();
    }
}
```

```
}
```

```
private void initialize() {
```

```
    frame = new JFrame("Welcome");
```

```
    frame.getContentPane().setBackground(new Color(255, 255, 255));
```

```
    frame.setBounds(100, 100, 450, 300);
```

```
    frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
```

```
    frame.getContentPane().setLayout(null);
```

```
    JButton btnSignUp = new JButton("Sign Up");
```

```
    btnSignUp.setFont(new Font("Times New Roman", Font.BOLD, 18));
```

```
    btnSignUp.setForeground(new Color(128, 0, 255));
```

```
    btnSignUp.setBackground(new Color(255, 255, 255));
```

```
    btnSignUp.addActionListener(new ActionListener() {
```

```
        public void actionPerformed(ActionEvent e) {
```

```
            SignUpScreen signUpScreen = new SignUpScreen(database);
```

```
            signUpScreen.setVisible(true);
```

```
            frame.dispose();
```

```
        }
```

```
    });
```

```
    btnSignUp.setBounds(54, 35, 150, 30);
```

```
    frame.getContentPane().add(btnSignUp);
```

```
JButton btnSignIn = new JButton("Sign In");

btnSignIn.setForeground(new Color(0, 0, 255));

btnSignIn.setFont(new Font("Times New Roman", Font.BOLD, 18));

btnSignIn.setBackground(new Color(255, 255, 255));

btnSignIn.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        SignInScreen signInScreen = new SignInScreen(database);

        signInScreen.setVisible(true);

        frame.dispose();

    }

});

btnSignIn.setBounds(218, 35, 150, 30);

frame.getContentPane().add(btnSignIn);
```

```
JButton btnHomeScreen = new JButton("More Options");

btnHomeScreen.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 20));

btnHomeScreen.setForeground(new Color(255, 128, 0));

btnHomeScreen.setBackground(new Color(255, 255, 255));

btnHomeScreen.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        HomeScreen homeScreen = new HomeScreen(database);

        homeScreen.setVisible(true);

        frame.dispose();

    }

});
```

```
        }

    });

    btnHomeScreen.setBounds(133, 88, 169, 30);

    frame.getContentPane().add(btnHomeScreen);


    JLabel lblNewLabel = new JLabel("");

    lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 12.01.43 PM.jpeg"));

    lblNewLabel.setBounds(-137, 0, 571, 261);

    frame.getContentPane().add(lblNewLabel);

}

public void setVisible(boolean visible) {

    frame.setVisible(visible);

}

}
```

HOMESCREEN CLASS:-

```
package com.hr.gui;

import javax.swing.*;

import java.awt.event.ActionEvent;

import java.awt.event.ActionListener;

import com.hr.dao.Database;

import java.awt.Color;

import java.awt.Font;
```



```
public class HomeScreen {

    private JFrame frame;

    private Database database;

    public HomeScreen(Database database) {

        this.database = database;

        initialize();

    }

    private void initialize() {

        frame = new JFrame("Home Screen");

        frame.getContentPane().setBackground(new Color(255, 255, 255));

        frame.setBounds(100, 100, 528, 338);

        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

        frame.getContentPane().setLayout(null);

        JButton btnAddUser = new JButton("Add User");

        btnAddUser.setForeground(new Color(0, 0, 0));

        btnAddUser.setFont(new Font("Times New Roman", Font.BOLD, 15));

        btnAddUser.setBackground(new Color(255, 255, 255));

        btnAddUser.addActionListener(new ActionListener() {
```

```
public void actionPerformed(ActionEvent e) {  
    SignUpScreen signUpScreen = new SignUpScreen(database);  
    signUpScreen.setVisible(true);  
    frame.dispose();  
}  
});  
btnAddUser.setBounds(10, 11, 120, 30);  
frame.getContentPane().add(btnAddUser);  
  
JButton btnDeleteUser = new JButton("Delete User");  
btnDeleteUser.setForeground(new Color(0, 0, 0));  
btnDeleteUser.setFont(new Font("Times New Roman", Font.BOLD, 15));  
btnDeleteUser.setBackground(new Color(255, 255, 255));  
btnDeleteUser.addActionListener(new ActionListener() {  
    public void actionPerformed(ActionEvent e) {  
        // Implement delete user functionality  
        DeleteUserScreen deleteuserscreen=new DeleteUserScreen(database);  
        deleteuserscreen.setVisible(true);  
        frame.dispose();  
    }  
});  
btnDeleteUser.setBounds(10, 52, 120, 30);  
frame.getContentPane().add(btnDeleteUser);
```

```
JButton btnUpdateUser = new JButton("Update User");

btnUpdateUser.setForeground(new Color(0, 0, 0));

btnUpdateUser.setBackground(new Color(255, 255, 255));

btnUpdateUser.setFont(new Font("Times New Roman", Font.BOLD, 15));

btnUpdateUser.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        // Implement update user functionality

        UpdateUserScreen updateuserscreen=new UpdateUserScreen(database);

        updateuserscreen.setVisible(true);

        frame.dispose();

    }

});

btnUpdateUser.setBounds(10, 93, 120, 30);

frame.getContentPane().add(btnUpdateUser);


JButton btnCreatePost = new JButton("Add Post");

btnCreatePost.setBackground(new Color(255, 255, 255));

btnCreatePost.setFont(new Font("Times New Roman", Font.BOLD, 15));

btnCreatePost.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        PostScreen postScreen = new PostScreen(database);

        postScreen.setVisible(true);

    }

});

btnCreatePost.setBounds(10, 143, 120, 30);

frame.getContentPane().add(btnCreatePost);
```

```
        frame.dispose();
    }
});

btnCreatePost.setBounds(173, 134, 126, 30);

frame.getContentPane().add(btnCreatePost);


JButton btnManageFriends = new JButton("Manage Friends");

btnManageFriends.setForeground(new Color(0, 0, 0));

btnManageFriends.setFont(new Font("Times New Roman", Font.BOLD, 15));

btnManageFriends.setBackground(new Color(255, 255, 255));

btnManageFriends.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        FriendManagementScreen friendManagementScreen = new
FriendManagementScreen(database);

        friendManagementScreen.setVisible(true);

        frame.dispose();

    }

});

btnManageFriends.setBounds(10, 134, 120, 30);

frame.getContentPane().add(btnManageFriends);


JButton btnAddFriend = new JButton("Add Friend");

btnAddFriend.setForeground(new Color(0, 0, 0));

btnAddFriend.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
btnAddFriend.setBackground(new Color(255, 255, 255));

btnAddFriend.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        AddFriendScreen addFriendScreen = new AddFriendScreen(database);

        addFriendScreen.setVisible(true);

        frame.dispose();

    }

});

btnAddFriend.setBounds(10, 175, 120, 30);

frame.getContentPane().add(btnAddFriend);


JButton btnNewButton = new JButton("AddComment");

btnNewButton.setBackground(new Color(255, 255, 255));

btnNewButton.setFont(new Font("Times New Roman", Font.BOLD, 15));

btnNewButton.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        CreateCommentFrame createComment= new CreateCommentFrame(database);

        createComment.setVisible(true);

        frame.dispose();

    }

});

btnNewButton.setBounds(173, 11, 126, 30);

frame.getContentPane().add(btnNewButton);
```

```
JButton btnNewButton_1 = new JButton("UpdateComment");

btnNewButton_1.setBackground(new Color(255, 255, 255));

btnNewButton_1.setFont(new Font("Times New Roman", Font.BOLD, 15));

btnNewButton_1.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        UpdateCommentFrame updateComment= new UpdateCommentFrame(database);

        updateComment.setVisible(true);

        frame.dispose();

    }

});

btnNewButton_1.setBounds(173, 50, 126, 34);

frame.getContentPane().add(btnNewButton_1);


JButton btnNewButton_2 = new JButton("DeleteComment");

btnNewButton_2.setBackground(new Color(255, 255, 255));

btnNewButton_2.setFont(new Font("Times New Roman", Font.BOLD, 15));

btnNewButton_2.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        DeleteCommentFrame deleteComment= new DeleteCommentFrame(database);

        deleteComment.setVisible(true);

        frame.dispose();

    }

});
```

```
});  
  
btnNewButton_2.setBounds(173, 93, 126, 30);  
  
frame.getContentPane().add(btnNewButton_2);  
  
  
JButton btnNewButton_3 = new JButton("Delete Friend");  
  
btnNewButton_3.setForeground(new Color(0, 0, 0));  
  
btnNewButton_3.setFont(new Font("Times New Roman", Font.BOLD, 15));  
  
btnNewButton_3.setBackground(new Color(255, 255, 255));  
  
btnNewButton_3.addActionListener(new ActionListener() {  
    public void actionPerformed(ActionEvent e) {  
        DeleteFriendFrame deletefriend= new DeleteFriendFrame(database);  
        deletefriend.setVisible(true);  
        frame.dispose();  
    }  
});  
  
btnNewButton_3.setBounds(10, 216, 120, 34);  
  
frame.getContentPane().add(btnNewButton_3);  
  
  
JButton btnNewButton_4 = new JButton("Update friend");  
  
btnNewButton_4.setFont(new Font("Times New Roman", Font.BOLD, 15));  
  
btnNewButton_4.setBackground(new Color(255, 255, 255));  
  
btnNewButton_4.addActionListener(new ActionListener() {  
    public void actionPerformed(ActionEvent e) {
```

```
UpdateFriendFrame updatefriend= new UpdateFriendFrame(database);

updatefriend.setVisible(true);

frame.dispose();

}

});

btnNewButton_4.setBounds(10, 261, 120, 30);

frame.getContentPane().add(btnNewButton_4);


JButton btnNewButton_5 = new JButton("Delete Post");

btnNewButton_5.setBackground(new Color(255, 255, 255));

btnNewButton_5.setFont(new Font("Times New Roman", Font.BOLD, 15));

btnNewButton_5.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        DeletePostFrame updatefriend= new DeletePostFrame(database);

        updatefriend.setVisible(true);

        frame.dispose();

    }

});

btnNewButton_5.setBounds(173, 175, 126, 34);

frame.getContentPane().add(btnNewButton_5);


JButton btnNewButton_6 = new JButton("Update Post");

btnNewButton_6.setBackground(new Color(255, 255, 255));
```



```
btnNewButton_6.setFont(new Font("Times New Roman", Font.BOLD, 15));

btnNewButton_6.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        UpdatePostFrame updatefriend= new UpdatePostFrame(database);

        updatefriend.setVisible(true);

        frame.dispose();

    }

});

btnNewButton_6.setBounds(173, 218, 126, 30);

frame.getContentPane().add(btnNewButton_6);


JButton btnNewButton_7 = new JButton("Add Like");

btnNewButton_7.setBackground(new Color(255, 255, 255));

btnNewButton_7.setFont(new Font("Times New Roman", Font.BOLD, 15));

btnNewButton_7.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        AddLikeFrame addlike= new AddLikeFrame(database);

        addlike.setVisible(true);

        frame.dispose();

    }

});

btnNewButton_7.setBounds(344, 93, 126, 30);

frame.getContentPane().add(btnNewButton_7);
```

```
JButton btnNewButton_8 = new JButton("Delete Like");

btnNewButton_8.setBackground(new Color(255, 255, 255));

btnNewButton_8.setFont(new Font("Times New Roman", Font.BOLD, 15));

btnNewButton_8.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        DeleteLikeFrame deletelike= new DeleteLikeFrame(database);

        deletelike.setVisible(true);

        frame.dispose();

    }

});

btnNewButton_8.setBounds(344, 134, 126, 30);

frame.getContentPane().add(btnNewButton_8);
```

```
JButton btnNewButton_9 = new JButton("Update Like");

btnNewButton_9.setBackground(new Color(255, 255, 255));

btnNewButton_9.setFont(new Font("Times New Roman", Font.BOLD, 15));

btnNewButton_9.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        UpdateLikeFrame updatelike= new UpdateLikeFrame(database);

        updatelike.setVisible(true);

        frame.dispose();

    }

});
```

```
});  
  
btnNewButton_9.setBounds(344, 175, 126, 30);  
  
frame.getContentPane().add(btnNewButton_9);  
  
  
JButton btnNewButton_10 = new JButton("Add Profile");  
  
btnNewButton_10.setBackground(new Color(255, 255, 255));  
  
btnNewButton_10.setFont(new Font("Times New Roman", Font.BOLD, 15));  
  
btnNewButton_10.addActionListener(new ActionListener() {  
  
    public void actionPerformed(ActionEvent e) {  
  
        AddProfileFrame addprofile= new AddProfileFrame(database);  
  
        addprofile.setVisible(true);  
  
        frame.dispose();  
  
    }  
  
});  
  
btnNewButton_10.setBounds(173, 259, 126, 32);  
  
frame.getContentPane().add(btnNewButton_10);  
  
  
JButton btnNewButton_11 = new JButton("Update Profile");  
  
btnNewButton_11.setBackground(new Color(255, 255, 255));  
  
btnNewButton_11.setFont(new Font("Times New Roman", Font.BOLD, 15));  
  
btnNewButton_11.addActionListener(new ActionListener() {  
  
    public void actionPerformed(ActionEvent e) {  
  
        UpdateProfileFrame updateprofile= new UpdateProfileFrame(database);
```

```
        updateprofile.setVisible(true);

        frame.dispose();
    }

});

btnNewButton_11.setBounds(344, 11, 126, 30);

frame.getContentPane().add(btnNewButton_11);


JButton btnNewButton_12 = new JButton("Delete Profile");

btnNewButton_12.setBackground(new Color(255, 255, 255));

btnNewButton_12.setFont(new Font("Times New Roman", Font.BOLD, 15));

btnNewButton_12.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        DeleteProfileFrame deleteprofile= new DeleteProfileFrame(database);

        deleteprofile.setVisible(true);

        frame.dispose();

    }

});

btnNewButton_12.setBounds(344, 52, 126, 30);

frame.getContentPane().add(btnNewButton_12);


JLabel lblNewLabel = new JLabel("");

lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 2.51.44 PM.jpeg"));

lblNewLabel.setBounds(0, -30, 566, 445);
```

```
        frame.getContentPane().add(lblNewLabel);  
    }  
  
    public void setVisible(boolean visible) {  
        frame.setVisible(visible);  
    }  
}
```

SIGNINSCREEN CLASS:-

```
package com.hr.gui;  
  
import javax.swing.*;  
import java.awt.event.ActionEvent;  
import java.awt.event.ActionListener;  
import com.hr.bean.USERS;  
import com.hr.dao.Database;  
import java.awt.Color;  
import java.awt.Font;  
  
public class SignInScreen {  
  
    private JFrame frame;  
    private JTextField emailField;  
    private JPasswordField passwordField;
```

```
private Database database;
```

```
public SignInScreen(Database database) {
```

```
    this.database = database;
```

```
    initialize();
```

```
}
```

```
private void initialize() {
```

```
    frame = new JFrame("Sign In");
```

```
    frame.setBounds(100, 100, 450, 300);
```

```
    frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
```

```
    frame.getContentPane().setLayout(null);
```

```
    JLabel lblEmail = new JLabel("Email:");
```

```
    lblEmail.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));
```

```
    lblEmail.setForeground(new Color(255, 0, 0));
```

```
    lblEmail.setBounds(56, 47, 100, 20);
```

```
    frame.getContentPane().add(lblEmail);
```

```
    emailField = new JTextField();
```

```
    emailField.setBounds(166, 49, 180, 20);
```

```
    frame.getContentPane().add(emailField);
```

```
    emailField.setColumns(10);
```

```
JLabel lblPassword = new JLabel("Password:");

lblPassword.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));

lblPassword.setForeground(new Color(255, 0, 0));

lblPassword.setBounds(56, 93, 100, 20);

frame.getContentPane().add(lblPassword);


passwordField = new JPasswordField();

passwordField.setBounds(166, 95, 180, 20);

frame.getContentPane().add(passwordField);


JButton btnSubmit = new JButton("Submit");

btnSubmit.setBackground(new Color(192, 192, 192));

btnSubmit.setFont(new Font("Times New Roman", Font.BOLD, 16));

btnSubmit.setForeground(new Color(0, 0, 255));

btnSubmit.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        String email = emailField.getText();

        String password = new String(passwordField.getPassword());


        USERS user = database.findUserByEmailAndPassword(email, password);

        if (user != null) {

            JOptionPane.showMessageDialog(frame, "Welcome " + user.getFirst_Name() +
"!");
```

```

        // Proceed to the next screen

    } else {

        JOptionPane.showMessageDialog(frame, "Invalid email or password", "Error",
JOptionPane.ERROR_MESSAGE);

    }

}

});

btnSubmit.setBounds(131, 162, 150, 30);

frame.getContentPane().add(btnSubmit);


JLabel lblNewLabel = new JLabel("");

lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image
2024-06-19 at 12.05.54 PM.jpeg"));

lblNewLabel.setBounds(-11, 0, 445, 419);

frame.getContentPane().add(lblNewLabel);

}

public void setVisible(boolean visible) {

    frame.setVisible(visible);

}

}

```

SIGNUPSCREEN CLASS:-

```

package com.hr.gui;

```



```
import javax.swing.*;

import java.awt.event.ActionEvent;

import java.awt.event.ActionListener;

import com.hr.bean.USERS;

import com.hr.dao.Database;

import java.awt.Color;

import java.awt.Font;


public class SignUpScreen {


    private JFrame frame;

    private JTextField firstNameField;

    private JTextField lastNameField;

    private JTextField idField;

    private JTextField emailField;

    private JPasswordField passwordField;

    private JPasswordField confirmPasswordField;

    private Database database;


    public SignUpScreen(Database database) {

        this.database = database;

        initialize();

    }

}
```

```
private void initialize() {  
  
    frame = new JFrame("Sign Up");  
  
    frame.setBounds(100, 100, 450, 400);  
  
    frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);  
  
    frame.getContentPane().setLayout(null);  
  
  
    JLabel lblFirstName = new JLabel("First Name:");  
  
    lblFirstName.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));  
  
    lblFirstName.setForeground(new Color(255, 0, 0));  
  
    lblFirstName.setBounds(48, 48, 100, 20);  
  
    frame.getContentPane().add(lblFirstName);  
  
  
  
    firstNameField = new JTextField();  
  
    firstNameField.setBounds(180, 50, 180, 20);  
  
    frame.getContentPane().add(firstNameField);  
  
    firstNameField.setColumns(10);  
  
  
  
    JLabel lblLastName = new JLabel("Last Name:");  
  
    lblLastName.setForeground(new Color(255, 0, 0));  
  
    lblLastName.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));  
  
    lblLastName.setBounds(48, 88, 100, 20);  
  
    frame.getContentPane().add(lblLastName);  
  
}
```

```
lastNameField = new JTextField();  
lastNameField.setBounds(180, 90, 180, 20);  
frame.getContentPane().add(lastNameField);  
lastNameField.setColumns(10);
```

```
JLabel lblId = new JLabel("ID:");  
lblId.setForeground(new Color(255, 0, 0));  
lblId.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));  
lblId.setBounds(48, 128, 100, 20);  
frame.getContentPane().add(lblId);
```

```
idField = new JTextField();  
idField.setBounds(180, 130, 180, 20);  
frame.getContentPane().add(idField);  
idField.setColumns(10);
```

```
JLabel lblEmail = new JLabel("Email:");  
lblEmail.setForeground(new Color(255, 0, 0));  
lblEmail.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));  
lblEmail.setBounds(48, 168, 100, 20);  
frame.getContentPane().add(lblEmail);
```

```
emailField = new JTextField();  
  
emailField.setBounds(180, 170, 180, 20);  
  
frame.getContentPane().add(emailField);  
  
emailField.setColumns(10);
```

```
JLabel lblPassword = new JLabel("Password:");  
  
lblPassword.setForeground(new Color(255, 0, 0));  
  
lblPassword.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));  
  
lblPassword.setBounds(48, 210, 100, 20);  
  
frame.getContentPane().add(lblPassword);
```

```
passwordField = new JPasswordField();  
  
passwordField.setBounds(180, 210, 180, 20);  
  
frame.getContentPane().add(passwordField);
```

```
JLabel lblConfirmPassword = new JLabel("Confirm Password:");  
  
lblConfirmPassword.setForeground(new Color(255, 0, 0));  
  
lblConfirmPassword.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC,  
19));  
  
lblConfirmPassword.setBounds(48, 241, 122, 29);  
  
frame.getContentPane().add(lblConfirmPassword);
```

```
confirmPasswordField = new JPasswordField();  
  
confirmPasswordField.setBounds(180, 250, 180, 20);
```

```
frame.getContentPane().add(confirmPasswordField);

JButton btnSubmit = new JButton("Submit");

btnSubmit.setBackground(new Color(255, 255, 255));

btnSubmit.setForeground(new Color(64, 128, 128));

btnSubmit.setFont(new Font("Times New Roman", Font.BOLD, 20));

btnSubmit.addActionListener(new ActionListener() {

    @SuppressWarnings("deprecation")

    public void actionPerformed(ActionEvent e) {

        if (!passwordField.getText().equals(confirmPasswordField.getText())) {

            JOptionPane.showMessageDialog(frame, "Passwords do not match!", "Error",
JOptionPane.ERROR_MESSAGE);

            return;

        }

        USERS user = new USERS();

        user.setFirstName(firstNameField.getText());

        user.setLastName(lastNameField.getText());

        user.setId(Integer.parseInt(idField.getText()));

        user.setEmail(emailField.getText());

        user.setPassword(new String(passwordField.getPassword()));

        if (database.createUser(user)) {

            JOptionPane.showMessageDialog(frame, "User created successfully!");
```

```

        WelcomeScreen welcomeScreen = new WelcomeScreen(database);

        welcomeScreen.setVisible(true);

        frame.dispose();

    } else {

        JOptionPane.showMessageDialog(frame, "Failed to create user", "Error",
JOptionPane.ERROR_MESSAGE);

    }

}

});

btnSubmit.setBounds(135, 292, 150, 30);

frame.getContentPane().add(btnSubmit);


JLabel lblNewLabel = new JLabel("");

lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image
2024-06-19 at 12.12.01 PM.jpeg"));

lblNewLabel.setBounds(-128, -116, 597, 491);

frame.getContentPane().add(lblNewLabel);

}

public void setVisible(boolean visible) {

    frame.setVisible(visible);

}

}

```

ADDUSERSCREEN CLASS:-

UPDATEUSERSCREEN CLASS:-

```
package com.hr.gui;

import javax.swing.*;

import com.hr.dao.Database;

import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;
import java.awt.Color;
import java.awt.Font;

public class UpdateUserScreen extends JFrame {

    private JTextField idField;

    private JTextField firstnameField;

    private JTextField lastnameField;

    private JTextField emailField;

    private JTextField passwordField;

    private static Database database;

    public UpdateUserScreen(Database database) {
```

```
        getContentPane().setBackground(new Color(0, 255, 255));

        this.database = database;

        setTitle("Update User");

        setSize(355, 317);

        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

        getContentPane().setLayout(null);

        JLabel lblId = new JLabel("ID:");

        lblId.setFont(new Font("Times New Roman", Font.BOLD, 15));

        lblId.setBounds(10, 10, 80, 25);

        getContentPane().add(lblId);

        idField = new JTextField();

        idField.setBounds(135, 17, 165, 25);

        getContentPane().add(idField);

        JLabel lblFirstname = new JLabel("Firstname:");

        lblFirstname.setFont(new Font("Times New Roman", Font.BOLD, 15));

        lblFirstname.setBounds(10, 52, 80, 25);

        getContentPane().add(lblFirstname);

        firstnameField = new JTextField();
```



```
firstnameField.setBounds(135, 53, 165, 25);
```

```
getContentPane().add(firstnameField);
```

```
JLabel lblLastname = new JLabel("Lastname:");
```

```
lblLastname.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblLastname.setBounds(10, 89, 80, 25);
```

```
getContentPane().add(lblLastname);
```

```
lastnameField = new JTextField();
```

```
lastnameField.setBounds(135, 89, 165, 25);
```

```
getContentPane().add(lastnameField);
```

```
JLabel lblEmail = new JLabel("Email:");
```

```
lblEmail.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblEmail.setBounds(10, 125, 80, 25);
```

```
getContentPane().add(lblEmail);
```

```
emailField = new JTextField();
```

```
emailField.setBounds(135, 125, 165, 25);
```

```
getContentPane().add(emailField);
```

```
JLabel lblPassword = new JLabel("Password:");
```

```
lblPassword.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblPassword.setBounds(10, 161, 80, 25);

getContentPane().add(lblPassword);


passwordField = new JPasswordField();

passwordField.setBounds(135, 161, 165, 25);

getContentPane().add(passwordField);


JButton btnUpdate = new JButton("Update");

btnUpdate.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));

btnUpdate.setBounds(54, 221, 89, 25);

getContentPane().add(btnUpdate);

btnUpdate.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        Database.updateUser(

            Integer.parseInt(idField.getText()),

            firstnameField.getText(),

            lastnameField.getText(),

            emailField.getText(),

            passwordField.getText()

        );

        JOptionPane.showMessageDialog(null, "User updated

successfully!");

    }

});
```

```
        JButton btnCancel = new JButton("Cancel");

        btnCancel.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));

        btnCancel.setBounds(173, 221, 92, 25);

        getContentPane().add(btnCancel);

        JLabel lblNewLabel = new JLabel("");

        lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 12.35.57 PM.jpeg"));

        lblNewLabel.setBounds(-38, -80, 459, 400);

        getContentPane().add(lblNewLabel);

        btnCancel.addActionListener(new ActionListener() {

            public void actionPerformed(ActionEvent e) {

                dispose();

            }

        });

    }

    public static void main(String[] args) {

        Database database = new Database();

        UpdateUserScreen frame = new UpdateUserScreen(database);

        frame.setVisible(true);

    }

}
```

DELETEUSERSCREEN CLASS:-

```
package com.hr.gui;

import javax.swing.*;

import com.hr.dao.Database;

import java.awt.event.ActionEvent;

import java.awt.event.ActionListener;

import java.awt.Font;

@SuppressWarnings("serial")

public class DeleteUserScreen extends JFrame {

    private JTextField idField;

    private static Database database;

    public DeleteUserScreen(Database database) {

        this.database = database;

        setTitle("Delete User");

        setSize(367, 184);

        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

        getContentPane().setLayout(null);

        JLabel lblId = new JLabel("ID:");

        lblId.setFont(new Font("Times New Roman", Font.BOLD, 15));

        lblId.setBounds(34, 37, 80, 25);

        getContentPane().add(lblId);
```

```
idField = new JTextField();

idField.setBounds(137, 37, 165, 25);

getContentPane().add(idField);


JButton btnDelete = new JButton("Delete");

btnDelete.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 15));

btnDelete.setBounds(49, 95, 80, 25);

getContentPane().add(btnDelete);

btnDelete.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        Database.deleteUser(Integer.parseInt(idField.getText()));

        JOptionPane.showMessageDialog(null, "User deleted
successfully!");

    }

});


JButton btnCancel = new JButton("Cancel");

btnCancel.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 15));

btnCancel.setBounds(202, 95, 80, 25);

getContentPane().add(btnCancel);


JLabel lblNewLabel = new JLabel("");
```

```
lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 12.30.06 PM.jpeg"));
```

```
lblNewLabel.setBounds(-116, -17, 505, 200);
```

```
getContentPane().add(lblNewLabel);
```

```
btnCancel.addActionListener(new ActionListener() {
```

```
    public void actionPerformed(ActionEvent e) {
```

```
        dispose();
```

```
    }
```

```
});
```

```
}
```

```
public static void main(String[] args) {
```

```
    Database database = new Database();
```

```
    DeleteUserScreen frame = new DeleteUserScreen(database);
```

```
    frame.setVisible(true);
```

```
}
```

```
}
```

ADDFRIENDSCREEN CLASS:-

```
package com.hr.gui;
```

```
import javax.swing.*;
```

```
import java.awt.event.ActionEvent;
```

```
import java.awt.event.ActionListener;
```

```
import com.hr.bean.FRIENDS;
```

```
import com.hr.dao.Database;
```

```
import java.awt.Font;

import java.awt.Color;


public class AddFriendScreen {

    private JFrame frame;

    private JTextField userIdField;

    private JTextField friendUserIdField;

    private JTextField statusField;

    private JTextField textField;

    private Database database;


    public AddFriendScreen(Database database) {

        this.database = database;

        initialize();

    }


    private void initialize() {

        frame = new JFrame("Add Friend");

        frame.setBounds(100, 100, 450, 300);

        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

        frame.getContentPane().setLayout(null);

        JLabel lblNewLabel = new JLabel("Friend ID:");
```

```
lblNewLabel.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblNewLabel.setBounds(10, 55, 80, 22);
```

```
frame.getContentPane().add(lblNewLabel);
```

```
textField = new JTextField();
```

```
textField.setBounds(172, 57, 180, 20);
```

```
frame.getContentPane().add(textField);
```

```
textField.setColumns(10);
```

```
JLabel lblUserId = new JLabel("User ID:");
```

```
lblUserId.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblUserId.setBounds(10, 92, 100, 20);
```

```
frame.getContentPane().add(lblUserId);
```

```
userIdField = new JTextField();
```

```
userIdField.setBounds(172, 93, 180, 20);
```

```
frame.getContentPane().add(userIdField);
```

```
userIdField.setColumns(10);
```

```
JLabel lblFriendUserId = new JLabel("Friend User ID:");
```

```
lblFriendUserId.setFont(new Font("Times New Roman", Font.BOLD, 15));
```



```
lblFriendUserId.setBounds(10, 124, 122, 20);  
frame.getContentPane().add(lblFriendUserId);
```

```
friendUserIdField = new JTextField();  
friendUserIdField.setBounds(172, 124, 180, 20);  
frame.getContentPane().add(friendUserIdField);  
friendUserIdField.setColumns(10);
```

```
JLabel lblStatus = new JLabel("Status:");  
lblStatus.setFont(new Font("Times New Roman", Font.BOLD, 15));  
lblStatus.setBounds(10, 154, 100, 20);  
frame.getContentPane().add(lblStatus);
```

```
statusField = new JTextField();  
statusField.setBounds(172, 155, 180, 20);  
frame.getContentPane().add(statusField);  
statusField.setColumns(10);
```

```
JButton btnOk = new JButton("OK");  
btnOk.setFont(new Font("Times New Roman", Font.BOLD, 18));  
btnOk.setForeground(new Color(0, 128, 0));  
btnOk.addActionListener(new ActionListener() {  
    public void actionPerformed(ActionEvent e) {
```

```
int userId = Integer.parseInt(userIdField.getText());

int friendUserId = Integer.parseInt(friendUserIdField.getText());

String status = statusField.getText();


FRIENDS friend = new FRIENDS();

friend.setUserId(userId);

friend.setFriendUserId(friendUserId);

friend.setStatus(status);


if (database.addFriend(friend)) {

    JOptionPane.showMessageDialog(frame, "Friend added successfully!");

    frame.dispose();

} else {

    JOptionPane.showMessageDialog(frame, "Failed to add friend", "Error",
JOptionPane.ERROR_MESSAGE);

}

}

});

btnOk.setBounds(143, 201, 122, 30);

frame.getContentPane().add(btnOk);


JLabel lblNewLabel_1 = new JLabel("");

lblNewLabel_1.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image
2024-06-19 at 12.23.02 PM.jpeg"));
```

```
        lblNewLabel_1.setBounds(-161, 0, 595, 409);

        frame.getContentPane().add(lblNewLabel_1);

    }

    public void setVisible(boolean visible) {

        frame.setVisible(visible);

    }

}
```

UPDATEFRIENDSCREEN CLASS:-

```
package com.hr.gui;

import javax.swing.*;

import java.awt.event.ActionEvent;

import java.awt.event.ActionListener;

import com.hr.dao.Database;

import com.hr.bean.FRIENDS;

import java.awt.Font;

public class UpdateFriendFrame extends JFrame {

    private JTextField friendIdField;

    private JTextField userIdField;

    private JTextField friendUserIdField;
```

```
private JTextField statusField;
```

```
private static Database database;
```

```
public UpdateFriendFrame(Database database) {
```

```
    this.database = database;
```

```
    initialize();
```

```
}
```

```
private void initialize() {
```

```
    setTitle("Update Friend");
```

```
    setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
```

```
    setBounds(100, 100, 430, 318);
```

```
    getContentPane().setLayout(null);
```

```
    JLabel lblFriendId = new JLabel("Friend ID:");
```

```
    lblFriendId.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
    lblFriendId.setBounds(28, 54, 80, 25);
```

```
    getContentPane().add(lblFriendId);
```

```
    friendIdField = new JTextField();
```

```
    friendIdField.setBounds(200, 54, 150, 25);
```

```
    getContentPane().add(friendIdField);
```

```
friendIdField.setColumns(10);
```

```
JLabel lblUserId = new JLabel("User ID:");
```

```
lblUserId.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblUserId.setBounds(28, 90, 80, 25);
```

```
getContentPane().add(lblUserId);
```

```
userIdField = new JTextField();
```

```
userIdField.setBounds(200, 90, 150, 25);
```

```
getContentPane().add(userIdField);
```

```
userIdField.setColumns(10);
```

```
JLabel lblFriendUserId = new JLabel("Friend User ID:");
```

```
lblFriendUserId.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblFriendUserId.setBounds(29, 126, 105, 25);
```

```
getContentPane().add(lblFriendUserId);
```

```
friendUserIdField = new JTextField();
```

```
friendUserIdField.setBounds(200, 126, 150, 25);
```

```
getContentPane().add(friendUserIdField);
```

```
friendUserIdField.setColumns(10);
```

```
JLabel lblStatus = new JLabel("Status:");
```

```
lblStatus.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblStatus.setBounds(54, 167, 80, 25);
```

```
getContentPane().add(lblStatus);
```

```
statusField = new JTextField();
```

```
statusField.setBounds(200, 167, 150, 25);
```

```
getContentPane().add(statusField);
```

```
statusField.setColumns(10);
```

```
JButton updateButton = new JButton("Update Friend");
```

```
updateButton.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));
```

```
updateButton.setBounds(100, 221, 150, 25);
```

```
getContentPane().add(updateButton);
```

```
JLabel lblNewLabel = new JLabel("");
```

```
lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 2.55.54 PM.jpeg"));
```

```
lblNewLabel.setBounds(-20, -12, 537, 366);
```

```
getContentPane().add(lblNewLabel);
```

```
updateButton.addActionListener(new ActionListener() {
```

```
    public void actionPerformed(ActionEvent e) {
```

```
        updateFriend();
```

```
    }
```

```
});
```

```
}
```

```
private void updateFriend() {
```

```
    int friendId = Integer.parseInt(friendIdField.getText());
```

```
    int userId = Integer.parseInt(userIdField.getText());
```

```
    int friendUserId = Integer.parseInt(friendUserIdField.getText());
```

```
    String status = statusField.getText();
```

```
    FRIENDS friend = new FRIENDS();
```

```
    friend.setFriendId(friendId);
```

```
    friend.setUserId(userId);
```

```
    friend.setFriendUserId(friendUserId);
```

```
    friend.setStatus(status);
```

```
    Database database = new Database();
```

```
    boolean success = database.updateFriend(friend);
```

```
    if (success) {
```

```
        JOptionPane.showMessageDialog(this, "Friend updated successfully!");
```

```
    } else {
```

```
        JOptionPane.showMessageDialog(this, "Error updating friend.");
```

```
    }
```

```
}
```

```

public static void main(String[] args) {

    SwingUtilities.invokeLater(new Runnable() {

        public void run() {

            try {

                UpdateFriendFrame frame = new UpdateFriendFrame(database);

                frame.setVisible(true);

            } catch (Exception e) {

                e.printStackTrace();

            }

        }

    });

}
}

```

DELETEFRIENDSCREEN CLASS:-

```

package com.hr.gui;

import javax.swing.*;

import java.awt.event.ActionEvent;

import java.awt.event.ActionListener;

import com.hr.dao.Database;

import java.awt.Font;

@SuppressWarnings("serial")

public class DeleteFriendFrame extends JFrame {

```



```
private JTextField friendIdField;

private static Database database;

@SuppressWarnings("static-access")
    public DeleteFriendFrame(Database database) {

        this.database = database;

        initialize();

    }

private void initialize() {

    setTitle("Delete Friend");

    setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

    setBounds(100, 100, 335, 209);

    getContentPane().setLayout(null);

    JLabel lblFriendId = new JLabel("Friend ID:");

    lblFriendId.setFont(new Font("Times New Roman", Font.BOLD, 15));

    lblFriendId.setBounds(22, 39, 80, 25);

    getContentPane().add(lblFriendId);

    friendIdField = new JTextField();

    friendIdField.setBounds(126, 40, 150, 25);
```

```
getContentPane().add(friendIdField);
```

```
friendIdField.setColumns(10);
```

```
JButton deleteButton = new JButton("Delete Friend");
```

```
deleteButton.setFont(new Font("Times New Roman", Font.BOLD, 17));
```

```
deleteButton.setBounds(67, 98, 150, 25);
```

```
getContentPane().add(deleteButton);
```

```
JLabel lblNewLabel = new JLabel("");
```

```
lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 2.10.01 PM.jpeg"));
```

```
lblNewLabel.setBounds(0, 0, 319, 170);
```

```
getContentPane().add(lblNewLabel);
```

```
deleteButton.addActionListener(new ActionListener() {
```

```
    public void actionPerformed(ActionEvent e) {
```

```
        deleteFriend();
```

```
    }
```

```
});
```

```
}
```

```
private void deleteFriend() {
```

```
    int friendId = Integer.parseInt(friendIdField.getText());
```

```
    Database database = new Database();
```

```
    boolean success = database.deleteFriend(friendId);
```

```

        if (success) {

            JOptionPane.showMessageDialog(this, "Friend deleted successfully!");

        } else {

            JOptionPane.showMessageDialog(this, "Error deleting friend.");

        }

    }

}

public static void main(String[] args) {

    SwingUtilities.invokeLater(new Runnable() {

        public void run() {

            try {

                DeleteFriendFrame frame = new DeleteFriendFrame(database);

                frame.setVisible(true);

            } catch (Exception e) {

                e.printStackTrace();

            }

        }

    });

}

}

```

ADDPOSTSCREEN CLASS:-

```

package com.hr.gui;

```

```
import com.hr.bean.POSTS;

import com.hr.dao.Database;


import javax.swing.*;

import java.awt.*;

import java.awt.event.ActionEvent;

import java.awt.event.ActionListener;

import java.sql.SQLException;

import java.util.Date;


@SuppressWarnings("serial")

public class PostScreen extends JFrame {

    private JTextField userIdField;

    private JTextField IdField;

    private JTextArea contentArea;

    private JButton postButton;

    private JFrame frame;

    private static Database database;


    public PostScreen(Database database) {

        this.database = database;

        initialize();

    }
}
```

```
private void initialize() {  
    setTitle("Create Post");  
    setSize(810, 524);  
    setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);  
    setLocationRelativeTo(null);  
    IdField=new JTextField(10);  
  
    getContentPane().setLayout(null);  
    userIdField = new JTextField(15);  
    contentArea = new JTextArea(10, 30);  
    postButton = new JButton("Post");  
  
    JPanel panel = new JPanel();  
    panel.setBounds(0, 0, 492, 744);  
    panel.setLayout(new GridLayout(4, 1));  
    panel.add(new JLabel("User ID:"));  
    panel.add(userIdField);  
    JLabel label = new JLabel("Content:");  
    panel.add(label);  
    panel.add(new JScrollPane(contentArea));  
    panel.add(postButton);  
  
    getContentPane().add(panel);  
}
```

```
postButton.addActionListener(new ActionListener() {  
    @Override  
    public void actionPerformed(ActionEvent e) {  
        try {  
            createPost();  
        } catch (SQLException e1) {  
            // TODO Auto-generated catch block  
            e1.printStackTrace();  
        }  
    }  
});  
}
```

```
private void createPost() throws SQLException {  
    try {  
        int userId = Integer.parseInt(userIdField.getText().trim());  
        String content = contentArea.getText().trim();  
        Date postDate = new Date();  
  
        POSTS post = new POSTS();  
        post.setId(userId);        post.setUserId(userId);  
        post.setContent(content);  
        post.setPostDate(postDate);  
    }  
}
```

```

Database db = new Database();

if (db.createPost(post)) {

    JOptionPane.showMessageDialog(this, "Post created successfully!");

} else {

    JOptionPane.showMessageDialog(this, "Failed to create post.");

}

} catch (NumberFormatException ex) {

    JOptionPane.showMessageDialog(this, "Invalid User ID.");

}

}

```

```

public static void main(String[] args) {

    SwingUtilities.invokeLater(() -> {

        PostScreen ps = new PostScreen(database);

        ps.setVisible(true);

    });

}

}

```

UPDATEPOSTSCREEN CLASS:-

```

package com.hr.gui;

import javax.swing.*;

import java.awt.event.ActionEvent;

```

```
import java.awt.event.ActionListener;
```

```
import java.util.Date;
```

```
import com.hr.dao.Database;
```

```
import com.hr.bean.POSTS;
```

```
import java.awt.Font;
```

```
public class UpdatePostFrame extends JFrame {
```

```
    private JTextField IdField;
```

```
    private JTextField userIdField;
```

```
    private JTextField contentField;
```

```
    private JTextField postDateField;
```

```
    private static Database database;
```

```
    public UpdatePostFrame(Database database) {
```

```
        this.database = database;
```

```
        initialize();
```

```
    }
```

```
    private void initialize() {
```

```
        setTitle("Update Post");
```

```
        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
```

```
        setBounds(100, 100, 400, 300);
```



```
getContentPane().setLayout(null);
```

```
JLabel lblPostId = new JLabel(" ID:");
```

```
lblPostId.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblPostId.setBounds(10, 23, 80, 25);
```

```
getContentPane().add(lblPostId);
```

```
IdField = new JTextField();
```

```
IdField.setBounds(210, 23, 150, 25);
```

```
getContentPane().add(IdField);
```

```
IdField.setColumns(10);
```

```
JLabel lblUserId = new JLabel("User ID:");
```

```
lblUserId.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblUserId.setBounds(10, 68, 80, 25);
```

```
getContentPane().add(lblUserId);
```

```
userIdField = new JTextField();
```

```
userIdField.setBounds(210, 68, 150, 25);
```

```
getContentPane().add(userIdField);
```

```
userIdField.setColumns(10);
```

```
JLabel lblContent = new JLabel("Content:");
```

```
lblContent.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblContent.setBounds(10, 114, 80, 25);
```

```
getContentPane().add(lblContent);
```

```
contentField = new JTextField();
```

```
contentField.setBounds(210, 114, 150, 25);
```

```
getContentPane().add(contentField);
```

```
contentField.setColumns(10);
```

```
JLabel lblPostDate = new JLabel("Post Date (yyyy-MM-dd HH:mm:ss)");
```

```
lblPostDate.setFont(new Font("Times New Roman", Font.BOLD, 12));
```

```
lblPostDate.setBounds(10, 154, 200, 25);
```

```
getContentPane().add(lblPostDate);
```

```
postDateField = new JTextField();
```

```
postDateField.setBounds(210, 154, 150, 25);
```

```
getContentPane().add(postDateField);
```

```
postDateField.setColumns(10);
```

```
JButton updateButton = new JButton("Update Post");
```

```
updateButton.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));
```

```
updateButton.setBounds(85, 207, 150, 25);
```

```
getContentPane().add(updateButton);
```

```
JLabel lblNewLabel = new JLabel("");

lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image
2024-06-19 at 2.18.11 PM.jpeg"));

lblNewLabel.setBounds(-29, -81, 476, 423);

getContentPane().add(lblNewLabel);

updateButton.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        updatePost();

    }

});

}

private void updatePost() {

    int postId = Integer.parseInt(IdField.getText());

    int userId = Integer.parseInt(userIdField.getText());

    String content = contentField.getText();

    Date postDate = new Date(postDateField.getText()); // Assuming correct date format

    POSTS post = new POSTS();

    post.setId(postId);

    post.setUserId(userId);

    post.setContent(content);

    post.setPostDate(postDate);
```

```
Database database = new Database();

boolean success = database.updatePost(post);

if (success) {

    JOptionPane.showMessageDialog(this, "Post updated successfully!");

} else {

    JOptionPane.showMessageDialog(this, "Error updating post.");

}

}

public static void main(String[] args) {

    SwingUtilities.invokeLater(new Runnable() {

        public void run() {

            try {

                UpdatePostFrame frame = new UpdatePostFrame(database);

                frame.setVisible(true);

            } catch (Exception e) {

                e.printStackTrace();

            }

        }

    });

}

}
```

DELETEPOSTSCREEN CLASS:-

```
package com.hr.gui;

import javax.swing.*;
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;
import java.util.Date;
import com.hr.dao.Database;
import com.hr.bean.POSTS;
import java.awt.Font;

public class UpdatePostFrame extends JFrame {

    private JTextField IdField;

    private JTextField userIdField;

    private JTextField contentField;

    private JTextField postDateField;

    private static Database database;

    public UpdatePostFrame(Database database) {

        this.database = database;

        initialize();

    }
```

```
private void initialize() {  
____setTitle("Update Post");  
  
setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);  
  
setBounds(100, 100, 400, 300);  
  
getContentPane().setLayout(null);  
  
  
JLabel lblPostId = new JLabel(" ID:");  
  
lblPostId.setFont(new Font("Times New Roman", Font.BOLD, 15));  
  
lblPostId.setBounds(10, 23, 80, 25);  
  
getContentPane().add(lblPostId);  
  
  
IdField = new JTextField();  
  
IdField.setBounds(210, 23, 150, 25);  
  
getContentPane().add(IdField);  
  
IdField.setColumns(10);  
  
  
JLabel lblUserId = new JLabel("User ID:");  
  
lblUserId.setFont(new Font("Times New Roman", Font.BOLD, 15));  
  
lblUserId.setBounds(10, 68, 80, 25);  
  
getContentPane().add(lblUserId);  
  
  
userIdField = new JTextField();  
  
userIdField.setBounds(210, 68, 150, 25);
```

```
getContentPane().add(userIdField);
```

```
userIdField.setColumns(10);
```

```
JLabel lblContent = new JLabel("Content:");
```

```
lblContent.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblContent.setBounds(10, 114, 80, 25);
```

```
getContentPane().add(lblContent);
```

```
contentField = new JTextField();
```

```
contentField.setBounds(210, 114, 150, 25);
```

```
getContentPane().add(contentField);
```

```
contentField.setColumns(10);
```

```
JLabel lblPostDate = new JLabel("Post Date (yyyy-MM-dd HH:mm:ss)");
```

```
lblPostDate.setFont(new Font("Times New Roman", Font.BOLD, 12));
```

```
lblPostDate.setBounds(10, 154, 200, 25);
```

```
getContentPane().add(lblPostDate);
```

```
postDateField = new JTextField();
```

```
postDateField.setBounds(210, 154, 150, 25);
```

```
getContentPane().add(postDateField);
```

```
postDateField.setColumns(10);
```

```
JButton updateButton = new JButton("Update Post");
```

```
updateButton.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));
```

```
updateButton.setBounds(85, 207, 150, 25);
```

```
getContentPane().add(updateButton);
```

```
JLabel lblNewLabel = new JLabel("");
```

```
lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 2.18.11 PM.jpeg"));
```

```
lblNewLabel.setBounds(-29, -81, 476, 423);
```

```
getContentPane().add(lblNewLabel);
```

```
updateButton.addActionListener(new ActionListener() {
```

```
    public void actionPerformed(ActionEvent e) {
```

```
        updatePost();
```

```
    }
```

```
});
```

```
}
```

```
private void updatePost() {
```

```
    int postId = Integer.parseInt(IdField.getText());
```

```
    int userId = Integer.parseInt(userIdField.getText());
```

```
    String content = contentField.getText();
```

```
    Date postDate = new Date(postDateField.getText()); // Assuming correct date format
```

```
    POSTS post = new POSTS();
```



```
post.setId(postId);  
post.setUserId(userId);  
post.setContent(content);  
post.setPostDate(postDate);
```

```
Database database = new Database();  
boolean success = database.updatePost(post);  
if (success) {  
    JOptionPane.showMessageDialog(this, "Post updated successfully!");  
} else {  
    JOptionPane.showMessageDialog(this, "Error updating post.");  
}  
}
```

```
public static void main(String[] args) {  
    SwingUtilities.invokeLater(new Runnable() {  
        public void run() {  
            try {  
                UpdatePostFrame frame = new UpdatePostFrame(database);  
                frame.setVisible(true);  
            } catch (Exception e) {  
                e.printStackTrace();  
            }  
        }  
    })  
}
```

```
    }  
    });  
}  
}
```

ADDPROFILESCREEN CLASS:-

```
package com.hr.gui;  
  
import javax.swing.*;  
import java.awt.event.ActionEvent;  
import java.awt.event.ActionListener;  
import com.hr.dao.Database;  
import com.hr.bean.Profile;  
import java.awt.Font;  
  
public class AddProfileFrame extends JFrame {  
    private JTextField userIdField;  
    private JTextField bioField;  
    private JTextField profilePicField;  
    private static Database database;  
  
    public AddProfileFrame (Database database) {  
        this.database = database;
```

```
        initialize();  
    }  
  
private void initialize() {
```

```
    setTitle("Add Profile");
```

```
    setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
```

```
    setBounds(100, 100, 516, 329);
```

```
    getContentPane().setLayout(null);
```

```
    JLabel lblUserId = new JLabel("User ID:");
```

```
    lblUserId.setFont(new Font("Times New Roman", Font.BOLD, 13));
```

```
    lblUserId.setBounds(72, 70, 80, 25);
```

```
    getContentPane().add(lblUserId);
```

```
    userIdField = new JTextField();
```

```
    userIdField.setBounds(246, 70, 150, 25);
```

```
    getContentPane().add(userIdField);
```

```
    userIdField.setColumns(10);
```

```
    JLabel lblBio = new JLabel("Bio:");
```

```
    lblBio.setFont(new Font("Times New Roman", Font.BOLD, 13));
```

```
    lblBio.setBounds(72, 106, 80, 25);
```

```
    getContentPane().add(lblBio);
```

```
bioField = new JTextField();  
  
bioField.setBounds(246, 106, 150, 25);  
  
getContentPane().add(bioField);  
  
bioField.setColumns(10);
```

```
JLabel lblProfilePic = new JLabel("Profile Pic URL:");  
  
lblProfilePic.setFont(new Font("Times New Roman", Font.BOLD, 13));  
  
lblProfilePic.setBounds(72, 142, 100, 25);  
  
getContentPane().add(lblProfilePic);
```

```
profilePicField = new JTextField();  
  
profilePicField.setBounds(246, 142, 150, 25);  
  
getContentPane().add(profilePicField);  
  
profilePicField.setColumns(10);
```

```
JButton addButton = new JButton("Add Profile");  
  
addButton.setBounds(150, 197, 150, 25);  
  
getContentPane().add(addButton);
```

```
JLabel lblNewLabel = new JLabel("");  
  
lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 12.35.57 PM.jpeg"));  
  
lblNewLabel.setBounds(-93, 0, 613, 381);
```

```
getContentPane().add(lblNewLabel);

addButton.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        addProfile();

    }

});

}

private void addProfile() {

    int userId = Integer.parseInt(userIdField.getText());

    String bio = bioField.getText();

    String profilePic = profilePicField.getText();

    Profile profile = new Profile();

    profile.setUser_Id(userId);

    profile.setBio(bio);

    profile.setProfile_pic(profilePic);

    Database database= new Database();

    boolean success = database.addProfile(profile);

    if (success) {

        JOptionPane.showMessageDialog(this, "Profile added successfully!");

    } else {
```

```

        JOptionPane.showMessageDialog(this, "Error adding profile.");
    }
}

public static void main(String[] args) {
    SwingUtilities.invokeLater(new Runnable() {
        public void run() {
            try {
                AddProfileFrame frame = new AddProfileFrame(database);
                frame.setVisible(true);
            } catch (Exception e) {
                e.printStackTrace();
            }
        }
    });
}
}

```

UPDATEPROFILESCREEN CLASS:-

```

package com.hr.gui;

import javax.swing.*;
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;

```

```
import com.hr.dao.Database;
```

```
import com.hr.bean.Profile;
```

```
import java.awt.Font;
```

```
public class UpdateProfileFrame extends JFrame {
```

```
    private JTextField userIdField;
```

```
    private JTextField bioField;
```

```
    private JTextField profilePicField;
```

```
    private static Database database;
```

```
    public UpdateProfileFrame (Database database) {
```

```
        this.database = database;
```

```
        initialize();
```

```
    }
```

```
    private void initialize() {
```

```
        setTitle("Update Profile");
```

```
        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
```

```
        setBounds(100, 100, 371, 269);
```

```
        getContentPane().setLayout(null);
```

```
        JLabel lblUserId = new JLabel("User ID:");
```

```
lblUserId.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblUserId.setBounds(10, 28, 80, 25);
```

```
getContentPane().add(lblUserId);
```

```
userIdField = new JTextField();
```

```
userIdField.setBounds(152, 28, 150, 25);
```

```
getContentPane().add(userIdField);
```

```
userIdField.setColumns(10);
```

```
JLabel lblBio = new JLabel("Bio:");
```

```
lblBio.setFont(new Font("Tahoma", Font.BOLD, 15));
```

```
lblBio.setBounds(10, 71, 80, 25);
```

```
getContentPane().add(lblBio);
```

```
bioField = new JTextField();
```

```
bioField.setBounds(152, 71, 150, 25);
```

```
getContentPane().add(bioField);
```

```
bioField.setColumns(10);
```

```
JLabel lblProfilePic = new JLabel("Profile Pic URL:");
```

```
lblProfilePic.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblProfilePic.setBounds(10, 107, 132, 25);
```

```
getContentPane().add(lblProfilePic);
```



```
profilePicField = new JTextField();  
profilePicField.setBounds(152, 107, 150, 25);  
getContentPane().add(profilePicField);  
profilePicField.setColumns(10);
```

```
JButton updateButton = new JButton("Update Profile");  
updateButton.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));  
updateButton.setBounds(82, 170, 150, 25);  
getContentPane().add(updateButton);
```

```
JLabel lblNewLabel = new JLabel("");  
lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 3.14.25 PM.jpeg"));
```

```
lblNewLabel.setBounds(-59, -31, 486, 320);  
getContentPane().add(lblNewLabel);  
updateButton.addActionListener(new ActionListener() {  
    public void actionPerformed(ActionEvent e) {  
        updateProfile();  
    }  
});  
}
```

```
private void updateProfile() {
```

```
int userId = Integer.parseInt(userIdField.getText());

String bio = bioField.getText();

String profilePic = profilePicField.getText();


Profile profile = new Profile();

profile.setUser_Id(userId);

profile.setBio(bio);

profile.setProfile_pic(profilePic);


Database database = new Database();

boolean success = database.updateProfile(profile);

if (success) {

    JOptionPane.showMessageDialog(this, "Profile updated successfully!");

} else {

    JOptionPane.showMessageDialog(this, "Error updating profile.");

}

}

public static void main(String[] args) {

    SwingUtilities.invokeLater(new Runnable() {

        public void run() {

            try {

                UpdateProfileFrame frame = new UpdateProfileFrame(database);
```

```
        frame.setVisible(true);  
    } catch (Exception e) {  
        e.printStackTrace();  
    }  
}  
});  
}
```

DELETEPROFILESCREEN CLASS:-

```
package com.hr.gui;  
  
import javax.swing.*;  
import java.awt.event.ActionEvent;  
import java.awt.event.ActionListener;  
import com.hr.dao.Database;  
import java.awt.Font;  
  
public class DeleteProfileFrame extends JFrame {  
    private JTextField userIdField;  
    private static Database database;  
  
    public DeleteProfileFrame (Database database) {
```

```
this.database = database;

initialize();
}

private void initialize() {

    setTitle("Delete Profile");

    setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

    setBounds(100, 100, 345, 180);

    getContentPane().setLayout(null);

    JLabel lblUserId = new JLabel("User ID:");

    lblUserId.setFont(new Font("Times New Roman", Font.BOLD, 15));

    lblUserId.setBounds(10, 35, 80, 25);

    getContentPane().add(lblUserId);

    userIdField = new JTextField();

    userIdField.setBounds(129, 35, 150, 25);

    getContentPane().add(userIdField);

    userIdField.setColumns(10);

    JButton deleteButton = new JButton("Delete Profile");

    deleteButton.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));

    deleteButton.setBounds(74, 91, 150, 25);
```

```
getContentPane().add(deleteButton);
```

```
JLabel lblNewLabel = new JLabel("");
```

```
lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 2.18.11 PM.jpeg"));
```

```
lblNewLabel.setBounds(-52, 0, 391, 151);
```

```
getContentPane().add(lblNewLabel);
```

```
deleteButton.addActionListener(new ActionListener() {
```

```
    public void actionPerformed(ActionEvent e) {
```

```
        deleteProfile();
```

```
    }
```

```
});
```

```
}
```

```
private void deleteProfile() {
```

```
    int userId = Integer.parseInt(userIdField.getText());
```

```
    Database database = new Database();
```

```
    boolean success = database.deleteProfile(userId);
```

```
    if (success) {
```

```
        JOptionPane.showMessageDialog(this, "Profile deleted successfully!");
```

```
    } else {
```

```
        JOptionPane.showMessageDialog(this, "Error deleting profile.");
```

```
    }
```

```
}
```

```
public static void main(String[] args) {  
    SwingUtilities.invokeLater(new Runnable() {  
        public void run() {  
            try {  
                DeleteProfileFrame frame = new DeleteProfileFrame(database);  
                frame.setVisible(true);  
            } catch (Exception e) {  
                e.printStackTrace();  
            }  
        }  
    });  
}
```

ADDCOMMENTSCREEN CLASS:-

```
package com.hr.gui;  
  
import javax.swing.*;  
import java.awt.event.ActionEvent;  
import java.awt.event.ActionListener;  
import java.sql.SQLException;  
import com.hr.dao.Database;  
import java.awt.Color;
```

```
import java.awt.Font;
```

```
public class CreateCommentFrame extends JFrame {
```

```
    private JTextField postIdField;
```

```
    private JTextField userIdField;
```

```
    private JTextField commentTextField;
```

```
    private Database database;
```

```
    private JTextField textField;
```

```
    private JTextField textField_1;
```

```
    public CreateCommentFrame(Database database) {
```

```
        this.database= database;
```

```
        setTitle("Create Comment");
```

```
        setSize(456, 323);
```

```
        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
```

```
        getContentPane().setLayout(null);
```

```
        JLabel lblPostId = new JLabel("Post ID:");
```

```
        lblPostId.setFont(new Font("Times New Roman", Font.BOLD, 13));
```

```
        lblPostId.setBounds(64, 81, 100, 25);
```

```
        getContentPane().add(lblPostId);
```

```
        postIdField = new JTextField();
```

```
postIdField.setBounds(179, 81, 200, 25);
```

```
getContentPane().add(postIdField);
```

```
postIdField.setColumns(10);
```

```
JLabel lblUserId = new JLabel("User ID:");
```

```
lblUserId.setFont(new Font("Times New Roman", Font.BOLD, 13));
```

```
lblUserId.setBounds(64, 117, 100, 25);
```

```
getContentPane().add(lblUserId);
```

```
userIdField = new JTextField();
```

```
userIdField.setBounds(179, 117, 200, 25);
```

```
getContentPane().add(userIdField);
```

```
userIdField.setColumns(10);
```

```
JLabel lblCommentText = new JLabel("Comment DATE:");
```

```
lblCommentText.setFont(new Font("Times New Roman", Font.BOLD, 13));
```

```
lblCommentText.setBounds(64, 153, 100, 25);
```

```
getContentPane().add(lblCommentText);
```

```
commentTextField = new JTextField();
```

```
commentTextField.setBounds(179, 153, 200, 25);
```

```
getContentPane().add(commentTextField);
```

```
commentTextField.setColumns(10);
```



```
JButton btnSubmit = new JButton("Submit");  
  
btnSubmit.setFont(new Font("Times New Roman", Font.BOLD, 16));  
  
btnSubmit.setForeground(new Color(128, 128, 0));  
  
btnSubmit.setBounds(138, 230, 100, 25);  
  
getContentPane().add(btnSubmit);
```

```
JLabel lblNewLabel = new JLabel("Content:");  
  
lblNewLabel.setFont(new Font("Times New Roman", Font.BOLD, 13));  
  
lblNewLabel.setBounds(64, 189, 65, 24);  
  
getContentPane().add(lblNewLabel);
```

```
textField = new JTextField();  
  
textField.setBounds(179, 189, 200, 20);  
  
getContentPane().add(textField);  
  
textField.setColumns(10);
```

```
JLabel lblNewLabel_1 = new JLabel("ID:");  
  
lblNewLabel_1.setFont(new Font("Times New Roman", Font.BOLD, 13));  
  
lblNewLabel_1.setBounds(72, 53, 46, 14);  
  
getContentPane().add(lblNewLabel_1);
```

```
textField_1 = new JTextField();
```

```
textField_1.setBounds(179, 50, 200, 20);
```

```
getContentPane().add(textField_1);
```

```
textField_1.setColumns(10);
```

```
JLabel lblNewLabel_2 = new JLabel("");
```

```
lblNewLabel_2.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 12.37.48 PM.jpeg"));
```

```
lblNewLabel_2.setBounds(-98, -281, 657, 580);
```

```
getContentPane().add(lblNewLabel_2);
```

```
btnSubmit.addActionListener(new ActionListener() {
```

```
    public void actionPerformed(ActionEvent e) {
```

```
        try {
```

```
            int id=Integer.parseInt(textField_1.getText());
```

```
            int postId = Integer.parseInt(postIdField.getText());
```

```
            int userId = Integer.parseInt(userIdField.getText());
```

```
            String content= textField.getText();
```

```
            String commentText = commentTextField.getText();
```

```
            database.createComment(id,postId, userId, content,commentText);
```

```
            JOptionPane.showMessageDialog(null, "Comment Created Successfully");
```

```
        } catch (SQLException | NumberFormatException ex) {
```

```
            JOptionPane.showMessageDialog(null, "Error: " + ex.getMessage());
```

```
        }
```

```
    }
```

```
});
```

```
}

public static void main(String[] args) throws SQLException {

    Database database = new Database();

        CreateCommentFrame frame = new CreateCommentFrame(database);

        frame.setVisible(true);

    }

}
```

UPDATECOMMENTSCREEN CLASS:-

```
package com.hr.gui;

import javax.swing.*;
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;
import java.sql.SQLException;
import com.hr.dao.Database;
import java.awt.Font;

public class UpdateCommentFrame extends JFrame {

    private JTextField commentIdField;

    private JTextField newCommentTextField;

    private static Database database;
```

```
public UpdateCommentFrame(Database database) {  
    this.database = database;  
  
    setTitle("Update Comment");  
  
    setSize(426, 216);  
  
    setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);  
  
    getContentPane().setLayout(null);  
  
  
    JLabel lblCommentId = new JLabel("Comment ID:");  
    lblCommentId.setFont(new Font("Times New Roman", Font.BOLD, 15));  
    lblCommentId.setBounds(10, 45, 100, 25);  
    getContentPane().add(lblCommentId);  
  
  
    commentIdField = new JTextField();  
    commentIdField.setBounds(176, 45, 200, 25);  
    getContentPane().add(commentIdField);  
    commentIdField.setColumns(10);  
  
  
    JLabel lblNewCommentText = new JLabel("New Comment Date:");  
    lblNewCommentText.setFont(new Font("Times New Roman", Font.BOLD, 15));  
    lblNewCommentText.setBounds(10, 80, 150, 25);  
    getContentPane().add(lblNewCommentText);
```

```
newCommentTextField = new JTextField();
```

```
newCommentTextField.setBounds(176, 81, 200, 25);
```

```
getContentPane().add(newCommentTextField);
```

```
newCommentTextField.setColumns(10);
```

```
JButton btnUpdate = new JButton("Update");
```

```
btnUpdate.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));
```

```
btnUpdate.setBounds(128, 129, 100, 25);
```

```
getContentPane().add(btnUpdate);
```

```
JLabel lblNewLabel = new JLabel("");
```

```
lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 2.10.01 PM.jpeg"));
```

```
lblNewLabel.setBounds(-35, -53, 466, 303);
```

```
getContentPane().add(lblNewLabel);
```

```
btnUpdate.addActionListener(new ActionListener() {
```

```
    public void actionPerformed(ActionEvent e) {
```

```
        try {
```

```
            int commentId = Integer.parseInt(commentIdField.getText());
```

```
            String newCommentText = newCommentTextField.getText();
```

```
            database.updateComment(commentId, newCommentText);
```

```
            JOptionPane.showMessageDialog(null, "Comment Updated Successfully");
```

```
        } catch (SQLException | NumberFormatException ex) {
```

```
            JOptionPane.showMessageDialog(null, "Error: " + ex.getMessage());
```

```
        }  
    }  
});  
}
```

```
public static void main(String[] args) {  
    Database database = new Database();  
    UpdateCommentFrame frame = new UpdateCommentFrame(database);  
    frame.setVisible(true);  
}  
}
```

DELETECOMMNETSCREEN CLASS:-

```
package com.hr.gui;  
  
import javax.swing.*;  
import java.awt.event.ActionEvent;  
import java.awt.event.ActionListener;  
import java.sql.SQLException;  
import com.hr.dao.Database;  
import java.awt.Font;  
import java.awt.Color;  
  
public class DeleteCommentFrame extends JFrame {
```

```
private JTextField commentIdField;

private static Database database;

public DeleteCommentFrame(Database database) {

    this.database = database;

    setTitle("Delete Comment");

    setSize(400, 150);

    setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

    getContentPane().setLayout(null);

    JLabel lblCommentId = new JLabel("Comment ID:");

    lblCommentId.setFont(new Font("Times New Roman", Font.BOLD, 15));

    lblCommentId.setBounds(30, 30, 100, 25);

    getContentPane().add(lblCommentId);

    commentIdField = new JTextField();

    commentIdField.setBounds(140, 30, 200, 25);

    getContentPane().add(commentIdField);

    commentIdField.setColumns(10);

    JButton btnDelete = new JButton("Delete");

    btnDelete.setBackground(new Color(192, 192, 192));

    btnDelete.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```

btnDelete.setBounds(140, 70, 100, 25);

getContentPane().add(btnDelete);


JLabel lblNewLabel = new JLabel("");

lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image
2024-06-19 at 12.23.02 PM.jpeg"));

lblNewLabel.setBounds(-235, 0, 659, 111);

getContentPane().add(lblNewLabel);

btnDelete.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        try {

            int commentId = Integer.parseInt(commentIdField.getText());

            database.deleteComment(commentId);

            JOptionPane.showMessageDialog(null, "Comment Deleted Successfully");

        } catch (SQLException | NumberFormatException ex) {

            JOptionPane.showMessageDialog(null, "Error: " + ex.getMessage());

        }

    }

});

}

public static void main(String[] args) throws SQLException {

    Database db = new Database();

    DeleteCommentFrame frame = new DeleteCommentFrame(database);

```



```
        frame.setVisible(true);  
    }  
}
```

ADDLIKESCREEN CLASS:-

```
package com.hr.gui;  
  
import javax.swing.*;  
  
import java.awt.event.ActionEvent;  
  
import java.awt.event.ActionListener;  
  
import com.hr.dao.Database;  
  
import com.hr.bean.Likes;  
  
public class AddLikeFrame extends JFrame {  
  
    private JTextField likeIdField;  
  
    private JTextField userIdField;  
  
    private JTextField postIdField;  
  
    private static Database database;  
  
  
    public AddLikeFrame(Database database) {  
  
        this.database = database;  
  
        initialize();  
  
    }  
}
```

```
private void initialize() {  
  
    setTitle("Add Like");  
  
    setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);  
  
    setBounds(100, 100, 414, 309);  
  
    getContentPane().setLayout(null);  
  
  
    JLabel lblLikeId = new JLabel("Like ID:");  
  
    lblLikeId.setBounds(55, 55, 80, 25);  
  
    getContentPane().add(lblLikeId);  
  
  
  
    likeIdField = new JTextField();  
  
    likeIdField.setBounds(181, 55, 150, 25);  
  
    getContentPane().add(likeIdField);  
  
    likeIdField.setColumns(10);  
  
  
  
    JLabel lblUserId = new JLabel("User ID:");  
  
    lblUserId.setBounds(55, 92, 80, 25);  
  
    getContentPane().add(lblUserId);  
  
  
  
    userIdField = new JTextField();  
  
    userIdField.setBounds(181, 91, 150, 25);  
  
    getContentPane().add(userIdField);  
  
    userIdField.setColumns(10);  
}
```

```
JLabel lblPostId = new JLabel("Post ID:");
```

```
lblPostId.setBounds(55, 128, 80, 25);
```

```
getContentPane().add(lblPostId);
```

```
postIdField = new JTextField();
```

```
postIdField.setBounds(181, 127, 150, 25);
```

```
getContentPane().add(postIdField);
```

```
postIdField.setColumns(10);
```

```
JButton addButton = new JButton("Add Like");
```

```
addButton.setBounds(115, 201, 150, 25);
```

```
getContentPane().add(addButton);
```

```
JLabel lblNewLabel = new JLabel("");
```

```
lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 12.30.06 PM.jpeg"));
```

```
lblNewLabel.setBounds(0, 0, 408, 376);
```

```
getContentPane().add(lblNewLabel);
```

```
addButton.addActionListener(new ActionListener() {
```

```
    public void actionPerformed(ActionEvent e) {
```

```
        addLike();
```

```
    }
```

```
});
```

```
}
```

```
private void addLike() {
```

```
    int likeId = Integer.parseInt(likeIdField.getText());
```

```
    int userId = Integer.parseInt(userIdField.getText());
```

```
    int postId = Integer.parseInt(postIdField.getText());
```

```
    Likes like = new Likes();
```

```
    like.setLikeId(likeId);
```

```
    like.setUserId(userId);
```

```
    like.setPostId(postId);
```

```
    Database database = new Database();
```

```
    boolean success = database.addLike(like);
```

```
    if (success) {
```

```
        JOptionPane.showMessageDialog(this, "Like added successfully!");
```

```
    } else {
```

```
        JOptionPane.showMessageDialog(this, "Error adding like.");
```

```
    }
```

```
}
```

```
public static void main(String[] args) {
```

```
    SwingUtilities.invokeLater(new Runnable() {
```

```
public void run() {  
    try {  
        AddLikeFrame frame = new AddLikeFrame(database);  
        frame.setVisible(true);  
    } catch (Exception e) {  
        e.printStackTrace();  
    }  
}  
});  
}
```

UPDATELIKESCREEN CLASS:-

```
package com.hr.gui;  
  
import javax.swing.*;  
import java.awt.event.ActionEvent;  
import java.awt.event.ActionListener;  
import com.hr.dao.Database;  
import com.hr.bean.Likes;  
import java.awt.Font;  
  
public class UpdateLikeFrame extends JFrame {  
    private JTextField likeIdField;
```

```
private JTextField userIdField;  
  
private JTextField postIdField;  
  
private static Database database;
```

```
public UpdateLikeFrame(Database database) {  
  
    this.database = database;  
  
    initialize();  
  
}
```

```
private void initialize() {  
  
    setTitle("Update Like");  
  
    setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);  
  
    setBounds(100, 100, 373, 280);  
  
    getContentPane().setLayout(null);  
  
  
    JLabel lblLikeId = new JLabel("Like ID:");  
  
    lblLikeId.setFont(new Font("Times New Roman", Font.BOLD, 15));  
  
    lblLikeId.setBounds(25, 37, 80, 25);  
  
    getContentPane().add(lblLikeId);  
  
  
    likeIdField = new JTextField();  
  
    likeIdField.setBounds(163, 37, 150, 25);
```

```
getContentPane().add(likeIdField);
```

```
likeIdField.setColumns(10);
```

```
JLabel lblUserId = new JLabel("User ID:");
```

```
lblUserId.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblUserId.setBounds(25, 81, 80, 25);
```

```
getContentPane().add(lblUserId);
```

```
userIdField = new JTextField();
```

```
userIdField.setBounds(163, 81, 150, 25);
```

```
getContentPane().add(userIdField);
```

```
userIdField.setColumns(10);
```

```
JLabel lblPostId = new JLabel("Post ID:");
```

```
lblPostId.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblPostId.setBounds(25, 127, 80, 25);
```

```
getContentPane().add(lblPostId);
```

```
postIdField = new JTextField();
```

```
postIdField.setBounds(163, 127, 150, 25);
```

```
getContentPane().add(postIdField);
```

```
postIdField.setColumns(10);
```

```
JButton updateButton = new JButton("Update Like");
```

```
updateButton.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));
```

```
updateButton.setBounds(81, 182, 150, 25);
```

```
getContentPane().add(updateButton);
```

```
JLabel lblNewLabel = new JLabel("");
```

```
lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 3.08.45 PM.jpeg"));
```

```
lblNewLabel.setBounds(-11, -38, 448, 357);
```

```
getContentPane().add(lblNewLabel);
```

```
updateButton.addActionListener(new ActionListener() {
```

```
    public void actionPerformed(ActionEvent e) {
```

```
        updateLike();
```

```
    }
```

```
});
```

```
}
```

```
private void updateLike() {
```

```
    int likeId = Integer.parseInt(likeIdField.getText());
```

```
    int userId = Integer.parseInt(userIdField.getText());
```

```
    int postId = Integer.parseInt(postIdField.getText());
```

```
Likes like = new Likes();
```

```
like.setLikeId(likeId);
```



```
like.setUserId(userId);

like.setPostId(postId);


Database database = new Database();

boolean success = database.updateLike(like);

if (success) {

    JOptionPane.showMessageDialog(this, "Like updated successfully!");

} else {

    JOptionPane.showMessageDialog(this, "Error updating like.");

}

}

public static void main(String[] args) {

    SwingUtilities.invokeLater(new Runnable() {

        public void run() {

            try {

                UpdateLikeFrame frame = new UpdateLikeFrame(database);

                frame.setVisible(true);

            } catch (Exception e) {

                e.printStackTrace();

            }

        }

    });

});
```

```
}  
}
```

DELETELIKESCREEN CLASS:-

```
package com.hr.gui;
```

```
import javax.swing.*;
```

```
import java.awt.event.ActionEvent;
```

```
import java.awt.event.ActionListener;
```

```
import com.hr.dao.Database;
```

```
import java.awt.Font;
```

```
public class DeleteLikeFrame extends JFrame {
```

```
    private JTextField likeIdField;
```

```
    private static Database database;
```

```
    public DeleteLikeFrame(Database database) {
```

```
        this.database = database;
```

```
        initialize();
```

```
    }
```

```
    private void initialize() {
```

```
        setTitle("Update Like");
```

```
setTitle("Delete Like");
```

```
setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
```

```
setBounds(100, 100, 377, 213);
```

```
getContentPane().setLayout(null);
```

```
JLabel lblLikeId = new JLabel("Like ID:");
```

```
lblLikeId.setFont(new Font("Times New Roman", Font.BOLD, 15));
```

```
lblLikeId.setBounds(48, 39, 80, 25);
```

```
getContentPane().add(lblLikeId);
```

```
likeIdField = new JTextField();
```

```
likeIdField.setBounds(165, 40, 150, 25);
```

```
getContentPane().add(likeIdField);
```

```
likeIdField.setColumns(10);
```

```
JButton deleteButton = new JButton("Delete Like");
```

```
deleteButton.setFont(new Font("Times New Roman", Font.BOLD | Font.ITALIC, 19));
```

```
deleteButton.setBounds(100, 113, 150, 25);
```

```
getContentPane().add(deleteButton);
```

```
JLabel lblNewLabel = new JLabel("");
```

```
lblNewLabel.setIcon(new ImageIcon("C:\\Users\\DELL\\Downloads\\WhatsApp Image  
2024-06-19 at 2.10.01 PM.jpeg"));
```

```
lblNewLabel.setBounds(0, 0, 361, 174);
```

```
getContentPane().add(lblNewLabel);

deleteButton.addActionListener(new ActionListener() {

    public void actionPerformed(ActionEvent e) {

        deleteLike();

    }

});

}

private void deleteLike() {

    int likeId = Integer.parseInt(likeIdField.getText());

    Database database = new Database();

    boolean success = database.deleteLike(likeId);

    if (success) {

        JOptionPane.showMessageDialog(this, "Like deleted successfully!");

    } else {

        JOptionPane.showMessageDialog(this, "Error deleting like.");

    }

}

public static void main(String[] args) {

    SwingUtilities.invokeLater(new Runnable() {

        public void run() {

            try {
```

```

        DeleteLikeFrame frame = new DeleteLikeFrame(database);

        frame.setVisible(true);

    } catch (Exception e) {

        e.printStackTrace();

    }

}

});

}

}

```

❖ **PACKAGE com.hr.test:-**

MAIN CLASS:-

```

package com.hr.test;

import com.hr.dao.Database;

import com.hr.gui.WelcomeScreen;

public class Main {

    public static void main(String[] args) {

        Database database = new Database();

        WelcomeScreen welcomeScreen = new WelcomeScreen(database);

        welcomeScreen.setVisible(true);

    }

}

```

