





Mountain Quail





change area = -235264

change occ = 0.12





Northern Bobwhite





change area = -905637

change occ = -0.19





Greater Prairie-Chicken





change area = 110521

change occ = 0.32





Wild Turkey





change area = 3771837

change occ = 0.39





Mourning Dove





change area = 221331

change occ = 0.01





Yellow-billed Cuckoo





change area = -214413

change occ = -0.03





Black-billed Cuckoo





change area = -772861

change occ = -0.28





Greater Roadrunner





change area = -151601

change occ = 0.24





Chimney Swift





change area = 41191

change occ = -0.04





Ruby-throated Hummingbird





change area = 350495

change occ = 0.17





Eastern Phoebe





change area = -314691

change occ = 0.05





Great Crested Flycatcher





change area = -400720

change occ = 0





Eastern Kingbird





change area = 120556

change occ = -0.04





Scissor-tailed Flycatcher





change area = 375864

change occ = 0.2





Loggerhead Shrike





change area = -1039745

change occ = -0.15





White-eyed Vireo





change area = 164651

change occ = 0.02





Bell's Vireo





change area = 1333470

change occ = 0.14





Yellow-throated Vireo





change area = 223084

change occ = 0.1





Warbling Vireo





change area = -298896

change occ = 0.05





Red-eyed Vireo





change area = 42333

change occ = 0.03





Blue Jay





change area = 409536

change occ = 0.02





American Crow





change area = 258624

change occ = 0.03





Fish Crow





change area = 463034

change occ = 0.63





Purple Martin





change area = -1214468

change occ = -0.15





Northern Rough-winged Swallow





change area = -211171

change occ = -0.05





Carolina Chickadee





change area = 113988

change occ = 0.03





Tufted Titmouse




change area = -54231

change occ = 0.04





Black-crested Titmouse





change area = 47715

change occ = 0.2





White-breasted Nuthatch





change area = -429853

change occ = 0.05





Brown-headed Nuthatch





change area = 102725

change occ = 0.16





Marsh Wren





change area = -1929181

change occ = 0.04





Carolina Wren





change area = 110456

change occ = 0.14





Bewick's Wren





change area = -51432

change occ = -0.24





Blue-gray Gnatcatcher





change area = 814803

change occ = 0.22





Eastern Bluebird





change area = 261913

change occ = 0.14





Veery





change area = -405005

change occ = -0.04





Wood Thrush





change area = -326346

change occ = -0.04





American Robin





change area = -129046

change occ = 0.01





Gray Catbird





change area = 685169

change occ = 0.04





Brown Thrasher




change area = -256809


change occ = -0.03




Long-billed Thrasher




change area = 21495
change occ = 0.33





California Thrasher



change area = 0
change occ = 0





Northern Mockingbird





change area = -706884

change occ = 0.01





Cedar Waxwing





change area = 1592326

change occ = 0.21





House Finch





change area = 3910374

change occ = 0.36





Purple Finch





change area = -615486

change occ = 0.02





American Goldfinch





change area = -38733

change occ = 0.03





Ovenbird





change area = -399788

change occ = 0.1





Worm-eating Warbler





change area = -27190

change occ = 0.09





Louisiana Waterthrush





change area = 262489

change occ = 0.17





Golden-winged Warbler





change area = -607600

change occ = -0.29





Blue-winged Warbler





change area = 92183

change occ = 0.02





Black-and-white Warbler





change area = -30742

change occ = 0.12





Prothonotary Warbler





change area = -156244

change occ = 0.03





Swainson's Warbler





change area = 279341

change occ = 0.44





Common Yellowthroat





change area = 171653

change occ = 0.01





Hooded Warbler





change area = 601100

change occ = 0.22





American Redstart





change area = -94141

change occ = 0.12





Cerulean Warbler





change area = -18133

change occ = -0.28





Northern Parula





change area = 371668

change occ = 0.25





Blackburnian Warbler





change area = -44027

change occ = 0.17





Chestnut-sided Warbler





change area = 1137091

change occ = 0.03





Black-throated Blue Warbler





change area = -534030

change occ = 0.15





Pine Warbler





change area = 570559

change occ = 0.26





Yellow-throated Warbler





change area = 535765

change occ = 0.17





Prairie Warbler





change area = -21263

change occ = 0.02





Hermit Warbler





change area = -4109

change occ = 0





Yellow-breasted Chat





change area = -481657

change occ = -0.03





Eastern Towhee





change area = 130739

change occ = 0.05





Cassin's Sparrow





change area = 40773

change occ = 0.13





Bachman's Sparrow





change area = -475038

change occ = -0.25





Field Sparrow





change area = 29593

change occ = -0.01





Vesper Sparrow





change area = -839507

change occ = -0.09





Lark Sparrow





change area = 390698

change occ = 0.09





Lark Bunting





change area = -574092

change occ = -0.29





Grasshopper Sparrow





change area = 595882

change occ = -0.03





Henslow's Sparrow



change area = 10657

change occ = -0.05





Seaside Sparrow





change area = 551936

change occ = 0.33





Song Sparrow





change area = 304360

change occ = 0.05





Swamp Sparrow





change area = 402820

change occ = 0.07





Summer Tanager





change area = 187965

change occ = 0.1





Scarlet Tanager





change area = -60465

change occ = 0.01





Northern Cardinal





change area = 3010412

change occ = 0.05





Rose-breasted Grosbeak





change area = -16775

change occ = 0.04





Blue Grosbeak





change area = 997697

change occ = 0.09





Indigo Bunting





change area = 170454

change occ = 0.01





Painted Bunting





change area = 423334

change occ = 0.23





Dickcissel





change area = 630854

change occ = 0.09





Bobolink





change area = -717602

change occ = -0.02





Red-winged Blackbird





change area = 471986

change occ = 0





Eastern Meadowlark





change area = -31755

change occ = -0.04





Western Meadowlark





change area = -962248



change occ = -0.14





Common Grackle



change area = 66896
change occ = 0





Boat-tailed Grackle





change area = 28985

change occ = 0.23





Brown-headed Cowbird





change area = -647712

change occ = -0.01





Orchard Oriole





change area = 505284

change occ = 0.06





Baltimore Oriole





change area = -956387

change occ = -0.02





Red-headed Woodpecker





change area = -290776

change occ = -0.07





Red-bellied Woodpecker





change area = 321164

change occ = 0.24





Downy Woodpecker





change area = 84612

change occ = 0.02





Red-cockaded Woodpecker





change area = -340194

change occ = -0.14





Pileated Woodpecker





change area = 251974

change occ = 0.28





Eastern Wood-Pewee





change area = 304967

change occ = 0.01





Acadian Flycatcher





change area = -179579

change occ = 0.07



Willow Flycatcher



change area = -566146

change occ = 0.05

