Alaska®
BATTERIES

ہر لمحہ اعتماد

Graphite Lead-Acid BATTERY

DeepCycle BATTERY

Calcium Silver

Alaska Inverters

ہر لمحہ اعتماد



Hybrid Solar Inverters

Dual Output | Grid Feeding (optional)

High Reliability

Enhanced safety with Built-in Transformer Isolation, provides added protection for users.

Built-in Powerful Optimizer effectively drives heavy home loads, ensuring reliable performance for demanding appliances.

More Convenient

Maximum Charging Current, Faster Charging.

High Compatibility

More surge-power has better protection function for special application scenarios such as refrigerator, air conditioner and water pump.

Wider range, more power generation.

Cost-Effective

Additional energy for battery charging at 100% capacity.

Ensures maximum energy conversion and enhances overall system performance.

Alaska Inverters

ہر لمحہ اعتماد

Rated Capacity	Model No.	Operating Voltage	Phase	PV	~Weight (kg)	Dimensions (mm)			IP Rating	MPPT Voltage Range	Communication Interface	-
						D	W	H				
Solar Inverters - Dual Output | Grid Feeding												
2kW	AOH-2kW-12V	12V	1P	3000W	5.0	102	281.5	339	IP21	30-400VDC	RS485(BMS)	-
3.6kW	AOH-3.6kW-24V	24V	1P	5000W	7.0	117	283	423	IP21	40~450VDC	RS485/RS232/USB/Dry Contact	-
6.5kW	AOH-6.5kW-48V	48V	1P	9000W	12	124	338	513	IP21	60~450VDC	RS485/RS232/USB/Dry Contact	-
8kW	AOH-8kW-48V	-	1P	-	-	-	-	-	-	-	-	-
10kW	AOH-10kW-48V	-	1P	-	-	-	-	-	-	-	-	-
12kW	AOH-12kW-48V	-	1P	-	-	-	-	-	-	-	-	-
15kW	AOH-15kW-48V	-	3P	-	-	-	-	-	-	-	-	-

Alaska®

BATTERIES

ہر لمحہ اعتماد