Alaska®
BATTERIES

ہر لمحہ اعتماد

Graphite Lead-Acid BATTERY

DeepCycle BATTERY

Calcium Silver



Product Range

- Automotive Batteries
- Deep Cycle & Solar Batteries
- Maintenance Free Batteries
- Inverters

All batteries are designed with powerful CCA ratings, faster recharge, more life cycle and durable construction to handle extreme climate conditions.

Dry Charged Batteries


Graphite Lead-Acid BATTERY

Box Size	Battery Types	Plates Per Cell	Capacity (AH @20HR)	CCA -18°C	RC (Min)	Dry Weight (kg)	Dimensions (mm)				Terminal Type	Battery Layout
							L	W	H	TH		
Light Batteries												
NS 40	Solar 50	5	22	*	*	4.90	197	129	202	222	A	L
	A 55 L	7	32	*	*	6.30	197	129	202	222	A	L
	A 60 L/R	9	42	240	27	7.65	197	129	202	222	A	L/R
	A 65 L	11	50	270	50	8.50	197	129	202	222	A	L
N 40	A 70 L/R	11	50	270	52	8.65	238	129	202	222	A/B	L/R
	A 75 L/R	13	55	330	73	9.82	238	129	202	222	A/B	L/R
N 50	A 90 R	9	50	280	83	9.80	257	170	202	225	B	R
	A 95 Z/ZL	11	60	350	97	11.10	257	170	202	225	B	L/R
	A 99	13	65	360	116	12.80	257	170	202	225	B	R
Medium Batteries												
N 70	SOLAR 100	9	60	330	90	10.42	300	170	202	225	B	R
	A 115	11	72	356	105	12.10	300	170	202	225	B	R
	A 120 Z/ZL	13	80	370	138	13.40	300	170	202	225	B	L/R
	A 125 Z/ZL	15	85	450	123	14.90	300	170	202	225	B	L/R
6x15	A 130	15	100	520	167	16.00	367	170	202	225	B	R
	A 140	17	105	530	165	17.66	367	170	202	225	B	R
N 100	A 150	17	110	530	180	18.70	405	172	207	230	B	R
	A 160	19	115	530	195	19.64	405	172	207	230	B	R


Dry Charged Batteries

Graphite Lead-Acid BATTERY


Box Size	Battery Types	Plates Per Cell	Capacity (AH @20HR)	CCA -18°C	RC (Min)	Dry Weight (kg)	Dimensions (mm)				Terminal Type	Battery Layout
							L	W	H	TH		
Heavy Batteries												
N 120	A 180	19	120	600	245	22.20	500	178	214	255	B	R
	A 200	21	130	650	280	24.40	500	178	214	255	B	R
	A 205	23	140	650	280	25.90	500	178	214	255	B	R
N 150	A 210	21	135	810	280	25.50	505	218	214	255	B	R
	A 230	23	150	720	317	26.80	505	218	214	255	B	R
	A 260	25	160	870	410	28.40	505	218	214	255	B	R
	A 270	27	180	920	420	30.00	505	218	214	255	B	R
N 200	A 280	31	210	1050	700	34.50	515	274	216	240	B	R
	A 290	33	220	1100	750	36.40	515	274	216	240	B	R
6TN	6TN	25	100	462	170	21.30	286	256	205	232	B	Diagonal




Layout 1 (L)




Layout 2 (R)



Layout 3 (L)




Layout 4 (R)




Deep Cycle Batteries


Box Size	Battery Types	Plates Per Cell	Capacity (AH @20HR)	RC (Min)	Dry Weight (kg)	Dimensions (mm)				Terminal Type	Battery Layout
						L	W	H	TH		
Deep Cycle Batteries											
N 70	DC 1100	11	80	129	13.80	300	170	202	225	L Type Nut & Bolt	R
N 100	DC 1400	15								L Type Nut & Bolt	R
N 120	DC 1600	19	130	221	23.80	500	178	214	255	L Type Nut & Bolt	R
N 150	DC 2000	21	160	240	26.35	505	218	214	255	L Type Nut & Bolt	R




Layout 2 (R)



Layout 4 (R)







Maintenance Free Batteries

Calcium Silver

Box Size	Battery Types	Plates Per Cell	Capacity (AH @20HR)	CCA -18°C	RC (Min)	Wet Weight (kg)	Dimensions (mm)				Terminal Type	Battery Layout
							L	W	H	TH		
Maintenance Free (MF) Batteries - JIS												
NS 40	MF 50	5	22	180A	25	8.25	197	129	202	222	A	R
	MF 55	7	34	250A	42	9.40	197	129	202	222	A	R
	MF 60 L/R	9	42	350A	50	10.60	197	129	202	222	A	L/R
	MF 70 Thin	11	50	370A	65	11.78	197	129	202	222	A	R
	MF 70 Thick	11	50	370A	65	11.78	197	129	202	222	A	R
N 40	MF 75 L/R	9	44	360A	60	11.90	238	129	202	222	A/B	R
	MF 85 L/R	11	52	400A	68	12.95	238	129	202	222	A/B	R
N 50	MF 90	9	60	420A	75	15.60	257	170	202	225	B	R
	MF 95 Z	11	72	490A	80	16.90	257	170	202	225	B	R
N 70	MF 115	11	74	500A	82	18.30	300	170	202	225	B	R
	MF 120	13	82	640A	95	19.90	300	170	202	225	B	R
	MF 125	15	95	720A	100	20.80	300	170	202	225	B	R



L Polarity



R Polarity

Charge Indicator:

- Good Health
- Recharge Battery

Product Family



NS40



N70



N40



N50



N70



6×15



N100



N120



N150



N200

Technologies

Graphite Lead-Acid Battery

- Advanced Plate Composition
- Deep Discharge Recovery
- Energy Efficiency & Heat Resistance
- Fast Charge Acceptance
- Ideal for Modern Applications

DeepCycle Battery

- Thicker Plates
- Longer Backup
- Built for Frequent Usage
- Deep Discharge Capability
- Ideal for Solar Systems

Calcium Silver

- Start-Stop Compatibility
- High Temperature Endurance
- Under-Hood Durability
- Grid Corrosion Resistance
- Ideal for Vehicles

Alaska®

BATTERIES

ہر لمحہ اعتماد