

GLOBAL FACILITIES MANAGEMENT SDN. BHD.

GFM ENTERPRISE MANAGEMENT SYSTEM MOBILE APPS (GEMS 2.0)

USER REQUIREMENT SPECIFICATION FOR GEMS 2.0 MOBILE APPS (PLANNED PREVENTIVE MAINTENANCE MODULE) FOR GLOBAL FACILITIES MANAGEMENT SDN. BHD.

INNOTECH SYNERGY SDN. BHD

26 June 2019 / Issue 1.0

Prepared by

Nur Syifaa' Omar
System Analyst

Accepted by

Name
Position
Date

Reviewed by

Azran Sani Abu Seman
Business & System Analyst

Approved by

Khairil Anuar Mahmud
Project Manager

Distribution	
Company's Name	Recipient's Name
Global Facilities Management Sdn. Bhd.	Muhd. Arief Zainal Khatib Azman Redza Badzly
Innotech Synergy Sdn. Bhd.	Project Team Project Library

Client Deliverable Item Yes

Configuration Item Yes

Amendment History

Issue	Status	Date	Change Description
1.0	Definitive	26/06/2019	First definitive issue.

References

Asset	BNM Asset list docs Update PM List.xlsx
Client Information	http://www.gfmservices.com.my RFA GEMS 2.0 v4.docx Requirement sessions
PPM Form	i. Mechanical PPM Checklist for BNMHQ ii. Electrical PPM Checklist for BNMHQ iii. Civil PPM Checklist for BNMHQ
User Access	UAM GEMS 2.0 PPM & WO.xlsx for BNMHQ

Abbreviations

AN	Alphanumeric
D	Date
GEMS	GFM Enterprise Management System
N	Numeric
N/A	Not applicable
PPM	Planned Preventive Maintenance
URS	User Requirements Specification
WO	Work Order

TABLE OF CONTENTS

1. INTRODUCTION	4
1.1 Scope	4
2. OPEN ISSUES	4
3. OVERVIEW OF GEM 2.0 MOBILE APPS	4
3.1 List of User.....	4
3.2 Process Flow	5
3.2.1 Process Flow for Planned Preventive Maintenance Mobile App	5
4. FUNCTIONAL DESCRIPTION FOR AUTHENTICATION PAGE	6
4.1 Login Page.....	6
4.2 Forgot Password	8
4.3 Temporary Password Email.....	10
4.4 Force Change Password	11
5. FUNCTIONAL DESCRIPTION FOR SIDE PANEL AND FLOATING MENU.....	13
6. FUNCTIONAL DESCRIPTION FOR POPUP	15
6.1 Notification Popup.....	15
6.2 Confirmation Popup	16
6.3 Re-Open Popup	17
7. FUNCTIONAL DESCRIPTION FOR HOME PAGE	18
8. FUNCTIONAL DESCRIPTION FOR USER PROFILE PAGE.....	19
8.1 User Profile	19
8.2 Edit Profile	20
8.3 Change Password	22
9. FUNCTIONAL DESCRIPTION FOR PLANNED PREVENTIVE MAINTENANCE (PPM)	24
9.1 Scheduled Maintenance.....	24
9.1.1 Calendar View.....	24
9.1.2 List View	26
9.2 My Task	28
9.3 PPM Form	30
9.3.1 Main Screen	30
9.3.2 Section A. Asset Details	33
9.3.3 Section B. Safety Precaution/ General Guidelines prior to maintenance activity	34
9.3.4 Section C. Qualitative Tasks	35
9.3.5 Section D. Quantitative Tasks	36
9.3.6 Section E. Spare Parts/ Material Used (if any).....	38
9.3.7 Section F. Additional Report	39
9.3.8 Section G. Comments/ Remarks	40
9.3.9 Section H. Maintenance Image	41
9.4 PPM Form Preview	43
9.5 Form Signing Page.....	45
10. APPENDICES	46

1. INTRODUCTION

1.1 Scope

This document describes the User Requirement Specification (URS) for GEMS 2.0 Mobile Apps, Planned Preventive Maintenance (PPM) module for Global Facilities Management Sdn. Bhd.

Section 3 of this document is the overview of GEMS 2.0 Mobile Apps, Planned Preventive Maintenance (PPM) module.

Section 4 of this document is the details of Functional Description for Authentication Page.

Section 5 of this document is the details of Functional Description for Side Panel and Floating Menu.

Section 6 of this document is the details of Functional Description for Popup.

Section 7 of this document is the details of Functional Description for Home Page.

Section 8 of this document is the details of Functional Description for User Profile Page.

Section 9 of this document is the details of Functional Description for Planned Preventive Maintenance (PPM).

Section 10 of this document is the appendices related to the mobile apps.

2. OPEN ISSUES

- a) GFM to complete on iOS Development Account registration.
- b) GFM to provide revised text for Mobile Apps notifications.
- c) External Complaint module will be developed after completion of PPM module due to PPM scope bigger than what has been proposed.
- d) Offline features will be done in later stage.
- e) Track and Monitoring will be done in later stage.

3. OVERVIEW OF GEM 2.0 MOBILE APPS

GEMS 2.0 is a mobile phone application developed to assist in the maintenance of a facilities under Global Facilities Management Sdn. Bhd.

This application contains several large modules where in this first phase will be focusing on the Work Order module. This module is broken down into 3 sub modules namely External Complaint, Internal Complaint and Planned Preventive maintenance (PPM).

3.1 List of User

The focal group of users that will be accessing and utilizing this PPM module are as follows:

1. Executor
2. Reviewer
3. Verifier

3.2 Process Flow

3.2.1 Process Flow for Planned Preventive Maintenance Mobile App

The following diagram describes the process flow for the completion of Planned Preventive Maintenance for GEMS 2.0 mobile app users:





Figure 3.2-1: Process Flow for Mobile App Users Perform Planned Preventive Maintenance Task

4. FUNCTIONAL DESCRIPTION FOR AUTHENTICATION PAGE

4.1 Login Page

The following screen design and detail functional description and data are applied for user's Login screen.


SCREEN	RULES	
	No.	Rules
	1.	User manually enters. No validation is provided. Data Type: AN, Length: 20
	2.	User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure
	3.	Error messages will be displayed here.
	4.	Once clicked, system will do the following: - System checks the mandatory fields must be filled: - If not, display error message <i>"Please fill up all field."</i> - If yes, system will validate Login ID and Password: - If not valid, system will check retry count: - If retry count<3 times in a row, display error message <i>"Invalid Login ID or Password. Please try again."</i> - If retry count>=3 times in a row, display error message <i>"Your account has been locked. Please retry after 10 minutes"</i> and locked the Login button for 10 minutes. - The retry count will be reset back to 0 only if the user successfully logged in. - If valid, system will do the following: - For first time login, system will redirect user to Change Password screen. Refer Section 8.3.

SCREEN	RULES
	- For temporary password, system will redirect user to Force Change Password screen. Refer Section 4.4 - For existing logged in user, system will redirect user to Home screen. Refer Section 7. - For password ages more than 90 days, user will redirect to Force Change Password screen with an error message <i>"Your password has expired, please change to a new password."</i> Refer Section 4.4.
	5. Once clicked, system will redirect to Forgot Password screen. Refer Section 4.2 .

Table 4.1-1: Login Page

4.2 Forgot Password

The following screen design and detail functional description and data are applied for Forgot Password screen.

SCREEN	RULES						
	<table> <tr> <th data-bbox="1055 450 1133 507">No.</th><th data-bbox="1133 450 1982 507">Rules</th></tr> <tr> <td data-bbox="1055 507 1133 564">1.</td><td data-bbox="1133 507 1982 564">Once clicked, system redirect back to Login screen. Refer Section 4.1.</td></tr> <tr> <td data-bbox="1055 564 1133 1423">2.</td><td data-bbox="1133 564 1982 1423"> User manually enters. Data Type: AN, Length: 50 - Standard email format: - Lowercase letters - Digits 0 to 9 - Symbols: ! # \$ % & ' * + - / = ? ^ </td></tr> </table>	No.	Rules	1.	Once clicked, system redirect back to Login screen. Refer Section 4.1 .	2.	User manually enters. Data Type: AN, Length: 50 - Standard email format: - Lowercase letters - Digits 0 to 9 - Symbols: ! # \$ % & ' * + - / = ? ^
No.	Rules						
1.	Once clicked, system redirect back to Login screen. Refer Section 4.1 .						
2.	User manually enters. Data Type: AN, Length: 50 - Standard email format: - Lowercase letters - Digits 0 to 9 - Symbols: ! # \$ % & ' * + - / = ? ^						

SCREEN	RULES
	n. _ o. ` p. {} q. r. ~ d) Symbol full stop (.) provided that it is not the first or last character, and provided also that it does not appear two or more times consecutively (e.g. John..Doe@example.com is not allowed.).
	3. Error messages will be displayed here.
	4. Once clicked, system will do the following: - System checks the mandatory fields must be filled: - If not, display error message <i>"Please enter your email address."</i> - If yes, system will validate the email address. - If not valid, display error message <i>"Invalid email address."</i> - If valid, system will do the following: - Email temporary password with a Notification Popup message <i>"Your temporary password has been sent. Please check your email. <extract email address from Forgot Password screen>".</i> Refer Section 4.3. and Section 6.1. - Once clicked OK, system will redirect to Login Screen. Refer Section 4.1.

Table 4.2-1: Forgot Password Page

4.3 Temporary Password Email

The following screen design and detail functional description and data are applied for Temporary Password screen.


SCREEN	RULES	
	No.	Rules
	1.	Extract Name from user's Profile.
	2.	Populate randomize Temporary Password. • 8 characters • Combination of alphanumeric • Case sensitive.

Table 4.3-1: Temporary Password Email

4.4 Force Change Password

The following screen design and detail functional description and data are applied for Force Change Password screen.



SCREEN	RULES												
 The screen design shows a mobile app interface for changing a password. It features a back arrow and a 'New Password' title (1). Below is a lock icon with a circular arrow (2). Text prompts the user to enter a new password. There are two password input fields: 'New Password' (3) and 'Confirm Password' (4). A blue 'Save' button is at the bottom (5).	<table border="1"> <thead> <tr> <th>No.</th><th>Rules</th></tr> </thead> <tbody> <tr> <td>1.</td><td>Once clicked, system redirect back to Login screen. Refer Section 4.1.</td></tr> <tr> <td>2.</td><td>User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure</td></tr> <tr> <td>3.</td><td>User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure</td></tr> <tr> <td>4.</td><td>Error messages will be displayed here.</td></tr> <tr> <td>5.</td><td>Once clicked, the system will do the following: - System checks the mandatory fields must be filled: - If not, display error message "Please fill up all field." - If yes, system will validate New Password and Confirm Password: - New Password must be different from previous password. If not, display error message 'New password cannot be the same as old password.' - Confirm Password value must be matched with New Password value. If un-matched, display error message 'Password does not match. Please enter again.' - If matched, system update password and display Notification Popup message 'Your password has been changed.' Refer Section 6.1. - Once clicked OK, system will redirect to Home screen. Refer Section 7. </td></tr> </tbody> </table>	No.	Rules	1.	Once clicked, system redirect back to Login screen. Refer Section 4.1.	2.	User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure	3.	User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure	4.	Error messages will be displayed here.	5.	Once clicked, the system will do the following: - System checks the mandatory fields must be filled: - If not, display error message "Please fill up all field." - If yes, system will validate New Password and Confirm Password: - New Password must be different from previous password. If not, display error message 'New password cannot be the same as old password.' - Confirm Password value must be matched with New Password value. If un-matched, display error message 'Password does not match. Please enter again.' - If matched, system update password and display Notification Popup message 'Your password has been changed.' Refer Section 6.1. - Once clicked OK, system will redirect to Home screen. Refer Section 7.
No.	Rules												
1.	Once clicked, system redirect back to Login screen. Refer Section 4.1.												
2.	User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure												
3.	User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure												
4.	Error messages will be displayed here.												
5.	Once clicked, the system will do the following: - System checks the mandatory fields must be filled: - If not, display error message "Please fill up all field." - If yes, system will validate New Password and Confirm Password: - New Password must be different from previous password. If not, display error message 'New password cannot be the same as old password.' - Confirm Password value must be matched with New Password value. If un-matched, display error message 'Password does not match. Please enter again.' - If matched, system update password and display Notification Popup message 'Your password has been changed.' Refer Section 6.1. - Once clicked OK, system will redirect to Home screen. Refer Section 7.												

Table 4.4-1: Force Change Password Screen

5. FUNCTIONAL DESCRIPTION FOR SIDE PANEL AND FLOATING MENU

The following screen design and detail functional description and data are applied for Side Panel and Floating Menu.

SCREEN	RULES																				
	<table> <tr> <th data-bbox="1052 450 1133 507">No.</th><th data-bbox="1133 450 2002 507">Rules</th></tr> <tr> <td data-bbox="1052 507 1133 564">1.</td><td data-bbox="1133 507 2002 564">Once clicked, system will close the side menu.</td></tr> <tr> <td data-bbox="1052 564 1133 622">2.</td><td data-bbox="1133 564 2002 622">Once clicked, system will redirect to Home Screen. Refer Section 7.</td></tr> <tr> <td data-bbox="1052 622 1133 679">3.</td><td data-bbox="1133 622 2002 679">Once clicked, system will redirect to Profile screen. Refer Section 8.1.</td></tr> <tr> <td data-bbox="1052 679 1133 775">4.</td><td data-bbox="1133 679 2002 775">Once clicked, system will redirect to Support Screen. (will be done in later stage).</td></tr> <tr> <td data-bbox="1052 775 1133 833">5.</td><td data-bbox="1133 775 2002 833">Once clicked, system will end user's session and logged out.</td></tr> <tr> <td data-bbox="1052 833 1133 928">6.</td><td data-bbox="1133 833 2002 928">Once clicked, system will expand and close Work Order sub-menu. Refer Section 5.</td></tr> <tr> <td data-bbox="1052 928 1133 1024">7.</td><td data-bbox="1133 928 2002 1024">Once clicked, system will go to Scheduled Maintenance screen. Refer Section 9.1.</td></tr> <tr> <td data-bbox="1052 1024 1133 1104">8.</td><td data-bbox="1133 1024 2002 1104">Once clicked, system will go to Internal Self Finding screen. (will be done in later stage)</td></tr> <tr> <td data-bbox="1052 1104 1133 1200">9.</td><td data-bbox="1133 1104 2002 1200">Once clicked, system will go to External Complaint screen. (will be done in later stage).</td></tr> </table>	No.	Rules	1.	Once clicked, system will close the side menu.	2.	Once clicked, system will redirect to Home Screen. Refer Section 7 .	3.	Once clicked, system will redirect to Profile screen. Refer Section 8.1 .	4.	Once clicked, system will redirect to Support Screen. (will be done in later stage).	5.	Once clicked, system will end user's session and logged out.	6.	Once clicked, system will expand and close Work Order sub-menu. Refer Section 5 .	7.	Once clicked, system will go to Scheduled Maintenance screen. Refer Section 9.1 .	8.	Once clicked, system will go to Internal Self Finding screen. (will be done in later stage)	9.	Once clicked, system will go to External Complaint screen. (will be done in later stage).
No.	Rules																				
1.	Once clicked, system will close the side menu.																				
2.	Once clicked, system will redirect to Home Screen. Refer Section 7 .																				
3.	Once clicked, system will redirect to Profile screen. Refer Section 8.1 .																				
4.	Once clicked, system will redirect to Support Screen. (will be done in later stage).																				
5.	Once clicked, system will end user's session and logged out.																				
6.	Once clicked, system will expand and close Work Order sub-menu. Refer Section 5 .																				
7.	Once clicked, system will go to Scheduled Maintenance screen. Refer Section 9.1 .																				
8.	Once clicked, system will go to Internal Self Finding screen. (will be done in later stage)																				
9.	Once clicked, system will go to External Complaint screen. (will be done in later stage).																				


SCREEN	RULES
	

Table 5.0-1: Side Panel and Floating Menu

6. FUNCTIONAL DESCRIPTION FOR POPUP

6.1 Notification Popup

The following screen design and detail functional description and data are applied for Notification Popup.

SCREEN		RULES	
		No.	Rules
		1.	Display notification text.
		2.	Once clicked, system will close the popup and redirect to the respective screen.

Table 6.1-1: Notification Popup

6.2 Confirmation Popup

The following screen design and detail functional description and data are applied for Confirmation Popup.


SCREEN	RULES	
	No.	Rules
	1.	Display notification text.
	2.	Once clicked, system will close the popup.
	3.	Once clicked, system will close the popup and redirect to the respective screen.

Table 6.2-1: Confirmation Popup

6.3 Re-Open Popup

The following screen design and detail functional description and data are applied for Re-Open Popup.


SCREEN	RULES	
	No.	Rules
	1.	Display notification text.
	2.	User manually enters. No validation is provided. Data Type: AN, Length: 20
	3.	Once clicked, system will close the popup.
	4.	Once clicked, system will do the following: • Close the popup. • Redirect to the respective screen. • Sends notification on the remarks to the respective user.

Table 6.3-1: Sign-Off Popup

7. FUNCTIONAL DESCRIPTION FOR HOME PAGE

The following screen design and detail functional description and data are applied for Home page.


SCREEN	RULES								
	<table> <tr> <th data-bbox="1055 402 1133 459">No.</th><th data-bbox="1133 402 2024 459">Rules</th></tr> <tr> <td data-bbox="1055 459 1133 517">1.</td><td data-bbox="1133 459 2024 517">Once clicked, system will go to side bar menu. Refer Section 5.</td></tr> <tr> <td data-bbox="1055 517 1133 608">2.</td><td data-bbox="1133 517 2024 608">Once clicked, system will opens up notification side menu (will be done in later statge).</td></tr> <tr> <td data-bbox="1055 608 1133 742">3.</td><td data-bbox="1133 608 2024 742">Once clicked, system will go to Planned Preventive Maintenance - Scheduled Maintenance page. Refer Section 9.2. (Note: Other icons will be done in new development phase)</td></tr> </table>	No.	Rules	1.	Once clicked, system will go to side bar menu. Refer Section 5 .	2.	Once clicked, system will opens up notification side menu (will be done in later statge).	3.	Once clicked, system will go to Planned Preventive Maintenance - Scheduled Maintenance page. Refer Section 9.2 . (Note: Other icons will be done in new development phase)
No.	Rules								
1.	Once clicked, system will go to side bar menu. Refer Section 5 .								
2.	Once clicked, system will opens up notification side menu (will be done in later statge).								
3.	Once clicked, system will go to Planned Preventive Maintenance - Scheduled Maintenance page. Refer Section 9.2 . (Note: Other icons will be done in new development phase)								

Table 7.0-1: User Profile

8. FUNCTIONAL DESCRIPTION FOR USER PROFILE PAGE

8.1 User Profile

The following screen design and detail functional description and data are applied for User Profile Page.



SCREEN	RULES														
 The screen design shows a mobile app interface for a user profile. At the top, there is a header bar with a hamburger menu icon (1) on the left and a settings icon (2) on the right. Below the header, there are two buttons: 'Edit Profile' (3) and 'Change Password' (4). In the center, there is a circular profile picture placeholder with a plus sign (5). Below the profile picture, there is a list of user information: Name (6), Role, Contact No, and Email. The role is listed as Administrator, Facilities Supervisor, and Engineer.	<table> <thead> <tr> <th>No.</th><th>Rules</th></tr> </thead> <tbody> <tr> <td>1.</td><td>Once clicked, system will opens up the side menu. Refer Section 5.</td></tr> <tr> <td>2.</td><td>Once clicked, system will display with options: - Edit Profile. - Change Password. </td></tr> <tr> <td>3.</td><td>Once clicked, system will redirect to Edit Profile screen. Refer Section 8.2.</td></tr> <tr> <td>4.</td><td>Once clicked, system will redirect to Change Password screen. Refer Section 8.3.</td></tr> <tr> <td>5.</td><td>User manually clicks to upload from image gallery or take photo as profile picture.</td></tr> <tr> <td>6.</td><td>Extract user's info from Profile.</td></tr> </tbody> </table>	No.	Rules	1.	Once clicked, system will opens up the side menu. Refer Section 5 .	2.	Once clicked, system will display with options: - Edit Profile. - Change Password.	3.	Once clicked, system will redirect to Edit Profile screen. Refer Section 8.2 .	4.	Once clicked, system will redirect to Change Password screen. Refer Section 8.3 .	5.	User manually clicks to upload from image gallery or take photo as profile picture.	6.	Extract user's info from Profile.
No.	Rules														
1.	Once clicked, system will opens up the side menu. Refer Section 5 .														
2.	Once clicked, system will display with options: - Edit Profile. - Change Password.														
3.	Once clicked, system will redirect to Edit Profile screen. Refer Section 8.2 .														
4.	Once clicked, system will redirect to Change Password screen. Refer Section 8.3 .														
5.	User manually clicks to upload from image gallery or take photo as profile picture.														
6.	Extract user's info from Profile.														

Table 8.1-1: User Profile

8.2 Edit Profile

The following screen design and detail functional description and data are applied for Edit Profile screen.


SCREEN	RULES														
	<table> <tr> <th data-bbox="1052 453 1133 507">No.</th><th data-bbox="1133 453 2024 507">Rules</th></tr> <tr> <td data-bbox="1052 507 1133 571">1.</td><td data-bbox="1133 507 2024 571">Once clicked, system redirect back to Profile screen. Refer Section 8.1.</td></tr> <tr> <td data-bbox="1052 571 1133 676">2.</td><td data-bbox="1133 571 2024 676">Once clicked, system will display with options: - Change Password. </td></tr> <tr> <td data-bbox="1052 676 1133 766">3.</td><td data-bbox="1133 676 2024 766">Once clicked, system will allow user to update profile picture via Camera or Image gallery.</td></tr> <tr> <td data-bbox="1052 766 1133 871">4.</td><td data-bbox="1133 766 2024 871">User manually enters. No validation is provided. Data Type: AN, Length: 40</td></tr> <tr> <td data-bbox="1052 871 1133 976">5.</td><td data-bbox="1133 871 2024 976">User manually enters. No validation is provided. Data Type: N, Length: 15</td></tr> <tr> <td data-bbox="1052 976 1133 1426">6.</td><td data-bbox="1133 976 2024 1426">User manually enters. Data Type: AN, Length: 50 - Standard email format: e) Lowercase letters f) Digits 0 to 9 g) Symbols: a. ! b. # c. \$ d. % </td></tr> </table>	No.	Rules	1.	Once clicked, system redirect back to Profile screen. Refer Section 8.1 .	2.	Once clicked, system will display with options: Change Password.	3.	Once clicked, system will allow user to update profile picture via Camera or Image gallery.	4.	User manually enters. No validation is provided. Data Type: AN, Length: 40	5.	User manually enters. No validation is provided. Data Type: N, Length: 15	6.	User manually enters. Data Type: AN, Length: 50 - Standard email format: e) Lowercase letters f) Digits 0 to 9 g) Symbols: a. ! b. # c. \$ d. %
No.	Rules														
1.	Once clicked, system redirect back to Profile screen. Refer Section 8.1 .														
2.	Once clicked, system will display with options: Change Password.														
3.	Once clicked, system will allow user to update profile picture via Camera or Image gallery.														
4.	User manually enters. No validation is provided. Data Type: AN, Length: 40														
5.	User manually enters. No validation is provided. Data Type: N, Length: 15														
6.	User manually enters. Data Type: AN, Length: 50 - Standard email format: e) Lowercase letters f) Digits 0 to 9 g) Symbols: a. ! b. # c. \$ d. %														

SCREEN	RULES
	e. & f. ' g. * h. + i. – j. / k. = l. ? m. ^ n. _ o. ` p. { } q. r. ~ h) Symbol full stop (.) provided that it is not the first or last character, and provided also that it does not appear two or more times consecutively (e.g. John..Doe@example.com is not allowed.).
	7. Once clicked, the system will do the following: • System checks the mandatory fields must be filled: ○ If not, display error message “Please fill up all field.” ○ If yes, system will save into DB and display Notification Popup “<i>Your password has been changed.</i>” Refer Section 6.1.

Table 8.2-1: Edit Profile

8.3 Change Password

The following screen design and detail functional description and data are applied for Change Password screen.

SCREEN	RULES														
	<table> <tr> <th data-bbox="1055 450 1135 507">No.</th><th data-bbox="1135 450 2024 507">Rules</th></tr> <tr> <td data-bbox="1055 507 1135 564">1.</td><td data-bbox="1135 507 2024 564">Once clicked, system redirect back to Profile screen. Refer Section 8.1.</td></tr> <tr> <td data-bbox="1055 564 1135 673">2.</td><td data-bbox="1135 564 2024 673">Once clicked, system will display with options: - Edit Profile. </td></tr> <tr> <td data-bbox="1055 673 1135 780">3.</td><td data-bbox="1135 673 2024 780">User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure</td></tr> <tr> <td data-bbox="1055 780 1135 887">4.</td><td data-bbox="1135 780 2024 887">User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure</td></tr> <tr> <td data-bbox="1055 887 1135 994">5.</td><td data-bbox="1135 887 2024 994">User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure</td></tr> <tr> <td data-bbox="1055 994 1135 1347">6.</td><td data-bbox="1135 994 2024 1347">Once clicked, the system will do the following: - System checks the mandatory fields must be filled: - If not, display error message "Please fill up all field." - If yes, system will validate New Password and Confirm Password: - Old Password must be the same as previous. If not, display error message 'Old password not correct.' - New Password must be different from previous password. If not, display error message 'New password cannot be the same as old password.' </td></tr> </table>	No.	Rules	1.	Once clicked, system redirect back to Profile screen. Refer Section 8.1 .	2.	Once clicked, system will display with options: Edit Profile.	3.	User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure	4.	User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure	5.	User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure	6.	Once clicked, the system will do the following: - System checks the mandatory fields must be filled: - If not, display error message "Please fill up all field." - If yes, system will validate New Password and Confirm Password: - Old Password must be the same as previous. If not, display error message 'Old password not correct.' - New Password must be different from previous password. If not, display error message 'New password cannot be the same as old password.'
No.	Rules														
1.	Once clicked, system redirect back to Profile screen. Refer Section 8.1 .														
2.	Once clicked, system will display with options: Edit Profile.														
3.	User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure														
4.	User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure														
5.	User manually enters. No validation is provided. Data Type: AN, Length: 20, Return key: Secure														
6.	Once clicked, the system will do the following: - System checks the mandatory fields must be filled: - If not, display error message "Please fill up all field." - If yes, system will validate New Password and Confirm Password: - Old Password must be the same as previous. If not, display error message 'Old password not correct.' - New Password must be different from previous password. If not, display error message 'New password cannot be the same as old password.'														

SCREEN		RULES	
			- Confirm Password value must be matched with New Password value. If un-matched, display error message '<i>Password does not match. Please enter again.</i>' - If all the above correct, system update password and display notification popup message '<i>Your password has been changed.</i>' Refer Section 6.1.

Table 8.3-1: Change Password

9. FUNCTIONAL DESCRIPTION FOR PLANNED PREVENTIVE MAINTENANCE (PPM)

9.1 Scheduled Maintenance

9.1.1 Calendar View

The following screen design and detail functional description and data are applied for Calendar View page.


SCREEN	RULES												
	<table> <thead> <tr> <th>No.</th><th>Rules</th></tr> </thead> <tbody> <tr> <td>1.</td><td>Once clicked, system will open the side menu. Refer Section 5.</td></tr> <tr> <td>2.</td><td>Once clicked, system will redirect to My Task screen. Refer Section 9.2.</td></tr> <tr> <td>3.</td><td>Once clicked, system will redirect to List View screen. Refer Section 9.1.2.</td></tr> <tr> <td>4.</td><td>Extract scheduled maintenance in Calendar month view.</td></tr> <tr> <td>5.</td><td> Extract scheduled maintenance of selected date from item 4 in date ascending order with status: • Open • In Progress • Pending Check • Pending Verification • Re-Open • Closed. Once clicked, system redirect to PPM form preview screen. (will be done in later stage) </td></tr> </tbody> </table>	No.	Rules	1.	Once clicked, system will open the side menu. Refer Section 5 .	2.	Once clicked, system will redirect to My Task screen. Refer Section 9.2 .	3.	Once clicked, system will redirect to List View screen. Refer Section 9.1.2 .	4.	Extract scheduled maintenance in Calendar month view.	5.	Extract scheduled maintenance of selected date from item 4 in date ascending order with status: • Open • In Progress • Pending Check • Pending Verification • Re-Open • Closed. Once clicked, system redirect to PPM form preview screen. (will be done in later stage)
No.	Rules												
1.	Once clicked, system will open the side menu. Refer Section 5 .												
2.	Once clicked, system will redirect to My Task screen. Refer Section 9.2 .												
3.	Once clicked, system will redirect to List View screen. Refer Section 9.1.2 .												
4.	Extract scheduled maintenance in Calendar month view.												
5.	Extract scheduled maintenance of selected date from item 4 in date ascending order with status: • Open • In Progress • Pending Check • Pending Verification • Re-Open • Closed. Once clicked, system redirect to PPM form preview screen. (will be done in later stage)												

SCREEN		RULES	
	6.	Display Task status.	
	7.	Once clicked, system will open up Work Order sub-menu. Refer Section 5.	

Table 9.1-1: Calendar View

9.1.2 List View

The following screen design and detail functional description and data are applied for List View Page.


SCREEN	RULES	
 The screenshot shows a mobile app interface for 'Work Order' under 'Preventive Maintenance'. It features a top navigation bar with a menu icon (1), a search icon (2), and a 'My Task' tab (3). Below the bar is a status filter dropdown (4) set to 'All Status' (5). The main content area displays a list of work orders, each with a unique ID (e.g., PMBS2103025063), company name (Innotech Synergy Sdn. Bhd.), equipment type (Aircond Non Inverter), and date (12/5/2019). Each item has a status button: 'Completed' (green), 'Scheduled' (blue), 'Closed' (red), and 'Checked' (blue). A bottom navigation bar includes a circular progress indicator (6) and a red '+' button (7).	No.	Rules
	1.	Once clicked, system will open the side menu. Refer Section 5 .
	2.	Once clicked, system will open search side panel.
	3.	Once clicked, system will redirect to My Task screen. Refer Section 9.2 .
	4.	Once clicked, system will redirect to Calendar View screen. Refer Section 9.1.1 .
	5.	User manually selects. The dropdown values are: - All - Open - In Progress - Pending Check - Pending Verification - Re-Open - Closed. Default value set to 'All'. Once selected, populate schedule maintenance list based on selected status.
	6.	Extract the scheduled maintenance list with date ascending order. Information values are: - Work Order No. - Client

SCREEN	RULES
	- Asset Type - Maintenance Planned Date. Once clicked system will redirect to PPM Form Preview screen. (will be done in new development phase)
	7. Once clicked, system will go to Work Order sub-menu. Refer Section 5 .
	8. Once clicked, system will reset the search criteria field.
	9. Once clicked, system will close the search side panel.
	10. User manually selects. The dropdown values are: - Client - Asset Type - Work Order No. No default value.
	11. User manually enters. No validation is provided. Data Type: AN, Length: 10
	12. Once clicked, system will open QR scanner and will display the asset no.
	13. Once clicked, populate the list based on the search. Wildcard search.

Table 9.1-2: List View

9.2 My Task

The following screen design and detail functional description and data are applied for My Task Page.

SCREEN	RULES												
	<table> <tr> <th data-bbox="1055 450 1133 507">No.</th><th data-bbox="1133 450 2024 507">Rules</th></tr> <tr> <td data-bbox="1055 507 1133 564">1.</td><td data-bbox="1133 507 2024 564">Once clicked, system will open the side menu. Refer Section 5.</td></tr> <tr> <td data-bbox="1055 564 1133 622">2.</td><td data-bbox="1133 564 2024 622">Once clicked, system will open search side panel.</td></tr> <tr> <td data-bbox="1055 622 1133 719">3.</td><td data-bbox="1133 622 2024 719">Once clicked, system will go to Schedule Maintenance screen. Refer Section 9.1.</td></tr> <tr> <td data-bbox="1055 719 1133 1267">4.</td><td data-bbox="1133 719 2024 1267"> User manually selects. The dropdown values are based on user's role: • Executor: ○ All ○ Open ○ In Progress ○ Re-Open • Reviewer ○ Pending Check • Verifier ○ Pending Verification Default value set to 'All'. Once selected, populate My Task list based on selected status. </td></tr> <tr> <td data-bbox="1055 1267 1133 1425">5.</td><td data-bbox="1133 1267 2024 1425"> Extract the My Task list with date ascending order. Information values are: • Work Order No. • Client </td></tr> </table>	No.	Rules	1.	Once clicked, system will open the side menu. Refer Section 5 .	2.	Once clicked, system will open search side panel.	3.	Once clicked, system will go to Schedule Maintenance screen. Refer Section 9.1 .	4.	User manually selects. The dropdown values are based on user's role: • Executor: ○ All ○ Open ○ In Progress ○ Re-Open • Reviewer ○ Pending Check • Verifier ○ Pending Verification Default value set to 'All'. Once selected, populate My Task list based on selected status.	5.	Extract the My Task list with date ascending order. Information values are: • Work Order No. • Client
No.	Rules												
1.	Once clicked, system will open the side menu. Refer Section 5 .												
2.	Once clicked, system will open search side panel.												
3.	Once clicked, system will go to Schedule Maintenance screen. Refer Section 9.1 .												
4.	User manually selects. The dropdown values are based on user's role: • Executor: ○ All ○ Open ○ In Progress ○ Re-Open • Reviewer ○ Pending Check • Verifier ○ Pending Verification Default value set to 'All'. Once selected, populate My Task list based on selected status.												
5.	Extract the My Task list with date ascending order. Information values are: • Work Order No. • Client												


SCREEN	RULES	
		- Asset Type - Maintenance Planned Date. Task date listed must not more than the current date. Once clicked, system will redirect to PPM form. Refer Section 9.3.1.
	6.	Once clicked, system will go to Work Order floating menu. Refer Section 5 .
	7.	Once clicked, system will reset the search.
	8.	Once clicked, system will close the search side panel.
	9.	User manually selects. The dropdown values are: - Client - Asset Type - Work Order No. No default value.
	10.	User manually enters. No validation is provided. Data Type: AN, Length: 10
	11.	Once clicked, system will open QR scanner and will display the asset no.
	12.	Once clicked, populate the list based on the search. Wildcard search.

Table 9.2-1: My Task

9.3 PPM Form

9.3.1 Main Screen

The following screen design and detail functional description and data are applied for PPM Form Main Screen.

SCREEN	RULES														
	<table> <tr> <th data-bbox="1055 545 1133 603">No.</th><th data-bbox="1133 545 2024 603">Rules</th></tr> <tr> <td data-bbox="1055 603 1133 660">1.</td><td data-bbox="1133 603 2024 660">Once clicked, system will open the side menu. Refer Section 5.</td></tr> <tr> <td data-bbox="1055 660 1133 718">2.</td><td data-bbox="1133 660 2024 718">Once clicked, system will go back to My Task screen. Refer Section 9.2.</td></tr> <tr> <td data-bbox="1055 718 1133 877">3.</td><td data-bbox="1133 718 2024 877"> Display: - Client's Name - Work Order No. </td></tr> <tr> <td data-bbox="1055 877 1133 1059">4.</td><td data-bbox="1133 877 2024 1059"> Once clicked, system will redirect to A. Asset Details screen. Refer Section 9.3.2. Status: - Info </td></tr> <tr> <td data-bbox="1055 1059 1133 1235">5.</td><td data-bbox="1133 1059 2024 1235"> Once clicked, system will redirect to B. Safety Precaution screen. Refer Section 9.3.3. Status: - Info. </td></tr> <tr> <td data-bbox="1055 1235 1133 1417">6.</td><td data-bbox="1133 1235 2024 1417"> Once clicked, system will redirect to C. Qualitative Task screen. Refer Section 9.3.4. Status: - Pending </td></tr> </table>	No.	Rules	1.	Once clicked, system will open the side menu. Refer Section 5.	2.	Once clicked, system will go back to My Task screen. Refer Section 9.2.	3.	Display: - Client's Name - Work Order No.	4.	Once clicked, system will redirect to A. Asset Details screen. Refer Section 9.3.2. Status: Info	5.	Once clicked, system will redirect to B. Safety Precaution screen. Refer Section 9.3.3. Status: Info.	6.	Once clicked, system will redirect to C. Qualitative Task screen. Refer Section 9.3.4. Status: Pending
No.	Rules														
1.	Once clicked, system will open the side menu. Refer Section 5.														
2.	Once clicked, system will go back to My Task screen. Refer Section 9.2.														
3.	Display: - Client's Name - Work Order No.														
4.	Once clicked, system will redirect to A. Asset Details screen. Refer Section 9.3.2. Status: Info														
5.	Once clicked, system will redirect to B. Safety Precaution screen. Refer Section 9.3.3. Status: Info.														
6.	Once clicked, system will redirect to C. Qualitative Task screen. Refer Section 9.3.4. Status: Pending														

SCREEN	RULES
	Completed.
	7. Once clicked, system will redirect to D. Quantitative Task screen. Refer Section 9.3.5. Status: - Pending - Completed.
	8. Once clicked, system will redirect to E. Spare Parts/ Material Used screen. Refer Section 9.3.6. Status: - Pending - Completed.
	9. Once clicked, system will redirect to F. Additional Report screen. Refer Section 9.3.7. Status: - Pending - Completed.
	10. Once clicked, system will redirect to G. Comments/ Remarks screen. Refer Section 9.3.8. Status type: - Pending - Completed.
	11. Once clicked, system will redirect to H. Maintenance Image screen. Refer Section 9.3.9. Status type: Pending

SCREEN		RULES	
			Completed.
	12.	Only will be displayed if the task Status=Pending else display ' <i>To get started, you need to scan the QR code of the asset from section A. Asset Details.</i> ' Only will be enabled if all sections in item 6, 7, 8, 9, 10 and 11 are completed. Otherwise it will be disabled. Once clicked, system will display the pdf form format.	

Table 9.3-1: Main Screen

9.3.2 Section A. Asset Details

The following screen design and detail functional description and data are applied for Section A. Asset Details screen.


SCREEN	RULES	
	No.	Rules
	1.	Once clicked, system will open the side menu. Refer Section 5 .
	2.	Once clicked, system will go back to Main Page screen. Refer Section 9.3.1 .
	3.	Extract the Asset Details.
	4.	Extract Asset No. from Asset's info that matches with scanned QR code.
	5.	Extract date and time scanned QR code.
	6.	Extract task submitted date and time.
	7.	Once clicked, system will do the following: • Open the QR code scanner • Checks the asset no. ○ If matches, capture current timestamp and allow editable for all sections. ○ If not matches, display error message 'Incorrect Asset No.'

Table 9.3-2: Section A. Asset Details

9.3.3 Section B. Safety Precaution/ General Guidelines prior to maintenance activity

The following screen design and detail functional description and data are applied for Section B. Safety Precaution screen.


SCREEN	RULES	
	No.	Rules
	1.	Once clicked, system will open the side menu. Refer Section 5 .
	2.	Once clicked, system will go back to Main Page screen. Refer Section 9.3.1 .
	3.	Extract the Safety Precautions/General Guidelines prior maintenance activity list.

Table 9.3-3: Section B. Safety Precaution/ General Guidelines prior to maintenance activity

9.3.4 Section C. Qualitative Tasks

The following screen design and detail functional description and data are applied for Section C. Qualitative Tasks screen.



SCREEN	RULES														
	<table> <tr> <th data-bbox="1048 448 1133 507">No.</th><th data-bbox="1133 448 2024 507">Rules</th></tr> <tr> <td data-bbox="1048 507 1133 566">1.</td><td data-bbox="1133 507 2024 566">Once clicked, system will open the side menu. Refer Section 5.</td></tr> <tr> <td data-bbox="1048 566 1133 655">2.</td><td data-bbox="1133 566 2024 655">Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1.</td></tr> <tr> <td data-bbox="1048 655 1133 761">3.</td><td data-bbox="1133 655 2024 761">System will display the Qualitative Task. For Status=N/A, display checklist for view only.</td></tr> <tr> <td data-bbox="1048 761 1133 959">4.</td><td data-bbox="1133 761 2024 959">User manually selects. The dropdown values are: • Pass • Fail. No default value.</td></tr> <tr> <td data-bbox="1048 959 1133 1064">5.</td><td data-bbox="1133 959 2024 1064">User manually enters. No validation is provided. • Data Type: AN, Length: 80 </td></tr> <tr> <td data-bbox="1048 1064 1133 1264">6.</td><td data-bbox="1133 1064 2024 1264">Once clicked, system will do the following: • Saved the data into the db. • Display Notification Popup with message “Successfully saved.” Refer Section 6.1.</td></tr> </table>	No.	Rules	1.	Once clicked, system will open the side menu. Refer Section 5 .	2.	Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1 .	3.	System will display the Qualitative Task. For Status=N/A, display checklist for view only.	4.	User manually selects. The dropdown values are: • Pass • Fail. No default value.	5.	User manually enters. No validation is provided. • Data Type: AN, Length: 80	6.	Once clicked, system will do the following: • Saved the data into the db. • Display Notification Popup with message “Successfully saved.” Refer Section 6.1 .
No.	Rules														
1.	Once clicked, system will open the side menu. Refer Section 5 .														
2.	Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1 .														
3.	System will display the Qualitative Task. For Status=N/A, display checklist for view only.														
4.	User manually selects. The dropdown values are: • Pass • Fail. No default value.														
5.	User manually enters. No validation is provided. • Data Type: AN, Length: 80														
6.	Once clicked, system will do the following: • Saved the data into the db. • Display Notification Popup with message “Successfully saved.” Refer Section 6.1 .														

Table 9.3-4: Section C. Qualitative Tasks

9.3.5 Section D. Quantitative Tasks

The following screen design and detail functional description and data are applied for Section D. Quantitative Tasks.

SCREEN	RULES																		
	<table> <thead> <tr> <th data-bbox="1052 450 1133 507">No.</th><th data-bbox="1133 450 2024 507">Rules</th></tr> </thead> <tbody> <tr> <td data-bbox="1052 507 1133 564">1.</td><td data-bbox="1133 507 2024 564">Once clicked, system will open the side menu. Refer Section 5.</td></tr> <tr> <td data-bbox="1052 564 1133 654">2.</td><td data-bbox="1133 564 2024 654">Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1.</td></tr> <tr> <td data-bbox="1052 654 1133 759">3.</td><td data-bbox="1133 654 2024 759">System will display the Quantitative Task. For Status=N/A, display checklist for view only.</td></tr> <tr> <td data-bbox="1052 759 1133 865">4.</td><td data-bbox="1133 759 2024 865">User manually enters. No validation is provided. - Data Type: AN, Length: 10 </td></tr> <tr> <td data-bbox="1052 865 1133 970">5.</td><td data-bbox="1133 865 2024 970">User manually enters. No validation is provided. - Data Type: AN, Length: 80 </td></tr> <tr> <td data-bbox="1052 970 1133 1171">6.</td><td data-bbox="1133 970 2024 1171">User manually selects. The dropdown values are: - Pass - Fail No default value. </td></tr> <tr> <td data-bbox="1052 1171 1133 1276">7.</td><td data-bbox="1133 1171 2024 1276">User manually enters. No validation is provided. - Data Type: AN, Length: 80 </td></tr> <tr> <td data-bbox="1052 1276 1133 1382">8.</td><td data-bbox="1133 1276 2024 1382">Once clicked, system will do the following: - Save the data into the db. </td></tr> </tbody> </table>	No.	Rules	1.	Once clicked, system will open the side menu. Refer Section 5 .	2.	Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1 .	3.	System will display the Quantitative Task. For Status=N/A, display checklist for view only.	4.	User manually enters. No validation is provided. Data Type: AN, Length: 10	5.	User manually enters. No validation is provided. Data Type: AN, Length: 80	6.	User manually selects. The dropdown values are: - Pass - Fail No default value.	7.	User manually enters. No validation is provided. Data Type: AN, Length: 80	8.	Once clicked, system will do the following: Save the data into the db.
No.	Rules																		
1.	Once clicked, system will open the side menu. Refer Section 5 .																		
2.	Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1 .																		
3.	System will display the Quantitative Task. For Status=N/A, display checklist for view only.																		
4.	User manually enters. No validation is provided. Data Type: AN, Length: 10																		
5.	User manually enters. No validation is provided. Data Type: AN, Length: 80																		
6.	User manually selects. The dropdown values are: - Pass - Fail No default value.																		
7.	User manually enters. No validation is provided. Data Type: AN, Length: 80																		
8.	Once clicked, system will do the following: Save the data into the db.																		

SCREEN		RULES	
			Display Notification Popup with message “Successfully saved.” Refer Section 6.1.

Table 9.3-5: Section D. Quantitative Tasks

9.3.6 Section E. Spare Parts/ Material Used (if any)

The following screen design and detail functional description and data are applied for Section E. Spare Parts/ Material Used.


SCREEN	RULES														
	<table> <tr> <th data-bbox="1055 450 1135 507">No.</th><th data-bbox="1135 450 2024 507">Rules</th></tr> <tr> <td data-bbox="1055 507 1135 564">1.</td><td data-bbox="1135 507 2024 564">Once clicked, system will open the side menu. Refer Section 5.</td></tr> <tr> <td data-bbox="1055 564 1135 654">2.</td><td data-bbox="1135 564 2024 654">Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1.</td></tr> <tr> <td data-bbox="1055 654 1135 762">3.</td><td data-bbox="1135 654 2024 762"> User manually enters. No validation is provided. - Data Type: AN, Length: 80 </td></tr> <tr> <td data-bbox="1055 762 1135 820">4.</td><td data-bbox="1135 762 2024 820">Once clicked, system will add into the list.</td></tr> <tr> <td data-bbox="1055 820 1135 877">5.</td><td data-bbox="1135 820 2024 877">Once clicked, system will remove selected item from the list.</td></tr> <tr> <td data-bbox="1055 877 1135 1066">6.</td><td data-bbox="1135 877 2024 1066"> Once clicked, system will do the following: - Save the data into the db. - Display Notification Popup with message "Successfully saved." Refer Section 6.1. </td></tr> </table>	No.	Rules	1.	Once clicked, system will open the side menu. Refer Section 5 .	2.	Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1 .	3.	User manually enters. No validation is provided. Data Type: AN, Length: 80	4.	Once clicked, system will add into the list.	5.	Once clicked, system will remove selected item from the list.	6.	Once clicked, system will do the following: - Save the data into the db. - Display Notification Popup with message "Successfully saved." Refer Section 6.1.
No.	Rules														
1.	Once clicked, system will open the side menu. Refer Section 5 .														
2.	Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1 .														
3.	User manually enters. No validation is provided. Data Type: AN, Length: 80														
4.	Once clicked, system will add into the list.														
5.	Once clicked, system will remove selected item from the list.														
6.	Once clicked, system will do the following: - Save the data into the db. - Display Notification Popup with message "Successfully saved." Refer Section 6.1.														

Table 9.3-6: Section E. Spare Parts/ Material Used

9.3.7 Section F. Additional Report

The following screen design and detail functional description and data are applied for F. Additional Report.

SCREEN	RULES														
	<table><thead><tr><th data-bbox="1039 443 1133 507">No.</th><th data-bbox="1133 443 2033 507">Rules</th></tr></thead><tbody><tr><td data-bbox="1039 507 1133 571">1.</td><td data-bbox="1133 507 2033 571">Once clicked, system will open the side menu. Refer Section 5.</td></tr><tr><td data-bbox="1039 571 1133 655">2.</td><td data-bbox="1133 571 2033 655">Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1.</td></tr><tr><td data-bbox="1039 655 1133 762">3.</td><td data-bbox="1133 655 2033 762">Default to not select. If Yes, enable item no.4.</td></tr><tr><td data-bbox="1039 762 1133 911">4.</td><td data-bbox="1133 762 2033 911">Only enable if item no.3 is Yes. Once clicked, system will open the mobile apps browser for attachment. Allowed file format: .pdf</td></tr><tr><td data-bbox="1039 911 1133 975">5.</td><td data-bbox="1133 911 2033 975">Once clicked, system will download and open the attachment.</td></tr><tr><td data-bbox="1039 975 1133 1034">6.</td><td data-bbox="1133 975 2033 1034">Once clicked, system will remove the attachment</td></tr></tbody></table>	No.	Rules	1.	Once clicked, system will open the side menu. Refer Section 5.	2.	Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1.	3.	Default to not select. If Yes, enable item no.4.	4.	Only enable if item no.3 is Yes. Once clicked, system will open the mobile apps browser for attachment. Allowed file format: .pdf	5.	Once clicked, system will download and open the attachment.	6.	Once clicked, system will remove the attachment
No.	Rules														
1.	Once clicked, system will open the side menu. Refer Section 5.														
2.	Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1.														
3.	Default to not select. If Yes, enable item no.4.														
4.	Only enable if item no.3 is Yes. Once clicked, system will open the mobile apps browser for attachment. Allowed file format: .pdf														
5.	Once clicked, system will download and open the attachment.														
6.	Once clicked, system will remove the attachment														

Table 9.3-7: F. Additional Report

9.3.8 Section G. Comments/ Remarks


The following screen design and detail functional description and data are applied for Section G. Comments/ Remarks.

SCREEN	RULES										
	<table> <tr> <th data-bbox="1055 450 1133 507">No.</th><th data-bbox="1133 450 2022 507">Rules</th></tr> <tr> <td data-bbox="1055 507 1133 564">1.</td><td data-bbox="1133 507 2022 564">Once clicked, system will open the side menu. Refer Section 5.</td></tr> <tr> <td data-bbox="1055 564 1133 655">2.</td><td data-bbox="1133 564 2022 655">Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1.</td></tr> <tr> <td data-bbox="1055 655 1133 762">3.</td><td data-bbox="1133 655 2022 762"> User manually enters. No validation is provided. - Data Type: AN, Length: 500 </td></tr> <tr> <td data-bbox="1055 762 1133 943">4.</td><td data-bbox="1133 762 2022 943"> Once clicked, system will do the following: - Save the data into the db. - Display notification popup with message "Successfully saved." Refer Section 6.1. </td></tr> </table>	No.	Rules	1.	Once clicked, system will open the side menu. Refer Section 5 .	2.	Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1 .	3.	User manually enters. No validation is provided. Data Type: AN, Length: 500	4.	Once clicked, system will do the following: - Save the data into the db. - Display notification popup with message "Successfully saved." Refer Section 6.1.
No.	Rules										
1.	Once clicked, system will open the side menu. Refer Section 5 .										
2.	Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1 .										
3.	User manually enters. No validation is provided. Data Type: AN, Length: 500										
4.	Once clicked, system will do the following: - Save the data into the db. - Display notification popup with message "Successfully saved." Refer Section 6.1.										

Table 9.3-8: Section G. Comments/ Remarks

9.3.9 Section H. Maintenance Image

The following screen design and detail functional description and data are applied for Section G. Comments/ Remarks.

SCREEN	RULES																		
	<table> <tr> <th data-bbox="1055 450 1135 507">No.</th><th data-bbox="1135 450 2024 507">Rules</th></tr> <tr> <td data-bbox="1055 507 1135 564">1.</td><td data-bbox="1135 507 2024 564">Once clicked, system will open the side menu. Refer Section 5.</td></tr> <tr> <td data-bbox="1055 564 1135 654">2.</td><td data-bbox="1135 564 2024 654">Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1.</td></tr> <tr> <td data-bbox="1055 654 1135 711">3.</td><td data-bbox="1135 654 2024 711">User requires to take and upload picture at least 1 for each sections.</td></tr> <tr> <td data-bbox="1055 711 1135 801">4.</td><td data-bbox="1135 711 2024 801">Once clicked, system will prompt user whether to view Image or Location in maps.</td></tr> <tr> <td data-bbox="1055 801 1135 1094">5.</td><td data-bbox="1135 801 2024 1094"> Once clicked, system will do the following: - Checks the location must switch on. - Open the camera function. - Saved the image, timestamp and coordinate (latitude, longitude) into DB - Display image thumbnail, timestamp and coordinate captured. - Coordinate must be in hyperlink format for opening via google maps app. </td></tr> <tr> <td data-bbox="1055 1094 1135 1152">6.</td><td data-bbox="1135 1094 2024 1152">Once clicked, remove selected image from the list.</td></tr> <tr> <td data-bbox="1055 1152 1135 1260">7.</td><td data-bbox="1135 1152 2024 1260"> User manually enters. No validation is provided. Data Type: AN, Length: 80 </td></tr> <tr> <td data-bbox="1055 1260 1135 1369">8.</td><td data-bbox="1135 1260 2024 1369"> Once clicked, system will do the following: - Save description into the db. </td></tr> </table>	No.	Rules	1.	Once clicked, system will open the side menu. Refer Section 5 .	2.	Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1 .	3.	User requires to take and upload picture at least 1 for each sections.	4.	Once clicked, system will prompt user whether to view Image or Location in maps.	5.	Once clicked, system will do the following: - Checks the location must switch on. - Open the camera function. - Saved the image, timestamp and coordinate (latitude, longitude) into DB - Display image thumbnail, timestamp and coordinate captured. - Coordinate must be in hyperlink format for opening via google maps app.	6.	Once clicked, remove selected image from the list.	7.	User manually enters. No validation is provided. Data Type: AN, Length: 80	8.	Once clicked, system will do the following: Save description into the db.
No.	Rules																		
1.	Once clicked, system will open the side menu. Refer Section 5 .																		
2.	Once clicked, system will go back to Main Page screen and save the information in the current screen. Refer Section 9.3.1 .																		
3.	User requires to take and upload picture at least 1 for each sections.																		
4.	Once clicked, system will prompt user whether to view Image or Location in maps.																		
5.	Once clicked, system will do the following: - Checks the location must switch on. - Open the camera function. - Saved the image, timestamp and coordinate (latitude, longitude) into DB - Display image thumbnail, timestamp and coordinate captured. - Coordinate must be in hyperlink format for opening via google maps app.																		
6.	Once clicked, remove selected image from the list.																		
7.	User manually enters. No validation is provided. Data Type: AN, Length: 80																		
8.	Once clicked, system will do the following: Save description into the db.																		

SCREEN		RULES	
			• Checks if all mandatory image and field are filled, change section status to 'Completed'. • Display notification popup with message "Successfully saved." Refer Section 6.1.

Table 9.3-9: Section G. Comments/ Remarks

9.4 PPM Form Preview

The following screen design and detail functional description and data are applied for PPM Form Preview Screen.


SCREEN	RULES																
	<table> <tr> <th>No.</th><th>Rules</th></tr> <tr> <td>1.</td><td>Once clicked, system will open the side menu. Refer Section 5.</td></tr> <tr> <td>2.</td><td>Once clicked, it will download the pdf file.</td></tr> <tr> <td>3.</td><td>Once clicked, system will redirect back to PPM form. Refer Section 9.3.1.</td></tr> <tr> <td>4.</td><td>Display Work Order No.</td></tr> <tr> <td>5.</td><td>Display only for Reviewer and Verifier. Once clicked, system will do the following: - Display Re-Open popup with the message 'Are you sure to re-Open? Refer Section 6.3. Remarks are mandatory for re-Open'. If click 'No', close the popup else if click 'Yes': - Checks mandatory to enter remarks. Remarks entered will be sent via Notification (will be done in later stage). - Change task status to Re-Open - Send back task to Executor - Redirect to My Task screen. Refer Section 9.2. </td></tr> <tr> <td>6.</td><td>Once clicked, system will redirect to Sign Off screen. Refer Section 9.5. - For Executor, the button will be labelled 'Complete' - For Reviewer, the button will be labelled 'Check' - For Verifier, the button will be labelled 'Verify' </td></tr> <tr> <td>7.</td><td>Generates information from all sections into pdf.</td></tr> </table>	No.	Rules	1.	Once clicked, system will open the side menu. Refer Section 5 .	2.	Once clicked, it will download the pdf file.	3.	Once clicked, system will redirect back to PPM form. Refer Section 9.3.1 .	4.	Display Work Order No.	5.	Display only for Reviewer and Verifier. Once clicked, system will do the following: - Display Re-Open popup with the message 'Are you sure to re-Open? Refer Section 6.3. Remarks are mandatory for re-Open'. If click 'No', close the popup else if click 'Yes': - Checks mandatory to enter remarks. Remarks entered will be sent via Notification (will be done in later stage). - Change task status to Re-Open - Send back task to Executor - Redirect to My Task screen. Refer Section 9.2.	6.	Once clicked, system will redirect to Sign Off screen. Refer Section 9.5 . - For Executor, the button will be labelled 'Complete' - For Reviewer, the button will be labelled 'Check' - For Verifier, the button will be labelled 'Verify'	7.	Generates information from all sections into pdf.
No.	Rules																
1.	Once clicked, system will open the side menu. Refer Section 5 .																
2.	Once clicked, it will download the pdf file.																
3.	Once clicked, system will redirect back to PPM form. Refer Section 9.3.1 .																
4.	Display Work Order No.																
5.	Display only for Reviewer and Verifier. Once clicked, system will do the following: - Display Re-Open popup with the message 'Are you sure to re-Open? Refer Section 6.3. Remarks are mandatory for re-Open'. If click 'No', close the popup else if click 'Yes': - Checks mandatory to enter remarks. Remarks entered will be sent via Notification (will be done in later stage). - Change task status to Re-Open - Send back task to Executor - Redirect to My Task screen. Refer Section 9.2.																
6.	Once clicked, system will redirect to Sign Off screen. Refer Section 9.5 . - For Executor, the button will be labelled 'Complete' - For Reviewer, the button will be labelled 'Check' - For Verifier, the button will be labelled 'Verify'																
7.	Generates information from all sections into pdf.																

Table 9.4-1: PPM Form Preview

9.5 Form Signing Page

The following screen design and detail functional description and data are applied for Form Signing Page.


SCREEN	RULES												
	<table> <tr> <th data-bbox="1048 450 1133 507">No.</th><th data-bbox="1133 450 2024 507">Rules</th></tr> <tr> <td data-bbox="1048 507 1133 564">1.</td><td data-bbox="1133 507 2024 564">Once clicked, system will open the side menu. Refer Section 5.</td></tr> <tr> <td data-bbox="1048 564 1133 654">2.</td><td data-bbox="1133 564 2024 654">Once clicked, system will go back to PPM form preview screen. Refer Section 9.4.</td></tr> <tr> <td data-bbox="1048 654 1133 711">3.</td><td data-bbox="1133 654 2024 711">User manually signs.</td></tr> <tr> <td data-bbox="1048 711 1133 769">4.</td><td data-bbox="1133 711 2024 769">Once clicked, signature will be erased from the screen.</td></tr> <tr> <td data-bbox="1048 769 1133 1203">5.</td><td data-bbox="1133 769 2024 1203"> Once clicked, Confirmation Popup screen will appear with the message 'Are you sure to submit?' Refer Section 6.2. If user clicks Yes, system will do the following: - Save the record into database and changed the status based on the following user: - If Executor sign-off = Pending Checked - If Reviewer sign-off = Pending Verification - If Verifier sign-off = Closed - Redirect to My Task screen. Refer Section 9.2. If user clicks No, system will close the popup. </td></tr> </table>	No.	Rules	1.	Once clicked, system will open the side menu. Refer Section 5 .	2.	Once clicked, system will go back to PPM form preview screen. Refer Section 9.4 .	3.	User manually signs.	4.	Once clicked, signature will be erased from the screen.	5.	Once clicked, Confirmation Popup screen will appear with the message 'Are you sure to submit?' Refer Section 6.2. If user clicks Yes, system will do the following: - Save the record into database and changed the status based on the following user: - If Executor sign-off = Pending Checked - If Reviewer sign-off = Pending Verification - If Verifier sign-off = Closed - Redirect to My Task screen. Refer Section 9.2. If user clicks No, system will close the popup.
No.	Rules												
1.	Once clicked, system will open the side menu. Refer Section 5 .												
2.	Once clicked, system will go back to PPM form preview screen. Refer Section 9.4 .												
3.	User manually signs.												
4.	Once clicked, signature will be erased from the screen.												
5.	Once clicked, Confirmation Popup screen will appear with the message 'Are you sure to submit?' Refer Section 6.2. If user clicks Yes, system will do the following: - Save the record into database and changed the status based on the following user: - If Executor sign-off = Pending Checked - If Reviewer sign-off = Pending Verification - If Verifier sign-off = Closed - Redirect to My Task screen. Refer Section 9.2. If user clicks No, system will close the popup.												

Table 9.5-1: Form Signing Page

10. APPENDICES

1. Mechanical PPM Checklist for BNMHQ
2. Electrical PPM Checklist for BNMHQ
3. Civil PPM Checklist for BNMHQ
4. RFA GEMS 2.0 v4.docx
5. Update PM List.xlsx
6. UAM GEMS 2.0 PPM &WO.xlsx

Appendix 1