Lead71 Gemini AI Mapping Assessment

Staging evidence and production readiness | 30 October 2026

To: Ali Bhai
From: Haroon and Ibrahim

Ali Bhai, we have updated the assessment to reflect the current code and the staging status reported by the team. The manual-parser fallback is reported as deployed to staging. The staging deployment reference and screenshot still need to be attached, so this report does not treat that deployment as independently evidenced. No production API key, production deployment, or Aventure card data is approved by this assessment.

Current status

Area	Status	What the evidence supports
AI classification with manual fallback	Reported implemented in staging; staging evidence pending	Current source contains the AI-to-manual fallback path and a local automated test for upstream failure, missing key, and invalid AI output. The live staging commit and screenshot are not present here.
Staging verification and synthetic test results	Pending test	No staging test record, processing-time measurements, or concurrency results were available for review.
Application request caps	Implemented locally only; staging configuration pending	Code defaults are 120 requests per user per hour, 240 per IP per hour, and 900 OCR requests per tenant per month. The monthly cap covers OCR requests in all classification modes.
Immediate AI rollback switch	Proposed but not built	The current source does not contain ENABLE_AI_MAPPING=false. No working-switch proof can be supplied.
Production use of real Aventure card data	No-Go for production	Deployment, data-cleanup, cost-limit, rollback, and staging test evidence remain incomplete.

Status labels in this report distinguish code reviewed locally from behavior observed in staging. “Reported in staging” records the team’s statement; it is not a substitute for a commit reference or test evidence.

Fallback behavior

In AI mode, the server sends the OCR text to Gemini and checks that the returned fields contain a readable contact. If classification fails, times out, returns an invalid result, or cannot be used because the key/configuration is unavailable, the current code runs the manual OCR parser on the same OCR text. A readable parsed contact is returned for review; the saved record is not discarded by this fallback path.

On the review screen, the fallback result is labeled “Manual classification fallback.” The application does not show the Gemini error to the user in this flow. The current default AI timeout is 8 seconds. There is no automatic Gemini retry: the user can correct the review fields and continue to save, or rescan the card to start a new OCR and AI request. If OCR cannot read the card or neither parser produces a readable contact, the current user message is: “We could not read this card. Capture the card again or enter the details manually.”

The current code therefore supports fallback without losing the OCR text during classification failure. A completed staging demonstration is still needed to prove the visible message, review form, and successful save end to end.

Staging screenshot evidence

Insert a screenshot here showing the staging review screen after an AI classification failure. The image should show the “Manual classification fallback” label and the retained fields in the review form. Add a second screenshot or test record showing that the reviewer saved the corrected record successfully. Use synthetic test content only.

[Insert staging fallback screenshot here]

Test ID / date: _____ Staging URL / build: _____

Required synthetic test record

The revised source report's three successful examples are not repeated as test evidence. Complete this table with synthetic card text or synthetic printed sample cards only. "Pending" means the run has not been evidenced in this report; no timing or outcome has been invented.

Scenario	Measured end-to-end time	Mapping and correction	Fallback / save result
Gemini failed API response	Pending staging measurement	Pending test; record mapped fields and manual correction	Pending test; record fallback label and save outcome
Gemini timeout (configured default 8 s)	Pending staging measurement	Pending test; record mapped fields and manual correction	Pending test; record fallback label and save outcome
Invalid or incomplete AI response	Pending staging measurement	Locally unit-tested; synthetic staging result pending	Pending staging proof of fallback, correction, and save
Gemini quota or rate-limit response	Pending staging measurement	Pending test; record mapped fields and manual correction	Pending test; upstream limit behavior not observed
Poor or unreadable OCR input	Pending staging measurement	Pending test; record OCR text quality and correction needed	Pending test; record manual entry or retake and save path
Concurrent scanning	Pending load-test measurement	Pending test; record requests, mappings, and errors	Pending test; record any fallback or rejected requests

Attach sanitized run logs or a test sheet extract here. Do not include card images, names, email addresses, phone numbers, or other real contact details.

[Add synthetic test results, timestamps, and staging evidence here]

Local code evidence: the checked-in OCR handler tests cover successful AI mapping, upstream failure, missing key, invalid AI output, and comparison mode with synthetic text. These are automated local tests, not staging end-to-end measurements. No evidence for a real quota exhaustion, prepaid-balance exhaustion, poor-image OCR, or concurrent staging load run was available for this revision.

Cost and request limits

The live billing position provided for this assessment is a $20 prepaid Gemini balance with auto-reload off. We did not inspect the billing console, so that amount and setting remain owner-reported. The earlier $50 "hard cap" statement is withdrawn: no such enforced application or provider cap was evidenced. A normal billing budget is an alerting control and is not described here as a hard stop.

In the current source, the application enforces a default of 120 OCR requests per signed-in user per hour, 240 per source IP per hour, and 900 OCR requests per tenant per month. The user and IP limits can be overridden with server environment variables; the monthly limit is set with OCR_MONTHLY_CAP. The monthly cap applies to the OCR endpoint across AI and manual modes. When an app cap is exceeded, the handler rejects the request with HTTP 429 and returns the generic OCR message. Staging values have not been verified.

When Gemini returns an error during AI classification, the handler attempts the manual-parser fallback. If it finds readable contact fields, the user can review and save them. Google's published billing guide says a zero prepaid balance stops Gemini API requests and returns HTTP 402 until credits are added; the application's behavior for that exact staging response has not been demonstrated. The same is true of actual Gemini quota/rate-limit responses. No staging test has confirmed prepaid exhaustion, quota exhaustion, or the app-cap response.

Privacy and data handling

The code path sends card image bytes to Google Cloud Vision for OCR. The Gemini classification request contains the resulting OCR text; the Gemini request body is text-only and does not include the card image. This describes the current code, not a verified network capture from staging.

Google's published Gemini API terms say that when Gemini API access is through a Cloud project with an active billing account, prompts and responses are not used to improve Google products. Google also states that prompts and responses may be logged for abuse monitoring for up to 55 days, and that flagged content may be reviewed by authorized personnel. The owner-reported prepaid balance suggests paid access, but the exact project's active

billing status and applicable terms have not been checked in the console. This assessment does not claim an enterprise agreement.

Suggested client disclosure, subject to confirming the account and reviewing applicable contract terms: “Lead71 uses Google Cloud Vision to extract text from business-card images. If AI classification is enabled, extracted text, rather than the card image, is sent to the Gemini API to organize contact fields. For paid Gemini API use through a project with active Cloud Billing, Google states prompts and responses are not used to improve its products. Google may retain prompts and responses for abuse monitoring for up to 55 days.”

The source code emits a structured fallback event with a reason code and tenant identifier; it is designed not to include card text or upstream response bodies. That does not establish that all staging logs are free of personal data. Log contents still need a staging review.

Deployment and cleanup evidence still required

Evidence item	Current finding	Reference / attachment
Staging commit or PR	Not provided; team reports fallback is deployed	_____
Separate staging and production environments / databases	Not confirmed for this AI change	_____
Gemini API key stored only as a server-side staging secret	The source expects GEMINI_API_KEY server-side; staging secret scope not verified	_____
ENABLE_AI_MAPPING=false rollback test	Switch is absent from current source; not tested	Implement, deploy, and attach proof before production consideration
Prior report sharing status	Not verifiable from this workspace	Confirm recipients and whether any copy was forwarded
Staging records, test Sheets, and logs cleanup	Not verifiable from this workspace	Confirm deletion and attach dated evidence; check logs separately

The prior report contained visible card imagery and personal/contact details. This revised report omits the images and those details. The prior copy’s distribution and any records derived from it have not been verified here; Haroon and Zaid should record the distribution check and cleanup evidence above. Do not run cleanup against production data.

Actions before reconsidering production

- Attach the staging commit or PR and confirm the staging database, Sheets, and secrets are isolated from production.
- Run each synthetic scenario in the test table. Record request time, result mapping, required correction, fallback outcome, and whether saving succeeded.
- Demonstrate zero-balance, quota/rate-limit, and application request-cap behavior. Keep the $20 prepaid balance and auto-reload status documented from the billing console.
- Implement and test an actual server-side AI disable switch, then attach evidence that setting ENABLE_AI_MAPPING=false bypasses Gemini immediately.
- Check whether the earlier report was forwarded and document cleanup of related staging records, test Sheets, and logs.
- Confirm the exact billing project and applicable Gemini terms before issuing a client privacy disclosure.

Recommendation

No production API key, Vercel production deployment, or Aventure card data should be used until the evidence above is complete and reviewed. The current record does not prove production safeguards or end-to-end staging behavior.

No-Go for production