CN Lab 06 Tasks

Zaid Bin Naveed

23K-0028






Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical
Physical
x: 680, y: 506
Root
12:40:00
PCA
Physical Config Desktop Programming Attributes
IP Configuration
Interface FastEthernet0
IP Configuration
DHCP
Static
IPv4 Address 192.168.2.10
Subnet Mask 255.255.255.0
Default Gateway 192.168.2.1
DNS Server 0.0.0.0
IPv6 Configuration
Automatic
Static
IPv6 Address
Link Local Address FE80::201:96FF:FE3D:1810
Default Gateway
DNS Server
802.1X
Use 802.1X Security
Authentication MD5
Username
Password
Top
1841 Router0
2960-24TT Switch1
Server-PT Server2
Time: 26:01:28
Realtime
Simulation
Delete
Activate Windows
Go to Settings to activate Windows.
Automatically Choose Connection Type
Type here to search
25°C Clear
1:16 AM
3/13/2026


Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical
Physical
x: 938, y: 530
13:01:30
PCB
Physical Config Desktop Programming Attributes
IP Configuration
Interface FastEthernet0
IP Configuration
DHCP
Static
IPv4 Address 192.168.2.11
Subnet Mask 255.255.255.0
Default Gateway 192.168.2.1
DNS Server 0.0.0.0
IPv6 Configuration
Automatic
Static
IPv6 Address
Link Local Address FE80::201:C7FF:FE5D:77CC
Default Gateway
DNS Server
802.1X
Use 802.1X Security
Authentication MD5
Username
Password
Top
Activate Windows
Go to Settings to activate Windows.
Server-PT Server0
1841 Router0
2960-24TT Switch1
2960-24TT Switch0
Server-PT Server2
PC-PT PCA
Time: 26:02:09
Simulation
Scenario 0
New
Delete
Toggle PDU List Windo
Automatically Choose Connection Type
Type here to search
25°C Clear
1:17 AM
3/13/2026


Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical Physical x: 957, y: 536
PCB
Physical Config Desktop Programming Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.2.2
Pinging 192.168.2.2 with 32 bytes of data:
Reply from 192.168.2.2: bytes=32 time<1ms TTL=128
Reply from 192.168.2.2: bytes=32 time=1ms TTL=128
Reply from 192.168.2.2: bytes=32 time=1ms TTL=128
Reply from 192.168.2.2: bytes=32 time<1ms TTL=128
Ping statistics for 192.168.2.2:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms
C:\>ping 192.168.1.2
Pinging 192.168.1.2 with 32 bytes of data:
Request timed out.
Reply from 192.168.1.2: bytes=32 time=1ms TTL=127
Reply from 192.168.1.2: bytes=32 time<1ms TTL=127
Reply from 192.168.1.2: bytes=32 time=1ms TTL=127
Ping statistics for 192.168.1.2:
Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms
C:\>
Server-PT Server0
1841 Router0
2960-24TT Switch1
2960-24TT Switch0
Server-PT Server2
PC-PT PCA
Time: 26:03:48
Simulation
Scenario 0
New
Delete
Toggle PDU List Window
Automatically Choose Connection Type
Top
Activate Windows
Go to Settings to activate Windows.
Type here to search
25°C Clear
1:18 AM
3/13/2026


Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical Physical x: 608, y: 470
Server2
Physical Config Services Desktop Programming Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
EMAIL
SMTP Service
ON
OFF
POP3 Service
ON
OFF
Domain Name: fast.local
Set
User Setup
User
Password
naveed123
+
-
Change Password
Server-PT Server0
1841 Router0
2960-24TT Switch1
2960-24TT Switch0
Server-PT Server2
PC-PT PCA
Time: 26:04:55
Simulation
New
Toggle PDU List Window
Automatically Choose Connection Type
Top
Activate Windows
Go to Settings to activate Windows.
Type here to search
25°C Clear
1:20 AM
3/13/2026


Cisco Packet Tracer
Server1
Physical
Config
Services
Desktop
Programming
Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
EMAIL
SMTP Service
ON
OFF
POP3 Service
ON
OFF
Domain Name: fast.local
Set
User Setup
User
Password
naveed123
Change Password
Server-PT Server0
1841 Router0
2960-24TT Switch1
2960-24TT Switch0
Server-PT Server2
PC-PT PCA
Time: 26:06:22
Simulation
Scenario 0
New
Delete
Toggle PDU List Window
Automatically Choose Connection Type
Activate Windows
Go to Settings to activate Windows.
Type here to search
25°C Clear
1:21 AM
3/13/2026


Cisco Packet Tracer
PCA
Physical
Config
Desktop
Programming
Attributes
MAIL BROWSER
Mails
Compose
Reply
Receive
Delete
Configure Mail
From
Subject
Received
Cancel Send/Receive
Server-PT Server0
1841 Router0
2960-24TT Switch1
2960-24TT Switch0
Server-PT Server2
PC-PT PCA
PC-PT PCB
Time: 26:13:16
Scenario 0
New
Delete
Toggle PDU List Window
Automatically Choose Connection Type
Activate Windows
Go to Settings to activate Windows.
Type here to search
25°C Clear
1:28 AM
3/13/2026


Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical
Physical
PCB
Physical Config Desktop Programming Attributes
MAIL BROWSER
Mails
Compose
Reply
Receive
Delete
Configure Mail
From
Subject
Received
Server-PT Server0
1841 Router0
2960-24TT Switch1
2960-24TT Switch0
Server-PT Server2
PC-PT PCA
PC-PT PCB
Time: 26:15:07
Scenario 0
New
Delete
Toggle PDU List Window
Fire
Automatically Choose Connection Type
Cancel
Send/Receive
Top
Type here to search
25°C Clear
1:30 AM
3/13/2026


Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical
Physical
Server2
Physical Config Services Desktop Programming Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
FTP
Service
On
Off
User Setup
Username
Password
Write
Read
Delete
Rename
List
Username
Password
Permission
1 cisco cisco RWDNL
2 zaid 23k0028 RWDNL
Add
Save
Remove
File
1 asa842-k8.bin
2 asa923-k8.bin
3 c1841-advipservicesk9-mz.124-15.T1.bin
4 c1841-ipbase-mz.123-14.T7.bin
5 c1841-ipbasek9-mz.124-12.bin
6 c1900-universalk9-mz.SPA.155-3.M4a.bin
7 c2600-advipservicesk9-mz.124-15.T1.bin
Remove
Top
Server-PT Server2
1841 Router0
2960-24TT Switch1
Time: 26:39:21
Realtime
Simulation
Automatically Choose Connection Type
Activate Windows
Go to Settings to activate Windows.
Type here to search
25°C Clear
1:56 AM
3/13/2026