[TODO: title: see 01_story_and_claims.md, "Title ingredients"]

Anonymous Author(s)
Anonymous Institution

Fig. 1 placeholder: testbed and the three measurement points.
Drawing spec: 03_figures_tables.md, "Fig. 1".

Fig. 1. [TODO: caption facts in 03_figures_tables.md, Fig. 1]

TABLE I
[TODO: caption: the three SLA latency signals compared]

Signal	Measured at	Path included
Client p99	load generator (B)	app + wireless link
Server p95/p99	frontend logs (A)	app only
Ping p99	ICMP, B→A	wireless link only

TABLE II
[TODO: caption: sub-second stall events before/after the runtime fix (U40)]

	Before fix	After fix
Requests observed	16,639	17,141
Requests > 500 ms	448 (2.7 %)	0
Stall events (per min)	37 (7.0)	0 (0)
Median event duration	0.81 s	–
Events with a ping spike	0	0

TABLE III
[TODO: caption: threshold from the same calibration rule, per signal; held-out false breaches]

Run	Signal	CV	Threshold	Thr./median
keep-alive, U33	server p95	0.29	60 ms	2.4×
	client p99	1.24	350 ms	3.2×
final, U30	server p95	0.24	70 ms	2.9×
	client p99	0.75	1100 ms	5.7×

Abstract—[TODO: 150–200 words; content points in 01_story_and_claims.md, "Abstract content points". Write it LAST.]

Index Terms—self-adaptive systems, self-healing, monitoring, tail latency, microservices, edge computing

I. Introduction

[TODO: ≈0.75 page. 02_section_guide.md, Section 1: problem, setting, RQ1–RQ3, contributions list.]

II. Setting

[TODO: ≈0.75 page. 02_section_guide.md, Section 2 and 04_methodology_facts.md (testbed, control loop, signals, calibration rule).]

III. Method

[TODO: ≈0.75 page. 02_section_guide.md, Section 3 and 04_methodology_facts.md (tick-aligned collection, stall detection, bootstrap of quantiles, decision view).]

IV. Results

A. RQ1: Separating the noise sources

[TODO: ≈0.8 page. 02_section_guide.md, 4.1; Fig. 2, Fig. 3, Table II.]

B. RQ2: Estimator noise and the tail-sample rule

[TODO: ≈0.6 page. 02_section_guide.md, 4.2; Fig. 4.]

C. RQ3: What the controller can see

[TODO: ≈1.0 page. 02_section_guide.md, 4.3; Table III, Fig. 5, Table IV; transport numbers.]

V. Guidelines

[TODO: ≈0.45 page. 02_section_guide.md, Section 5: numbered guidelines, each tied to a result above.]

VI. Threats to Validity

[TODO: ≈0.25 page. 02_section_guide.md, Section 6.]

VII. Related Work

[TODO: ≈0.45 page. 06_references.md: groups, what each paper does, how we differ. Cite only verified entries.]

VIII. Conclusion

[TODO: ≈0.2 page. One sentence per RQ; artifact availability (anonymized link).]

Acknowledgment

[TODO: AI-assistance disclosure, required by IEEE policy; content points in 07_format_and_submission.md. Keep it anonymous.]




Fig. 2. [TODO: caption facts in 03_figures_tables.md, Fig. b1]




Fig. 3. [TODO: caption facts in 03_figures_tables.md, Fig. b2]




Fig. 4. [TODO: caption facts in 03_figures_tables.md, Fig. b3]




Fig. 5. [TODO: caption facts in 03_figures_tables.md, Fig. b4]

TABLE IV
[TODO: caption: detection in the first two fault ticks (latency over threshold OR failures >1 %), runbook episodes]

Fault	Episodes	Server p95	Client p99
F1 bad deploy	24	24	24
F2 CPU stress	29	27	3
F3 scale to zero	33	33	33
F4 traffic surge	29	29	5
Fault-free ticks over threshold		6/421	17/421

References

[1] J. Dean and L. A. Barroso, "The tail at scale," Communications of the ACM, vol. 56, no. 2, pp. 74–80, 2013, vERIFY DOI.

[2] J. Li, N. K. Sharma, D. R. K. Ports, and S. D. Gribble, "Tales of the tail: Hardware, OS, and application-level sources of tail latency," in Proceedings of the ACM Symposium on Cloud Computing (SoCC), 2014, vERIFY pages and DOI.

[3] Y. Zhang, D. Meisner, J. Mars, and L. Tang, "Treadmill: Attributing the source of tail latency through precise load testing and statistical inference," in Proceedings of the 43rd International Symposium on Computer Architecture (ISCA), 2016, pp. 456–468.

[4] M. Kogias, S. Mallon, and E. Bugnion, "Lancet: A self-correcting latency measuring tool," in Proceedings of the USENIX Annual Technical Conference (USENIX ATC), 2019, pp. 881–896.

[5] B. Schroeder, A. Wierman, and M. Harchol-Balter, "Open versus closed: A cautionary tale," in Proceedings of the 3rd

USENIX Symposium on Networked Systems Design and Implementation (NSDI), 2006, pp. 239–252.
[6] R. J. Hyndman and Y. Fan, "Sample quantiles in statistical packages," The American Statistician, vol. 50, no. 4, pp. 361–365, 1996.
[7] B. Efron and R. J. Tibshirani, An Introduction to the Bootstrap, ser. Monographs on Statistics and Applied Probability. New York: Chapman & Hall, 1993, vol. 57.
[8] H. Qiu, S. S. Banerjee, S. Jha, Z. T. Kalbarczyk, and R. K. Iyer, "FIRM: An intelligent fine-grained resource management framework for SLO-oriented microservices," in Proceedings of the 14th USENIX Symposium on Operating Systems Design and Implementation (OSDI), 2020, pp. 805–825.
[9] Y. Zhang, W. Hua, Z. Zhou, G. E. Suh, and C. Delimitrou, "Sinan: ML-based and QoS-aware resource management for cloud microservices," in Proceedings of the 26th ACM International Conference on Architectural Support for Programming Languages and Operating Systems (ASPLOS), 2021.
[10] Y. Gan et al., "An open-source benchmark suite for microservices and their hardware-software implications for cloud & edge systems," in Proceedings of the 24th ACM International Conference on Architectural Support for Programming Languages and Operating Systems (ASPLOS), 2019, vERIFY full author list, pages and DOI (senior author: Christina Delimitrou).
[11] J. von Kistowski, S. Eismann, N. Schmitt, A. Bauer, J. Grohmann, and S. Kounev, "TeaStore: A micro-service reference application for benchmarking, modeling and resource management research," in Proceedings of the 26th IEEE International Symposium on the Modelling, Analysis, and Simulation of Computer and Telecommunication Systems (MASCOTS), 2018, vERIFY pages and DOI.
[12] G. A. Moreno, B. Schmerl, and D. Garlan, "SWIM: An exemplar for evaluation and comparison of self-adaptation approaches for web applications," in Proceedings of the 13th International Symposium on Software Engineering for Adaptive and Self-Managing Systems (SEAMS), 2018, vERIFY pages and DOI.
[13] J. O. Kephart and D. M. Chess, "The vision of autonomic computing," Computer, vol. 36, no. 1, pp. 41–50, 2003.
[14] D. Garlan, S.-W. Cheng, A.-C. Huang, B. Schmerl, and P. Steenkiste, "Rainbow: Architecture-based self-adaptation with reusable infrastructure," Computer, vol. 37, no. 10, pp. 46–54, 2004.
[15] D. Weyns, An Introduction to Self-adaptive Systems: A Contemporary Software Engineering Perspective. Wiley, 2020, vERIFY ISBN of the edition you cite (hardcover listed as 978-1-119-57494-1).
[16] S. M. Hezavehi, D. Weyns et al., "Uncertainty in self-adaptive systems: A research community perspective," ACM Transactions on Autonomous and Adaptive Systems, vol. 15, no. 4, pp. 10:1–10:36, 2021, vERIFY full author list and the article page range.
[17] "Online boutique (microservices-demo), version v0.10.7," https://github.com/GoogleCloudPlatform/microservices-demo, google Cloud Platform; accessed Oct. 2026.
[18] "K3s: Lightweight Kubernetes," https://k3s.io, version v1.36.4+k3s1; accessed Oct. 2026.
[19] "Chaos mesh," https://chaos-mesh.org, accessed Oct. 2026.
[20] "Locust: An open source load testing tool," https://locust.io, version 2.46.6; accessed Oct. 2026.
[21] "Prometheus monitoring system," https://prometheus.io, accessed Oct. 2026.
[22] W. Morgan, "gRPC load balancing on Kubernetes without tears," Kubernetes blog, https://kubernetes.io/blog/2018/11/07/grpc-load-balancing-on-kubernetes-without-tears/, 2018.