

DepthWizard: demo video script

SIH26175 · Team Dev Up (129655) · recorded on the live site, project5.zaidansari.tech

Length: about 3:00, roughly 400 words at a calm 140 words a minute. This is the video behind the QR code on deck slide 6.

C Claude records a scripted 1080p clip, with exact motion and no cursor.

Y You record in OBS, where a shot needs a real cursor and real clicks.

Record the voice-over first, then trim the clips to fit it. Every number below is on screen in the viewer or on deck slide 7; do not add any that are not.

1 · Hook

0:00–0:15

C Hilly — Sikkim. A slow orbit over the valley at true scale.

One satellite image. No stereo pair, no laser survey, no new flight. DepthWizard turns it into a measured 3D surface — this is Sikkim, rebuilt from a single picture.

2 · The problem

0:15–0:35

C Urban — Omaha, top-down. Tilt slowly into 3D.

Height is what disaster teams and planners need, and it normally takes stereo imagery or LiDAR — expensive, and impossible for the past. India has decades of single-view satellite archive with no height at all. We estimate it from one image, in metres.

3 · Upload your own image

0:35–1:05

Y Click "Upload a satellite image". The file window opens: click `sikkim_town.tif` (the details line appears), then Upload. Show the progress bar for 3–4 seconds, keeping the "... s of about ... s" readout in frame, then cut the wait. The scene opens. Scroll to the download buttons and hover over them.

Pick a GeoTIFF — ours, or your own. The model runs on an ordinary CPU server, with no GPU. Because this file carries coordinates, we anchor it to open Copernicus terrain and return an absolute DSM — exactly what ISRO evaluates — plus height above ground and a per-pixel uncertainty map, all as GeoTIFFs you can open in QGIS. A plain PNG or JPG works too; you get relative heights.

4 · Explore and measure

1:05–1:35

- C** Fly-through of Mixed — Jacksonville.
- Y** Measure: click a rooftop, then the ground beside it. Hold on the readout.

Fly through it like a game. Click any two points to measure: distance on the ground, the height difference, and how sure the model is about that height. We open at true scale, not stretched, so what you see is what the model predicts.

5 · Honest about its own accuracy

1:35–2:10

- C** Mixed — Jacksonville, then switch "Show" to "How sure we are".
- C** Compare with real LiDAR: the slider sweeps left to right across Omaha.
- C** Switch "Show" to "Where we're wrong" on Omaha.

Every height comes with a confidence, and that confidence is checked — calibration error 0.063. Drag to compare against real airborne LiDAR. On unseen regions we're 3.5 metres per building; the published figure over Asia is 5.9. And we show where we're wrong: blue is too low. Our known weakness is very tall towers, and the viewer says so instead of hiding it.

6 · Disaster use case

2:10–2:40

- C** Hilly — Sikkim. Press "Flood the valley"; the water level rises slowly to 1,143 m. Hold on the readout.

Built for disaster management. Raise the water, and it counts the ground under water and the buildings flooded — at 1,143 metres, a fifth of this valley and 44 buildings. It also flags buildings too close to call from their own uncertainty.

7 · Works offline

2:40–2:52

- Y** Double-click `viewer_standalone.html` in File Explorer, with Wi-Fi off; show the network icon. It opens in the browser.

No internet? The whole viewer is one HTML file. Double-click it, and it runs.

C A title card: DepthWizard · Team Dev Up · SIH26175, with the live, docs and code links, and the Maxar imagery credit.

DepthWizard — height from one satellite image, with the evidence to trust it.

Before recording

1. **The viewer deploy is live.** Checked on 25 Sep: the live main.js matches the repo, and the render check and the 26 upload checks pass.
2. **The same three images are built into the upload window** as samples, and also sit in `D:\sih2026\demo_uploads\`. Upload one once before the take so the server is warm.

<code>1_teesta_riverside_geo.tif</code>	GeoTIFF: a plant beside the Teesta's flood plain. Gives an absolute DSM; processed live in 59 s.
<code>2_sikkim_town_geo.tif</code>	GeoTIFF: a dense hillside town. The best one for buildings; used in segment 3.
<code>3_sikkim_hillside_plain.png</code>	Plain PNG with no coordinates. Gives relative heights only.
3. **Set up OBS.** Capture the browser window at 1920 × 1080, 60 fps. Hide the bookmarks bar, zoom to 100 %, close other tabs, and turn on Focus assist.
4. **Credit Maxar.** Put "Imagery © Maxar Technologies, CC-BY-4.0" on the end card and in the video description.
5. **Record the voice-over separately,** in a quiet room with the phone about 20 cm away, then lay the clips under it.

Source: [depthwizard/docs/demo-video-script.md](#) · 25 Sep 2026