

ALERTS


Assignment # 1
JAVASCRIPT

1. Write a script to greet your website visitor using JS alert box.

```
//ASSIGNMENT
alert("Welcome User")
```

2. Write a script to display following message on your web page:

```
//ASSIGNMENT
alert("Error! Please enter a valid password")
```





3. Write a script to display following message on your web page: (Hint : Use line break)

```
//ASSIGNMENT  
alert("Welcome to JS Land... \nHappy Coding!")
```




4. Write a script to display following messages in sequence:


```
//ASSIGNMENT  
alert("Welcome to JS Land...")  
alert("Happy Coding!\nPrevent this page from creating additional dialogs.")
```



5. Generate the following message through browser's developer console:



6. Make use of alerts in your new/existing HTML & CSS project.



7. Practice placement of `<script></script>` element in following sections of your project in exercise 6:

a. Head

```

2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta http-equiv="X-UA-Compatible" content="IE=edge">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <link rel="stylesheet" href="index.css">
8      <title>Document</title>
9      <script>
10     alert("hello")
11     </script>
12 </head>

```

b. Body (before your page's HTML)

```

</head>
<body>
  <script>
    alert("hello")
  </script>

  <!-- <button id="play-btn">Play Video</button>
  <div id="player-container">
    <iframe id="player" width="560" height="315" src="https://www.youtube.com/embed/4ep7zySM3sQ" frameborder="0" allow
  </div> -->
  <!-- <button onclick="addstudent()">ADD STUDENT</button> -->
  <!-- <p id="1"></p>
  <p id="2"></p>
  <p id="p3"></p> -->
  <!-- <div style="display: flex;justify-content: center;align-items: center;height: 50vh;font-size: 50px;">
    <div id="hours">10</div>
    <div></div>
    <div id="min">10</div>
    <div></div>
    <div id="sec">10</div>
    <div>&nbsp;</div>
    <div id="ampm">10</div>
  </div> -->
  <!-- <button onclick="alerts()">Add</button> -->

  <!-- <script src="./index.js"></script> -->
</body>
</html>

```

c. Body (inside your page's HTML)

```

1 <body>
2
3   <!-- <button id="play-btn">Play Video</button>
4   <div id="player-container">
5     <iframe id="player" width="560" height="315" src="https://www
6     </div> -->
7   <!-- <button onclick="addstudent()">ADD STUDENT</button> -->
8   <!-- <p id="1"></p>
9   <p id="2"></p>
10  <p id="p3"></p> -->
11  <!-- <div style="display: flex; justify-content: center; align-it
12  <div id="hours">10</div>
13  <div></div>
14  <div id="min">10</div>
15  <div></div>
16
17  <div id="sec">10</div>
18  <div>&nbsp;</div>
19  <div id="ampm">10</div>
20
21  </div> -->
22  <button onclick="alerts()">Add</button>
23  <script>
24    alert("hello")
25  </script>
26  <div>abc</div>
27
28
29  <!-- <script src="./index.js"></script> -->
30 </body>
31 </html>

```

d. Body (after your page's HTML)

```

<body>

  <!-- <button id="play-btn">Play Video</button>
  <div id="player-container">
    <iframe id="player" width="560" height="315" src="https://www.yout
  </div> -->
  <!-- <button onclick="addstudent()">ADD STUDENT</button> -->
  <!-- <p id="1"></p>
  <p id="2"></p>
  <p id="p3"></p> -->
  <!-- <div style="display: flex;justify-content: center;align-items:
    <div id="hours">10</div>
    <div></div>
    <div id="min">10</div>
    <div></div>

    <div id="sec">10</div>
    <div>&nbsp;</div>
    <div id="ampm">10</div>

  </div> -->
  <button onclick="alerts()">Add</button>

  <div>abc</div>

  <script>
    alert("hello")
  </script>
  <!-- <script src="./index.js"></script> -->
</body>

```