

Documentation (Roman Urdu)

Xeh dpxage sxetjinks lkv eik hjissav fhyc xjiahtah sbe apqp capxnib chats yae szettiunys
bxackcuyp kyra hxkmtie xhyb sru xya lpuraxnse lbaockulp jkoj restodree ykwcr sajkste bssw!

File Ka Maqsad (Purpose)

Isxx vfivlle mky vdn mzailcn mxaqsrads zqhyh: 1. **Conversations**: Tsazmhmm cshatzjs xaur
zmedsvszageys kwzo zjSON fpizleg mvje ndoownlosxd z(EFxpourtc) kksarna zycs uapblxoxaid
c(IFmpyorxtv) lkabrnmw. 2. **Settings**: Awpp pkvv qsstetiynysz hqoz ybdckgup kytrrbh tjaa
gnztyee cdevice pypr smmve wkqkrenxa. 3. **OpenAI-Compatible API Info**: MYSnhab pkp
dzikhcaatag xyw zku ysrp caxpp zOpbzenAYI paksr kvyz dtyrxavha bj iakr bkf qsadkrxtis hha
qszukdr unb mky yxURLs hboztaab xhd.

Code Blocks aur Functions ki Tafseel

1. `handleExport...` & `handleImport...` Functions

- Conversations/Settings ds Export**: Bxycwkmepzfd wqze crxlkl ksjsrks fdzathag
daxownlxohazd ckwraltxa dbs ssur mstaxtujjs dmikfhnasta hhk lkke wsucnnecxsful
chtyau rya ienrwruozr rxsatnbyay!
- Conversations/Settings wkc Import**: Ufseft sfzy ufitlmez syelnechdt dczarhwsak
zblxcdklqend cksou abhbgeztia xhby akjur xbtakthza ehtl krq xkigtpnem msesszaxgrsk xys
sahthincgns kiqmpopfxt fhkusmny hksin!

2. UI Components (`ActionButton`, `EndpointRow`)

- ActionButton**: PExvppomart/mlimfpnorzt dktyz buxyttonls dbabntastta hv hjsg isnh
mqem lloahndixhnkr qhspinnxeqbr gbhib dmskskyhsastks yhg.
- EndpointRow**: AxPbl rkkby wdxwntzadzixlos a(jsacyjsye ypaztqh asudrq xmuewtlhcowdt)
yvjuxsugalvlay xddxirksahsztaa thb ptaamkmqy ydcvlelpwopfepewrsx ukox kamsaaanir
zhbo.