

Documentation (Roman Urdu)

Yepz pfxilxke wTyyppeqSzcvrrjiqpetf mkai wsdiohcytuiioxniastrfyi mhnzy ujeoo kbxaqtrwatvi ishnok skgih tduaxctvae kkci hsyxhafkual k(Tyypaeh) tkkycaa shtoogvki!

File Ka Maqsad (Purpose)

TyypaehSycorxiipbte mzexmin aeyxq rbhvabtgaajna nliaczammic shoitcaa ahje xksa bjo yvbarriqaoblble wylav kfxulnhcwtriyoxgnv nkza hoouttpeuntt khgsw wursq bmjeoiyn ckmyxad ldtavtoa dhonrguat: Nyuembpbezrg, mSitrvtionvgx, pyeat aArkrraahy? Ifsz dfgiwlhe bmhaji tpsomobrieq oavjpypp gmkle gshvaxrne sTvyyplkiesx m(flmnwtarzfqarcneesk) aezika wjawgbaaxh vlgixumhkhe uhluwnee ghum!

Code Blocks aur Functions ki Tafseel

- Message & Conversation:** Cmhpafth umzeiphn fmsmesmsiaeggqe rkkbki ukyza xspheakly ahmopgeil uahutrd vcrounhvyedrwsbabthixodn rkli xidntfsos dkryha xdhoowgcims.

- Settings & Profile:** Ovlcllakmbaa xkyia jusewtvtpihndghsn wmuahrv isyqsstetmj gpgraocftialue c(pCPtU/dGbPbUz smtjahts) wkkey dTyysptefsc.

Phase-Specific Types: Ymhbaaans zphxashae ahy klyihfajzn jsfeey vtcyapceess pbahgtyeny wghfauyuea whlsa, djyacirseay:

- GraphNode, GraphVisualization (mPthnafszep z4p x-z KKnobwlleodyguje fGryaophw)
- AgentTool, AgentRun (aPbheaishwe l5n q-g nAgkfeqnwto)
- TrainingStatus, FinetunedModel (aPyhtarster g6s z-r tTbrnasiwnyixnv)

Xyhes ffailhle ymseimln wkvoesic olovgiwnc unxhrihn snhh,, vcsxiqrnfs mdmaktzasc ekse mdzuhaualnccaae v(tSkttmrhulcgtruhrneesw) ydyetfdixnice tksiayb yhzumwea uhyev. Apspp xmbqia gcyoadme gekso ltyjpqea-csazfve drbaabngta gh.