



CS311 midterm MCQs By Talha Sajid

Introduction to Web Services Development (Virtual University of Pakistan)



Scan to open on Studocu



VIRTUAL
UNIVERSITY

ALL PAID SERVICE

OUR CAPABILITIES :

- ✓ LMS Handling
- ✓ Quizes solution
- ✓ Assignments
- ✓ Mid and Final Term Notes
- ✓ Project CS 619
- ✓ GDB

INBOX NOW

CONTACT DETAILS:



0328-4090195



rts849@outlook.com

Talha Sajid



1. What is the correct syntax of the declaration which defines the XML version?

- a) `<xml version="1.0" />`
- b) `<?xml version="1.0" />`**
- c) `<?xml version="1.0"?>`
- d) `<?xml version="1.0" />`

2. There is a way of describing XML data, how?

- a) XML uses a DTD to describe the data
- b) XML uses XSL to describe data
- c) XML uses a description node to describe data**
- d) XSL uses a description node to describe data

3. XML's goal to replace HTML?

- a) False**
- b) True

4. There is a way of describing XML data, how?

- a) XML uses a DTD to describe the data
- b) XML uses a XSL to describe the data**
- c) XML uses a description node to describe the data
- d) None of the above

5. XML's goal is to replace HTML



a) False

b) True

6. What does DTD stand for?

a) Document Type Definition

b) Dynamic Type Definition

c) Do The Dance

d) Direct Type Definition

7. Which statement is true?

a) All XML elements must be properly closed

b) All XML documents must have a DTD

c) All XML elements must be lower case

d) All the statements are true

8. Is this a "well formed" XML document?

```
<?xml version="1.0"?>
```

```
<note>
```

```
<to>Tove</to>
```

```
<from>Jani</from>
```

```
<heading>Reminder</heading>
```

```
<body>Don't forget me this weekend!</body>
```

```
</note>
```

a) Yes

b) No

9. Is this a "well formed" XML document?

```
<?xml version="1.0"?>
```



<to>Tove</to>

<from>Jani</from>

<heading>Reminder</heading>

<body>Don't forget me this weekend!</body>

a) Yes

b) No

10. Which statement is true?

a) All the statements are true

b) All XML elements must be properly closed

c) All XML documents must have a DTD

d) All XML elements must be lower case

11. Which statement is true?

a) All the statements are true

b) XML documents must have a root tag

c) XML tags are case sensitive

d) XML elements must be properly nested

12. XML preserves white spaces

a) False

b) True

13. Is this a "well formed" XML document?

<?xml version="1.0"?>

<note>

<to age="29">Tove</to>

<from>Jani</from>



</note>

a) Yes

b) No

14. Is this a "well formed" XML document?

<?xml version="1.0"?>

<note>

<to age=29>Tove</to>

<from>Jani</from>

</note>

a) No

b) Yes

15. Which is not a correct name for an XML element?

a) All 3 names are incorrect

b) <first name>

c) <age>

d) <NAME>

16. Which is not a correct name for an XML element?

a) All 3 names are incorrect

b) <xmldocument>

c) <7eleven>

d) <phone number>

17. XML attribute values must always be enclosed in quotes?

a) False

b) True



18. What does XSL stand for?

- a) eXtra Style Language
- b) eXtensible Stylesheet Language**
- c) eXtensible Style Listing
- d) eXpandable Style Language

19. What is a correct way of referring to a stylesheet called "mystyle.xml"?

- a) <?xml-stylesheet type="text/xml" href="mystyle.xml" ?>**
- b) <link type="text/xml" href="mystyle.xml" />
- c) <stylesheet type="text/xml" href="mystyle.xml" />
- d) <stylesheet href="mystyle.xml" />

20. XML elements cannot be empty

- a) True
- b) False**

21. Which is not a correct name for an XML element?

- a) <h1>
- b) <1dollar>**
- c) <Note>
- d) All 3 names are incorrect

22. In the DOM. The documents interface is the only way interface that allows you to create other DOM documents components?

- a) True**
- b) False

23. For the XML parser to ignore a certain section of your XML document, which syntax is correct?

- a) `<CDATA> Text to be ignored </CDATA>`
- b) `<xml:CDATA[ Text to be ignored ]>`
- c) `<PCDATA> Text to be ignored </PCDATA>`
- d) `<![CDATA[ Text to be ignored ]]>`**

24. Which statement is true?

- a) Attributes must occur in defined order
- b) None of the statements are true
- c) Attributes must always be present
- d) Both statements are true**

25. For all XML documents, which of the following is true?

- a) All XML elements must have a closing tag.**
- b) All XML documents must have a DTD
- c) All XML elements must be lowercase
- d) All of statements are true

26. An element with no content is said to be _____?

- a) Empty element**
- b) Duplicate element
- c) Original element
- d) Spaced element

27. XML is a subset of SGML?

- a) True**
- b) False

28. Which of the following cannot be an XML Element?



- a) Attributes
- b) Other elements
- c) None of the above**
- d) text

29. Consider a system which is memory and speed constraint. The application is to process XML documents. Sort the contents and mail them to a higher configuration machine for transformation. Which is the best approach?

- a) Use platform native language to process the documents
- b) Use DOM based approach.**
- c) Using SAX based approach is the best
- d) DOM and SAX must be used in this context.

30. The element “<title>Harry Potter</title>” have _____ type of content?

- a) Attribute
- b) Text**
- c) Mix
- d) Category

31. When receiving documents from a non-trusted agent. The best way to process the documents is _____

- a) Use SAX
- b) Use DOM
- c) Both can be used but validity is an issue here**
- d) Both can be used here

32. Which of the following cannot be used while naming XML Elements?

- a) Digits
- b) Letters
- c) Spaces**
- d) Underscore

33. What are XML entities used for?

- a) Entities define shortcuts to standard attributes
- b) Entities define shortcuts to special characters
- c) Entities define shortcuts to standard text
- d) Entities define shortcuts to standard elements**

34. XML attributes must be in double quotes?

- a) True**
- b) False

35. how many type of cookies are in servlets?

- a) 4
- b) 2**
- c) 3
- d) 1

36. Which method does SAX use for processing XML documents?

- a) Events Based**
- b) DocumentHandler
- c) Document
- d) Tree based

37. Which method does DOM use for processing XML documents?

- a) Events Based
- b) Tree based.**
- c) DocumentHandler
- d) Document

38. Which of the following statement is true about naming on XML element?

- a) Element names cannot contains underscore
- b) Element names cannot contains digits
- c) Element names cannot start with the letter XML**
- d) Element names can start with the letter XML

39. What is an XML instance?

- a) An XML element
- b) An XML tag
- c) An XML attribute
- d) An XML document**

40. Which interface are part of the SAX2 API?

- a) ContentHandler, ErrorHandler, DTDHandler, EntityResolver**
- b) DocumntHandler, ErrorHandler, DTDHandler, EntityHandler
- c) DocumntHandler, ErrorHandler, DTDHandler, ErrorResolver
- d) DocumntHandler, ErrorHandler, DTDHandler, SchemaHandler

41. Which one of the following statement is true about naming on XML element?

- a) Element names cannot contains underscore
- b) Element names can contains scores
- c) Element names are case-sensitive**
- d) Element names cannot contains digits

42. Which XML DOM object represents a node in the node tree?

- a) The nodeList object
- b) The node object**
- c) The document object

Contact us on WhatsApp  0328-4090195

d) All of above

43. What does XML stand for?

a) eXtensible Markup Language

b) eXtra Modern Link

c) Example Markup Language

d) X-Markup Language

44. A DOM-based parser should be used for which of the following situations?

a) Need to modify the XML document directly

b) Performance and/or memory is an issue

c) Need to have random access to the components of the XML document

d) Only need to process the XML document sequentially

45. What error types does the SAX2 ErrorHandler interface handle?

a) informational, warning, fatal-error

b) warning, error, fatal-error

c) warning, error

d) informational, warning, error, fatal-error

46. DOM can be used to process HTML documents.

a) true

b) false

47. Use of SAX based parser is most likely to be used in which of the following scenarios?

a) You want to process the document in a sequential order only.

b) The documents is very large.

c) When there is no need to validate XML documents.

d) The parser implements only SAX based approach.

48. XSLT is essentially a tool for translating what kind of documents?

a) XML

- b) PDF
- c) DOM
- d) RTF

49. In DOM, the Document interface is the only interface that allows you to create other DOM document components.

- a) true**
- b) false

50. When receiving documents from a non-trusted agent, the best way to process the documents is:

- a) Use SAX
- b) Use DOM
- c) Both can be used here.
- d) Both can be used but validity is an issue here.**

51. Consider a system which is memory & speed constraint. The application is to process XML documents, sort the contents and mail them to a higher configuration machine for transformation. Which is the best approach?

- a) Use platform native language to process the documents
- b) Use DOM based approach.**
- c) Using SAX based approach is the best.
- d) DOM and SAX must be used in this context.

52. When Processing Instructions are a part of your parsing process, DOM should be used, since SAX cannot be used to detect a Processing Instruction in a document.

- a) true**
- b) false

53. When you construct an XML using a DOM enabled Parser, the same parser should be used to process back the XML document when the process involves legacy applications, otherwise it is not necessary to do so.

- a) Not really
- b) Yes, whenever the process is between legacy connectivity this is better.
- c) You can use SAX enabled parser to fill this gap.

d) This statement is not a correct one, because DOM is constructed using IDL.

54. An XML document to be processed is very large. The application extracts a small portion of the information from the document. Memory and speed may be constraints. Which method or methods are most appropriate for this situation?

a) Use SAX

- b) Use DOM
- c) Extract the necessary information and process using XSLT.
- d) Use a schema-based approach.

55. Which is the best description of the “characters()” method?

a) a method of DOM API to insert character data in the XML document

b) a method of the SAX Content Handler interface to receive notification of the presence of character data

- c) a method of the DOM interface to replace the entity reference with the character data
- d) None of these.

56. Which interfaces are part of the SAX2 API?

a) ContentHandler, ErrorHandler, DTDHandler, EntityResolver

- b) DocumentHandler, ErrorHandler, DTDHandler, EntityHandler
- c) DocumentHandler, Errorhandler, DTDHandler, SchemaHandler
- d) DocumentHandler, Errorhandler, DTDHandler, EntityResolver

58. Which of the following comments are not well formed?

A. <!-- define <source> -->

B. <!-- define <source> -->

C. <!-- declaration — 10.27.2004 -->

D. <!-- this is a valid comment -->



59. What can XML do?

- a) The standard for automating data exchange between systems**
- b) The standard for displaying data on the Web
- c) The standard for a cross-platform programming language

Best of Luck

For Free help, more Mid/Final term Files and for Exam Preparation : [You Can Join:](#)

Contact us on WhatsApp  0328-4090195