

Functions of Several Variables

Lang has a very specific definition of function. He requires that the output of f is a number. The input can be any subset of n -space.

Example. $f : \mathbb{R}^2 \rightarrow \mathbb{R}$ defined by $f(x, y) = \sqrt{x^2 + y^2}$. We can interpret f as a function that tells us our distance to the origin when we're standing at a point (x, y) .

Example. $f : \mathbb{R}^3 \rightarrow \mathbb{R}$ defined by $f(x, y, z) = x^2 - \sin(xyz) + yz^3$.

The graph of a function on defined on $S \subset \mathbb{R}^2$ would have the form

$$\{(x, y, f(x, y)) : (x, y) \in S\}.$$

In this case, the graph sits in \mathbb{R}^3 .

For a fixed number c , the equation $f(x, y) = c$ describes a curve in \mathbb{R}^2 . Such a curve is called a **level curve**.

Question. What do the level curves of $f(x, y) = x^2 + y^2$ look like? What about $f(x, y) = \sqrt{x^2 + y^2}$.

If $f(x, y, z)$ is a function of three variables, the equation $f(x, y, z) = c$ describes a surface, called a **level surface**.

Question. What do the level surfaces of $f(x, y, z) = x^2 + y^2 + z^2$ look like? What about $f(x, y, z) = 3x^2 + 2y^2 + z$?

Partial Derivatives

First consider a function of two variables $f(x, y)$. If we hold one of the variables fixed and allow the other to vary, we obtain a function of one variables, and we can take the derivative as we did in Calc I:

$$\lim_{h \rightarrow 0} \frac{f(x + h, y) - f(x, y)}{h}.$$

This is the **partial derivative with respect to the first variable** or the **partial derivative with respect to x** . The second partial derivative would be

$$\lim_{h \rightarrow 0} \frac{f(x, y + h) - f(x, y)}{h}.$$

Notations for this include $D_1f, D_2f; \frac{\partial f}{\partial x}, \frac{\partial f}{\partial y}; f_x, f_y$. And of course, we can extend these ideas to functions of 3 or more variables.

Example. Let $f(x, y) = x^2y^3$. To compute $\partial f / \partial x$, we treat y as a constant and differentiate as usual:

$$\frac{\partial f}{\partial x} = 2xy^3.$$

Similarly,

$$\frac{\partial f}{\partial y} = 3x^2y^2.$$