



Ministry of Higher Education and Scientific Research
University of Technology
Computer Engineering Department



**Report Title
Website: Sweet Cafe**

Web programming برمجة الويب

اسم الطالب : زينب فلاح محمد رشيد
الاختصاص: هندسة معلومات
المرحلة : الرابعة
الدراسة: الصباحية
تاريخ التسلیم : 20/8/2020

2019-2020

Sweet Café.com

Home for all cake and coffee lover

What is the point in having a website?

The ‘point’ of ANYTHING you invest in with regards your website should be to return that investment – simple as that.

if you are restaurant or cafe owner and you are spending money on items for your business which do not intern bring value to your business, your business will not go far.

Whether they be loyalty cards or comment cards, flyers or posters, menus or your cafes website they must add value to your business.

how powerful a website is Flyers and posters can push a few sales sure but:

- a well designed website can revolutionise your business.
- a well designed website can generate leads for your cafe 24/7
- a well designed website can take reservations for your restaurant
- a well designed website can take payments
- a well designed website can do almost anything...

Your website cannot be a one off investment. Your website must grow with your café

The Main Aim When Owning 1 Cafe Or Restaurant Should Be To Own 2 Cafes, Restaurants!

Of course!

What self respecting ambitious café, or restaurant owner hasn't thought about the day they could open their second. And so it should be.

You can't become rich owning 1 eatery. And if you are, you are stressed to the max running it on full steam.

The aim of the first is to get it running to full capacity so that you can open your second and then perhaps your third. That way all can run smoothly not having to be constantly pushed and you can sit back and watch the money flow in.

To achieve this aim you will need something bigger than your cafe or restaurant. You will need a brand.

Without a brand you will simply be OPENING a second cafe, bar or restaurant – who wants that?

The whole point of going through the stress of establishing the first was that the second and subsequent future establishments would become not only easier to open and get running but much more importantly easier to establish and faster to make profitable.

To accomplish this you need to build your business into something bigger than it is.

A business has a ceiling to what it can accomplish. It is limited by time and staff and hours and geography.

The Second Aim Of Any Cafe Or Restaurant Website Today Should Be To Becomes It Own Online Ordering Portal

As a café or restaurant owner in todays world I am hoping you are familiar with some if not all of the below businesses.


- Living social
- groupon
- Just eat
- eat city
- etc

What they all have in common is they make money by utilising large amounts of traffic.

And by sending that traffic to your business in large volumes you are willing to slash your margins to the bone in order to get the volume of orders.

Like the website below my(SWEET CAFE) actually the shop was small but the sales Of website larger than the shop ,in the future I am sure I can develop it my shop and website more than now .

Home page: index.html



The screenshot shows a code editor with the file "index.html" open. The code includes several Arabic comments:

```
1<!-- زينب فلاح محمد / معلومات / مباري
2
3
4
5
6-->
7
8<!DOCTYPE html>
9<html>
10<head>
11    <title>Sweet Cafe</title>
12    <meta name= viewport content= "width=device-width, initial-scale=1.0">
13    <link rel="stylesheet" type="text/css" href="style.css">
14    <script src=index.js></script>
15
16    <link href="https://fonts.googleapis.com/css?family=Flamenco" rel="stylesheet">
17    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/3.5
18    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.
19</head>
20<body>
21
22<header>
23    <nav>
```

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** On the left, it lists files under "PROJECT WEB LAB".
- Open Editors:** The main editor shows the content of "index.html".
- Content:** The code includes a navigation bar with a logo and links to CAKE MENU, ORDER, Sign up, and Log in. It also features a mobile icon and a welcome message for "SWEET CAFE".


```
<nav>
  <div class="row clearfix">
    
    <ul class="main-nav animated slideInDown" id="check-class">
      <li><a href="#">CAKE MENU</a></li>
      <li><a href="#"> ORDER</a></li>
      <li><a href="signup.html"> Sign up</a></li>
      <li><a href="login.html">Log in</a></li>
    </ul>
    <a href="#" class="mobile-icon" onclick="slideshow()"> <i class="fa fa->
```

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** On the left, it lists files under "PROJECT WEB LAB".
- Open Editors:** The main editor shows the content of "index.html".
- Content:** The code includes a navigation bar with a logo and links to CAKE MENU, ORDER, Sign up, and Log in. It also features a mobile icon and a welcome message for "SWEET CAFE".

```
<li><a href="login.html">Log in</a></li>
</ul>
<a href="#" class="mobile-icon" onclick="slideshow()"> <i class="fa fa->
```

Home page: style.css




The screenshot shows the Visual Studio Code interface with the 'style.css' file open in the editor. The code is as follows:

```
/* زينب فلاح محمد/معلومات / مبابي
 */
{
    margin: 0px;
    padding: 0px;
    box-sizing: border-box;
}

body{
    font-size: 20px;
    overflow-x: hidden;
    color: white;
    font-family: 'Flamenco', cursive;
}
```

The code includes a header comment in Arabic and English, followed by a global margin and padding rule, and a body rule with a large font size, hidden horizontal overflow, white text color, and a cursive font family.



The screenshot shows the Visual Studio Code interface with the 'style.css' file open in the editor. The code has been expanded to include:


```
}

header{
    background-image: linear-gradient(rgba(0,0,0,0.6), rgba(0,0,0,0.6)), url('img/b1');
    background-size: cover;
    background-repeat: no-repeat;
    background-position: center;
    height: 100vh;
}


.clearfix:after{
    content: ".";
    visibility: hidden;
    display: block;
    height: 0px;
    clear: both;
}

.row{
    max-width: 1180px;
    margin: 0 auto;
}
```

This expanded version adds a header section with a linear gradient background, aclearfix rule for clearing floats, and a row rule for centering content.



```
43 }  
44 .logo{  
45 height: 120px;  
46 width: auto;  
47 float: left;  
48 margin-top: 20px;  
49 }  
50 .main-nav{  
51 float: right;  
52 margin-top: 60px;  
53 }  
54 .main-nav li{  
55 display: inline-block;  
56 list-style: none;  
57 margin-left: 40px;  
58 }  
59 .main-nav li a{  
60 padding: 5px 0;  
61 color: #fff;
```



```
43 }  
44 .logo{  
45 height: 120px;  
46 width: auto;  
47 float: left;  
48 margin-top: 20px;  
49 }  
50 .main-nav{  
51 float: right;  
52 margin-top: 60px;  
53 }  
54 .main-nav li{  
55 display: inline-block;  
56 list-style: none;  
57 margin-left: 40px;  
58 }  
59 .main-nav li a{  
60 padding: 5px 0;  
61 color: #fff;
```

File Edit Selection View Go Run Terminal Help style.css - projekt web lab - Visual Studio Code

OPEN EDITORS # style.css > ...

PROJECT WEB LAB

- index.html
- JS index.js
- # style.css
- signup.html
- # signup.css
- JS signup.js
- login.html
- # login.css
- JS login.js
- signup.html
- JS signup.js
- # style.css 1

```
63 .main-nav li a{  
64   padding: 5px 0;  
65   color: #fff;  
66   text-decoration: none;  
67   text-transform: uppercase;  
68   font-size: 90%;  
69   font-weight: 100;  
70 }  
71  
72 .main-nav li a:hover{  
73   border-bottom: 2px solid #bf55ec;  
74 }  
75  
76 .main-content-header{  
77   width: 1180px;  
78   position: absolute;  
79   top: 60%;  
80   left: 85%;  
81   transform: translate(-50%, 50%);  
82 }  
83  
84 }  
85 }
```

Ln 8 Col 1 Spaces: 2 UTF-8 CRLF CSS Go Live ⚙

File Edit Selection View Go Run Terminal Help style.css - projekt web lab - Visual Studio Code

OPEN EDITORS # style.css > ...

PROJECT WEB LAB

- index.html
- JS index.js
- # style.css
- signup.html
- # signup.css
- JS signup.js
- login.html
- # login.css
- JS login.js
- signup.html
- JS signup.js
- # style.css 1

```
85 }  
86  
87 h1{  
88   color: #fff;  
89   font-size: 240%;  
90   word-spacing: 5px;  
91   letter-spacing: 3px;  
92   margin-bottom: 20px;  
93   text-transform: uppercase;  
94   font-weight: lighter;  
95 }  
96  
97 .btn{  
98   display: inline-block;  
99   padding: 10px 30px;  
100  font-weight: lighter;  
101  text-decoration: none;  
102  text-transform: uppercase;  
103  border-radius: 200px;  
104  transition: background-color 0.2s, border 0.2s, color 0.2;  
105 }  
106  
107 }
```

Ln 8 Col 1 Spaces: 2 UTF-8 CRLF CSS Go Live ⚙

File Edit Selection View Go Run Terminal Help style.css - projekt web lab - Visual Studio Code

OPEN EDITORS

PROJECT WEB LAB

- index.html
- index.js
- style.css
- signup.html
- signup.css
- signup.js
- login.html
- login.js
- signup.css
- signup.html
- signup.js
- style.css

```
.btn-full{
    background-color: transparent;
    color: #bf55ec;
    margin-right: 15px;
    border: 1px solid #bf55ec;
}

.btn-full:hover{
    background-color: #fff;
}

.btn-nav{
    background-color: transparent;
    color: #fff;
    border: 1px solid #fff;
}

.btn-nav:hover{
    background-color: #bf55ec;
}
```

File Edit Selection View Go Run Terminal Help style.css - projekt web lab - Visual Studio Code

OPEN EDITORS

PROJECT WEB LAB

- index.html
- index.js
- style.css
- signup.html
- signup.css
- signup.js
- login.html
- login.js
- signup.css
- signup.html
- signup.js
- style.css

```
.colorchange{
    animation: colorchangethapa 1s infinite;
}

@keyframes colorchangethapa{
    0%{color: yellow;}
    25%{color: #bf55ec; }
    50%{ color: white; }
    100%{ color:#bf55ec; }
}

.mobile-icon{display: none;}

/*////////// Responsive queries //////////*/
@media only screen and (max-width: 1180px){
    .main-content-header{
        width:100%;
        padding:0 2%;
    }
}
```

File Edit Selection View Go Run Terminal Help style.css - projekt web lab - Visual Studio Code

OPEN EDITORS # style.css > ...

PROJEKT WEB LAB

- logo.png
- logo0.png
- logo2.jpg
- logo3.jpg
- logo4.jpg
- logo4.png
- logo5.jpg
- logo6.jpg
- logo7.jpg
- logo8.jpg
- logo8.png
- logo9.png
- logo10.jpg
- logo51.png
- logo52.png

- index.html
- index.js
- # login.css
- login.html
- login.js
- # signup.css
- signup.html
- signup.js
- # style.css 1

> OUTLINE

```
151 .row{  
152   width:100%;  
153   padding:0 2%;  
154 }  
  
155 @media only screen and (max-width: 998px){  
156   h1{font-size: 200%;}  
157 }  
  
158 @media only screen and (max-width: 768px){  
159   h1{font-size: 180%;}  
160 }  
  
161 .main-nav{display: none;}  
  
162 .mobile-icon{ display: inline-block;  
163   color: #ffff;  
164   float:right;  
165   margin-top: 30px;  
166   margin-right: 20px;  
167 }  
  
168  
169  
170  
171  
172  
173
```

File Edit Selection View Go Run Terminal Help style.css - projekt web lab - Visual Studio Code

OPEN EDITORS # style.css > ...

PROJEKT WEB LAB

- logo.png
- logo0.png
- logo2.jpg
- logo3.jpg
- logo4.jpg
- logo4.png
- logo5.jpg
- logo5.png
- logo6.jpg
- logo7.jpg
- logo8.jpg
- logo8.png
- logo9.png
- logo10.jpg
- logo51.png
- logo52.png

- index.html
- index.js
- # login.css
- login.html
- login.js
- # signup.css
- signup.html
- signup.js
- # style.css 1

> OUTLINE

```
170   float:right;  
171   margin-top: 30px;  
172   margin-right: 20px;  
173 }  
  
174 .main-nav{float: left;}  
  
175 .main-nav li{  
176   display: block;  
177   margin-top: 10px;  
178 }  
  
179  
180 }  
  
181  
182 @media only screen and (max-width: 480px){  
183   .btn-full{  
184     margin-bottom: 20px;  
185   }  
  
186   h1{font-size: 180%;}  
187 }  
  
188  
189  
190  
191
```

Home page: index.js

The screenshot shows a Visual Studio Code interface with two tabs open: 'index.html' and 'JS index.js'. The 'index.html' tab displays a dark-themed website for 'Sweet CA House of Cake Lover'. The page features a large image of a chocolate cake with white frosting and a 'The Best Choice' logo. Navigation links include 'CAKE MENU', 'ORDER', 'SIGN UP', and 'LOG IN'. Below the image, the text 'WELCOME TO SWEET CA HOUSE OF CAKE LOVER' is displayed, along with 'CLICK TO ORDER' and 'SHOW ME MORE' buttons. The 'index.js' tab shows the following JavaScript code:

```
// معلومات / مبارحة
function slideshow(){
    var x = document.getElementById('check-class');
    if(x.style.display === "none"){
        x.style.display="block";
    }else{
        x.style.display="none";
    }
}
```

This screenshot shows the same Visual Studio Code interface, but the website content has been modified. The page now displays Arabic text: 'زيتب فلاح محمد/معلومات / مبارحة' at the top, followed by the same cake image and navigation links. The 'index.js' tab shows the same JavaScript code as the previous screenshot.

```
// معلومات / مبارحة
function slideshow(){
    var x = document.getElementById('check-class');
    if(x.style.display === "none"){
        x.style.display="block";
    }else{
        x.style.display="none";
    }
}
```

index.js - projekt web lab - Visual Studio Code

File Edit Selection View Go Run Terminal Help


OPEN EDITORS


PROJECT WEB LAB

index.html JS indexjs # style.css signup.html # signup.css JS signup.js login.html # login.css


```
1 // زيتب فلاح محمد/معلومات /صباحي
2
3
4
5
6
7
8 function slideshow(){
9     var x = document.getElementById('check-class');
10    if(x.style.display === "none"){
11        x.style.display="block";
12    }else{
13        x.style.display="none";
14    }
15 }
```

Sign up page:signup.html





```
<!DOCTYPE html>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>SIGN UP</title>
<link href="signup.css" rel="stylesheet" type="text/css" />
<script src="signup.js"></script>
<link href="https://fonts.googleapis.com/css?family=Play" rel="stylesheet">
<style>
#msg {
    visibility: hidden;
    min-width: 250px;
    background-color: #110066;
    color: #000;
}
```



```
#msg {
    visibility: hidden;
    min-width: 250px;
    background-color: #110066;
    color: #000;
    text-align: center;
    border-radius: 2px;
    padding: 16px;
    position: fixed;
    z-index: 1;
    right: 30%;
    top: 30px;
    font-size: 17px;
    margin-right: 30px;
}

#msg.show {
    visibility: visible;
    -webkit-animation: fadein 0.5s, fadeout 0.5s 2.5s;
    animation: fadein 0.5s, fadeout 0.5s 2.5s;
}
```

File Edit Selection View Go Run Terminal Help signup.html - projekt web lab - Visual Studio Code

OPEN EDITORS

PROJECT WEB LAB

- index.html
- JS index.js
- # style.css
- signup.html
- # signup.css
- JS signup.js
- login.html
- # login.css

```
34
35 #msg.show {
36     visibility: visible;
37     -webkit-animation: fadein 0.5s, fadeout 0.5s 2.5s;
38     animation: fadein 0.5s, fadeout 0.5s 2.5s;
39 }
40
41 @-webkit-keyframes fadein {
42     from {top: 0; opacity: 0;}
43     to {top: 30px; opacity: 1;}
44 }
45
46 @keyframes fadein {
47     from {top: 0; opacity: 0;}
48     to {top: 30px; opacity: 1;}
49 }
50
51 @-webkit-keyframes fadeout {
52     from {top: 30px; opacity: 1;}
53     to {top: 0; opacity: 0;}
54 }
```


File Edit Selection View Go Run Terminal Help signup.html - projekt web lab - Visual Studio Code

OPEN EDITORS

PROJECT WEB LAB

- index.html
- JS index.js
- # style.css
- signup.html
- # signup.css
- JS signup.js
- login.html
- # login.css

```
51 @-webkit-keyframes fadeout {
52     from {top: 30px; opacity: 1;}
53     to {top: 0; opacity: 0;}
54 }
55
56 @keyframes fadeout {
57     from {top: 30px; opacity: 1;}
58     to {top: 0; opacity: 0;}
59 }
60     </style>
61 </head>
62
63 <body>
64     
65 <div class="signup">
66     <form>
67         <h2 style="color: black; font-size: 1.5em; margin-bottom: 10px;">Sign Up</h2>
68         <input type="text" name="username" placeholder="First name"><br><br>
69         <input type="text" name="username" placeholder="Last name"><br><br>
70         <input type="password" name="pass" placeholder="Password"><br><br>
71         <input type="password" name="pass" placeholder="Confirm Password"><br><br>
72         <input type="text" placeholder="Email address"><br><br>
73         <input type="button" value="Sign up" onclick="myFunction()"/><br><br>
```




```

<div class="signup">
<form>
<h2 style="color: #fff;">Sign Up</h2>
<input type="text" name="username" placeholder="First name"><br><br>
<input type="text" name="username" placeholder="Last name"><br><br>
<input type="password" name="pass" placeholder="Password"><br><br>
<input type="password" name="pass" placeholder="Confirm Password"><br><br>
<input type="text" placeholder="Email address"><br><br>
<input type="button" value="Sign up" onclick="myFunction()"><br><br>


<div id="msg">Congratulations You Sign Up successfully!!</div>

Already have account?<br><br>
<a href="login.html" class="login">Log In</a>
</form>
</div>
</body>
</html>
```

Sign up page:signup.css




```
/*
زینب فلاح محمد/معلومات /مبادر
*/
body {
    font-family: Tahoma, Geneva, sans-serif;
    color: #fff;
    background: url(img/a6.jpeg), linear-gradient(rgba(0,0,0,0.6), rgba(0,0,0,0.6));
    background-size: cover;
}
.logo{
    height: 120px;
    width: auto;
    float: left;
    margin-top: 20px;
}
```



```
File Edit Selection View Go Run Terminal Help signup.css - projekt web lab - Visual Studio Code

OPEN EDITORS
PROJECT WEB LAB
index.html index.js style.css signup.html signup.css signup.js login.html login.css
# signup.css
23 .signup
24 {
25   background: #rgba(44, 62, 80, 0.7);
26   padding: 40px;
27   width: 250px;
28   margin: auto;
29   margin-top: 80px;
30   height: 430px;
31   margin-left: 180px;
32   margin: 0 auto;
33   margin-top: 90px;
34 }
35 form
36 {
37   width: 240px;
38   text-align: center;
39 }
40 input
41 {
42   width: 240px;
43   text-align: center;
44   background: transparent;
```



```
# signup.css > ...
40 input
41 {
42   width: 240px;
43   text-align: center;
44   background: transparent;
45   border: none;
46   border-bottom: 1px solid #fff;
47   font-family: 'Play', sans-serif;
48   font-size: 16px;
49   font-weight: 200px;
50   padding: 10px 0;
51   transition: border 0.5s;
52   outline: none;
53   color: #fff;
54 }
55 input[type=button]
56 {
57   border: none;
58   width: 190px;
59   background: white;
60   color: #000;
61 }
```

File Edit Selection View Go Run Terminal Help

signup.css - projekt web lab - Visual Studio Code

OPEN EDITORS

PROJECT WEB LAB

- index.html
- JS index.js
- # style.css
- signup.html
- # signup.css
- JS signup.js
- login.html
- # login.css

signup.css > ...

```
54     color: #fff;
55 }
56 input[type=button]
57 {
58     border: none;
59     width: 190px;
60     background: white;
61     color: #000;
62     font-size: 16px;
63     line-height: 25px;
64     padding: 10px 0;
65     border-radius: 15px;
66     cursor: pointer;
67 }
68 input[type=button]:hover
69 {
70     color: #fff;
71     background-color: #b150e9;
72 }
73 h2
74 {
75     color: #000;
76 }
```

OUTLINE

File Edit Selection View Go Run Terminal Help

signup.css - projekt web lab - Visual Studio Code

OPEN EDITORS

PROJECT WEB LAB

- index.html
- JS index.js
- # style.css
- signup.html
- # signup.css
- JS signup.js
- login.html
- # login.css


signup.css > ...

```
73 h2
74 {
75     color: #000;
76 }
77 }
78 ::placeholder {
79     color: #aliceblue;
80     opacity: 0.8;
81 }
82
83 .login{
84     text-decoration: none;
85     font-family: 'Play', sans-serif;
86     background-color: transparent;
87     background: white;
88     color: #000;
89     margin-right: 15px;
90     border: none;
91     width: 190px;
92 }
93
94 font-size: 18px;
```

```
# signup.css > ...
83 .login{
84     text-decoration: none;
85     font-family: 'Play', sans-serif;
86     background-color: transparent;
87     background: white;
88     color: #000;
89     margin-right: 15px;
90     border: none;
91     width: 190px;
92
93     font-size: 18px;
94     line-height: 20px;
95     padding: 5px 5px;
96     border-radius: 10px;
97     cursor: pointer;
98 }
99
100 }
101 }
102 .login:hover
103 {
104 }
```

```
# signup.css > ...
88     color: #000;
89     margin-right: 15px;
90     border: none;
91     width: 190px;
92
93     font-size: 18px;
94     line-height: 20px;
95     padding: 5px 5px;
96     border-radius: 10px;
97     cursor: pointer;
98
99
100 }
101 }
102 .login:hover
103 {
104     color: #fff;
105     background-color: #b150e9;
106 }
107 }
```

Sign up page:signup.js

A screenshot of Visual Studio Code showing the code for the "signup.js" file. The code is as follows:

```
1
2
3  زينب فلاح محمد/معلومات /مباحي //  

4
5
6
7
8
9  function myFunction() {  

10    var x = document.getElementById("msg");  


11    x.className = "show";  

12    setTimeout(function(){ x.className = x.className.replace("show", ""); }, 3000);  

13 }
```

The code uses JavaScript to change the class of an element with id "msg" to "show" and then remove it after 3 seconds.

Log in page:login.html



```
File Edit Selection View Go Run Terminal Help login.html - projekt web lab - Visual Studio Code
EXPLORER ... index.html JS index.js # style.css signup.html # signup.css JS signup.js # login.html # login.css ...
PROJECT WEB LAB
logo.png
logo0.png
logo2.jpg
logo3.jpg
logo4.jpg
logo4.png
logo5.jpg
logo5.png
logo6.jpg
logo7.jpg
logo8.jpg
logo8.png
logo9.png
logo10.jpg
logo10.png
logo52.png
index.html
JS index.js
# login.css
login.html
JS login.js
# signup.css
signup.html
JS signup.js
# style.css
1
<! -- | زينب فلاح محمد / معلومات / مصباحي
2
3
4
5
6 -->
7
8 <!DOCTYPE html>
9 <html lang="en">
10 <head>
11 <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
12 <title>LOG IN</title>
13 <link href="login.css" rel="stylesheet" type="text/css" />
14 <script src="login.js"></script>
15 <link href="https://fonts.googleapis.com/css?family=Play" rel="stylesheet">
16 </head>
17
18 <body>
19   
20   <div class="signin">
21
22
```

The screenshot shows the Visual Studio Code interface with the 'login.html' file open in the editor. The code is an HTML form for user login, including fields for username and password, and links for logging in and signing up.

```
<body>
    
    <div class="signin">
        <form>
            <h2 style="color: #fff;">Log In</h2>
            <input type="text" name="username" placeholder="Username"/><br /><br />
            <input type="password" name="password" placeholder="Password" /><br /><br />
            <a href="index.html"><input type="button" value="Log In" /></a><br /><br />
        <div id="container">
            <a href="re.html" style=" margin-right:0px; font-size:13px; font-family:Tahoma, Geneva, sans-serif;">
                <a href="for.html" style=" margin-left:30px; font-size:13px; font-family:Tahoma, Geneva, sans-serif;">
                    </div><br /><br /><br /><br /><br />
        Don't have account?<br /><a href="signup.html" class="signup">&ampnbspSign Up</a>
    </form>
    </div>
</body>
</html>
```

Log in page:login.css

The screenshot shows the Visual Studio Code interface with the 'login.css' file open in the editor. The CSS styles define the appearance of the login page, including a background gradient and a logo.

```
/*
  زينب فلاح محمد/معلومات / مبارح
*/
body {
    font-family: Tahoma, Geneva, sans-serif;
    color: #fff;
    background: linear-gradient(rgba(0,0,0,0.6), rgba(0,0,0,0.6)), url(img/d9.jpg) no-repeat;
    background-size: cover;
}
.logo{
    height: 120px;
    width: auto;
    float: left;
```

File Edit Selection View Go Run Terminal Help login.css - projekt web lab - Visual Studio Code

OPEN EDITORS

PROJECT WEB LAB

- index.html
- JS index.js
- # style.css
- signup.html
- # signup.css
- JS signup.js
- login.html
- # login.css
- JS login.js
- # signup.css
- signup.html
- JS signup.js
- # style.css

```
# login.css > ...
19 .logo{
20     height: 120px;
21     width: auto;
22     float: left;
23     margin-top: 20px;
24 }
25 .signin {
26     background: #rgba(44,62,80,0.7);
27     padding: 40px;
28     width: 250px;
29     margin: auto;
30     margin-top: 90px;
31     height: 400px;
32     margin-left: 180px;
33 }
34 }
35 form {
36     width: 240px;
37     text-align: center;
38 }
39
40 }
```

File Edit Selection View Go Run Terminal Help login.css - projekt web lab - Visual Studio Code

OPEN EDITORS

PROJECT WEB LAB

- index.html
- JS index.js
- # style.css
- signup.html
- # signup.css
- JS signup.js
- login.html
- # login.css
- JS login.js
- # signup.css
- signup.html
- JS signup.js
- # style.css

```
# login.css > ...
41 input {
42     width: 240px;
43     text-align: center;
44     background: transparent;
45     border: none;
46     border-bottom: 1px solid #ffff;
47     font-family: 'Play', sans-serif;
48     font-size: 16px;
49     font-weight: 200px;
50     padding: 10px 0;
51     transition: border 0.5s;
52     outline: none;
53     color: #ffff;
54 }
55 input[type=button] {
56     border: none;
57     width: 190px;
58     background: white;
59     color: #000;
60     font-size: 16px;
61     line-height: 25px;
62 }
63 }
```

File Edit Selection View Go Run Terminal Help login.css - projekt web lab - Visual Studio Code

OPEN EDITORS

PROJECT WEB LAB

- index.html
- JS index.js
- # style.css
- signup.html
- # signup.css
- JS signup.js
- login.html
- # login.css
- JS login.js
- # signup.css
- signup.html
- JS signup.js
- # style.css

OUTLINE

```
55 }
56 input[type=button]
57 {
58     border: none;
59     width: 190px;
60     background: #fff;
61     color: #000;
62     font-size: 16px;
63     line-height: 25px;
64     padding: 10px 0;
65     border-radius: 15px;
66     cursor: pointer;
67 }
68 input[type=button]:hover
69 {
70     color: #fff;
71     background-color: #b150e9;
72 }
73 h2
74 {
75     color: #fff;
76 }
77 }
```

File Edit Selection View Go Run Terminal Help login.css - projekt web lab - Visual Studio Code

OPEN EDITORS

PROJECT WEB LAB

- index.html
- JS index.js
- # style.css
- signup.html
- # signup.css
- JS signup.js
- login.html
- # login.css
- JS login.js
- # signup.css
- signup.html
- JS signup.js
- # style.css

OUTLINE

```
78 a
79 {
80     color: #b150e9;
81     text-decoration: blink;
82 }
83 a:hover
84 {
85     color: #rgb(228, 194, 235);
86 }
87 .signup{
88     text-decoration: none;
89     font-family: 'Play', sans-serif;
90     background-color: transparent;
91     background: #fff;
92     color: #000;
93     margin-right: 15px;
94     border: none;
95     width: 190px;
96
97     font-size: 18px;
98     line-height: 20px;
99     padding: 5px 5px;
100 }
```

File Edit Selection View Go Run Terminal Help

login.css - projekt web lab - Visual Studio Code

OPEN EDITORS

PROJECT WEB LAB

- index.html
- JS index.js
- # style.css
- signup.html
- # signup.css
- JS signup.js
- login.html
- # login.css
- JS index.js
- # login.css
- login.html
- JS login.js
- # signup.css
- signup.html
- JS signup.js
- # style.css

```
90    background-color: transparent;
91    background: white;
92    color: #000;
93    margin-right: 15px;
94    border: none;
95    width: 190px;
96
97    font-size: 18px;
98    line-height: 20px;
99    padding: 5px 5px;
100   border-radius: 10px;
101   cursor: pointer;
102
103 }
104
105 }
106 .signup:hover
107 {
108
109     color: #fff;
110     background-color: #b150e9;
111 }
```

File Edit Selection View Go Run Terminal Help

login.css - projekt web lab - Visual Studio Code

OPEN EDITORS

PROJECT WEB LAB

- index.html
- JS index.js
- # style.css
- signup.html
- # signup.css
- JS signup.js
- login.html
- # login.css
- JS index.js
- # login.css
- login.html
- JS login.js
- # signup.css
- signup.html
- JS signup.js
- # style.css

```
105 }
106 .signup:hover
107 {
108
109     color: #fff;
110     background-color: #b150e9;
111 }
112
113 .container
114 {
115     display: flex;
116     flex-direction: row;
117     width: 100%;
118 }
119 ::placeholder {
120     color: #aliceblue;
121     opacity: 0.8;
122 }
```

Reference:

Made by me 😊

