


3:18
22
Sample Source
#include <iostream>
using namespace std;
int main() {
int num;
cout << "Enter a number: ";
cin >> num;
if (num >= 0) {
cout << "Number entered is positive";
} else {
cout << "Number is negative";
}
return 0;
}
Tab End
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
English (UK)


3:18
21
C++ 11 Compiler Output
Enter a number: Number entered is positive

3:40 26
Meta AI
Today



Program - Positive Negative Zero

```
#include <iostream>
using namespace std;
int main() {
int num;
cout << "Enter a number: ";
cin >> num;
if (num > 0) {
  cout << "Positive";
 } else if (num < 0) {
  cout << "Negative";
} else {
  cout << "Zero";
  }
  return 0;
  }
```


3.2

Output:


Enter a number: -5 -> Negative,
0 -> Zero.

III


3:19
22
Sample Source
#include <iostream>
using namespace std;
int main() {
int num;
cout << "Enter a number: ";
cin >> num;
if (num > 0) {
cout << "Positive";
} else if (num < 0) {
cout << "Negative";
} else {
cout << "Zero";
}
return 0;
}
Tab End
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
English (UK)


3:19
22
C++ 11 Compiler Output
Enter a number: Zero

3:41 25
Meta AI
Today




Program - Check Positive Negative Zero HW #3 – 9/12/24

```
#include <iostream>
using namespace std;
int main() {
    int num;
    cout << "Enter a number: ";
    cin >> num;
    if (num > 0) {
        cout << "Positive";
    }
    else if (num < 0) {
        cout << "Negative";
    }
    else {
        cout << "Zero";
    }
    return 0;
}
```


Output examples:
- Input 5 → Positive
- Input -3 → Negative
- Input 0 → Zero

note: works as expected – tested with 5, -3, 0 ✓


3:20
Sample Source
#include <iostream>
using namespace std;
int main() {
int marks;
cout << "Enter Marks: ";
cin >> marks;
if (marks >= 75) {
cout << "Grade A";
} else if (marks >= 60) {
cout << "Grade B";
} else if (marks >= 45) {
cout << "Grade C";
} else if (marks >= 30) {
cout << "Grade D";
} else {
cout << "You are fail!!";
}
return 0;
}
Tab End
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
English (UK)


3:20
22
C++ 11 Compiler Output
Enter Marks: You are fail!!

3:39 26
Meta AI یہ لیں، آپ والا Grading والا پروگرام بھی ہاتھ ...



Program - Grading System

Q: Write a program for grading based on marks

3.5

```
#include <iostream>
using namespace std;
int main() {
  int marks;
  cout << "Enter Marks: ";
  cin >> marks;

  if (marks >= 75) {
    cout << "Grade A";
  } else if (marks >= 60) {
    cout << "Grade B";
  } else if (marks >= 45) {
    cout << "Grade C";
  } else if (marks >= 30) {
    cout << "Grade D";
  } else {
    cout << "You are fail!!";
  } return 0;
}
```

- Output example:
  - 80 -> Grade A
  - 50 -> Grade C
  - 20 -> You are fail!!

* works for marks 0-100 *

☑ Done :)

3:20 22

Sample Source

```cpp
#include <iostream>
using namespace std;
int main() {
    int num;
    cout << "Enter a number: ";
    cin >> num;

    if (num > 0) {
        cout << "Number is Positive" << endl;
        // Digits count karna
        if (num < 10) {
            cout << "1 digit";
        } else if (num < 100) {
            cout << "2 digits";
        } else if (num < 1000) {
            cout << "3 digits";
        } else {
            cout << "More than 3 digits";
        }
    } else {
        cout << "Number is not Positive";
    }
    return 0;
}
```

Tab End ↺ ↻ ◄ ▲ ▼ ► ( )

3:20 22

C++ 11 Compiler Output

```
Enter a number: Number is not Positive
```

4:16 20
Meta AI
Today

Task 4 – Nested if else largest number and digit count:

```
#include <iostream>
  using namespace std;
  int main() {
     int a,b,c;
     cout << "Enter 3 numbers: ";
     cin >> a >> b >> c;
    // Largest using nested if else
     if (a >= b) {
       if (a >= c) cout << "Largest: " << a;
       else cout << "Largest: " << c;
     } else {
       if (b >= c) cout << "Largest: " << b;
       else cout << "Largest: " << c;
     }
    // Positive and digit count
     int n;
     cout << "\nEnter number: ";
     cin >> n;
     if (n > 0) {
        int count=0, temp=n;
        while(temp>0){count++; temp/=10;}
     cout << "Positive, Digits: " << count;
      } else cout << "Not positive";
        return 0;
      }
```