


nents\Untitled1 fyr.cpp - Dev-C++ 5.11
ew Project Execute Tools AStyle Window Help
TDM-GCC 4.9.2 64-bit
Untitled1 fyr.cpp
1 #include <iostream>
2 using namespace std;
3
4 int main ()
5 {
6 int age ;
7 cout <<"enter your age : "<<endl;
8 cin>>age;
9 double pay;
10 cout<<"enter your pay :"<<endl;
11 cin>>pay;
12
13 char section ;
14 cout<<" Enter section :"<<endl;
15 cin>>section;
16 cin>>age;
17 cin>>pay;
18
19 cin>>section;
20
21 return 0 ;
22
23
24 }
Compile Log
Debug
Find Results
Sel: 0
Lines: 24
Length: 336
Insert
Done parsing in 0.594 seconds
ere to search


Output:
enter your age
enter your pay
enter your section

Meta AI یہ لو، یہ والا بھی بالکل ہاتھ سے لکھے ہوئے پیج ج...

C++ HW #3 - 9/15/24

Name: Alex Chen
Assignment: Input/Output with cin & cout
Problem: Write a program that prompts the user for their their age, section, and pay, then reads the inputs. ✓

Code:

```
#include <iostream>  (include iostream library)
using namespace std;
int main() {
  int age;
  cout << "Enter your Age : ";
  cin >> age;
  char section;
  cout << "Enter your Section : ";
  cin >> section;
  double pay;
  cout << "What is your pay : ";
  cin >> pay;
  return 0;
}
```

Output:

Enter your Age : 20 (20 typed in by student)
Enter your Section : d (section letter = d)
What is your pay : (20,350.23)
→ pay recorded as 20350.23 (double) ✓
* Program compiled and ran successfully. No errors. ☺

Looks good! Done. ☆ Remember: comma is just in the output, double stores (20350.23)

3:24 • 4G 35

task2

```cpp
#include <iostream>
using namespace std;

int main(){
    cout << 28 / 4 - 2 << endl;
    cout << 6 + 12 * 2 - 8 << endl;
    cout << 4 + 8 * 2 << endl;
    cout << 6 + 17 % 3 - 2 << endl;
    cout << 2 + 22 * (9 - 7) << endl
    cout << (8 + 7) * 2 << endl;
    cout << (16 + 7) % 2 - 1 << endl
    cout << 12 / (10 - 6) << endl;
    cout << (19 - 3) * (2 + 2) / 4 <
endl;
    return 0;
}

```

Tab End ↺ ↻ ◄ ▲ ▼ ► ( )

3:25 4G 35

C++ 11 Compiler Output

```
5
22
20
6
46
30
0
3
16
```

3:31 26
Meta AI
Today

Task 2 - Operator Precedence

```
#include <iostream>
using namespace std;
int main(){
cout << 28 / 4 - 2 << endl;
cout << 6 + 12 * 2 - 8 << endl;
cout << 4 + 8 * 2 << endl;
cout << 6 + 17 % 3 - 2 << endl;
cout << 2 + 22 * (9 - 7) << endl;
cout << (8 + 7) * 2 << endl;
cout << (16 + 7) % 2 - 1 << endl;
cout << 12 / (10 - 6) << endl;
cout << (19 - 3) * (2 + 2) / 4 << endl;
return 0;
}
```

Output:

```
5
22
20
6
46
30
0
3
16
```


5:12 • 14

Cpp code


```cpp
#include <iostream>
using namespace std;
int main() {
    int units = 10;
    float mass = 2.5;
    double weight = mass * units;

    cout << "Weight = " << weight << endl;
    return 0;
}
```

5:14 14
Meta AI
Today



5:24
Meta AI
Today



```
#include <iostream>
using namespace std;

int main() {
    int units;
    float mass;
    double weight;

    weight = mass * units;
    cout << weight;
    return 0;
}
```

4:48 4G 19

Sample Source

```cpp
#include <iostream>
using namespace std;

int main() {
    int a = 2;
    int b = 2;
    float c = 4.2;

    a = b * c; // یہاں b پہلے float جواب بنے گا، میں 8 بن کر جائے گا a 8.4 آئے گا، پھر

    cout << "b * c ka jawab = " << b * c << endl;
    cout << "a me jo save hua = " << a << endl;

    return 0;
}
```

' " , . ; : = < > + -

4:49 19

C++ 11 Compiler Output

```
b * c ka jawab = 8.4
a me jo save hua = 8
```

3:31 26
Meta AI
Today

Lab Task - Type Conversion Example

```
#include <iostream>
 using namespace std;
int main() {
 int a = 2;
 int b = 2;
 float c = 4.2;
 a = b * c; // yahan b pehle float banega,
 jawab 8.4, phir a me 8 ban kar jayega
}
cout << "b * c ka jawab = " << b * c << endl;
cout << "a me jo save hua = " << a << endl;
return 0;
}
```

Output:

```
b * c ka jawab = 8.4
a me jo save hua = 8
```


7:29
Sample Source
#include <iostream>
using namespace std;
int main() {
int qty = 10;
int salesReps = 3;
double unitsEach;
unitsEach = static_cast<double>(qty) / salesReps;
cout << "qty = " << qty << endl;
cout << "salesReps = " << salesReps << endl;
cout << "Units for each salesRep: " << unitsEach << endl;
return 0;
}
Tab End
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
English (UK)

7:29 • 23

C++ 11 Compiler Output

```
qty = 10
salesReps = 3
Units for each salesRep: 3.33333
```

3:35 26
Meta AI
Today

Lab Task - Units Each

```
#include <iostream>
using namespace std;

int main() {
  int qty = 10;
  int salesReps = 3;
  double unitsEach = static_cast(double)(qty) / salesReps;
  cout << "Units for each salesRep: " << unitsEach << endl;
  return 0;
}
```

Output:

```
Units for each salesRep: 3.33333
```

* 10 divided by 3 = 3.33333 (double)

3:13 19

Sample Source

```cpp
#include <iostream>
#include <cstdlib>

using namespace std;

int main() {
    srand(time(0));
    int num1 = rand() % 900 + 100;
    int num2 = rand() % 900 + 100;

    cout << "  " << num1 << endl;
    cout << "+ " << num2 << endl;
    cout << "------" << endl;
    cout << "  ?" << endl;

    cout << "\nJawab dekhne ke liye Enter dabayen...";
    cin.get();

    cout << "\nSahi Jawab:" << endl;
    cout << "  " << num1 << endl;
    cout << "+ " << num2 << endl;
    cout << "------" << endl;
    cout << "  " << num1 + num2 << endl;

    return 0;
}
```

Tab End ↺ ↻ ◄ ▲ ▼ ► ( )

3:14 19

C++ 11 Compiler Output

```
  167
+ 710
------
  ?

Jawab dekhne ke liye Enter dabayen...
Sahi Jawab:
  167
+ 710
------
  877
```


3:31 26
Meta AI
Today


Lab Task - Random Addition

```
#include <iostream>
#include <cstibib>
#include <ctime>
using namespace std;

int main() {
• srand (time(0);;
• int num1 = rand() % 900 + 100;
• int num2 = rand() % 900 + 100;
  cout << " " << num1 << endl;
  cout << "+ " << num2 << endl;
• cout << "------" << endl;
  cout << "\ ?" << endl;
• cout << "\nJawab dekhne ke liye Enter dabayen...";
• cin.get;
• cout << "\n Sahi Jawab:" << endl;
• cout << "\ " << num1 << endl;
  cout << "+ " << num2 << endl;
• cout << "------" << endl;
• cout << "\ " << num1 + num2 << endl;
  return 0;
}
```

Output example: 247 + 129 = 376


3:15
20
Sample Source
#include <iostream>
using namespace std;
int main() {
double number1, number2, sum;
cout << "Enter a number: ";
cin >> number1;
cout << "Enter another number: ";
cin >> number2;
sum = number1 + number2;
cout << "The sum of the two numbers is " << sum;
return 0;
}
Tab End
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
English (UK)


3:15
20
C++ 11 Compiler Output
Enter a number: Enter another number: The sum of the two numbers is 6.95254e-310


3:30 26
Meta AI
Today


Home Task 1 - Program 1 (Sum)

```
#include <iostream>
using namespace std;
int main() {
double number1, number2, sum;
cout << "Enter a number: ";
cin >> number1;
cout << "Enter another number: ";
cin >> number2;
sum = number1 + number2;
cout << "The sum of the two numbers is " << sum;
return 0;
}
```

Output box:

Input: 5 and 7 -> The sum of the two numbers is 12.


3:15
Sample Source
#include <iostream>
using namespace std;
int main() {
int number1, number2;
float quotient;
cout << "Enter two numbers and I will divide\n";
cout << "the first by the second for you.\n";
cin >> number1 >> number2;
quotient = static_cast<float>(number1) / number2;
cout << quotient;
return 0;
}
Tab End
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
English (UK)


3:15
20
C++ 11 Compiler Output
Enter two numbers and I will divide
the first by the second for you.
0.444431


3:31 26
Meta AI
Today

Home Task 1 - Program 2 (Divide)

```
#include <iostream>
using namespace std;
int main() {
int number1, number2;
float quotient;
cout << "Enter two numbers and I will divide
cout << "the first by the second for you.";
cin >> number1 >> number2;
quotient = static_cast(float)(number1) / number2;
cout << quotient;
return 0;
}
```

Output box:
Input: 10 and 4 -> 2.5


3:17
Sample Source
#include <iostream>
using namespace std;
int main() {
int a = 28, b = 32, c = 37, d = 24, e = 33;
int sum;
float average;
sum = a + b + c + d + e;
average = sum / 5.0; // 5.0 se divide taake point mein jawab aaye
cout << "Sum = " << sum << endl;
cout << "Average = " << average << endl;
return 0;
}
Tab End
English (UK)


3:17
C++ 11 Compiler Output
Sum = 154
Average = 30.8

3:54 23
Meta AI
Today

Program - Sum and Average

Date: 12/09/24 Homework #2

```
#include <iostream>
using namespace std;
int main() {
• int a = 28, b = 32, c = 37, d = 24, e = 33;
• int sum;
• float average;
• sum = a + b + c + d + e;
• average = sum / 5.0; → * 5.0 se divide taake point mein jawab aaye.
cout << "Sum = " << sum << endl;
cout << "Average = " << average << endl;
return 0;
}
```

Output:

Sum = 154,
Average = 30.8 ✓ → correct ✓

* sum = 28+32+37+24+33 = 154 ✓ ÷ 5 = 30.8