CineConnect

Static data and backend connectivity audit

Full source inventory, confirmed gaps, API mapping and verification evidence

Snapshot	Value
Audit date	13 October 2026 (Asia/Karachi)
Repository	/Users/abdulbasit/Desktop/filmapp
Branch / commit	main / b66a4deaa6c6664715af97377842d98742650c76
Scope	472 Dart files / 156,569 lines; 69 backend application Python files; 14 portal families and shared flows
Purpose	Identify fixed business content, simulated work, local-only fields/actions, missing capabilities and backend connections.
Result	The app is substantially API-connected, with confirmed simulations and incomplete data flows remaining.

This is a source-wide audit plus automated tests, an isolated backend behavior check and seven read-only public API checks. It is not a claim that every authenticated production control was exercised. Each finding states its evidence and practical limit.

No application fix or deployment was made. Production data was not changed. Synthetic behavior checks used a disposable SQLite database; no payment, signature or notification was sent to a real user.

Contents

Contents 2

1. Findings at a glance 3

2. Scope, method and verification limits 4

3. Executed checks and observed behavior 5

4. Detailed findings and remediation 6

5. Portal and shared-flow connection matrix 18

6. Static-content catalogue and classification 19

7. Remediation order and completion checks 20

Appendix A. Screen and helper-file inventory 21

Appendix B. All Dart files scanned 28

Appendix C. Client request-to-backend route map 41

Appendix D. Static-declaration candidate catalogue 54

Appendix E. Marker triage and embedded evidence 73

1. Findings at a glance

Priority	Count	Meaning
High	8	Material trust, commercial, verification or simulation gap
Medium	10	User input, behavior or platform capability incomplete
Low	9	Explicit missing capability, drift or unsupported option
Info	9	Deliberate local behavior, static templates or cleanup observation

There are 36 findings and observations. Informational observations are not automatically defects. Priority refers to the impact of the verified behavior, not an asserted security exploit or legal conclusion.

Most consequential gaps

F01 - Signup phone OTP is a local length check. The phone-verification ceremony does not establish ownership of a phone number. Registration itself is backend-connected; the displayed verification step is not.

F02 - File worker declares files clean without scanning. Upload status can imply security scanning that has not occurred. The upload API does require received bytes before completion; this finding concerns the later worker stage.

F03 - Test payout accounts are accepted as verified in production mode. A verified payout record can represent a fixture rather than a verified bank or wallet destination. This check did not transfer money or modify production.

F04 - Reachable legacy dashboard displays fixed talent business data. An authenticated route mixes real dashboard KPIs with fabricated discovery records, creating an inconsistent source of truth.

F05 - Booking review terms are omitted from submitted API data. The request is really sent, but users can reasonably expect terms visible in review to be saved. The backend schedule generator also defaults to one Full booking payment milestone.

F06 - KYC identity and bank inputs are not submitted. Document uploads and the KYC submission are real, but the additional personal and bank inputs are discarded. The ownership checkbox only gates the local submit action.

F07 - Push delivery is recorded as delivered without provider delivery. Delivery history overstates what reached an external device. In-app notification persistence is connected and should be retained.

F08 - Live public payment configuration still reports sandbox. A working API connection does not establish that the deployed payment system moves or settles money. Current public configuration expressly advertises a demo mode.

What is connected

main.dart creates a shared ApiClient and injects real controllers/repositories. Auth, projects, marketplace, bookings, contracts, payments, operations, casting, CinePlanner, opportunities, credits, specialist, insurance, trust/safety, analytics and administration have API implementations. Extracted literal request paths have backend route matches; a route match does not prove every form field is sent or every provider is real.

Examples of correctly connected behavior include real password reset, profile/portfolio uploads, marketplace pricing preferences, project creation, booking sends, contract signature requests, receipt/contract PDF creation, support requests and server analytics. The report calls out partial paths instead of labelling whole portals as mock.

2. Scope, method and verification limits

Inventory	Count / interpretation
Dart files	472, all read by inventory scan
Dart source lines	156,569
Screen/helper Dart files	173 files under screens/ or ending _screen.dart; some files define multiple screens
Import traversal	442 files reached from main.dart through import/export/part directives, including conditional targets; this is file-level reachability, not proof every symbol executes
Named on* callback declarations	2,411 regex-selected declarations; complete CSV embedded
Static declaration candidates	686 declarations/defaults; includes normal routes, colors, labels and enums
Demo/unsupported keyword candidates	71 matching source lines; comments and dormant fixtures are included
Literal-path API call sites	340: 338 normalized method/path matches, 2 dynamic templates manually resolved
Backend routes	378 registered /api/v1 method/path combinations
Backend app Python files	69, including two seed scripts; fixture/seed contents were separated from active behavior

Evidence levels

SOURCE CONFIRMED: exact control/data path inspected in the current commit. LOCAL REPRODUCED: disposable Flask/SQLite behavior check. LIVE READ: unauthenticated GET to the configured public domain. TEST COVERED: existing automated test passed; many Flutter tests use mocks or rendering fixtures. INVENTORY ONLY: automated symbol/path evidence needing journey-specific validation.

How the audit was performed

Enumerated every Dart and backend application Python file; scanned named callbacks, defaults, sample/demo markers and static declarations; traversed imports from main.dart; extracted client request paths and compared them with the actual Flask URL map; inspected suspicious input and save/send paths manually; ran analyzer, complete Flutter tests, backend unit tests and a release web build; reproduced selected backend simulations in an isolated database; checked public health, bootstrap, configuration, roles, cities and marketplace facets.

Controller/scope evidence in a screen means backend code is available in that file. A layout-only screen can delegate to a live child widget; absence of a direct request is not classified as disconnected by itself. Conversely, an API-connected screen can still contain omitted fields or fixed business data.

Limits that remain

No authenticated production accounts or secrets were used. Complete production role journeys, actual money settlement, real push/SMS delivery, external social metrics, real AI provider output, native download behavior on devices, store builds and automated liveness were not certified. Existing backend integration collection reported 2 passed and 44 skipped because isolated MySQL/Redis integration execution was not enabled. SQLite checks do not establish MySQL migration compatibility or background-worker deployment health.

Flutter 3.41.4 / Dart 3.11.1 ran locally. Flutter resolution temporarily adjusted matcher/test_api to the installed SDK; the tracked lockfile was restored after audit. Missing backend development dependencies were installed into the existing local .venv. Source application code was left unchanged.

3. Executed checks and observed behavior

Check	Result	Evidence
flutter analyze	PASS	No issues found
flutter test --no-pub --reporter expanded	PASS	916 tests passed
RUN_INTEGRATION_TESTS=0 python -m pytest tests/unit -q	PASS	108 passed in 15.01 seconds; SQLite fixtures
Integration collection with RUN_INTEGRATION_TESTS=0	PARTIAL	2 passed; 44 skipped by existing MySQL/Redis gates
flutter build web --release --no-pub	PASS	JavaScript web output built; WebAssembly dry-run warned about dart:html/js dependencies
Local backend behavior checks	REPRODUCED	OTP-free token issuance, verified sandbox payout in production-mode flag, fake push delivery with preference off, clean status for missing object, constant bootstrap/config notices
Public API GET checks	PASS	7 of 7 HTTP 200; database/Redis readiness ok; payment mode sandbox

Local behavior checks

Scenario	Observed result
Registration without OTP	HTTP 201; access token issued. No OTP challenge submitted.
Sandbox payout while APP_ENV flag is production	HTTP 201; provider=sandbox; account status=verified. Config flag changed after safe test-app startup; not a production deployment.
Push preference false + enabled device	In-app internal delivered row and push sandbox delivered row created. No provider call in the service.
Pending file row + nonexistent object	Worker result updated=true, scan_status=clean, processing_status=ready. This bypassed the upload endpoint deliberately to isolate worker behavior.
Manual-transfer public config	mode=manual_bank_transfer, but notice remains Demo payment only.
Bootstrap	Both operational switches false; no runtime configuration source.

Live public reads

Path under /api/v1	HTTP	Sanitized response summary
/health/live	200	{"service": "cineconnect-api", "status": "ok"}
/health/ready	200	{"dependencies": {"database": "ok", "redis": "ok"}, "service": "cineconnect-api", "status": "ok"}
/app/bootstrap	200	{"maintenance": {"enabled": false, "message": null}, "force_update": {"required": false, " store_url": null}}
/app/public-config	200	{"mode": "sandbox", "notice": "Demo payment only \u2014 no money is moved."}
/roles	200	{"roles": 17}
/cities	200	{"cities": 6}
/marketplace/facets	200	{"cities": 6, "listing_types": 14}

Target: https://cine.nalexustechnologies.com. These requests were read-only and were made during this audit. They verify public service responses at that time, not authenticated ownership or all application transactions.

4. Detailed findings and remediation

F01 / HIGH / Signup phone OTP is a local length check

Authentication | Simulated verification

After real registration, Verify Your Phone claims a code was sent. _verifyOtp only checks that trimmed input has six characters; it makes no verification request. Resend only restarts a timer. A local backend check issued an access token on registration without an OTP challenge.

Impact: The phone-verification ceremony does not establish ownership of a phone number. Registration itself is backend-connected; the displayed verification step is not.

Recommended change: Implement a server-owned challenge, provider delivery, expiry, attempt limits and phone_verified_at transition, or remove the unsupported verification step.

Acceptance check: Wrong, expired and reused codes fail; resend contacts the challenge API; no verified-phone state is shown before a successful server response.

Evidence: lib/core/core_ui/screens/auth_screens.dart:226-269; lib/core/core_ui/screens/auth_screens.dart:430-453; backend/app/api/auth.py:208-275

```
226: Future<void> _createAccount() async { 227: if (!_validateSignup()) return; 228: setState(() => _loading = true);
229: try {
```

F02 / HIGH / File worker declares files clean without scanning

Uploads and verification | Backend simulation

scan_completed_file calls mark_file_scan_clean, which changes pending rows to clean/ready without reading the object or invoking a malware scanner. In an isolated database, a FileAsset referring to a nonexistent object became clean and ready.

Impact: Upload status can imply security scanning that has not occurred. The upload API does require received bytes before completion; this finding concerns the later worker stage.

Recommended change: Verify the stored object and digest, invoke the selected scanner, implement failure/quarantine states, and publish ready only after required processing succeeds.

Acceptance check: Missing, mismatched and scanner-rejected objects never become ready; clean results include a real scanner result and retry behavior.

Evidence: backend/app/services/file_processing.py:11-42; backend/app/tasks/files.py:10-17; backend/app/api/verification.py:398-452

```
11: def mark_file_scan_clean(file_public_id: str) -> dict[str, Any]: 12: """Local/demo scan processor. 13: 14:
Production will replace this state transition with object existence checks,
```

F03 / HIGH / Test payout accounts are accepted as verified in production mode

Equipment, location and payments | Backend-connected sandbox

Both earnings screens offer Add test payout account. The controller submits provider=sandbox and a constant sandbox token. The API accepts sandbox and assigns verified without an APP_ENV guard. The isolated production-mode endpoint check returned HTTP 201 with status verified.

Impact: A verified payout record can represent a fixture rather than a verified bank or wallet destination. This check did not transfer money or modify production.

Recommended change: Remove test-account entry points from real portal flows and reject sandbox payout providers server-side in production. Route users to the real pending-verification account form.

Acceptance check: Production rejects sandbox payout creation; real account identifiers remain pending until the intended verification process completes.

Evidence: lib/core/payments/payments_controller.dart:73-81; lib/features/location_owner/screens/lo09_earnings_deposits_screen.dart:233-243; lib/features/media_equipment/screens/me10_earnings_ratings_screen.dart:273-279; backend/app/api/payments.py:503-535

```
73: Future<PayoutAccountDto> createSandboxPayoutAccount({ 74: required String accountName, 75: }) { 76: return
_repository.createPayoutAccount(
```

F04 / HIGH / Reachable legacy dashboard displays fixed talent business data

Shared legacy dashboard | Runtime hardcoded records

/portal/dashboard resolves to DashboardScreen and is available to active signed-in accounts through the shared-account guard. Its featured card and carousel use TalentData constants: fixed names, PKR 10,000-15,000 rates, 4.5-4.9 ratings, and default verified/available flags. It also uses a bundled current-user avatar and fixed showreel duration.

Impact: An authenticated route mixes real dashboard KPIs with fabricated discovery records, creating an inconsistent source of truth.

Recommended change: Retire the route or redirect it to the shared live marketplace. If retained, replace every TalentData business value with API results and explicit empty/error states.

Acceptance check: Changing or deleting server listings changes this page; offline errors never reveal fixture talent, prices, verification or availability.

Evidence: lib/core/core_ui/core_routes.dart:103-103; lib/core/core_ui/core_routes.dart:406-407; lib/core/auth/portal_access_guard.dart:37-53; lib/screens/dashboard_screen.dart:59-95; lib/models/talent.dart:16-75

```
103: static const dashboard = '/portal/dashboard';
```

F05 / HIGH / Booking review terms are omitted from submitted API data

Director and public-buyer booking | Partial backend connection

The review step displays payment percentages, deliverables, usage rights, expiry and category-specific inputs. _send passes project/listing/requirement IDs, dates, fee, currency and _conditions only. The repository create/send bodies have no fields for the other reviewed terms.

Impact: The request is really sent, but users can reasonably expect terms visible in review to be saved. The backend schedule generator also defaults to one Full booking payment milestone.

Recommended change: Define a versioned booking-terms payload and persist all advertised terms. Carry the agreed payment schedule into contracts and schedules, or remove fields that are not supported.

Acceptance check: Enter distinctive values in every review field, send, reload from the API, and verify exact persistence and downstream contract/payment behavior.

Evidence: lib/features/director_producer/screens/dp_booking_request_form_screen.dart:345-357; lib/features/director_producer/screens/dp_booking_request_form_screen.dart:405-414; lib/core/bookings/bookings_repository.dart:37-80; backend/app/services/payments.py:28-49

```
345: project: _project, 346: requirement: _selectedRequirement, 347: candidate: _candidate!, 348: category: _category ?
? _candidate!.category,
```

F06 / HIGH / KYC identity and bank inputs are not submitted

KYC onboarding | Partial backend connection

The form collects document number/expiry, account title, bank name, IBAN/account number and receiving name. Submission sends only roleCode and four document-type/file-ID entries. No field values or payout-account creation call appear in this submit path.

Impact: Document uploads and the KYC submission are real, but the additional personal and bank inputs are discarded. The ownership checkbox only gates the local submit action.

Recommended change: Persist supported identity metadata in the KYC contract and submit banking through the protected payout-account API. Remove unused collection fields and prefilled HBL if banking belongs in Settings.

Acceptance check: A completed submission can be reopened with the supplied metadata; a banking step creates or updates a real pending account, without losing entered values.

Evidence: lib/core/core_ui/screens/verification_screens.dart:43-49; lib/core/core_ui/screens/verification_screens.dart:230-252; lib/core/core_ui/screens/verification_screens.dart:392-400; lib/core/core_ui/screens/verification_screens.dart:527-557

```
43: final _documentNumber = TextEditingController(); 44: final _expiry = TextEditingController(); 45: final _accountTitle = TextEditingController(); 46: final _bankName = TextEditingController(text: 'HBL');
```

F07 / HIGH / Push delivery is recorded as delivered without provider delivery

Notifications backend | Backend simulation

notify_user creates a genuine in-app notification, then, when an enabled PushDevice exists, creates a push delivery with provider=sandbox and status=delivered. This service does not send to a push provider. The local check reproduced that delivered row.

Impact: Delivery history overstates what reached an external device. In-app notification persistence is connected and should be retained.

Recommended change: Add the chosen push-provider transport and record queued/sent/failed/confirmed states truthfully. Sandbox runs must remain clearly separated.

Acceptance check: A provider outage records failure or retry; a successful send has a real provider reference; sandbox records are never reported as production device delivery.

Evidence: backend/app/services/notifications.py:32-60

```
32: db.session.flush() 33: 34: sent_at = utc_now() 35: db.session.add(
```

F08 / HIGH / Live public payment configuration still reports sandbox

Deployed public API | Live observed simulation mode

A read-only GET to the configured live /app/public-config returned HTTP 200 with mode=sandbox and the notice Demo payment only - no money is moved. The local backend supports bank-transfer proof review and ledger accounting; a card processor integration was not demonstrated by this audit.

Impact: A working API connection does not establish that the deployed payment system moves or settles money. Current public configuration expressly advertises a demo mode.

Recommended change: Choose and configure the intended real operating model, and keep proof-review bookkeeping distinct from gateway settlement. Recheck public configuration after deployment changes.

Acceptance check: Public configuration and UI describe the actual payment model; approved gateway or manual-transfer journeys have evidence appropriate to that model.

Evidence: lib/core/network/api_config.dart:4-7; backend/app/api/app.py:97-111; backend/app/api/payments.py:41-49

```
4: static const baseUrl = String.fromEnvironment( 5: 'CINECONNECT_API_BASE_URL', 6: defaultValue: ' https://cine.nalexustechnologies.com/api/v1', 7: );
```

F09 / MEDIUM / Booking Save draft shows success without saving

Director and public-buyer booking | Message-only action

_saveDraft only calls dpSnack with Campaign booking draft staged or Draft saved to the project title. It does not call a controller, repository or local persistence store.

Impact: Users can leave the form believing a booking draft exists; the action does not persist it.

Recommended change: Save to a backend draft endpoint, or implement explicit device storage and label it as a device draft.

Acceptance check: Save, navigate away, restart, and restore the same booking inputs from the declared storage location.

Evidence: lib/features/director_producer/screens/dp_booking_request_form_screen.dart:374-380

```
374: void _saveDraft() { 375: dpSnack( 376: context, 377: _project == null
```

F10 / MEDIUM / Negotiation counter amount starts at fixed PKR 275,000

Director negotiation | Hardcoded business default

The counter-rate controller starts with 275000 and is not initialized from the loaded current offer. _sendCounter parses that controller and sends it to the real offers API.

Impact: Submitting an untouched counter can replace the negotiated amount with an unrelated fixed default.

Recommended change: Initialize from the current offer or require an explicit blank input; distinguish suggested values from agreed values.

Acceptance check: Open negotiations with different amounts and confirm the counter starts with the corresponding current amount or requires input.

Evidence: lib/features/director_producer/screens/dp_negotiation_thread_screen.dart:35-38; lib/features/director_producer/screens/dp_negotiation_thread_screen.dart:112-128

```
35: class _DPNegotiationThreadScreenState extends State<DPNegotiationThreadScreen> { 36: late Future<NegotiationThread> _future; 37: final _rate = TextEditingController(text: '275000'); 38: final _schedule = TextEditingController(text: '30% / 40% / 30%');
```

F11 / MEDIUM / Editable negotiation payment schedule is never sent

Director negotiation | Local-only field

The screen creates a Payment schedule controller containing 30% / 40% / 30%. It is displayed in an editable field, but _sendCounter sends only fee, currency and a fixed message; the schedule value has no persistence use.

Impact: Users can edit a financial term that does not alter the backend offer.

Recommended change: Include a validated structured schedule in offer terms, or remove the editable field until supported.

Acceptance check: A changed schedule is present in the returned offer after reload and remains consistent with the later payment schedule.

Evidence: lib/features/director_producer/screens/dp_negotiation_thread_screen.dart:37-38; lib/features/director_producer/screens/dp_negotiation_thread_screen.dart:112-128; lib/features/director_producer/screens/dp_negotiation_thread_screen.dart:447-456

```
37: final _rate = TextEditingController(text: '275000'); 38: final _schedule = TextEditingController(text: '30% / 40% / 30%');
```

F12 / MEDIUM / Influencer packages prefill fixed commercial prices

Influencer packages | Hardcoded editable fallback

When saved packages are absent, the form inserts Reel Starter at 75000, Launch Push at 150000 and Brand Ambassador at 300000 with fixed deliverables. Save writes those values into the live talent profile representation.

Impact: These are defaults rather than fetched rates, and can become real commercial data after a save. They are not evidence of disconnected package persistence.

Recommended change: Use empty initial values or visibly labelled optional templates; require the creator to confirm each commercial price.

Acceptance check: A new creator sees no implied agreed prices; saved and reloaded packages match deliberate user input.

Evidence: lib/features/influencer/screens/influencer_portal_screen.dart:694-707; lib/features/influencer/screens/influencer_portal_screen.dart:720-735

```
694: Future<TalentProfile> _load() async { 695: final talent = await AuthScope.of(context).talentProfile(); 696: final packages = influencerPackages(talent); 697: final defaults = [
```

F13 / MEDIUM / Business notifications do not consult stored channel preferences

Notification preferences | Persisted setting without dispatch enforcement

Settings reads and writes email/SMS/push preferences through /me/settings. notify_user does not consult NotificationPreference before creating delivery rows. The local check set push_enabled=false and still produced a push delivery row.

Impact: The preference is stored, but this dispatch service does not enforce it. Email/SMS toggles also do not establish that those business-notification transports exist; password-reset email is a separate SMTP service.

Recommended change: Apply channel preferences in a central dispatch policy, implement intended transports and expose channel capability accurately.

Acceptance check: Disabled channels create no send attempts; enabled channels have provider-backed delivery or an honest unavailable state.

Evidence: backend/app/api/auth.py:137-147; backend/app/api/auth.py:579-607; backend/app/services/notifications.py:14-60

```
137: def _serialize_settings( 138: settings: UserSettings, notifications: NotificationPreference 139: ) -> dict[str, Any]: 140: return {
```

F14 / MEDIUM / Language selection saves a locale but does not localize the UI

Account settings | Partial backend connection

English, Urdu and Roman Urdu choices map to locale values and are saved to the backend. MaterialApp has no locale, supportedLocales or localization delegates, and screen copy remains embedded English strings.

Impact: A successful Settings save does not cause the selected app language to appear.

Recommended change: Wire the saved locale into the app and add translations/direction support, or describe the preference as profile metadata until localization is implemented.

Acceptance check: Select Urdu, restart, and verify translated navigation, validation and right-to-left layout using the persisted locale.

Evidence: lib/core/core_settings/screens/settings_account_screen.dart:453-474; lib/main.dart:135-143

```
453: Widget _languageSection() { 454: return CoreGlassCard( 455: padding: const EdgeInsets.all(16), 456: child: Column(
```

F15 / MEDIUM / Maintenance and forced-update controls return constants

App bootstrap | Static data returned by backend

Splash does fetch /app/bootstrap, but the backend always returns maintenance.enabled=false and force_update.required=false with null message/store URL. supported_roles is also a source constant list rather than the database role query used by /roles.

Impact: The UI is API-connected, but the operational controls cannot change through runtime configuration or administration in this implementation.

Recommended change: Provide server-managed release/maintenance configuration with version/platform criteria and pass the configured message and store URL to the UI.

Acceptance check: Changing maintenance or minimum version changes bootstrap and routing without rebuilding the API; platform-specific store destinations are honored.

Evidence: backend/app/api/app.py:84-94; lib/core/core_ui/screens/splash_screen.dart:136-153

```
84: @app_blueprint.get("/app/bootstrap") 85: def bootstrap() -> Response: 86: return jsonify( 87: success(
```

F16 / MEDIUM / Maintenance page promises a fixed return time

Utility screens | Hardcoded operational claim

MaintenanceModeScreen always displays Estimated return: Today, 8:30 PM PKT. It receives no outage time or estimate from bootstrap.

Impact: The estimate can be wrong on any day or incident, even if maintenance routing later becomes functional.

Recommended change: Render a server-provided timestamp and timezone, or omit the estimate when none exists.

Acceptance check: Different incidents show their configured estimate; unknown estimates do not produce a fixed promise.

Evidence: lib/core/core_ui/screens/utility_screens.dart:191-217

```
191: class MaintenanceModeScreen extends StatelessWidget { 192: const MaintenanceModeScreen({super.key}); 193: 194: @override
```

F17 / MEDIUM / Signup phone, city and referral inputs are dropped

Authentication | Local-only collected fields

The signup form requires phone and offers city/referral inputs. _createAccount sends email, password, displayName and initialRole only. AuthRepository registration adds terms_version but no phone, city or referral.

Impact: These inputs do not reach the account/profile API through signup, despite appearing as collected information.

Recommended change: Extend the registration/profile/referral contracts or remove unsupported inputs. Bind phone persistence to the real verification flow.

Acceptance check: A completed signup reloads the supplied supported fields from /me and /me/profile; referral handling has an observable server result.

Evidence: lib/core/core_ui/screens/auth_screens.dart:169-177; lib/core/core_ui/screens/auth_screens.dart:226-235; lib/core/auth/auth_repository.dart:25-43

```
169: String _city = SharedMockData.cities.first; 170: 171: final _fullName = TextEditingController(); 172: final _phone = TextEditingController();
```

F18 / LOW / Role selection silently falls back to a fixed catalogue

Role selection | Hardcoded fallback reference data

Role selection catches API failure and returns 13 SharedMockData roles; its loading state also defaults to that list. Live /roles returned 17 roles during this audit. Backend /roles itself falls back to 11 source roles when no active database rows exist.

Impact: An unavailable or empty catalogue can look like a successful role load and offer a stale set of roles. Role descriptions are frontend copy by design.

Recommended change: Show retry/error states, or label a versioned cached catalogue and validate selected role codes with the server.

Acceptance check: API failures are visible; supported roles agree across bootstrap, role selection and registration.

Evidence: lib/core/core_ui/screens/role_selection_screen.dart:30-48; lib/core/core_ui/screens/role_selection_screen.dart:67-70; backend/app/api/app.py:115-130

```
30: Future<List<CineRole>> _loadRoles() async { 31: try { 32: final roles = await AuthScope.of(context).roles(); 33: return roles.map(_roleFromApi).toList();
```

F19 / LOW / Signup city choices come from five hardcoded names

Signup reference data | Static option catalogue

Signup uses Lahore, Karachi, Islamabad, Rawalpindi and Multan from SharedMockData. The real /cities API exists and currently returns six city records, but signup does not use it.

Impact: The options can drift from the backend; this is separate from the fact that the selected signup city is not submitted (F17).

Recommended change: Load city IDs and labels from /cities and use the supported profile/registration city field.

Acceptance check: Adding or disabling a city server-side changes signup without a client release.

Evidence: lib/core/core_ui/mock_data/shared_mock_data.dart:87-93; lib/core/core_ui/screens/auth_screens.dart:365-369; lib/core/auth/auth_repository.dart:234-240

```
87: static const cities = [ 88: 'Lahore', 89: 'Karachi', 90: 'Islamabad',
```

F20 / LOW / Role-specific KYC document instructions are client constants

KYC reference data | Static policy catalogue

SharedMockData.roleDocuments selects requirements by role-name substring, and KYC renders that local list. Submission uses generic role_proof rather than a server-fetched requirements schema.

Impact: Requirements and optional/required wording cannot be centrally updated through the current KYC form contract.

Recommended change: Define role-coded document requirements on the backend and render the schema; retain ordinary instructional wording locally as appropriate.

Acceptance check: Changing a role requirement on the server updates required inputs and validation consistently.

Evidence: lib/core/core_ui/mock_data/shared_mock_data.dart:283-309; lib/core/core_ui/screens/verification_screens.dart:468-476

```
283: static List<String> roleDocuments(String role) { 284: if (role.contains('Location')) { 285: return [ 286: '
Property ownership/rent proof',
```

F21 / MEDIUM / PDF and CSV saving is web-only

Shared exports and CinePlanner | Platform implementation gap

The contract, receipt and CinePlanner paths fetch real backend documents. Conditional exports select save_download_stub and csv_download_stub on non-web targets; both return false. There is no native save/share implementation on those paths.

Impact: A native user may fetch a document but cannot save it through these controls. This is a client delivery gap, not a missing document endpoint.

Recommended change: Implement platform-appropriate file saving or sharing, with permissions and failure states.

Acceptance check: On Android and iOS, fetched contract/receipt/report files can be opened or saved and contain the server-generated bytes.

Evidence: lib/core/network/save_download.dart:1-2; lib/core/network/save_download_stub.dart:1-2; lib/core/analytics/csv_download_stub.dart:1-4; lib/core/core_contract/screens/contract_viewer_screen.dart:175-188

```
1: export 'save_download_stub.dart' 2: if (dart.library.html) 'save_download_web.dart';
```

F22 / LOW / Distribution statements have no export action

Distribution reporting | Explicit unsupported feature

Performance data is read from backend reports, but Revenue support states that exports are disabled until a real statement export endpoint exists. No distribution-specific statement export route was found in the route catalogue.

Impact: The reporting page is connected; downloadable statements remain unavailable and are honestly labelled.

Recommended change: Add an authorized distribution-statement export contract and connect the download action, or retain the explicit unavailable state.

Acceptance check: Export returns a real statement for the selected report scope with ownership checks and matching totals.

Evidence: lib/features/distribution_partner/screens/ds04_performance_reporting_screen.dart:329-339

```
329: DistributionInfoRow( 330: icon: Icons.table_rows_outlined, 331: label: 'Report rows', 332: value: '
${rows.length}',
```

F23 / LOW / Talent travel preferences remain an explicit gap

Actor availability | Explicit unsupported feature

Travel Limits shows a needs live profile fields empty state instead of editable city/radius settings. The availability calendar and secured-booking count are separate live-backed data.

Impact: Travel preferences cannot be managed on this surface; no fake travel values are displayed.

Recommended change: Define and persist the intended travel-preference fields, or keep the gap visible without promising a completed workflow.

Acceptance check: Travel limits save and reload from the profile and are applied to the intended availability/discovery rules.

Evidence: lib/features/actor_talent/screens/at04_availability_calendar_screen.dart:158-176

```
158: right: TourTarget( 159: id: 'actor.availability.travel', 160: child: ActorSectionCard( 161: title: 'Travel
Limits',
```

F24 / LOW / Several Settings controls are fixed or unavailable

Account settings | Disabled capabilities and policy indicators

WhatsApp consent, portfolio watermarking, biometric login and two-factor enrollment have null callbacks and explanatory subtitles. Hide-phone and hide-location indicators are fixed policy values; discovery directs users to role-profile visibility.

Impact: These controls are not independent editable backend settings on this page. The explanatory copy avoids claiming they were saved.

Recommended change: Keep policy indicators distinct from settings; connect each optional feature only when its backing capability exists.

Acceptance check: Unavailable controls remain visibly unavailable; implemented controls persist, reload and enforce their selected behavior.

Evidence: lib/core/core_settings/screens/settings_account_screen.dart:354-412

```
354: _toggle( 355: Icons.chat_outlined, 356: 'WhatsApp consent', 357: _whatsapp,
```

F25 / LOW / Contract QR verification is unavailable

Shared contracts | Explicit unsupported feature

The QR verification control only displays a message that a signed verification service is not enabled. Contract reads, signature submission and PDF generation use real APIs elsewhere.

Impact: There is no completed QR validation journey through this control.

Recommended change: Add signed verification URLs and a server validation response, or retain a clearly unavailable control.

Acceptance check: A generated QR resolves to a verifiable contract state; tampered and revoked references fail appropriately.

Evidence: lib/core/core_contract/screens/contract_viewer_screen.dart:343-351

```
343: _actionButton(Icons.picture_as_pdf_outlined, 'Download PDF', 344: () => _downloadPdf(contract)), 345:
_actionButton( 346: Icons.qr_code_2_rounded,
```

F26 / INFO / Smart match scores are computed locally over API candidates

Director smart match | Local computation, live input

The sheet loads directorDiscovery results, then computes scores in Dart with fixed weights for city, category, availability, verification, budget, brief words and history. Scores are clamped to 1-99. It does not call a backend matching/model endpoint for ranking.

Impact: This is deterministic client ranking, not hardcoded talent records. The current visible label is Smart match; the class/file AI naming should not be read as proof of a model service.

Recommended change: Document and version the scoring policy; move ranking server-side only if central consistency or richer matching is required.

Acceptance check: Identical inputs produce documented scores, and product claims describe the actual matching method.

Evidence: lib/features/director_producer/screens/dp_ai_casting_match_sheet.dart:184-196;
lib/features/director_producer/screens/dp_ai_casting_match_sheet.dart:412-440;
lib/features/director_producer/screens/dp_ai_casting_match_sheet.dart:485-518

```
184: Future<List<DpCandidate>> _load() async { 185: final auth = AuthScope.maybeOf(context); 186: if (auth == null || !
auth.isAuthenticated) { 187: throw const ApiException(
```

F27 / INFO / Contract wizard clause choices are static but saved through APIs

Director contracts | Static templates, backend persistence

Shoot type, usage, cancellation and overtime clause choices are defined in Dart. Generate creates a real contract and submits the selected clause pack as an addendum for review.

Impact: The selectable catalogue requires a client release to change. Selected clauses are not merely local display content.

Recommended change: Use a versioned server clause catalogue if central policy management is needed; preserve the existing review and persistence boundary.

Acceptance check: Selected clause content is present in the server addendum and policy versions remain traceable.

Evidence: lib/features/director_producer/screens/dp_contract_center_screen.dart:395-438;
lib/features/director_producer/screens/dp_contract_center_screen.dart:1006-1080

```
395: 396: List<_ClauseChoice> get _selectedClauses => [ 397: _shootType, 398: _usageRights,
```

F28 / INFO / Brand demo journey has account-specific hardcoded selectors

Brand portal | Demo-account presentation logic

The journey is enabled for one fixed demo email and prefers DEMO-BRAND-PRJ-001 or Nova Cola Winter Stories. It selects from fetched projects and uses actual passed counts; it does not fabricate a project object.

Impact: The demo presentation is coupled to a particular account, ID and title. Normal accounts are unaffected by this conditional card.

Recommended change: Move demo/presentation flags into explicit account metadata if the journey must be portable; retain API-backed project values.

Acceptance check: Account-specific behavior is intentional and testable; a missing preferred project does not introduce synthetic business records.

Evidence: lib/features/brand_sponsors/widgets/brand_demo_journey.dart:11-30;
lib/features/brand_sponsors/screens/br01_brand_dashboard_screen.dart:172-174

```
11: const brandDemoProjectId = 'DEMO-BRAND-PRJ-001'; 12: const brandDemoProjectTitle = 'Nova Cola Winter Stories';
13: 14: bool isBrandDemoAccount(AuthController? auth) {
```

F29 / INFO / Unused fixture business records and a synthetic upload helper remain

Shared core | Dormant fixture code

SharedMockData still defines notifications, chatMessages, clauses, milestones and ledgerRows. No lib consumer references these members. completeDemoUpload generates bytes from a filename, but no lib call site invokes it.

Impact: These definitions are cleanup candidates, not confirmed runtime fake notifications/contracts/ledger rows. Active roles/cities/document instructions from the same file are covered separately.

Recommended change: Move unused fixtures into tests or remove them, and keep synthetic upload helpers outside runtime APIs.

Acceptance check: Runtime code has no dependency on fixture business records; test fixtures remain clearly isolated.

Evidence: lib/core/core_ui/mock_data/shared_mock_data.dart:95-108; lib/core/core_ui/mock_data/shared_mock_data.dart:198-240; lib/core/auth/auth_controller.dart:234-251

```
95: static const notifications = [ 96: CoreNotification( 97: icon: Icons.edit_document, 98: title: 'Contract awaiting your signature',
```

F30 / INFO / About release label is a fixed 2026.09 string

Shared About dialog | Static release metadata

The About dialog renders cineConnectReleaseLabel = CineConnect - 2026.09 rather than build/package metadata or a backend release descriptor.

Impact: The displayed version can drift from the installed build. It is ordinary static metadata, not a backend workflow failure.

Recommended change: Populate the label from version/build information and, if useful, show an API release identifier separately.

Acceptance check: Installed build and About version match the intended release.

Evidence: lib/shared/widgets/cine_about_button.dart:7-7

```
7: const cineConnectReleaseLabel = 'CineConnect / 2026.09';
```

F31 / INFO / Device drafts, tours and discovery preferences are intentionally local

Client preferences | Deliberate device storage

ProjectDraftStore persists create-project drafts in FlutterSecureStorage and the wizard explicitly says Submit saves online. Tours and marketplace preferences also use device storage.

Impact: These features do not synchronize across devices. Unlike booking Save draft (F09), the create-project draft has real local persistence.

Recommended change: Keep device-local wording; add backend synchronization only if cross-device behavior is a requirement.

Acceptance check: Device-local settings survive restart and are not advertised as account-wide server data.

Evidence: lib/features/director_producer/data/project_draft_store.dart:9-32; lib/features/director_producer/screens/dp_create_project_wizard_screen.dart:264-282; lib/core/tour/tour_preferences_store.dart:7-25; lib/shared/marketplace/marketplace_preferences.dart:1-21

```
9: class ProjectDraftStore { 10: static const _key = 'cineconnect.create_project.draft'; 11: 12: final FlutterSecureStorage _storage;
```

F32 / INFO / Selfie capture does not establish automated liveness verification

KYC camera | Capture-only capability

LiveSelfieCaptureScreen uses camera capture and the selected image is uploaded as selfie_liveness evidence. No automated biometric/liveness provider integration was found on this path; verification is submitted for admin review.

Impact: A camera capture is real, but the document type alone does not prove anti-spoof or automated identity verification.

Recommended change: Describe the step as selfie capture for review unless a validated liveness service is integrated.

Acceptance check: Product claims match manual-review or provider-backed capabilities and their actual evidence.

Evidence: lib/core/core_ui/screens/live_selfie_capture_screen.dart:1-65; lib/core/core_ui/screens/verification_screens.dart:243-245

```
1: import 'package:camera/camera.dart'; 2: import 'package:flutter/material.dart'; 3: 4: import '
../../theme/app_text_styles.dart';
```

F33 / INFO / Influencer social metrics are user-entered profile data

Influencer media kit | Backend persistence, no social-provider sync

The media kit constructs social_links from entered handles, follower counts and engagement values and saves the talent profile. No Instagram/TikTok statistics connector or OAuth workflow was found in the runtime path.

Impact: The values are connected to the app backend, but should be treated as self-reported rather than live social-platform measurements.

Recommended change: Label self-reported metrics; add an authorized provider workflow only if verified live statistics are required.

Acceptance check: Users can distinguish self-reported numbers from independently synchronized metrics.

Evidence: lib/features/influencer/screens/influencer_portal_screen.dart:529-545; lib/features/influencer/screens/influencer_portal_screen.dart:460-490

```
529: Map<String, dynamic> _socialPayload() { 530: return { 531: if (instagram.text.trim().isNotEmpty) 'instagram':
instagram.text.trim(), 532: if (tiktok.text.trim().isNotEmpty) 'tiktok': tiktok.text.trim(),
```

F34 / LOW / Push-device registration API has no runtime caller

Client push setup | Unconnected startup capability

The trust-safety repository/controller expose registerPushDevice, but source-wide references show no caller outside those definitions. No Firebase messaging dependency or token-acquisition/registration startup path was found.

Impact: A push endpoint existing on the backend does not mean this client registers its device for real push delivery. This complements the sandbox transport finding F07.

Recommended change: Connect permission, token acquisition/rotation, register/unregister and notification-open handling for supported platforms.

Acceptance check: A newly authorized device appears in the backend with a valid provider token and is updated or disabled when needed.

Evidence: lib/core/trust_safety/trust_safety_controller.dart:241-243; lib/core/trust_safety/trust_safety_repository.dart:273-275

```
241: Future<void> registerPushDevice(Map<String, dynamic> body) { 242: return _repository.registerPushDevice(body);
243: }
```

F35 / INFO / Create-project Team values are descriptive references, not invitations

Project wizard | Partial structured data model

The Team step asks for names for quick reference. Creation folds team names and extra cities into description, selects only the first structured city and saves the maximum budget as estimated budget. This step does not create project memberships.

Impact: These values are saved as text, not discarded; they do not grant access or represent structured multi-city/team relationships. The later project member invitation flow is a separate real API.

Recommended change: Keep reference-only wording, or use structured city/team relations and real invitations if the wizard is meant to create them.

Acceptance check: The UI accurately distinguishes references from invited members and structured planning fields.

Evidence: lib/features/director_producer/screens/dp_create_project_wizard_screen.dart:788-798; lib/features/director_producer/screens/dp_create_project_wizard_screen.dart:1375-1401

```
788: dpText(context, 789: 'Add co-producers or department heads for quick reference.'), 790: const SizedBox(height: 12), 791: Row(
```

F36 / LOW / Public payment notice stays a demo string in other payment modes

Backend public configuration | Hardcoded backend copy

public_config reads PAYMENT_MODE dynamically but always returns Demo payment only - no money is moved. The isolated check set manual_bank_transfer and still received that demo notice.

Impact: A future real/manual configuration could still display a misleading demo notice. The current live sandbox response is consistent with the current notice.

Recommended change: Return capability/mode-specific messaging from the server and keep it aligned with approved payment behavior.

Acceptance check: Sandbox, manual-transfer and real-gateway modes each expose accurate, tested public wording.

Evidence: backend/app/api/app.py:97-111

```
97: @app_blueprint.get("/app/public-config") 98: def public_config() -> Response: 99: return jsonify( 100: success(
```

5. Portal and shared-flow connection matrix

Area	Backend evidence	Current source assessment	Findings
Director / Producer	Auth, Projects, Bookings, Contracts, Payments, Casting, CinePlanner, Analytics	API code present; material booking/negotiation field gaps	F05, F09-F11, F26-F27, F35
Actor / Talent	Auth, Bookings, Contracts, Payments, Opportunities, TrustSafety, Credits	API code present; travel preferences unavailable	F23; shared F01-F08, F21, F24-F25
Model	Auth, Specialist, Opportunities, Credits	API code present; categories/rights/rates persist	Shared findings; static category/usage choices in catalogue
Influencer	Auth, Specialist, Opportunities, Bookings	API code present; package defaults and self-reported metrics	F12, F33
General Public	Auth, Projects, Bookings, shared marketplace	API code present; shared booking form omissions apply	F05, F09, F17
Crew / Services	Auth, Bookings, Contracts, Payments, Opportunities, Credits, TrustSafety	API code present in current checkout; earlier gap docs are not current proof	Shared findings
Location Owner	Operations, Bookings, Payments, Auth, Opportunities, TrustSafety	API code present; test payout action remains	F03, F21
Media / Equipment	Operations, Bookings, Payments, Auth, Opportunities, TrustSafety	API code present; test payout and native export gaps	F03, F21
Casting Agency	Specialist, shared booking/casting flows	API code present; no active fixture roster found in inspected data paths	Shared findings
Brand / Sponsor	Specialist, Projects, Bookings, Payments, Auth	API code present; one demo-account-specific journey	F28
Legal Partner	Contracts and legal billing repository methods	API code present; history/billing is not merely old demo data	F21, F27
Insurance / Safety	Insurance and Operations	API code present for policies, claims, safety checks and incidents	Shared upload/notification findings
Distribution / Release	Specialist	API code present; statement export explicitly unavailable	F22
Super Admin	Admin, Analytics, Payments, TrustSafety, Auth	API code present for queues, decisions and configuration records	F03, F07-F08, F13, F15
Shared auth/KYC/settings	Auth, UploadRepository, TrustSafety, Payments	Real APIs plus incomplete verification, input and preference flows	F01-F02, F06, F13-F20, F24, F32, F34
Legacy /portal/dashboard	Personal dashboard KPIs plus TalentData constants	Mixed live KPI and fixed marketplace business content	F04
Legacy generic role portals	No business API in placeholder	Explicit retired/gap surface; navigates to settings	Not presented as a live business portal

API code present is a source assessment. It is not a blanket PASS for production UAT. Each portal also inherits shared auth, upload, payment, contract, download and notification limitations where used.

6. Static-content catalogue and classification

Class	Examples	Disposition
Business records shown at runtime	TalentData, bundled avatar, fixed showreel duration and inert dashboard controls	Replace or retire; F04
Financial defaults / omitted fields	275000 counter rate, 30/40/30 editable schedule, influencer package price defaults, booking review terms	Persist deliberately or remove; F05, F10-F12
Onboarding inputs and policy	Signup phone/city/referral, KYC metadata/banking, document requirement list, OTP	Real submit/verify contracts needed; F01, F06, F17-F20
Backend constants	Bootstrap flags, fallback ROLES, payment-mode notice, sandbox fee metadata	Some are operational gaps; others are bookkeeping/configuration; F15, F18, F36
Reference choices and templates	Enums, model campaign catalogue, usage/cancellation/overtime clauses, status filters, default terms and quantity fields	Usually legitimate static config; centralize only if runtime policy needs require it
UI-only constants	Theme colors, spacing, breakpoints, icons, month/day labels, navigation routes, tour instructions, skeleton sizes	Expected frontend content; backend connection not required
Local state and storage	Tab/filter state, device project drafts, tour seen state, marketplace preferences, live clock	Deliberate client behavior; F31
Inactive fixtures	SharedMockData notification/chat/contract/payment fixtures; completeDemoUpload helper	No runtime member call sites found; F29
Unsupported capabilities	Travel fields, distribution statements, QR verification, 2FA, biometric sign-in, watermark control, push setup, native file saving	Explicit or implementation gaps; F21-F25, F34
External source boundaries	Self-entered social metrics, client Smart match scoring, camera selfie capture, configured AI/weather service paths	Backend persistence or local computation does not imply independent provider verification; F26, F32-F33

The complete 686-row static-declaration candidate catalogue is printed in Appendix D and embedded as CSV. It is a reproducible pattern inventory, not a list of 686 defects. String literals inside business payloads and helper methods were also inspected where suspicious paths were traced; no regular-expression scan guarantees detection of every semantic hardcoded value.

Legacy dashboard control audit

Control	Observed code behavior
Search	PremiumSearchBar renders hint text, not a TextField/search request
Category / tabs / verified toggle	Only local selected-state changes; TalentData list remains fixed
Bottom navigation	Changes _navIndex locally; no page switch or backend action in DashboardScreen
View all	Text and chevron only; no action wrapper in section header
Add to Shortlist / Request Booking	Featured card passes no onTap callbacks to the buttons
Play Showreel	Static visual play control and 5:24 duration; no media playback handler in that card
Header avatar	Bundled currentUserAvatar asset, not the signed-in account image

Evidence: lib/screens/dashboard_screen.dart:28-100, 109-146, 175-243; lib/shared/widgets/app_search_bar.dart:97-110; lib/shared/widgets/featured_talent_card.dart:254-317, 720-734, 1675-1689. These controls belong to the legacy dashboard; live marketplace controls elsewhere have separate API implementations.

7. Remediation order and completion checks

Order	Finding IDs	Required outcome
1 / verification and truthful state	F01-F03, F06-F08, F13, F34	Remove false OTP/clean/delivered/verified claims; isolate sandbox capabilities; complete provider setup and preference enforcement.
2 / data integrity in commercial forms	F05, F09-F12, F17	Persist every advertised field; implement real draft storage; initialize commercial values from current data.
3 / capability and configuration gaps	F14-F16, F18-F25, F36	Connect localization/operational configuration/catalogues; implement exports and supported native saving; leave unimplemented controls honest.
4 / cleanup and explicit design decisions	F26-F33, F35	Version local scoring/templates, isolate demo selectors/fixtures, label device-only and self-reported data.

Production acceptance matrix to run next

Register each supported role; verify real phone challenge and complete or defer KYC truthfully; reload profile and banking data.

Create a project, attach files, add real members, enter every booking term, save a draft, restore it, send, negotiate and reload from the API.

Generate a contract and addendum, request legal review, sign with authorized test parties, fetch the signed document and validate ownership.

Use the approved payment model; submit proof or certified gateway payment, review it, reconcile ledger and receipts, and validate payout verification.

Exercise profile/portfolio, inventory, property availability, inspections, claims, brand deliverables, agency requests and distribution reports under each role.

Verify notification preferences, provider failure/success, device registration and deep-link opening; verify native exports on actual Android/iOS devices.

Run all gated backend integration tests against isolated MySQL/Redis with current migrations, then perform authorized production UAT without synthetic data masquerading as real records.

Appendix A. Screen and helper-file inventory

Every file in this index was read by the automated scan. Scope names and API calls are source evidence, not proof every action in the file reaches a server. Wrapper/helper files may delegate their entire behavior to imported widgets. Findings reference only confirmed cases.

File	Direct connection evidence	on*	Finding references
lib/core/core_booking/screens/booking_chat_screen.dart	AuthScope, BookingsScope	11	Inventory evidence only
lib/core/core_contract/screens/contract_viewer_screen.dart	ContractsScope	6	F21, F25
lib/core/core_payment/screens/payment_proof_screen.dart	AuthScope, PaymentsScope	7	Inventory evidence only
lib/core/core_payment/screens/receipts_ledger_screen.dart	PaymentsScope	11	Inventory evidence only
lib/core/core_safety/screens/ratings_review_screen.dart	AuthScope, BookingsScope, TrustSafetyScope	5	Inventory evidence only
lib/core/core_safety/screens/report_block_screen.dart	TrustSafetyScope	6	Inventory evidence only
lib/core/core_settings/screens/settings_account_screen.dart	AuthScope, PaymentsScope, TrustSafetyScope	17	F14, F24
lib/core/core_ui/screens/auth_screens.dart	AuthScope	13	F01, F17, F19
lib/core/core_ui/screens/live_selfie_capture_screen.dart	Wrapper / UI / delegate; no direct scope match	3	F32
lib/core/core_ui/screens/notification_center_screen.dart	TrustSafetyScope	5	Inventory evidence only
lib/core/core_ui/screens/onboarding_screen.dart	Wrapper / UI / delegate; no direct scope match	3	Inventory evidence only
lib/core/core_ui/screens/profile_role_switcher_screen.dart	AuthScope, TourScope	10	Inventory evidence only
lib/core/core_ui/screens/role_selection_screen.dart	AuthScope	5	F18
lib/core/core_ui/screens/splash_screen.dart	AuthScope	1	F15
lib/core/core_ui/screens/utility_screens.dart	AuthScope	6	F16
lib/core/core_ui/screens/verification_screens.dart	AuthScope	17	F06, F20, F32
lib/features/actor_talent/screens/actor_talent_portal_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/actor_talent/screens/at01_talent_dashboard_screen.dart	AuthScope, BookingsScope, CastingScope	18	Inventory evidence only
lib/features/actor_talent/screens/at02_profile_builder_screen.dart	AuthScope	33	Inventory evidence only
lib/features/actor_talent/screens/at03_portfolio_showreel_screen.dart	AuthScope	18	Inventory evidence only
lib/features/actor_talent/screens/at04_availability_calendar_screen.dart	BookingsScope	9	F23
lib/features/actor_talent/screens/at05_rate_card_screen.dart	AuthScope	2	Inventory evidence only
lib/features/actor_talent/screens/at06_opportunity_inbox_screen.dart	BookingsScope, CastingScope	10	Inventory evidence only
lib/features/actor_talent/screens/at07_offer_detail_screen.dart	AuthScope, BookingsScope	9	Inventory evidence only
lib/features/actor_talent/screens/at08_counteroffer_composer_screen.dart	BookingsScope	6	Inventory evidence only
lib/features/actor_talent/screens/at09_contract_signing_screen.dart	ContractsScope	6	Inventory evidence only
lib/features/actor_talent/screens/at10_earnings_security_screen.dart	PaymentsScope	9	Inventory evidence only
lib/features/actor_talent/screens/at11_reputation_reviews_screen.dart	AuthScope, TrustSafetyScope	3	Inventory evidence only

File	Direct connection evidence	on*	Finding references
lib/features/actor_talent/screens/at12_safety_controls_screen.dart	AuthScope, BookingsScope, TrustSafetyScope	25	Inventory evidence only
lib/features/actor_talent/screens/at13_role_detail_apply_screen.dart	AuthScope, CastingScope	13	Inventory evidence only
lib/features/actor_talent/screens/at14_applications_screen.dart	CastingScope	6	Inventory evidence only
lib/features/actor_talent/screens/at15_application_detail_screen.dart	AuthScope, CastingScope	23	Inventory evidence only
lib/features/actor_talent/screens/at17_bookings_messages_screen.dart	BookingsScope	9	Inventory evidence only
lib/features/brand_sponsors/screens/br01_brand_dashboard_screen.dart	AuthScope, BookingsScope, SpecialistScope	12	F28
lib/features/brand_sponsors/screens/br02_brand_profile_screen.dart	AuthScope, SpecialistScope	7	Inventory evidence only
lib/features/brand_sponsors/screens/br03_opportunity_composer_screen.dart	AuthScope, SpecialistScope	15	Inventory evidence only
lib/features/brand_sponsors/screens/br04_applications_inbox_screen.dart	SpecialistScope	22	Inventory evidence only
lib/features/brand_sponsors/screens/br05_negotiation_terms_screen.dart	SpecialistScope	11	Inventory evidence only
lib/features/brand_sponsors/screens/br06_campaign_tracker_screen.dart	SpecialistScope	19	Inventory evidence only
lib/features/brand_sponsors/screens/br07_payments_records_screen.dart	PaymentsScope, SpecialistScope	11	Inventory evidence only
lib/features/brand_sponsors/screens/br08_brand_projects_screen.dart	AuthScope, BookingsScope, ProjectsScope	26	Inventory evidence only
lib/features/brand_sponsors/screens/br09_brand_marketplace_screen.dart	AuthScope, ProjectsScope	16	Inventory evidence only
lib/features/brand_sponsors/screens/br10_brand_shortlists_screen.dart	AuthScope, ProjectsScope	16	Inventory evidence only
lib/features/brand_sponsors/screens/br11_brand_bookings_screen.dart	BookingsScope	9	Inventory evidence only
lib/features/brand_sponsors/screens/brand_sponsor_portal_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/casting_agency/screens/ca01_agency_dashboard_screen.dart	SpecialistScope	11	Inventory evidence only
lib/features/casting_agency/screens/ca02_talent_roster_screen.dart	SpecialistScope	11	Inventory evidence only
lib/features/casting_agency/screens/ca03_audition_request_inbox_screen.dart	SpecialistScope	19	Inventory evidence only
lib/features/casting_agency/screens/ca04_candidate_shortlist_screen.dart	SpecialistScope	11	Inventory evidence only
lib/features/casting_agency/screens/ca05_self_tape_collection_screen.dart	SpecialistScope	5	Inventory evidence only
lib/features/casting_agency/screens/ca06_selection_notes_screen.dart	SpecialistScope	13	Inventory evidence only
lib/features/casting_agency/screens/ca07_commission_records_screen.dart	SpecialistScope	6	Inventory evidence only
lib/features/casting_agency/screens/ca08_agency_booking_records_screen.dart	SpecialistScope	9	Inventory evidence only
lib/features/casting_agency/screens/casting_agency_portal_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only

File	Direct connection evidence	on*	Finding references
lib/features/crew_services/screens/cr01_crew_dashboard_screen.dart	AuthScope, BookingsScope, ContractsScope, PaymentsScope, TrustSafetyScope	11	Inventory evidence only
lib/features/crew_services/screens/cr02_service_profile_screen.dart	AuthScope	8	Inventory evidence only
lib/features/crew_services/screens/cr03_portfolio_credits_screen.dart	AuthScope	18	Inventory evidence only
lib/features/crew_services/screens/cr04_availability_calendar_screen.dart	BookingsScope	5	Inventory evidence only
lib/features/crew_services/screens/cr05_requests_negotiation_screen.dart	BookingsScope	16	Inventory evidence only
lib/features/crew_services/screens/cr06_contracts_payments_screen.dart	BookingsScope, ContractsScope, PaymentsScope	5	Inventory evidence only
lib/features/crew_services/screens/cr07_ratings_work_history_screen.dart	AuthScope, BookingsScope, TrustSafetyScope	1	Inventory evidence only
lib/features/crew_services/screens/cr08_opportunities_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/crew_services/screens/crew_services_portal_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/director_producer/screens/cineplanner_console_screen.dart	CinePlannerScope, ProjectsScope	86	Inventory evidence only
lib/features/director_producer/screens/director_producer_portal_screen.dart	AuthScope	0	Inventory evidence only
lib/features/director_producer/screens/dp_ai_casting_match_sheet.dart	AuthScope	15	F26
lib/features/director_producer/screens/dp_bargaining_center_screen.dart	AuthScope, BookingsScope, ProjectsScope	10	Inventory evidence only
lib/features/director_producer/screens/dp_booking_request_form_screen.dart	AuthScope, BookingsScope, ProjectsScope	21	F05, F09
lib/features/director_producer/screens/dp_calendar_schedule_screen.dart	AuthScope	5	Inventory evidence only
lib/features/director_producer/screens/dp_contract_center_screen.dart	BookingsScope, ContractsScope	27	F27
lib/features/director_producer/screens/dp_create_project_wizard_screen.dart	AuthScope, ProjectsScope	45	F31, F35
lib/features/director_producer/screens/dp_home_dashboard_screen.dart	AuthScope	24	Inventory evidence only
lib/features/director_producer/screens/dp_marketplace_discovery_screen.dart	AuthScope, ProjectsScope	42	Inventory evidence only
lib/features/director_producer/screens/dp_negotiation_thread_screen.dart	BookingsScope	15	F10, F11
lib/features/director_producer/screens/dp_payment_center_screen.dart	PaymentsScope	3	Inventory evidence only
lib/features/director_producer/screens/dp_project_accounts_screen.dart	AnalyticsScope, BookingsScope, ProjectsScope	6	Inventory evidence only
lib/features/director_producer/screens/dp_project_detail_screen.dart	AuthScope, BookingsScope, CastingScope, ContractsScope, OpportunitiesScope, PaymentsScope, ProjectsScope	52	Inventory evidence only
lib/features/director_producer/screens/dp_project_room_screen.dart	AuthScope, ProjectsScope	12	Inventory evidence only
lib/features/director_producer/screens/dp_projects_list_screen.dart	ProjectsScope	9	Inventory evidence only

File	Direct connection evidence	on*	Finding references
lib/features/director_producer/screens/dp_reports_export_screen.dart	AnalyticsScope	4	Inventory evidence only
lib/features/director_producer/screens/dp_requirement_builder_screen.dart	AuthScope, CastingScope, ProjectsScope	10	Inventory evidence only
lib/features/director_producer/screens/dp_shortlist_board_screen.dart	AuthScope	40	Inventory evidence only
lib/features/director_producer/screens/dp_smart_filters_sheet.dart	AuthScope	7	Inventory evidence only
lib/features/director_producer/screens/dp_stakeholder_profile_screen.dart	AuthScope	12	Inventory evidence only
lib/features/distribution_partner/screens/distribution_partner_portal_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/distribution_partner/screens/ds01_distribution_dashboard_screen.dart	AuthScope, SpecialistScope	7	Inventory evidence only
lib/features/distribution_partner/screens/ds02_distributor_contacts_screen.dart	SpecialistScope	8	Inventory evidence only
lib/features/distribution_partner/screens/ds03_release_coordination_screen.dart	SpecialistScope	8	Inventory evidence only
lib/features/distribution_partner/screens/ds04_performance_reporting_screen.dart	SpecialistScope	8	F22
lib/features/general_public/screens/general_public_cinema_screen.dart	ProjectsScope	20	Inventory evidence only
lib/features/general_public/screens/general_public_portal_screen.dart	AuthScope, BookingsScope	28	Inventory evidence only
lib/features/influencer/screens/influencer_portal_screen.dart	AuthScope, BookingsScope, PaymentsScope	19	F12, F33
lib/features/insurance_partner/screens/in01_insurance_dashboard_screen.dart	AuthScope, InsuranceScope	8	Inventory evidence only
lib/features/insurance_partner/screens/in02_shoot_insurance_records_screen.dart	InsuranceScope	6	Inventory evidence only
lib/features/insurance_partner/screens/in03_claim_support_screen.dart	InsuranceScope	10	Inventory evidence only
lib/features/insurance_partner/screens/in04_safety_checks_permits_screen.dart	OperationsScope	11	Inventory evidence only
lib/features/insurance_partner/screens/in05_incident_reports_screen.dart	OperationsScope	10	Inventory evidence only
lib/features/insurance_partner/screens/insurance_partner_portal_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/legal_partner/screens/legal_partner_portal_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/legal_partner/screens/lg01_legal_dashboard_screen.dart	AuthScope, ContractsScope	7	Inventory evidence only
lib/features/legal_partner/screens/lg02_contract_review_detail_screen.dart	ContractsScope	7	Inventory evidence only
lib/features/legal_partner/screens/lg03_template_review_screen.dart	ContractsScope	8	Inventory evidence only
lib/features/legal_partner/screens/lg04_addendum_review_screen.dart	ContractsScope	2	Inventory evidence only
lib/features/legal_partner/screens/lg05_review_history_billing_screen.dart	ContractsScope	6	Inventory evidence only
lib/features/location_owner/screens/lo01_owner_dashboard_screen.dart	AuthScope, BookingsScope, OperationsScope, PaymentsScope	16	Inventory evidence only

File	Direct connection evidence	on*	Finding references
lib/features/location_owner/screens/lo02_location_listing_wizard_screen.dart	AuthScope, OperationsScope	11	Inventory evidence only
lib/features/location_owner/screens/lo03_availability_calendar_screen.dart	BookingsScope	6	Inventory evidence only
lib/features/location_owner/screens/lo04_pricing_deposit_screen.dart	OperationsScope	10	Inventory evidence only
lib/features/location_owner/screens/lo05_rules_restrictions_screen.dart	OperationsScope	8	Inventory evidence only
lib/features/location_owner/screens/lo06_booking_requests_screen.dart	AuthScope, BookingsScope	21	Inventory evidence only
lib/features/location_owner/screens/lo07_check_in_inspection_screen.dart	AuthScope, BookingsScope, OperationsScope	13	Inventory evidence only
lib/features/location_owner/screens/lo08_check_out_damage_claim_screen.dart	AuthScope, BookingsScope, OperationsScope	11	Inventory evidence only
lib/features/location_owner/screens/lo09_earnings_deposits_screen.dart	AuthScope, PaymentsScope	7	F03
lib/features/location_owner/screens/lo10_property_performance_screen.dart	BookingsScope, OperationsScope	8	Inventory evidence only
lib/features/location_owner/screens/lo11_owner_profile_screen.dart	AuthScope	8	Inventory evidence only
lib/features/location_owner/screens/lo12_owner_portfolio_screen.dart	AuthScope	18	Inventory evidence only
lib/features/location_owner/screens/lo13_opportunities_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/location_owner/screens/location_owner_portal_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/media_equipment/screens/me01_provider_dashboard_screen.dart	AuthScope, BookingsScope, OperationsScope	13	Inventory evidence only
lib/features/media_equipment/screens/me02_provider_profile_screen.dart	AuthScope, OperationsScope	6	Inventory evidence only
lib/features/media_equipment/screens/me03_inventory_manager_screen.dart	OperationsScope	13	Inventory evidence only
lib/features/media_equipment/screens/me04_package_builder_screen.dart	OperationsScope	8	Inventory evidence only
lib/features/media_equipment/screens/me05_availability_calendar_screen.dart	BookingsScope, OperationsScope	6	Inventory evidence only
lib/features/media_equipment/screens/me06_rate_terms_screen.dart	OperationsScope	12	Inventory evidence only
lib/features/media_equipment/screens/me07_booking_requests_screen.dart	BookingsScope	16	Inventory evidence only
lib/features/media_equipment/screens/me08_handover_checklist_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/media_equipment/screens/me09_return_checklist_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/media_equipment/screens/me10_earnings_ratings_screen.dart	AuthScope, BookingsScope, OperationsScope, PaymentsScope, TrustSafetyScope	8	F03
lib/features/media_equipment/screens/me11_provider_portfolio_screen.dart	AuthScope	19	Inventory evidence only
lib/features/media_equipment/screens/me12_opportunities_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only

File	Direct connection evidence	on*	Finding references
lib/features/media_equipment/screens/media_equipment_portal_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/model_extension/screens/md01_campaign_categories_screen.dart	AuthScope, SpecialistScope	11	Inventory evidence only
lib/features/model_extension/screens/md02_usage_rights_screen.dart	SpecialistScope	12	Inventory evidence only
lib/features/model_extension/screens/md03_portfolio_categories_screen.dart	AuthScope	18	Inventory evidence only
lib/features/model_extension/screens/md04_rate_by_usage_screen.dart	SpecialistScope	11	Inventory evidence only
lib/features/model_extension/screens/md05_brand_safety_screen.dart	SpecialistScope	9	Inventory evidence only
lib/features/model_extension/screens/md06_model_profile_screen.dart	AuthScope	17	Inventory evidence only
lib/features/model_extension/screens/md07_opportunities_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/model_extension/screens/model_extension_portal_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/role_portals/screens/role_portal_screen.dart	Wrapper / UI / delegate; no direct scope match	1	Inventory evidence only
lib/features/super_admin/screens/admin_portal/admin_analytics_screen.dart	AnalyticsScope	5	Inventory evidence only
lib/features/super_admin/screens/admin_portal/admin_dashboard_screen.dart	AdminScope, AnalyticsScope	7	Inventory evidence only
lib/features/super_admin/screens/admin_portal/admin_roles_permissions_screen.dart	AdminScope	6	Inventory evidence only
lib/features/super_admin/screens/admin_portal/admin_screen_helpers.dart	Wrapper / UI / delegate; no direct scope match	2	Inventory evidence only
lib/features/super_admin/screens/admin_portal/audit_log_explorer_screen.dart	AdminScope	4	Inventory evidence only
lib/features/super_admin/screens/admin_portal/booking_detail_screen.dart	AdminScope	7	Inventory evidence only
lib/features/super_admin/screens/admin_portal/booking_monitor_screen.dart	AdminScope	11	Inventory evidence only
lib/features/super_admin/screens/admin_portal/broadcast_announcements_screen.dart	TrustSafetyScope	2	Inventory evidence only
lib/features/super_admin/screens/admin_portal/commission_fee_screen.dart	AdminScope	11	Inventory evidence only
lib/features/super_admin/screens/admin_portal/content_moderation_queue_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/super_admin/screens/admin_portal/content_moderation_screen.dart	TrustSafetyScope	7	Inventory evidence only
lib/features/super_admin/screens/admin_portal/contract_template_detail_screen.dart	AdminScope	9	Inventory evidence only
lib/features/super_admin/screens/admin_portal/contract_template_manager_screen.dart	AdminScope	11	Inventory evidence only
lib/features/super_admin/screens/admin_portal/dispute_case_file_screen.dart	TrustSafetyScope	4	Inventory evidence only
lib/features/super_admin/screens/admin_portal/dispute_center_screen.dart	TrustSafetyScope	6	Inventory evidence only
lib/features/super_admin/screens/admin_portal/kyc_review_detail_screen.dart	AuthScope	13	Inventory evidence only

File	Direct connection evidence	on*	Finding references
lib/features/super_admin/screens/admin_portal/listings_moderation_screen.dart	AdminScope	9	Inventory evidence only
lib/features/super_admin/screens/admin_portal/listings_review_queue_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/super_admin/screens/admin_portal/payment_review_detail_screen.dart	AuthScope, PaymentsScope	6	Inventory evidence only
lib/features/super_admin/screens/admin_portal/payment_verification_queue_screen.dart	PaymentsScope	5	Inventory evidence only
lib/features/super_admin/screens/admin_portal/payments_hub_screen.dart	AdminScope, PaymentsScope	5	Inventory evidence only
lib/features/super_admin/screens/admin_portal/people_verification_queue_screen.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/features/super_admin/screens/admin_portal/receipts_ledger_admin_screen.dart	PaymentsScope	3	Inventory evidence only
lib/features/super_admin/screens/admin_portal/revenue_settings_screen.dart	Wrapper / UI / delegate; no direct scope match	2	Inventory evidence only
lib/features/super_admin/screens/admin_portal/review_hub_screen.dart	AdminScope, AuthScope, PaymentsScope, TrustSafetyScope	3	Inventory evidence only
lib/features/super_admin/screens/admin_portal/support_crm_screen.dart	TrustSafetyScope	11	Inventory evidence only
lib/features/super_admin/screens/admin_portal/user_management_screen.dart	AdminScope	5	Inventory evidence only
lib/features/super_admin/screens/admin_portal/user_verification_queue_screen.dart	AuthScope	4	Inventory evidence only
lib/features/super_admin/screens/super_admin_screens.dart	Wrapper / UI / delegate; no direct scope match	0	Inventory evidence only
lib/screens/dashboard_screen.dart	Wrapper / UI / delegate; no direct scope match	4	F04
lib/shared/marketplace/marketplace_portal_screen.dart	AuthScope	3	Inventory evidence only
lib/shared/opportunities/opportunity_application_detail_screen.dart	OpportunitiesScope	7	Inventory evidence only
lib/shared/opportunities/opportunity_inbox_screen.dart	OpportunitiesScope	14	Inventory evidence only

Appendix B. All Dart files scanned

The complete file census includes screens, models, repositories, controllers, shared UI, platform shims, navigation, theme and tour code. I = reached by file-level import traversal; N = not reached by that traversal, which does not establish symbol-level dead code. M = marker count; C = named callback declarations; A = literal-path API calls.

Dart source file	Lines	Import	C / A / M
lib/core/admin/admin_controller.dart	272	I	0 / 0 / 0
lib/core/admin/admin_models.dart	501	I	0 / 0 / 0
lib/core/admin/admin_repository.dart	210	I	0 / 8 / 0
lib/core/analytics/analytics_controller.dart	89	I	0 / 0 / 0
lib/core/analytics/analytics_models.dart	140	I	0 / 0 / 0
lib/core/analytics/analytics_repository.dart	55	I	0 / 6 / 0
lib/core/analytics/analytics_widgets.dart	161	I	2 / 0 / 0
lib/core/analytics/csv_download.dart	4	I	0 / 0 / 0
lib/core/analytics/csv_download_stub.dart	4	I	0 / 0 / 0
lib/core/analytics/csv_download_web.dart	17	I	0 / 0 / 0
lib/core/auth/auth_controller.dart	697	I	2 / 2 / 1
lib/core/auth/auth_models.dart	193	I	0 / 0 / 0
lib/core/auth/auth_repository.dart	657	I	0 / 48 / 0
lib/core/auth/portal_access_guard.dart	101	I	1 / 0 / 0
lib/core/auth/role_mapper.dart	85	I	0 / 0 / 0
lib/core/auth/token_store.dart	29	I	0 / 0 / 0
lib/core/bookings/booking_models.dart	450	I	0 / 0 / 0
lib/core/bookings/bookings_controller.dart	195	I	0 / 0 / 0
lib/core/bookings/bookings_repository.dart	221	I	0 / 17 / 0
lib/core/casting/casting_controller.dart	256	I	0 / 0 / 0
lib/core/casting/casting_models.dart	448	I	0 / 0 / 0
lib/core/casting/casting_repository.dart	308	I	0 / 22 / 0
lib/core/cineplanner/cineplanner_controller.dart	148	I	2 / 0 / 0
lib/core/cineplanner/cineplanner_repository.dart	281	I	2 / 24 / 0
lib/core/constants/app_assets.dart	17	I	0 / 0 / 0
lib/core/constants/app_icons.dart	52	I	0 / 0 / 0
lib/core/constants/app_strings.dart	46	I	0 / 0 / 0
lib/core/contracts/contract_models.dart	420	I	0 / 0 / 0
lib/core/contracts/contracts_controller.dart	177	I	0 / 0 / 0
lib/core/contracts/contracts_repository.dart	180	I	0 / 15 / 0
lib/core/core_booking/screens/booking_chat_screen.dart	695	I	11 / 0 / 0
lib/core/core_contract/screens/contract_viewer_screen.dart	546	I	6 / 0 / 3
lib/core/core_payment/screens/payment_proof_screen.dart	435	I	7 / 0 / 0

Dart source file	Lines	Import	C / A / M
lib/core/core_payment/screens/receipts_ledger_screen.dart	435	I	11 / 0 / 0
lib/core/core_safety/screens/ratings_review_screen.dart	252	I	5 / 0 / 0
lib/core/core_safety/screens/report_block_screen.dart	285	I	6 / 0 / 4
lib/core/core_settings/screens/settings_account_screen.dart	1070	I	17 / 0 / 4
lib/core/core_ui/core_back_navigation.dart	52	I	0 / 0 / 0
lib/core/core_ui/core_logout.dart	18	I	0 / 0 / 0
lib/core/core_ui/core_routes.dart	1038	I	1 / 0 / 2
lib/core/core_ui/mock_data/shared_mock_data.dart	310	I	0 / 0 / 2
lib/core/core_ui/models/shared_models.dart	134	I	0 / 0 / 0
lib/core/core_ui/screens/auth_screens.dart	631	I	13 / 0 / 2
lib/core/core_ui/screens/live_selfie_capture_screen.dart	217	I	3 / 0 / 0
lib/core/core_ui/screens/notification_center_screen.dart	318	I	5 / 0 / 0
lib/core/core_ui/screens/onboarding_screen.dart	226	I	3 / 0 / 0
lib/core/core_ui/screens/profile_role_switcher_screen.dart	471	I	10 / 0 / 0
lib/core/core_ui/screens/role_selection_screen.dart	208	I	5 / 0 / 3
lib/core/core_ui/screens/splash_screen.dart	707	I	1 / 0 / 0
lib/core/core_ui/screens/utility_screens.dart	243	I	6 / 1 / 0
lib/core/core_ui/screens/verification_screens.dart	806	I	17 / 0 / 1
lib/core/core_ui/widgets/auth_split_scaffold.dart	41	I	0 / 0 / 0
lib/core/core_ui/widgets/brand_panel.dart	189	I	0 / 0 / 0
lib/core/core_ui/widgets/core_widgets.dart	1087	I	17 / 0 / 0
lib/core/credits/credit_models.dart	47	I	0 / 0 / 0
lib/core/credits/credits_controller.dart	66	I	0 / 0 / 0
lib/core/credits/credits_repository.dart	53	I	0 / 4 / 0
lib/core/director/director_dashboard_models.dart	538	I	0 / 0 / 0
lib/core/director/director_discovery_models.dart	237	I	0 / 0 / 0
lib/core/director/director_repository.dart	118	I	0 / 8 / 0
lib/core/insurance/insurance_controller.dart	130	I	0 / 0 / 0
lib/core/insurance/insurance_models.dart	115	I	0 / 0 / 0
lib/core/insurance/insurance_repository.dart	131	I	0 / 11 / 0
lib/core/marketplace/marketplace_models.dart	502	I	0 / 0 / 0
lib/core/network/api_client.dart	271	I	1 / 0 / 0
lib/core/network/api_config.dart	8	I	0 / 0 / 0
lib/core/network/api_exception.dart	16	I	0 / 0 / 0
lib/core/network/open_url.dart	11	I	0 / 0 / 0
lib/core/network/open_url_stub.dart	2	N	0 / 0 / 0
lib/core/network/open_url_web.dart	9	N	0 / 0 / 0
lib/core/network/save_download.dart	2	I	0 / 0 / 0

Dart source file	Lines	Import	C / A / M
lib/core/network/save_download_stub.dart	2	I	0 / 0 / 0
lib/core/network/save_download_web.dart	14	I	0 / 0 / 0
lib/core/operations/operations_controller.dart	530	I	0 / 0 / 0
lib/core/operations/operations_models.dart	521	I	0 / 0 / 0
lib/core/operations/operations_repository.dart	576	I	0 / 43 / 0
lib/core/opportunities/opportunities_controller.dart	164	I	0 / 0 / 0
lib/core/opportunities/opportunities_models.dart	249	I	0 / 0 / 0
lib/core/opportunities/opportunities_repository.dart	238	I	0 / 18 / 0
lib/core/payments/payment_models.dart	411	I	0 / 0 / 1
lib/core/payments/payments_controller.dart	145	I	0 / 0 / 3
lib/core/payments/payments_repository.dart	137	I	0 / 12 / 0
lib/core/profile/profile_models.dart	206	I	0 / 0 / 0
lib/core/projects/project_models.dart	494	I	0 / 0 / 0
lib/core/projects/projects_controller.dart	231	I	0 / 0 / 0
lib/core/projects/projects_repository.dart	258	I	0 / 13 / 0
lib/core/reputation/reputation_safety_models.dart	91	I	0 / 0 / 0
lib/core/scheduling/meeting_models.dart	117	I	0 / 0 / 0
lib/core/specialist/specialist_controller.dart	443	I	0 / 0 / 0
lib/core/specialist/specialist_models.dart	770	I	0 / 0 / 0
lib/core/specialist/specialist_repository.dart	544	I	0 / 55 / 0
lib/core/theme/app_borders.dart	16	N	0 / 0 / 0
lib/core/theme/app_breakpoints.dart	52	I	0 / 0 / 0
lib/core/theme/app_color_scheme.dart	469	I	4 / 0 / 0
lib/core/theme/app_colors.dart	48	I	0 / 0 / 1
lib/core/theme/app_durations.dart	64	I	0 / 0 / 0
lib/core/theme/app_gradients.dart	42	N	0 / 0 / 0
lib/core/theme/app_radius.dart	31	I	0 / 0 / 0
lib/core/theme/app_shadows.dart	29	I	0 / 0 / 0
lib/core/theme/app_spacing.dart	28	I	0 / 0 / 0
lib/core/theme/app_text_styles.dart	259	I	0 / 0 / 0
lib/core/theme/app_theme.dart	250	I	2 / 0 / 0
lib/core/theme/theme_controller.dart	37	I	0 / 0 / 0
lib/core/tour/nav_tour_builder.dart	35	I	0 / 0 / 0
lib/core/tour/spotlight_overlay.dart	650	I	6 / 0 / 0
lib/core/tour/tour_controller.dart	176	I	0 / 0 / 0
lib/core/tour/tour_local_step_sync.dart	49	I	0 / 0 / 0
lib/core/tour/tour_models.dart	33	I	0 / 0 / 0
lib/core/tour/tour_preferences_store.dart	27	I	0 / 0 / 0

Dart source file	Lines	Import	C / A / M
lib/core/tour/tour_target.dart	71	I	1 / 0 / 0
lib/core/trust_safety/trust_safety_controller.dart	265	I	0 / 0 / 0
lib/core/trust_safety/trust_safety_models.dart	375	I	0 / 0 / 0
lib/core/trust_safety/trust_safety_repository.dart	276	I	0 / 30 / 0
lib/core/uploads/upload_repository.dart	88	I	1 / 3 / 0
lib/core/verification/verification_models.dart	129	I	0 / 0 / 0
lib/features/actor_talent/models/actor_talent_models.dart	198	I	0 / 0 / 0
lib/features/actor_talent/routes/actor_talent_routes.dart	95	I	0 / 0 / 0
lib/features/actor_talent/screens/actor_talent_portal_screen.dart	88	I	0 / 0 / 0
lib/features/actor_talent/screens/at01_talent_dashboard_screen.dart	1199	I	18 / 0 / 1
lib/features/actor_talent/screens/at02_profile_builder_screen.dart	1515	I	33 / 0 / 0
lib/features/actor_talent/screens/at03_portfolio_showreel_screen.dart	575	I	18 / 0 / 0
lib/features/actor_talent/screens/at04_availability_calendar_screen.dart	481	I	9 / 0 / 1
lib/features/actor_talent/screens/at05_rate_card_screen.dart	244	I	2 / 0 / 0
lib/features/actor_talent/screens/at06_opportunity_inbox_screen.dart	337	I	10 / 0 / 0
lib/features/actor_talent/screens/at07_offer_detail_screen.dart	336	I	9 / 0 / 0
lib/features/actor_talent/screens/at08_counteroffer_composer_screen.dart	304	I	6 / 0 / 1
lib/features/actor_talent/screens/at09_contract_signing_screen.dart	321	I	6 / 0 / 0
lib/features/actor_talent/screens/at10_earnings_security_screen.dart	404	I	9 / 0 / 0
lib/features/actor_talent/screens/at11_reputation_reviews_screen.dart	354	I	3 / 0 / 0
lib/features/actor_talent/screens/at12_safety_controls_screen.dart	998	I	25 / 0 / 0
lib/features/actor_talent/screens/at13_role_detail_apply_screen.dart	630	I	13 / 0 / 0
lib/features/actor_talent/screens/at14_applications_screen.dart	171	I	6 / 0 / 0
lib/features/actor_talent/screens/at15_application_detail_screen.dart	991	I	23 / 0 / 0
lib/features/actor_talent/screens/at17_bookings_messages_screen.dart	280	I	9 / 0 / 0
lib/features/actor_talent/widgets/actor_casting_widgets.dart	345	I	3 / 0 / 0
lib/features/actor_talent/widgets/actor_full_walkthrough_steps.dart	425	I	0 / 0 / 0
lib/features/actor_talent/widgets/actor_talent_components.dart	970	I	11 / 0 / 0
lib/features/actor_talent/widgets/actor_talent_shell.dart	1156	I	28 / 0 / 0
lib/features/brand_sponsors/models/brand_sponsor_models.dart	185	I	0 / 0 / 0
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart	70	I	0 / 0 / 0
lib/features/brand_sponsors/screens/br01_brand_dashboard_screen.dart	422	I	12 / 0 / 1
lib/features/brand_sponsors/screens/br02_brand_profile_screen.dart	600	I	7 / 0 / 1
lib/features/brand_sponsors/screens/br03_opportunity_composer_screen.dart	702	I	15 / 0 / 0
lib/features/brand_sponsors/screens/br04_applications_inbox_screen.dart	783	I	22 / 0 / 0
lib/features/brand_sponsors/screens/br05_negotiation_terms_screen.dart	763	I	11 / 0 / 0
lib/features/brand_sponsors/screens/br06_campaign_tracker_screen.dart	813	I	19 / 0 / 0
lib/features/brand_sponsors/screens/br07_payments_records_screen.dart	652	I	11 / 0 / 0

Dart source file	Lines	Import	C / A / M
lib/features/brand_sponsors/screens/br08_brand_projects_screen.dart	1177	I	26 / 0 / 0
lib/features/brand_sponsors/screens/br09_brand_marketplace_screen.dart	817	I	16 / 0 / 0
lib/features/brand_sponsors/screens/br10_brand_shortlists_screen.dart	472	I	16 / 0 / 0
lib/features/brand_sponsors/screens/br11_brand_bookings_screen.dart	410	I	9 / 0 / 0
lib/features/brand_sponsors/screens/brand_sponsor_portal_screen.dart	52	I	0 / 0 / 0
lib/features/brand_sponsors/widgets/brand_booking_dialog.dart	270	I	5 / 0 / 0
lib/features/brand_sponsors/widgets/brand_demo_journey.dart	303	I	2 / 0 / 7
lib/features/brand_sponsors/widgets/brand_full_walkthrough_steps.dart	376	I	0 / 0 / 0
lib/features/brand_sponsors/widgets/brand_sponsor_components.dart	695	I	7 / 0 / 0
lib/features/brand_sponsors/widgets/brand_sponsor_live.dart	76	I	0 / 0 / 0
lib/features/brand_sponsors/widgets/brand_sponsor_shell.dart	817	I	22 / 0 / 0
lib/features/casting_agency/models/casting_agency_models.dart	192	I	0 / 0 / 0
lib/features/casting_agency/routes/casting_agency_routes.dart	59	I	0 / 0 / 0
lib/features/casting_agency/screens/ca01_agency_dashboard_screen.dart	386	I	11 / 0 / 0
lib/features/casting_agency/screens/ca02_talent_roster_screen.dart	290	I	11 / 0 / 0
lib/features/casting_agency/screens/ca03_audition_request_inbox_screen.dart	406	I	19 / 0 / 0
lib/features/casting_agency/screens/ca04_candidate_shortlist_screen.dart	376	I	11 / 0 / 0
lib/features/casting_agency/screens/ca05_self_tape_collection_screen.dart	238	I	5 / 0 / 0
lib/features/casting_agency/screens/ca06_selection_notes_screen.dart	360	I	13 / 0 / 0
lib/features/casting_agency/screens/ca07_commission_records_screen.dart	255	I	6 / 0 / 0
lib/features/casting_agency/screens/ca08_agency_booking_records_screen.dart	278	I	9 / 0 / 0
lib/features/casting_agency/screens/casting_agency_portal_screen.dart	51	I	0 / 0 / 0
lib/features/casting_agency/widgets/casting_agency_components.dart	595	I	7 / 0 / 0
lib/features/casting_agency/widgets/casting_agency_shell.dart	114	I	0 / 0 / 0
lib/features/crew_services/models/crew_services_models.dart	169	I	0 / 0 / 0
lib/features/crew_services/routes/crew_services_routes.dart	63	I	0 / 0 / 0
lib/features/crew_services/screens/cr01_crew_dashboard_screen.dart	563	I	11 / 0 / 1
lib/features/crew_services/screens/cr02_service_profile_screen.dart	663	I	8 / 0 / 0
lib/features/crew_services/screens/cr03_portfolio_credits_screen.dart	577	I	18 / 0 / 0
lib/features/crew_services/screens/cr04_availability_calendar_screen.dart	332	I	5 / 0 / 0
lib/features/crew_services/screens/cr05_requests_negotiation_screen.dart	543	I	16 / 0 / 1
lib/features/crew_services/screens/cr06_contracts_payments_screen.dart	464	I	5 / 0 / 0
lib/features/crew_services/screens/cr07_ratings_work_history_screen.dart	398	I	1 / 0 / 0
lib/features/crew_services/screens/cr08_opportunities_screen.dart	24	I	0 / 0 / 0
lib/features/crew_services/screens/crew_services_portal_screen.dart	60	I	0 / 0 / 0
lib/features/crew_services/widgets/crew_full_walkthrough_steps.dart	317	I	0 / 0 / 1
lib/features/crew_services/widgets/crew_services_components.dart	570	I	6 / 0 / 0
lib/features/crew_services/widgets/crew_services_shell.dart	141	I	0 / 0 / 0

Dart source file	Lines	Import	C / A / M
lib/features/director_producer/data/project_draft_store.dart	33	I	0 / 0 / 0
lib/features/director_producer/models/dp_booking.dart	23	I	0 / 0 / 0
lib/features/director_producer/models/dp_candidate.dart	55	I	0 / 0 / 0
lib/features/director_producer/models/dp_contract.dart	21	I	0 / 0 / 0
lib/features/director_producer/models/dp_negotiation.dart	47	I	0 / 0 / 0
lib/features/director_producer/models/dp_payment.dart	21	I	0 / 0 / 0
lib/features/director_producer/models/dp_project.dart	59	I	0 / 0 / 0
lib/features/director_producer/models/dp_report.dart	17	N	0 / 0 / 0
lib/features/director_producer/models/dp_requirement.dart	23	I	0 / 0 / 0
lib/features/director_producer/models/dp_schedule_item.dart	23	I	0 / 0 / 0
lib/features/director_producer/routes/director_producer_routes.dart	70	I	0 / 0 / 0
lib/features/director_producer/screens/cineplanner_console_screen.dart	4052	I	86 / 0 / 0
lib/features/director_producer/screens/director_producer_portal_screen.dart	193	I	0 / 0 / 0
lib/features/director_producer/screens/dp_ai_casting_match_sheet.dart	770	I	15 / 0 / 0
lib/features/director_producer/screens/dp_bargaining_center_screen.dart	418	I	10 / 0 / 0
lib/features/director_producer/screens/dp_booking_request_form_screen.dart	1254	I	21 / 0 / 1
lib/features/director_producer/screens/dp_calendar_schedule_screen.dart	380	I	5 / 0 / 0
lib/features/director_producer/screens/dp_contract_center_screen.dart	1226	I	27 / 0 / 0
lib/features/director_producer/screens/dp_create_project_wizard_screen.dart	2064	I	45 / 0 / 0
lib/features/director_producer/screens/dp_home_dashboard_screen.dart	1426	I	24 / 0 / 0
lib/features/director_producer/screens/dp_marketplace_discovery_screen.dart	1981	I	42 / 0 / 0
lib/features/director_producer/screens/dp_negotiation_thread_screen.dart	481	I	15 / 0 / 0
lib/features/director_producer/screens/dp_payment_center_screen.dart	249	I	3 / 0 / 0
lib/features/director_producer/screens/dp_project_accounts_screen.dart	609	I	6 / 0 / 0
lib/features/director_producer/screens/dp_project_detail_screen.dart	2794	I	52 / 0 / 0
lib/features/director_producer/screens/dp_project_room_screen.dart	696	I	12 / 0 / 0
lib/features/director_producer/screens/dp_projects_list_screen.dart	347	I	9 / 0 / 0
lib/features/director_producer/screens/dp_reports_export_screen.dart	306	I	4 / 0 / 0
lib/features/director_producer/screens/dp_requirement_builder_screen.dart	546	I	10 / 0 / 0
lib/features/director_producer/screens/dp_shortlist_board_screen.dart	1001	I	40 / 0 / 0
lib/features/director_producer/screens/dp_smart_filters_sheet.dart	205	I	7 / 0 / 0
lib/features/director_producer/screens/dp_stakeholder_profile_screen.dart	1052	I	12 / 0 / 0
lib/features/director_producer/widgets/dashboard/dp_activity_feed.dart	113	N	1 / 0 / 0
lib/features/director_producer/widgets/dashboard/dp_assistant_orb.dart	225	N	2 / 0 / 0
lib/features/director_producer/widgets/dashboard/dp_command_header.dart	73	I	1 / 0 / 0
lib/features/director_producer/widgets/dashboard/dp_deal_pipeline.dart	61	I	0 / 0 / 0
lib/features/director_producer/widgets/dashboard/dp_discovery_snapshot.dart	92	N	4 / 0 / 0
lib/features/director_producer/widgets/dashboard/dp_financial_centre.dart	294	I	2 / 0 / 0

Dart source file	Lines	Import	C / A / M
lib/features/director_producer/widgets/dashboard/dp_mini_calendar_section.dart	434	I	12 / 0 / 1
lib/features/director_producer/widgets/dashboard/dp_priority_actions.dart	82	I	1 / 0 / 0
lib/features/director_producer/widgets/dashboard/dp_project_deck.dart	48	N	1 / 0 / 0
lib/features/director_producer/widgets/dashboard/dp_pulse_strip.dart	72	N	3 / 0 / 1
lib/features/director_producer/widgets/dashboard/dp_today_timeline.dart	128	N	1 / 0 / 0
lib/features/director_producer/widgets/dp_action_required_strip.dart	48	N	1 / 0 / 0
lib/features/director_producer/widgets/dp_booking_status_spine.dart	80	I	0 / 0 / 0
lib/features/director_producer/widgets/dp_budget_health_bar.dart	60	I	0 / 0 / 0
lib/features/director_producer/widgets/dp_candidate_card.dart	75	I	3 / 0 / 0
lib/features/director_producer/widgets/dp_compact_table.dart	25	N	0 / 0 / 0
lib/features/director_producer/widgets/dp_date_range_sheet.dart	224	I	5 / 0 / 0
lib/features/director_producer/widgets/dp_empty_state.dart	25	I	0 / 0 / 0
lib/features/director_producer/widgets/dp_full_walkthrough_steps.dart	508	I	0 / 0 / 0
lib/features/director_producer/widgets/dp_glass_card.dart	57	I	1 / 0 / 0
lib/features/director_producer/widgets/dp_holographic_button.dart	165	I	5 / 0 / 0
lib/features/director_producer/widgets/dp_layout_helpers.dart	224	I	4 / 0 / 0
lib/features/director_producer/widgets/dp_metric_card.dart	36	I	1 / 0 / 0
lib/features/director_producer/widgets/dp_milestone_board.dart	480	I	3 / 0 / 0
lib/features/director_producer/widgets/dp_negotiation_round_card.dart	90	I	0 / 0 / 0
lib/features/director_producer/widgets/dp_project_card.dart	209	I	3 / 0 / 0
lib/features/director_producer/widgets/dp_project_console_widgets.dart	1693	I	30 / 0 / 1
lib/features/director_producer/widgets/dp_requirement_card.dart	88	I	1 / 0 / 0
lib/features/director_producer/widgets/dp_section_header.dart	28	N	1 / 0 / 0
lib/features/director_producer/widgets/dp_shell.dart	751	I	21 / 0 / 0
lib/features/director_producer/widgets/dp_status_chip.dart	154	I	6 / 0 / 0
lib/features/director_producer/widgets/dp_tour_steps.dart	76	I	0 / 0 / 0
lib/features/distribution_partner/models/distribution_partner_models.dart	145	I	0 / 0 / 0
lib/features/distribution_partner/routes/distribution_partner_routes.dart	42	I	0 / 0 / 0
lib/features/distribution_partner/screens/distribution_partner_portal_screen.dart	49	I	0 / 0 / 0
lib/features/distribution_partner/screens/ds01_distribution_dashboard_screen.dart	271	I	7 / 0 / 0
lib/features/distribution_partner/screens/ds02_distributor_contacts_screen.dart	244	I	8 / 0 / 0
lib/features/distribution_partner/screens/ds03_release_coordination_screen.dart	295	I	8 / 0 / 0
lib/features/distribution_partner/screens/ds04_performance_reporting_screen.dart	495	I	8 / 0 / 1
lib/features/distribution_partner/widgets/distribution_partner_components.dart	644	I	8 / 0 / 0
lib/features/distribution_partner/widgets/distribution_partner_shell.dart	435	I	16 / 0 / 0
lib/features/general_public/routes/general_public_routes.dart	63	I	0 / 0 / 0
lib/features/general_public/screens/general_public_cinema_screen.dart	678	I	20 / 0 / 1
lib/features/general_public/screens/general_public_portal_screen.dart	1064	I	28 / 0 / 1

Dart source file	Lines	Import	C / A / M
lib/features/general_public/widgets/cinema_native_player_stub.dart	19	I	0 / 0 / 0
lib/features/general_public/widgets/cinema_native_player_web.dart	84	I	0 / 0 / 0
lib/features/influencer/routes/influencer_routes.dart	71	I	0 / 0 / 0
lib/features/influencer/screens/influencer_portal_screen.dart	1371	I	19 / 0 / 0
lib/features/insurance_partner/models/insurance_partner_models.dart	197	I	0 / 0 / 0
lib/features/insurance_partner/routes/insurance_partner_routes.dart	47	I	0 / 0 / 0
lib/features/insurance_partner/screens/in01_insurance_dashboard_screen.dart	269	I	8 / 0 / 0
lib/features/insurance_partner/screens/in02_shoot_insurance_records_screen.dart	221	I	6 / 0 / 0
lib/features/insurance_partner/screens/in03_claim_support_screen.dart	285	I	10 / 0 / 0
lib/features/insurance_partner/screens/in04_safety_checks_permits_screen.dart	355	I	11 / 0 / 0
lib/features/insurance_partner/screens/in05_incident_reports_screen.dart	339	I	10 / 0 / 0
lib/features/insurance_partner/screens/insurance_partner_portal_screen.dart	47	I	0 / 0 / 0
lib/features/insurance_partner/widgets/insurance_partner_components.dart	653	I	8 / 0 / 0
lib/features/insurance_partner/widgets/insurance_partner_shell.dart	434	I	15 / 0 / 0
lib/features/legal_partner/models/legal_partner_models.dart	154	I	0 / 0 / 0
lib/features/legal_partner/routes/legal_partner_routes.dart	47	I	0 / 0 / 0
lib/features/legal_partner/screens/legal_partner_portal_screen.dart	49	I	0 / 0 / 0
lib/features/legal_partner/screens/lg01_legal_dashboard_screen.dart	238	I	7 / 0 / 0
lib/features/legal_partner/screens/lg02_contract_review_detail_screen.dart	186	I	7 / 0 / 0
lib/features/legal_partner/screens/lg03_template_review_screen.dart	352	I	8 / 0 / 0
lib/features/legal_partner/screens/lg04_addendum_review_screen.dart	158	I	2 / 0 / 0
lib/features/legal_partner/screens/lg05_review_history_billing_screen.dart	315	I	6 / 0 / 0
lib/features/legal_partner/widgets/legal_live_widgets.dart	216	I	4 / 0 / 0
lib/features/legal_partner/widgets/legal_partner_components.dart	521	I	7 / 0 / 0
lib/features/legal_partner/widgets/legal_partner_shell.dart	425	I	15 / 0 / 0
lib/features/location_owner/models/location_owner_models.dart	213	I	0 / 0 / 0
lib/features/location_owner/routes/location_owner_routes.dart	83	I	0 / 0 / 0
lib/features/location_owner/screens/lo01_owner_dashboard_screen.dart	538	I	16 / 0 / 0
lib/features/location_owner/screens/lo02_location_listing_wizard_screen.dart	678	I	11 / 0 / 0
lib/features/location_owner/screens/lo03_availability_calendar_screen.dart	470	I	6 / 0 / 0
lib/features/location_owner/screens/lo04_pricing_deposit_screen.dart	487	I	10 / 0 / 0
lib/features/location_owner/screens/lo05_rules_restrictions_screen.dart	525	I	8 / 0 / 0
lib/features/location_owner/screens/lo06_booking_requests_screen.dart	598	I	21 / 0 / 0
lib/features/location_owner/screens/lo07_check_in_inspection_screen.dart	718	I	13 / 0 / 0
lib/features/location_owner/screens/lo08_check_out_damage_claim_screen.dart	821	I	11 / 0 / 0
lib/features/location_owner/screens/lo09_earnings_deposits_screen.dart	403	I	7 / 0 / 2
lib/features/location_owner/screens/lo10_property_performance_screen.dart	511	I	8 / 0 / 0
lib/features/location_owner/screens/lo11_owner_profile_screen.dart	656	I	8 / 0 / 0

Dart source file	Lines	Import	C / A / M
lib/features/location_owner/screens/lo12_owner_portfolio_screen.dart	577	I	18 / 0 / 0
lib/features/location_owner/screens/lo13_opportunities_screen.dart	21	I	0 / 0 / 0
lib/features/location_owner/screens/location_owner_portal_screen.dart	70	I	0 / 0 / 0
lib/features/location_owner/widgets/location_full_walkthrough_steps.dart	443	I	0 / 0 / 1
lib/features/location_owner/widgets/location_owner_components.dart	625	I	6 / 0 / 0
lib/features/location_owner/widgets/location_owner_live.dart	113	I	0 / 0 / 0
lib/features/location_owner/widgets/location_owner_shell.dart	1013	I	25 / 0 / 0
lib/features/media_equipment/models/media_equipment_models.dart	242	I	0 / 0 / 0
lib/features/media_equipment/routes/media_equipment_routes.dart	80	I	0 / 0 / 0
lib/features/media_equipment/screens/me01_provider_dashboard_screen.dart	426	I	13 / 0 / 1
lib/features/media_equipment/screens/me02_provider_profile_screen.dart	567	I	6 / 0 / 2
lib/features/media_equipment/screens/me03_inventory_manager_screen.dart	530	I	13 / 0 / 0
lib/features/media_equipment/screens/me04_package_builder_screen.dart	443	I	8 / 0 / 0
lib/features/media_equipment/screens/me05_availability_calendar_screen.dart	501	I	6 / 0 / 0
lib/features/media_equipment/screens/me06_rate_terms_screen.dart	465	I	12 / 0 / 0
lib/features/media_equipment/screens/me07_booking_requests_screen.dart	527	I	16 / 0 / 0
lib/features/media_equipment/screens/me08_handover_checklist_screen.dart	12	I	0 / 0 / 0
lib/features/media_equipment/screens/me09_return_checklist_screen.dart	12	I	0 / 0 / 0
lib/features/media_equipment/screens/me10_earnings_ratings_screen.dart	629	I	8 / 0 / 2
lib/features/media_equipment/screens/me11_provider_portfolio_screen.dart	605	I	19 / 0 / 0
lib/features/media_equipment/screens/me12_opportunities_screen.dart	21	I	0 / 0 / 0
lib/features/media_equipment/screens/media_equipment_portal_screen.dart	71	I	0 / 0 / 0
lib/features/media_equipment/widgets/equipment_inspection_workspace.dart	845	I	18 / 0 / 0
lib/features/media_equipment/widgets/media_equipment_components.dart	563	I	6 / 0 / 0
lib/features/media_equipment/widgets/media_equipment_shell.dart	773	I	19 / 0 / 0
lib/features/model_extension/models/model_extension_models.dart	151	I	0 / 0 / 0
lib/features/model_extension/routes/model_extension_routes.dart	60	I	0 / 0 / 0
lib/features/model_extension/screens/md01_campaign_categories_screen.dart	457	I	11 / 0 / 0
lib/features/model_extension/screens/md02_usage_rights_screen.dart	371	I	12 / 0 / 0
lib/features/model_extension/screens/md03_portfolio_categories_screen.dart	567	I	18 / 0 / 0
lib/features/model_extension/screens/md04_rate_by_usage_screen.dart	365	I	11 / 0 / 0
lib/features/model_extension/screens/md05_brand_safety_screen.dart	448	I	9 / 0 / 0
lib/features/model_extension/screens/md06_model_profile_screen.dart	1044	I	17 / 0 / 0
lib/features/model_extension/screens/md07_opportunities_screen.dart	21	I	0 / 0 / 0
lib/features/model_extension/screens/model_extension_portal_screen.dart	150	I	0 / 0 / 0
lib/features/model_extension/widgets/model_extension_components.dart	53	I	0 / 0 / 0
lib/features/role_portals/models/role_portal_models.dart	173	I	0 / 0 / 0
lib/features/role_portals/routes/role_portal_routes.dart	162	I	0 / 0 / 0

Dart source file	Lines	Import	C / A / M
lib/features/role_portals/screens/role_portal_screen.dart	236	I	1 / 0 / 2
lib/features/role_portals/widgets/portal_media_frame.dart	144	N	0 / 0 / 0
lib/features/role_portals/widgets/role_portal_components.dart	385	I	7 / 0 / 0
lib/features/role_portals/widgets/role_portal_shell.dart	433	I	17 / 0 / 0
lib/features/super_admin/models/admin_models.dart	265	I	0 / 0 / 0
lib/features/super_admin/routes/super_admin_routes.dart	82	I	0 / 0 / 1
lib/features/super_admin/screens/admin_portal/admin_analytics_screen.dart	285	I	5 / 0 / 0
lib/features/super_admin/screens/admin_portal/admin_dashboard_screen.dart	318	I	7 / 0 / 0
lib/features/super_admin/screens/admin_portal/admin_roles_permissions_screen.dart	320	I	6 / 0 / 0
lib/features/super_admin/screens/admin_portal/admin_screen_helpers.dart	251	I	2 / 0 / 0
lib/features/super_admin/screens/admin_portal/audit_log_explorer_screen.dart	230	I	4 / 0 / 0
lib/features/super_admin/screens/admin_portal/booking_detail_screen.dart	335	I	7 / 0 / 0
lib/features/super_admin/screens/admin_portal/booking_monitor_screen.dart	378	I	11 / 0 / 0
lib/features/super_admin/screens/admin_portal/broadcast_announcements_screen.dart	243	I	2 / 0 / 0
lib/features/super_admin/screens/admin_portal/commission_fee_screen.dart	402	I	11 / 0 / 0
lib/features/super_admin/screens/admin_portal/content_moderation_queue_screen.dart	10	I	0 / 0 / 0
lib/features/super_admin/screens/admin_portal/content_moderation_screen.dart	336	I	7 / 0 / 0
lib/features/super_admin/screens/admin_portal/contract_template_detail_screen.dart	385	I	9 / 0 / 0
lib/features/super_admin/screens/admin_portal/contract_template_manager_screen.dart	407	I	11 / 0 / 0
lib/features/super_admin/screens/admin_portal/dispute_case_file_screen.dart	340	I	4 / 0 / 0
lib/features/super_admin/screens/admin_portal/dispute_center_screen.dart	343	I	6 / 0 / 0
lib/features/super_admin/screens/admin_portal/kyc_review_detail_screen.dart	430	I	13 / 0 / 0
lib/features/super_admin/screens/admin_portal/listings_moderation_screen.dart	428	I	9 / 0 / 0
lib/features/super_admin/screens/admin_portal/listings_review_queue_screen.dart	10	I	0 / 0 / 0
lib/features/super_admin/screens/admin_portal/payment_review_detail_screen.dart	369	I	6 / 0 / 0
lib/features/super_admin/screens/admin_portal/payment_verification_queue_screen.dart	352	I	5 / 0 / 0
lib/features/super_admin/screens/admin_portal/payments_hub_screen.dart	398	I	5 / 0 / 0
lib/features/super_admin/screens/admin_portal/people_verification_queue_screen.dart	10	I	0 / 0 / 0
lib/features/super_admin/screens/admin_portal/receipts_ledger_admin_screen.dart	142	I	3 / 0 / 0
lib/features/super_admin/screens/admin_portal/revenue_settings_screen.dart	78	I	2 / 0 / 0
lib/features/super_admin/screens/admin_portal/review_hub_screen.dart	340	I	3 / 0 / 0
lib/features/super_admin/screens/admin_portal/support_crm_screen.dart	364	I	11 / 0 / 0
lib/features/super_admin/screens/admin_portal/user_management_screen.dart	360	I	5 / 0 / 0
lib/features/super_admin/screens/admin_portal/user_verification_queue_screen.dart	229	I	4 / 0 / 0
lib/features/super_admin/screens/super_admin_screens.dart	242	I	0 / 0 / 0
lib/features/super_admin/widgets/admin_widgets.dart	2459	I	49 / 0 / 0
lib/main.dart	255	I	2 / 0 / 0
lib/models/talent.dart	75	I	0 / 0 / 2

Dart source file	Lines	Import	C / A / M
lib/screens/dashboard_screen.dart	245	I	4 / 0 / 0
lib/shared/cards/cine_card_system.dart	2841	I	35 / 0 / 1
lib/shared/cards/detail_summary_card.dart	82	N	1 / 0 / 0
lib/shared/cards/glass_section_card.dart	74	I	0 / 0 / 0
lib/shared/cards/metric_action_card.dart	68	I	2 / 0 / 0
lib/shared/cards/mini_trend_card.dart	65	N	0 / 0 / 0
lib/shared/credits/past_roles_section.dart	507	I	11 / 0 / 0
lib/shared/dashboard/dashboard_kit.dart	27	I	0 / 0 / 0
lib/shared/dashboard/portal_agenda_row.dart	94	I	1 / 0 / 0
lib/shared/dashboard/portal_attention_row.dart	44	I	1 / 0 / 0
lib/shared/dashboard/portal_command_center.dart	429	I	3 / 0 / 0
lib/shared/dashboard/portal_dashboard_page.dart	196	I	0 / 0 / 0
lib/shared/dashboard/portal_discover_card.dart	226	I	2 / 0 / 0
lib/shared/dashboard/portal_floating_bubbles.dart	168	I	0 / 0 / 0
lib/shared/dashboard/portal_glass_fire_widget.dart	174	I	0 / 0 / 0
lib/shared/dashboard/portal_glass_ring_widget.dart	66	I	1 / 0 / 0
lib/shared/dashboard/portal_glass_widget_card.dart	85	I	1 / 0 / 0
lib/shared/dashboard/portal_hero_card.dart	445	I	3 / 0 / 0
lib/shared/dashboard/portal_live_clock_widget.dart	168	I	0 / 0 / 0
lib/shared/dashboard/portal_mini_calendar.dart	190	I	5 / 0 / 0
lib/shared/dashboard/portal_module_card.dart	94	I	1 / 0 / 0
lib/shared/dashboard/portal_news_ticker.dart	257	I	2 / 0 / 0
lib/shared/dashboard/portal_pipeline_flow.dart	214	I	0 / 0 / 0
lib/shared/dashboard/portal_pipeline_row.dart	162	I	3 / 0 / 0
lib/shared/dashboard/portal_pipeline_stat_card.dart	68	I	1 / 0 / 0
lib/shared/dashboard/portal_poster_card.dart	357	I	2 / 0 / 1
lib/shared/dashboard/portal_quick_stat_tile.dart	106	I	1 / 0 / 0
lib/shared/dashboard/portal_ring_metric_card.dart	78	I	0 / 0 / 0
lib/shared/dashboard/portal_sparkline_card.dart	125	I	0 / 0 / 0
lib/shared/dashboard/portal_staggered_reveal.dart	101	I	0 / 0 / 0
lib/shared/entity_profile/entity_credit_row.dart	77	I	1 / 0 / 0
lib/shared/entity_profile/entity_metric_block.dart	46	I	0 / 0 / 0
lib/shared/entity_profile/entity_profile_kit.dart	13	I	0 / 0 / 0
lib/shared/entity_profile/entity_profile_tabs.dart	99	I	2 / 0 / 0
lib/shared/entity_profile/entity_reveal.dart	48	I	0 / 0 / 0
lib/shared/entity_profile/entity_section_label.dart	36	I	0 / 0 / 0
lib/shared/entity_profile/entity_sticky_action_bar.dart	100	I	2 / 0 / 0
lib/shared/entity_profile/entity_work_tile.dart	89	I	1 / 0 / 0

Dart source file	Lines	Import	C / A / M
lib/shared/formatters/cine_format.dart	45	I	0 / 0 / 0
lib/shared/layout/admin_bottom_nav.dart	15	I	0 / 0 / 0
lib/shared/layout/admin_screen_scaffold.dart	305	I	0 / 0 / 0
lib/shared/layout/admin_section_header.dart	83	I	1 / 0 / 0
lib/shared/layout/admin_top_bar.dart	29	I	0 / 0 / 0
lib/shared/layout/floating_portal_menu.dart	623	I	9 / 0 / 0
lib/shared/layout/kyc_status_banner.dart	178	I	4 / 0 / 0
lib/shared/layout/portal_adaptive_collection.dart	578	I	0 / 0 / 0
lib/shared/layout/portal_body_canvas.dart	152	I	0 / 0 / 0
lib/shared/layout/portal_body_theme.dart	255	I	0 / 0 / 0
lib/shared/layout/portal_page_header.dart	503	I	0 / 0 / 0
lib/shared/layout/portal_reference_design.dart	243	I	0 / 0 / 0
lib/shared/marketplace/marketplace_portal_screen.dart	100	I	3 / 0 / 0
lib/shared/marketplace/marketplace_preferences.dart	21	I	0 / 0 / 0
lib/shared/marketplace/marketplace_routes.dart	6	I	0 / 0 / 0
lib/shared/opportunities/opportunity_application_detail_screen.dart	448	I	7 / 0 / 0
lib/shared/opportunities/opportunity_inbox_screen.dart	458	I	14 / 0 / 0
lib/shared/payments/payment_trust_timeline.dart	437	I	0 / 0 / 0
lib/shared/projects/project_readiness_summary.dart	95	I	0 / 0 / 0
lib/shared/scheduling/meeting_negotiation_panel.dart	402	I	7 / 0 / 0
lib/shared/sections/admin_action_feed_section.dart	75	N	2 / 0 / 0
lib/shared/sections/admin_filter_bar.dart	26	I	1 / 0 / 0
lib/shared/sections/admin_live_monitoring_section.dart	66	N	1 / 0 / 0
lib/shared/sections/admin_queue_snapshot_section.dart	59	N	2 / 0 / 0
lib/shared/sections/admin_quick_actions_section.dart	28	N	1 / 0 / 0
lib/shared/sections/admin_recent_activity_section.dart	27	N	1 / 0 / 0
lib/shared/sections/admin_table_section.dart	52	N	1 / 0 / 0
lib/shared/widgets/app_header.dart	344	I	3 / 0 / 0
lib/shared/widgets/app_scaffold.dart	46	I	2 / 0 / 0
lib/shared/widgets/app_search_bar.dart	181	I	1 / 0 / 3
lib/shared/widgets/availability_badge.dart	5	N	0 / 0 / 0
lib/shared/widgets/bottom_nav_bar.dart	428	I	8 / 0 / 0
lib/shared/widgets/casting_call_banner.dart	218	I	1 / 0 / 0
lib/shared/widgets/category_chip.dart	83	I	1 / 0 / 0
lib/shared/widgets/cine_about_button.dart	159	I	4 / 0 / 0
lib/shared/widgets/cine_animated_filter_rail.dart	315	I	5 / 0 / 0
lib/shared/widgets/cine_animated_gold_border.dart	151	I	0 / 0 / 0
lib/shared/widgets/cine_hover_zoom.dart	72	I	5 / 0 / 0

Dart source file	Lines	Import	C / A / M
lib/shared/widgets/cine_marketplace_card.dart	1064	I	18 / 0 / 0
lib/shared/widgets/cinematic_backdrop.dart	20	I	0 / 0 / 0
lib/shared/widgets/cinematic_cursor.dart	299	I	5 / 0 / 0
lib/shared/widgets/dark_outline_button.dart	5	I	0 / 0 / 0
lib/shared/widgets/featured_talent_card.dart	2416	I	3 / 0 / 0
lib/shared/widgets/filter_chip_button.dart	176	I	4 / 0 / 0
lib/shared/widgets/glass_card.dart	53	I	0 / 0 / 0
lib/shared/widgets/gold_button.dart	8	I	0 / 0 / 0
lib/shared/widgets/marketplace_pricing_preference_panel.dart	364	I	7 / 0 / 0
lib/shared/widgets/mini_line_chart.dart	83	N	0 / 0 / 0
lib/shared/widgets/portrait_image.dart	55	I	0 / 0 / 4
lib/shared/widgets/premium_data_table.dart	111	I	1 / 0 / 0
lib/shared/widgets/provider_workspace_hero.dart	448	N	4 / 0 / 0
lib/shared/widgets/queue_radar_painter.dart	121	N	0 / 0 / 0
lib/shared/widgets/status_chip.dart	26	I	0 / 0 / 0
lib/shared/widgets/tag_chip.dart	32	N	0 / 0 / 0
lib/shared/widgets/talent_card.dart	404	I	0 / 0 / 0
lib/shared/widgets/talent_profile_showcase.dart	863	I	11 / 0 / 0
lib/shared/widgets/talent_tabs_bar.dart	151	I	2 / 0 / 0
lib/shared/widgets/trust_badge.dart	6	N	0 / 0 / 0
lib/shared/widgets/verified_badge.dart	5	N	0 / 0 / 0

Appendix C. Client request-to-backend route map

All 340 extracted literal-path request sites are listed. Queries and interpolation names are normalized; two dynamic action/format templates were resolved manually. Variable-only paths, upload-ticket URLs and request transport internals are outside this extractor. A matching route confirms a code-level target, not payload completeness, deployed version parity, ownership or provider behavior.

Client source	Requested path	Backend source
lib/core/admin/admin_repository.dart:24	PATCH /admin/control/bookings/$publicId	admin_control.py:273
lib/core/admin/admin_repository.dart:46	PATCH /admin/control/users/$publicId	admin_control.py:338
lib/core/admin/admin_repository.dart:69	PATCH /admin/control/listings/$publicId	admin_control.py:421
lib/core/admin/admin_repository.dart:93	POST /admin/control/contract-templates	admin_control.py:518
lib/core/admin/admin_repository.dart:112	PATCH /admin/control/contract-templates/$publicId	admin_control.py:549
lib/core/admin/admin_repository.dart:138	POST /admin/control/fee-rules	admin_control.py:623
lib/core/admin/admin_repository.dart:160	PATCH /admin/control/fee-rules/$publicId	admin_control.py:674
lib/core/admin/admin_repository.dart:184	PATCH /admin/control/roles/$roleCode/permissions	admin_control.py:771
lib/core/analytics/analytics_repository.dart:10	GET /me/dashboard	analytics.py:56
lib/core/analytics/analytics_repository.dart:17	GET /admin/dashboard	analytics.py:122
lib/core/analytics/analytics_repository.dart:22	GET /admin/analytics?days=$days	analytics.py:201
lib/core/analytics/analytics_repository.dart:30	POST /exports	analytics.py:604
lib/core/analytics/analytics_repository.dart:41	GET /exports	analytics.py:653
lib/core/analytics/analytics_repository.dart:49	GET /exports/$exportId	analytics.py:669
lib/core/auth/auth_controller.dart:169	POST /auth/password/reset	auth.py:396
lib/core/auth/auth_controller.dart:269	POST /files/$fileId/download-link	verification.py:469
lib/core/auth/auth_repository.dart:13	GET /roles	app.py:116
lib/core/auth/auth_repository.dart:20	GET /app/bootstrap	app.py:84
lib/core/auth/auth_repository.dart:30	POST /auth/register	auth.py:217
lib/core/auth/auth_repository.dart:47	POST /auth/login	auth.py:287
lib/core/auth/auth_repository.dart:55	POST /auth/refresh	auth.py:322
lib/core/auth/auth_repository.dart:63	POST /auth/logout	auth.py:340
lib/core/auth/auth_repository.dart:67	POST /auth/password/forgot	auth.py:349
lib/core/auth/auth_repository.dart:71	GET /me	auth.py:428
lib/core/auth/auth_repository.dart:76	PATCH /me	auth.py:434
lib/core/auth/auth_repository.dart:84	GET /me/sessions	auth.py:453
lib/core/auth/auth_repository.dart:92	DELETE /me/sessions/$sessionId	auth.py:474
lib/core/auth/auth_repository.dart:98	POST /me/sessions/revoke-others	auth.py:508
lib/core/auth/auth_repository.dart:104	GET /me/settings	auth.py:544
lib/core/auth/auth_repository.dart:120	PATCH /me/settings	auth.py:552
lib/core/auth/auth_repository.dart:132	PATCH /me/primary-role	auth.py:645
lib/core/auth/auth_repository.dart:145	POST /uploads/presign	verification.py:289
lib/core/auth/auth_repository.dart:162	POST /uploads/$uploadSessionId/complete	verification.py:406

Client source	Requested path	Backend source
lib/core/auth/auth_repository.dart:177	POST /kyc/submissions	verification.py:534
lib/core/auth/auth_repository.dart:189	POST /kyc/submissions/$publicId/submit	verification.py:592
lib/core/auth/auth_repository.dart:195	GET /me/kyc	verification.py:617
lib/core/auth/auth_repository.dart:205	GET /admin/kyc/submissions?status=$status	verification.py:656
lib/core/auth/auth_repository.dart:213	GET /admin/kyc/submissions/$publicId	verification.py:672
lib/core/auth/auth_repository.dart:223	POST /admin/kyc/submissions/$publicId/decision	verification.py:684
lib/core/auth/auth_repository.dart:235	GET /cities	marketplace.py:901
lib/core/auth/auth_repository.dart:243	GET /me/profile	marketplace.py:909
lib/core/auth/auth_repository.dart:257	PATCH /me/profile	marketplace.py:918
lib/core/auth/auth_repository.dart:274	GET /talent/profile	marketplace.py:965
lib/core/auth/auth_repository.dart:303	PATCH /talent/profile	marketplace.py:974
lib/core/auth/auth_repository.dart:353	GET /marketplace/listings?$suffix	marketplace.py:1843
lib/core/auth/auth_repository.dart:366	GET /marketplace/listings/$publicId	marketplace.py:1882
lib/core/auth/auth_repository.dart:375	GET /marketplace/my-listings$suffix	marketplace.py:1904
lib/core/auth/auth_repository.dart:390	PATCH /marketplace/listings/$listingId/pricing	marketplace.py:1932
lib/core/auth/auth_repository.dart:412	POST /marketplace/listings	marketplace.py:1566
lib/core/auth/auth_repository.dart:432	POST /saved-searches	marketplace.py:1415
lib/core/auth/auth_repository.dart:444	GET /saved-searches	marketplace.py:1402
lib/core/auth/auth_repository.dart:453	DELETE /saved-searches/$publicId	marketplace.py:1453
lib/core/auth/auth_repository.dart:457	GET /shortlists	marketplace.py:1471
lib/core/auth/auth_repository.dart:470	POST /shortlists	marketplace.py:1482
lib/core/auth/auth_repository.dart:489	POST /shortlists/$shortlistId/items	marketplace.py:1506
lib/core/auth/auth_repository.dart:534	PATCH /shortlist-items/$publicId	marketplace.py:1539
lib/core/auth/auth_repository.dart:549	DELETE /shortlist-items/$publicId	marketplace.py:1557
lib/core/auth/auth_repository.dart:564	GET /portfolio?profile_type=${Uri.encodeComponent(profileTyp e)}	marketplace.py:1083
lib/core/auth/auth_repository.dart:584	POST /portfolio	marketplace.py:1102
lib/core/auth/auth_repository.dart:613	PATCH /portfolio/$publicId	marketplace.py:1173
lib/core/auth/auth_repository.dart:632	DELETE /portfolio/$publicId	marketplace.py:1263
lib/core/auth/auth_repository.dart:636	GET /shortlists	marketplace.py:1471
lib/core/auth/auth_repository.dart:641	POST /shortlists	marketplace.py:1482
lib/core/auth/auth_repository.dart:652	POST /shortlists/$boardId/items	marketplace.py:1506
lib/core/bookings/bookings_repository.dart:16	GET /bookings$suffix	bookings.py:761
lib/core/bookings/bookings_repository.dart:24	GET /talent/opportunities	bookings.py:786
lib/core/bookings/bookings_repository.dart:32	GET /bookings/$publicId	bookings.py:803
lib/core/bookings/bookings_repository.dart:46	POST /bookings	bookings.py:811
lib/core/bookings/bookings_repository.dart:68	POST /bookings/$bookingId/send	bookings.py:903
lib/core/bookings/bookings_repository.dart:81	GET /negotiations	bookings.py:966

Client source	Requested path	Backend source
lib/core/bookings/bookings_repository.dart:89	GET /negotiations/$publicId	bookings.py:981
lib/core/bookings/bookings_repository.dart:103	POST /bookings/$bookingId/offers	bookings.py:1000
lib/core/bookings/bookings_repository.dart:117	POST /offers/$offerId/accept	bookings.py:1031
lib/core/bookings/bookings_repository.dart:123	POST /bookings/$bookingId/reject	bookings.py:1086
lib/core/bookings/bookings_repository.dart:135	POST /bookings/$bookingId/cancel	bookings.py:1109
lib/core/bookings/bookings_repository.dart:144	GET /availability	bookings.py:618
lib/core/bookings/bookings_repository.dart:159	POST /availability	bookings.py:640
lib/core/bookings/bookings_repository.dart:179	PATCH /availability/$entryId	bookings.py:674
lib/core/bookings/bookings_repository.dart:192	GET /conversations/$conversationId/messages	bookings.py:1156
lib/core/bookings/bookings_repository.dart:204	POST /conversations/$conversationId/messages	bookings.py:1163
lib/core/bookings/bookings_repository.dart:219	POST /messages/$messageId/pin	bookings.py:1214
lib/core/casting/casting_repository.dart:33	GET /casting/roles?$suffix	casting.py:577
lib/core/casting/casting_repository.dart:47	GET /casting/roles/$publicId	casting.py:648
lib/core/casting/casting_repository.dart:53	POST /casting/roles/$publicId/save	casting.py:738
lib/core/casting/casting_repository.dart:59	DELETE /casting/roles/$publicId/save	casting.py:756
lib/core/casting/casting_repository.dart:67	PATCH /casting/roles/$publicId	casting.py:675
lib/core/casting/casting_repository.dart:81	POST /casting/roles/$roleId/applications	casting.py:773
lib/core/casting/casting_repository.dart:104	GET /casting/applications$suffix	casting.py:822
lib/core/casting/casting_repository.dart:114	GET /casting/applications/$publicId	casting.py:840
lib/core/casting/casting_repository.dart:126	PATCH /casting/applications/$publicId	casting.py:851
lib/core/casting/casting_repository.dart:149	POST /casting/applications/$publicId/self-tape	casting.py:1042
lib/core/casting/casting_repository.dart:161	POST /casting/applications/$publicId/conversation	casting.py:1086
lib/core/casting/casting_repository.dart:169	GET /director/projects/$projectId/casting-applications	casting.py:1135
lib/core/casting/casting_repository.dart:184	PATCH /director/casting-applications/$publicId	casting.py:1171
lib/core/casting/casting_repository.dart:199	POST /casting/applications/$publicId/$action	casting.py:867; casting.py:896 [dynamic]
lib/core/casting/casting_repository.dart:208	GET /casting/applications/$applicationId/meetings	casting.py:943
lib/core/casting/casting_repository.dart:219	POST /casting/applications/$applicationId/meetings/propose	casting.py:952
lib/core/casting/casting_repository.dart:233	POST /casting/applications/$applicationId/meetings/rounds/$roundId/accept	casting.py:985
lib/core/casting/casting_repository.dart:247	POST /casting/applications/$applicationId/meetings/rounds/$roundId/decline	casting.py:1012
lib/core/casting/casting_repository.dart:258	GET /director/casting-applications/$applicationId/meetings	casting.py:1293
lib/core/casting/casting_repository.dart:271	POST /director/casting-applications/$applicationId/meetings/propose	casting.py:1302
lib/core/casting/casting_repository.dart:285	POST /director/casting-applications/$applicationId/meetings/rounds/$roundId/accept	casting.py:1332
lib/core/casting/casting_repository.dart:299	POST /director/casting-applications/$applicationId/meetings/rounds/$roundId/decline	casting.py:1356
lib/core/cineplanner/cineplanner_repository.dart:11	GET /cineplanner/productions	cineplanner.py:590
lib/core/cineplanner/cineplanner_repository.dart:26	POST /cineplanner/productions	cineplanner.py:624

Client source	Requested path	Backend source
lib/core/cineplanner/cineplanner_repository.dart:45	GET /cineplanner/productions/$publicId	cineplanner.py:712
lib/core/cineplanner/cineplanner_repository.dart:63	POST /cineplanner/productions/$productionId/scripts	cineplanner.py:764
lib/core/cineplanner/cineplanner_repository.dart:74	GET /cineplanner/productions/$productionId/jobs/$jobId	cineplanner.py:862
lib/core/cineplanner/cineplanner_repository.dart:82	POST /cineplanner/productions/$productionId/jobs/$jobId/retry	cineplanner.py:877
lib/core/cineplanner/cineplanner_repository.dart:88	POST /cineplanner/productions/$productionId/approve-breakdown	cineplanner.py:904
lib/core/cineplanner/cineplanner_repository.dart:99	PATCH /cineplanner/productions/$productionId/$resource/$itemId	cineplanner.py:940
lib/core/cineplanner/cineplanner_repository.dart:106	POST /cineplanner/actors	cineplanner.py:1257
lib/core/cineplanner/cineplanner_repository.dart:113	POST /cineplanner/actors/$actorId/availability	cineplanner.py:1287
lib/core/cineplanner/cineplanner_repository.dart:125	POST /cineplanner/productions/$productionId/cast-assignments	cineplanner.py:1330
lib/core/cineplanner/cineplanner_repository.dart:139	POST /cineplanner/productions/$productionId/locations	cineplanner.py:1005
lib/core/cineplanner/cineplanner_repository.dart:149	POST /cineplanner/productions/$productionId/elements	cineplanner.py:1065
lib/core/cineplanner/cineplanner_repository.dart:159	POST /cineplanner/productions/$productionId/crew	cineplanner.py:1127
lib/core/cineplanner/cineplanner_repository.dart:170	POST /cineplanner/productions/$productionId/schedule/generate	cineplanner.py:1495
lib/core/cineplanner/cineplanner_repository.dart:187	PATCH /cineplanner/productions/$productionId/schedule/events/$eventId	cineplanner.py:1547
lib/core/cineplanner/cineplanner_repository.dart:201	POST /cineplanner/productions/$productionId/schedule/optimize	cineplanner.py:1608
lib/core/cineplanner/cineplanner_repository.dart:209	POST /cineplanner/productions/$productionId/schedule/lock	cineplanner.py:1637
lib/core/cineplanner/cineplanner_repository.dart:220	PATCH /cineplanner/productions/$productionId/budget/$lineId	cineplanner.py:1683
lib/core/cineplanner/cineplanner_repository.dart:230	POST /cineplanner/productions/$productionId/call-sheets	cineplanner.py:1725
lib/core/cineplanner/cineplanner_repository.dart:242	GET /cineplanner/productions/$productionId/call-sheets/$callSheetId.pdf	cineplanner.py:1782
lib/core/cineplanner/cineplanner_repository.dart:252	GET /cineplanner/productions/$productionId/reports/$reportType	cineplanner.py:2085
lib/core/cineplanner/cineplanner_repository.dart:265	GET /cineplanner/productions/$productionId/reports/$reportType.$format	cineplanner.py:2028; cineplanner.py:2048; cineplanner.py:2071 [dynamic]
lib/core/cineplanner/cineplanner_repository.dart:275	POST /cineplanner/productions/$productionId/assistant	cineplanner.py:2307
lib/core/contracts/contracts_repository.dart:10	GET /contract-templates	contracts.py:294
lib/core/contracts/contracts_repository.dart:18	GET /legal/templates	contracts.py:306
lib/core/contracts/contracts_repository.dart:33	POST /legal/templates/$templateId/reviews	contracts.py:318
lib/core/contracts/contracts_repository.dart:48	GET /contracts	contracts.py:376
lib/core/contracts/contracts_repository.dart:56	GET /contracts/$publicId	contracts.py:469
lib/core/contracts/contracts_repository.dart:62	POST /bookings/$bookingId/contracts	contracts.py:389
lib/core/contracts/contracts_repository.dart:71	POST /contracts/$contractId/signatures	contracts.py:489
lib/core/contracts/contracts_repository.dart:84	GET /contracts/$contractId.pdf	contracts.py:477
lib/core/contracts/contracts_repository.dart:95	POST /contracts/$contractId/addendums	contracts.py:555
lib/core/contracts/contracts_repository.dart:108	POST /legal-reviews	contracts.py:590
lib/core/contracts/contracts_repository.dart:121	GET /legal/reviews	contracts.py:612
lib/core/contracts/contracts_repository.dart:129	GET /legal-reviews/$publicId	contracts.py:624

Client source	Requested path	Backend source
lib/core/contracts/contracts_repository.dart:141	POST /legal-reviews/$reviewId/decision	contracts.py:643
lib/core/contracts/contracts_repository.dart:155	GET /legal/billing-records	contracts.py:691
lib/core/contracts/contracts_repository.dart:168	PATCH /legal/billing-records/$publicId	contracts.py:711
lib/core/core_ui/screens/utility_screens.dart:94	GET /health/live	health.py:13
lib/core/credits/credits_repository.dart:10	GET /credits?profile_type=${Uri.encodeQueryComponent(profileType)}	marketplace.py:1287
lib/core/credits/credits_repository.dart:28	POST /credits	marketplace.py:1306
lib/core/credits/credits_repository.dart:45	PATCH /credits/$publicId	marketplace.py:1357
lib/core/credits/credits_repository.dart:51	DELETE /credits/$publicId	marketplace.py:1393
lib/core/director/director_repository.dart:11	GET /director/dashboard	director.py:2315
lib/core/director/director_repository.dart:19	GET /brands/dashboard	director.py:2315
lib/core/director/director_repository.dart:28	GET /director/schedule$suffix	director.py:2374
lib/core/director/director_repository.dart:44	POST /director/schedule	director.py:2384
lib/core/director/director_repository.dart:73	GET /director/discovery$suffix	director.py:2503
lib/core/director/director_repository.dart:90	GET /brands/discovery$suffix	director.py:2503
lib/core/director/director_repository.dart:101	GET /director/discovery/${Uri.encodeComponent(kind)}/${Uri.encodeComponent(publicId)}	director.py:2525
lib/core/director/director_repository.dart:112	GET /brands/discovery/${Uri.encodeComponent(kind)}/${Uri.encodeComponent(publicId)}	director.py:2525
lib/core/insurance/insurance_repository.dart:10	GET /insurance/profile	insurance.py:101
lib/core/insurance/insurance_repository.dart:21	PATCH /insurance/profile	insurance.py:112
lib/core/insurance/insurance_repository.dart:36	GET /insurance/dashboard	insurance.py:375
lib/core/insurance/insurance_repository.dart:42	GET /insurance/policies	insurance.py:193
lib/core/insurance/insurance_repository.dart:51	GET /insurance/policies/$publicId	insurance.py:230
lib/core/insurance/insurance_repository.dart:59	POST /insurance/policies	insurance.py:137
lib/core/insurance/insurance_repository.dart:67	GET /insurance/claims	insurance.py:288
lib/core/insurance/insurance_repository.dart:75	GET /insurance/claims/$publicId	insurance.py:317
lib/core/insurance/insurance_repository.dart:83	POST /insurance/claims	insurance.py:237
lib/core/insurance/insurance_repository.dart:97	POST /insurance/claims/$claimId/evidence	insurance.py:324
lib/core/insurance/insurance_repository.dart:118	POST /insurance/claims/$claimId/decision	insurance.py:346
lib/core/operations/operations_repository.dart:10	GET /location-properties	operations.py:619
lib/core/operations/operations_repository.dart:31	POST /location-properties	operations.py:587
lib/core/operations/operations_repository.dart:67	PATCH /location-properties/$propertyId	operations.py:630
lib/core/operations/operations_repository.dart:91	POST /location-properties/$propertyId/spaces	operations.py:677
lib/core/operations/operations_repository.dart:95	PATCH /location-spaces/$spaceId	operations.py:698
lib/core/operations/operations_repository.dart:100	POST /location-properties/$propertyId/pricing	operations.py:731
lib/core/operations/operations_repository.dart:105	PATCH /location-pricing/$pricingId	operations.py:753
lib/core/operations/operations_repository.dart:110	POST /location-properties/$propertyId/rules	operations.py:790
lib/core/operations/operations_repository.dart:114	PATCH /location-rules/$ruleId	operations.py:810

Client source	Requested path	Backend source
lib/core/operations/operations_repository.dart:123	POST /marketplace/listings	marketplace.py:1566
lib/core/operations/operations_repository.dart:152	GET /location-inspections$suffix	operations.py:869
lib/core/operations/operations_repository.dart:164	GET /damage-claims$suffix	operations.py:998
lib/core/operations/operations_repository.dart:178	POST /location-inspections	operations.py:841
lib/core/operations/operations_repository.dart:204	POST /location-inspections/$inspectionId/items	operations.py:904
lib/core/operations/operations_repository.dart:225	POST /location-inspections/$inspectionId/confirm	operations.py:941
lib/core/operations/operations_repository.dart:239	POST /damage-claims	operations.py:965
lib/core/operations/operations_repository.dart:261	POST /damage-claims/$claimId/evidence	operations.py:1016
lib/core/operations/operations_repository.dart:276	GET /equipment/provider-profile	operations.py:1094
lib/core/operations/operations_repository.dart:290	PATCH /equipment/provider-profile	operations.py:1045
lib/core/operations/operations_repository.dart:308	GET /equipment/items	operations.py:1132
lib/core/operations/operations_repository.dart:317	POST /equipment/items	operations.py:1107
lib/core/operations/operations_repository.dart:327	PATCH /equipment/items/$itemId	operations.py:1148
lib/core/operations/operations_repository.dart:335	GET /equipment/packages	operations.py:1196
lib/core/operations/operations_repository.dart:345	POST /equipment/packages	operations.py:1176
lib/core/operations/operations_repository.dart:355	PATCH /equipment/packages/$packageId	operations.py:1216
lib/core/operations/operations_repository.dart:363	POST /equipment/packages/$packageId/items	operations.py:1247
lib/core/operations/operations_repository.dart:370	GET /equipment/terms	operations.py:1313
lib/core/operations/operations_repository.dart:379	POST /equipment/terms	operations.py:1289
lib/core/operations/operations_repository.dart:389	PATCH /equipment/terms/$termId	operations.py:1331
lib/core/operations/operations_repository.dart:402	GET /equipment-inspections$suffix	operations.py:1360
lib/core/operations/operations_repository.dart:415	POST /equipment-inspections	operations.py:1384
lib/core/operations/operations_repository.dart:438	POST /equipment-inspections/$inspectionId/items	operations.py:1417
lib/core/operations/operations_repository.dart:458	POST /equipment-inspections/$inspectionId/confirm	operations.py:1474
lib/core/operations/operations_repository.dart:466	POST /safety-checks	operations.py:1498
lib/core/operations/operations_repository.dart:484	GET /safety-checks$suffix	operations.py:1548
lib/core/operations/operations_repository.dart:495	PATCH /safety-checks/$checkId	operations.py:1575
lib/core/operations/operations_repository.dart:507	PATCH /safety-checks/$checkId/items/$itemId	operations.py:1600
lib/core/operations/operations_repository.dart:522	POST /safety-checks/$checkId/items	operations.py:1523
lib/core/operations/operations_repository.dart:530	POST /incidents	operations.py:1632
lib/core/operations/operations_repository.dart:548	GET /incidents$suffix	operations.py:1663
lib/core/operations/operations_repository.dart:559	PATCH /incidents/$incidentId	operations.py:1688
lib/core/operations/operations_repository.dart:567	POST /safety-check-ins	operations.py:1711
lib/core/operations/operations_repository.dart:574	POST /safety-check-ins/$checkInId/complete	operations.py:1726
lib/core/opportunities/opportunities_repository.dart:32	GET /opportunities/roles?$suffix	opportunities.py:310
lib/core/opportunities/opportunities_repository.dart:46	GET /opportunities/roles/$publicId	opportunities.py:369
lib/core/opportunities/opportunities_repository.dart:52	POST /opportunities/roles/$publicId/save	opportunities.py:377
lib/core/opportunities/opportunities_repository.dart:58	DELETE /opportunities/roles/$publicId/save	opportunities.py:396

Client source	Requested path	Backend source
lib/core/opportunities/opportunities_repository.dart:67	POST /opportunities/roles/$roleId/applications	opportunities.py:412
lib/core/opportunities/opportunities_repository.dart:83	GET /opportunities/applications	opportunities.py:479
lib/core/opportunities/opportunities_repository.dart:93	POST /opportunities/applications/$publicId/withdraw	opportunities.py:508
lib/core/opportunities/opportunities_repository.dart:101	GET /opportunities/applications/$publicId	opportunities.py:495
lib/core/opportunities/opportunities_repository.dart:111	GET /director/projects/$projectId/opportunity-applications	opportunities.py:628
lib/core/opportunities/opportunities_repository.dart:125	PATCH /director/opportunity-applications/$publicId	opportunities.py:665
lib/core/opportunities/opportunities_repository.dart:136	GET /opportunities/applications/$applicationId/meetings	opportunities.py:534
lib/core/opportunities/opportunities_repository.dart:149	POST /opportunities/applications/$applicationId/meetings/propose	opportunities.py:542
lib/core/opportunities/opportunities_repository.dart:163	POST /opportunities/applications/$applicationId/meetings/rounds/$roundId/accept	opportunities.py:576
lib/core/opportunities/opportunities_repository.dart:177	POST /opportunities/applications/$applicationId/meetings/rounds/$roundId/decline	opportunities.py:602
lib/core/opportunities/opportunities_repository.dart:188	GET /director/opportunity-applications/$applicationId/meetings	opportunities.py:746
lib/core/opportunities/opportunities_repository.dart:201	POST /director/opportunity-applications/$applicationId/meetings/propose	opportunities.py:755
lib/core/opportunities/opportunities_repository.dart:215	POST /director/opportunity-applications/$applicationId/meetings/rounds/$roundId/accept	opportunities.py:787
lib/core/opportunities/opportunities_repository.dart:229	POST /director/opportunity-applications/$applicationId/meetings/rounds/$roundId/decline	opportunities.py:813
lib/core/payments/payments_repository.dart:10	GET /payments/dashboard	payments.py:259
lib/core/payments/payments_repository.dart:19	GET /payment-schedules$suffix	payments.py:295
lib/core/payments/payments_repository.dart:28	GET /payment-schedules/$publicId	payments.py:317
lib/core/payments/payments_repository.dart:42	POST /payment-proofs	payments.py:325
lib/core/payments/payments_repository.dart:59	GET /ledger	payments.py:425
lib/core/payments/payments_repository.dart:67	GET /receipts/$publicId	payments.py:463
lib/core/payments/payments_repository.dart:73	GET /receipts/$publicId.pdf	payments.py:474
lib/core/payments/payments_repository.dart:80	GET /payout-accounts	payments.py:490
lib/core/payments/payments_repository.dart:94	POST /payout-accounts	payments.py:503
lib/core/payments/payments_repository.dart:109	GET /admin/payment-proofs	payments.py:539
lib/core/payments/payments_repository.dart:117	GET /admin/payment-proofs/$publicId	payments.py:549
lib/core/payments/payments_repository.dart:127	POST /admin/payment-proofs/$proofId/decision	payments.py:573
lib/core/projects/projects_repository.dart:13	GET /skills$suffix	projects.py:572
lib/core/projects/projects_repository.dart:21	GET /projects	projects.py:584
lib/core/projects/projects_repository.dart:40	POST /projects	projects.py:596
lib/core/projects/projects_repository.dart:79	PATCH /projects/$projectId	projects.py:688
lib/core/projects/projects_repository.dart:107	POST /projects/$projectId/duplicate	projects.py:705
lib/core/projects/projects_repository.dart:118	GET /projects/$publicId	projects.py:681
lib/core/projects/projects_repository.dart:129	POST /projects/$projectId/members	projects.py:841
lib/core/projects/projects_repository.dart:142	GET /projects/$projectId/requirements	projects.py:953
lib/core/projects/projects_repository.dart:166	POST /projects/$projectId/requirements	projects.py:968

Client source	Requested path	Backend source
lib/core/projects/projects_repository.dart:193	GET /projects/$projectId/room	projects.py:787
lib/core/projects/projects_repository.dart:214	GET /public/cinema$suffix	projects.py:635
lib/core/projects/projects_repository.dart:228	POST /projects/$projectId/room/items	projects.py:805
lib/core/projects/projects_repository.dart:247	POST /projects/$projectId/files	projects.py:913
lib/core/specialist/specialist_repository.dart:10	GET /agencies/profile	specialist.py:540
lib/core/specialist/specialist_repository.dart:18	PATCH /agencies/profile	specialist.py:549
lib/core/specialist/specialist_repository.dart:27	POST /agency-invitations	specialist.py:569
lib/core/specialist/specialist_repository.dart:35	GET /agency-invitations	specialist.py:600
lib/core/specialist/specialist_repository.dart:44	GET /agencies/$agencyId/talent	specialist.py:642
lib/core/specialist/specialist_repository.dart:52	GET /auditions	specialist.py:694
lib/core/specialist/specialist_repository.dart:60	POST /auditions	specialist.py:654
lib/core/specialist/specialist_repository.dart:69	PATCH /auditions/$auditionId	specialist.py:729
lib/core/specialist/specialist_repository.dart:79	POST /auditions/$auditionId/candidates	specialist.py:740
lib/core/specialist/specialist_repository.dart:89	PATCH /audition-candidates/$candidateId	specialist.py:782
lib/core/specialist/specialist_repository.dart:98	POST /audition-candidates/$candidateId/notes	specialist.py:853
lib/core/specialist/specialist_repository.dart:110	POST /agency-commissions	specialist.py:877
lib/core/specialist/specialist_repository.dart:118	GET /agencies/$agencyId/commissions	specialist.py:911
lib/core/specialist/specialist_repository.dart:127	GET /brands/profile	specialist.py:928
lib/core/specialist/specialist_repository.dart:134	PATCH /brands/profile	specialist.py:938
lib/core/specialist/specialist_repository.dart:143	POST /brand-opportunities	specialist.py:970
lib/core/specialist/specialist_repository.dart:154	PATCH /brand-opportunities/$opportunityId	specialist.py:1063
lib/core/specialist/specialist_repository.dart:168	GET /brand-opportunities${mine ?	specialist.py:1017
lib/core/specialist/specialist_repository.dart:177	GET /brand-opportunities/$opportunityId	specialist.py:1057
lib/core/specialist/specialist_repository.dart:188	POST /brand-opportunities/$opportunityId/applications	specialist.py:1114
lib/core/specialist/specialist_repository.dart:201	GET /brand-opportunities/$opportunityId/applications	specialist.py:1138
lib/core/specialist/specialist_repository.dart:215	GET /brand-applications$suffix	specialist.py:1159
lib/core/specialist/specialist_repository.dart:224	GET /brand-applications/$applicationId	specialist.py:1206
lib/core/specialist/specialist_repository.dart:234	PATCH /brand-applications/$applicationId	specialist.py:1213
lib/core/specialist/specialist_repository.dart:243	POST /brand-applications/$applicationId/terms	specialist.py:1283
lib/core/specialist/specialist_repository.dart:255	POST /brand-applications/$applicationId/conversation	specialist.py:1244
lib/core/specialist/specialist_repository.dart:264	POST /campaign-deliverables	specialist.py:1312
lib/core/specialist/specialist_repository.dart:276	GET /campaign-deliverables$suffix	specialist.py:1366
lib/core/specialist/specialist_repository.dart:287	POST /campaign-deliverables/$deliverableId/approve	specialist.py:1494
lib/core/specialist/specialist_repository.dart:298	PATCH /campaign-deliverables/$deliverableId	specialist.py:1416
lib/core/specialist/specialist_repository.dart:311	POST /campaign-metrics	specialist.py:1517
lib/core/specialist/specialist_repository.dart:319	GET /model/profile	specialist.py:1576
lib/core/specialist/specialist_repository.dart:326	PATCH /model/profile	specialist.py:1587
lib/core/specialist/specialist_repository.dart:334	GET /model/campaign-categories	specialist.py:1602

Client source	Requested path	Backend source
lib/core/specialist/specialist_repository.dart:340	PATCH /model/campaign-categories	specialist.py:1608
lib/core/specialist/specialist_repository.dart:351	GET /model/usage-rights	specialist.py:1636
lib/core/specialist/specialist_repository.dart:361	POST /model/usage-rights	specialist.py:1643
lib/core/specialist/specialist_repository.dart:371	PATCH /model/usage-rights/$rightId	specialist.py:1661
lib/core/specialist/specialist_repository.dart:379	GET /model/usage-rates	specialist.py:1686
lib/core/specialist/specialist_repository.dart:388	POST /model/usage-rates	specialist.py:1694
lib/core/specialist/specialist_repository.dart:398	PATCH /model/usage-rates/$rateId	specialist.py:1713
lib/core/specialist/specialist_repository.dart:406	GET /model/restricted-categories	specialist.py:1738
lib/core/specialist/specialist_repository.dart:416	PATCH /model/restricted-categories	specialist.py:1757
lib/core/specialist/specialist_repository.dart:427	GET /distribution/profile	specialist.py:1790
lib/core/specialist/specialist_repository.dart:435	PATCH /distribution/profile	specialist.py:1805
lib/core/specialist/specialist_repository.dart:444	POST /distribution-projects	specialist.py:1828
lib/core/specialist/specialist_repository.dart:452	GET /distribution-projects	specialist.py:1861
lib/core/specialist/specialist_repository.dart:463	PATCH /distribution-projects/$projectId	specialist.py:1908
lib/core/specialist/specialist_repository.dart:472	POST /distribution-projects/$projectId/release-windows	specialist.py:1933
lib/core/specialist/specialist_repository.dart:484	POST /distribution-projects/$projectId/handover-items	specialist.py:1954
lib/core/specialist/specialist_repository.dart:496	POST /distributor-contacts	specialist.py:2015
lib/core/specialist/specialist_repository.dart:504	GET /distributor-contacts	specialist.py:2036
lib/core/specialist/specialist_repository.dart:515	PATCH /distributor-contacts/$contactId	specialist.py:2050
lib/core/specialist/specialist_repository.dart:524	POST /distribution-reports	specialist.py:2073
lib/core/specialist/specialist_repository.dart:537	GET /distribution-reports$suffix	specialist.py:2107
lib/core/trust_safety/trust_safety_repository.dart:11	GET /bookings/$bookingId/review-eligibility	trust_safety.py:299
lib/core/trust_safety/trust_safety_repository.dart:16	POST /reviews	trust_safety.py:328
lib/core/trust_safety/trust_safety_repository.dart:24	GET /users/$userId/reviews	trust_safety.py:400
lib/core/trust_safety/trust_safety_repository.dart:30	POST /review-requests	trust_safety.py:426
lib/core/trust_safety/trust_safety_repository.dart:36	GET /reports/reasons	trust_safety.py:472
lib/core/trust_safety/trust_safety_repository.dart:44	POST /reports	trust_safety.py:477
lib/core/trust_safety/trust_safety_repository.dart:52	POST /blocked-users	trust_safety.py:516
lib/core/trust_safety/trust_safety_repository.dart:59	GET /blocked-users	trust_safety.py:544
lib/core/trust_safety/trust_safety_repository.dart:67	DELETE /blocked-users/$userId	trust_safety.py:562
lib/core/trust_safety/trust_safety_repository.dart:73	GET /admin/moderation-cases${status == null ?	trust_safety.py:607
lib/core/trust_safety/trust_safety_repository.dart:82	GET /admin/moderation-cases/$caseId	trust_safety.py:621
lib/core/trust_safety/trust_safety_repository.dart:94	POST /admin/moderation-cases/$caseId/decision	trust_safety.py:635
lib/core/trust_safety/trust_safety_repository.dart:105	POST /disputes	trust_safety.py:674
lib/core/trust_safety/trust_safety_repository.dart:113	GET /disputes	trust_safety.py:717
lib/core/trust_safety/trust_safety_repository.dart:121	GET /disputes/$disputeId	trust_safety.py:728
lib/core/trust_safety/trust_safety_repository.dart:132	POST /disputes/$disputeId/evidence	trust_safety.py:735
lib/core/trust_safety/trust_safety_repository.dart:152	GET /admin/disputes/$disputeId	trust_safety.py:790

Client source	Requested path	Backend source
lib/core/trust_safety/trust_safety_repository.dart:164	POST /admin/disputes/$disputeId/decision	trust_safety.py:802
lib/core/trust_safety/trust_safety_repository.dart:176	POST /support-tickets	trust_safety.py:846
lib/core/trust_safety/trust_safety_repository.dart:184	GET /support-tickets	trust_safety.py:879
lib/core/trust_safety/trust_safety_repository.dart:192	GET /admin/support-tickets${status == null ?	trust_safety.py:964
lib/core/trust_safety/trust_safety_repository.dart:206	PATCH /admin/support-tickets/$ticketId	trust_safety.py:986
lib/core/trust_safety/trust_safety_repository.dart:218	POST /support-tickets/$ticketId/messages	trust_safety.py:921
lib/core/trust_safety/trust_safety_repository.dart:229	POST /admin/announcements	trust_safety.py:1033
lib/core/trust_safety/trust_safety_repository.dart:237	GET /admin/announcements	trust_safety.py:1060
lib/core/trust_safety/trust_safety_repository.dart:246	POST /admin/announcements/$announcementId/publish	trust_safety.py:1072
lib/core/trust_safety/trust_safety_repository.dart:255	GET /notifications${unread ?	trust_safety.py:1105
lib/core/trust_safety/trust_safety_repository.dart:260	PATCH /notifications/$notificationId/read	trust_safety.py:1129
lib/core/trust_safety/trust_safety_repository.dart:268	POST /notifications/read-all	trust_safety.py:1146
lib/core/trust_safety/trust_safety_repository.dart:274	POST /push-devices	trust_safety.py:1163
lib/core/uploads/upload_repository.dart:33	POST /uploads/presign	verification.py:289
lib/core/uploads/upload_repository.dart:52	POST /uploads/${ticket.id}/complete	verification.py:406
lib/core/uploads/upload_repository.dart:65	GET /files/${uploaded.publicId}	verification.py:455

Backend API module coverage

Backend module	Method/path combinations
backend/app/api/admin_control.py	16
backend/app/api/analytics.py	6
backend/app/api/app.py	4
backend/app/api/auth.py	16
backend/app/api/bookings.py	19
backend/app/api/casting.py	24
backend/app/api/cineplanner.py	32
backend/app/api/contracts.py	15
backend/app/api/director.py	10
backend/app/api/health.py	2
backend/app/api/insurance.py	11
backend/app/api/marketplace.py	28
backend/app/api/operations.py	44
backend/app/api/opportunities.py	18
backend/app/api/payments.py	12
backend/app/api/projects.py	16
backend/app/api/specialist.py	59
backend/app/api/trust_safety.py	33
backend/app/api/verification.py	13

The full 378-row backend route catalogue is embedded as backend_routes.csv. Blueprint prefixes are included in that catalogue, including /health and /cineplanner.

All backend application Python files scanned

Backend app file	Lines	Role
backend/app/__init__.py	53	Application source
backend/app/api/__init__.py	42	Application source
backend/app/api/admin_control.py	923	Application source
backend/app/api/analytics.py	679	Application source
backend/app/api/app.py	142	Application source
backend/app/api/auth.py	669	Application source
backend/app/api/bookings.py	1237	Application source
backend/app/api/casting.py	1380	Application source
backend/app/api/cineplanner.py	2689	Application source
backend/app/api/contracts.py	739	Application source
backend/app/api/director.py	2539	Application source
backend/app/api/health.py	66	Application source
backend/app/api/insurance.py	405	Application source
backend/app/api/marketplace.py	2009	Application source
backend/app/api/operations.py	1744	Application source
backend/app/api/opportunities.py	839	Application source
backend/app/api/payments.py	623	Application source
backend/app/api/projects.py	997	Application source
backend/app/api/specialist.py	2123	Application source
backend/app/api/trust_safety.py	1193	Application source
backend/app/api/verification.py	740	Application source
backend/app/celery_app.py	33	Application source
backend/app/config.py	151	Application source
backend/app/errors.py	54	Application source
backend/app/extensions.py	16	Application source
backend/app/logging.py	25	Application source
backend/app/middleware.py	58	Application source
backend/app/models/__init__.py	344	Application source
backend/app/models/analytics.py	35	Application source
backend/app/models/base.py	35	Application source
backend/app/models/bookings.py	431	Application source
backend/app/models/casting.py	207	Application source
backend/app/models/cineplanner.py	640	Application source
backend/app/models/contracts.py	339	Application source
backend/app/models/files.py	86	Application source
backend/app/models/identity.py	220	Application source
backend/app/models/insurance.py	124	Application source

Backend app file	Lines	Role
backend/app/models/kyc.py	91	Application source
backend/app/models/marketplace.py	507	Application source
backend/app/models/operations.py	538	Application source
backend/app/models/opportunities.py	122	Application source
backend/app/models/payments.py	307	Application source
backend/app/models/projects.py	240	Application source
backend/app/models/scheduling.py	107	Application source
backend/app/models/specialist.py	572	Application source
backend/app/models/trust_safety.py	413	Application source
backend/app/policies.py	25	Application source
backend/app/responses.py	31	Application source
backend/app/scripts/__init__.py	1	Application source
backend/app/scripts/seed_cinema_demo_media.py	214	Seed fixture script
backend/app/scripts/seed_cineplanner_demo.py	1041	Seed fixture script
backend/app/security.py	217	Application source
backend/app/services/__init__.py	1	Application source
backend/app/services/auth_email.py	51	Application source
backend/app/services/cineplanner_ai.py	663	Application source
backend/app/services/cineplanner_budget.py	186	Application source
backend/app/services/cineplanner_productions.py	86	Application source
backend/app/services/cineplanner_scheduling.py	535	Application source
backend/app/services/file_processing.py	42	Application source
backend/app/services/local_storage.py	96	Application source
backend/app/services/marketplace_categories.py	38	Application source
backend/app/services/notifications.py	60	Application source
backend/app/services/payments.py	159	Application source
backend/app/services/scheduling.py	187	Application source
backend/app/services/weather.py	151	Application source
backend/app/tasks/__init__.py	1	Application source
backend/app/tasks/cineplanner.py	18	Application source
backend/app/tasks/files.py	17	Application source
backend/app/wsgi.py	3	Application source

Appendix D. Static-declaration candidate catalogue

Pattern inventory: static const declarations, const list assignments/options, literal TextEditingController defaults and dated DateTime constants. Normal theme/route/layout constants are intentionally retained so the catalogue accounts for all scanned categories. Source excerpts below are capped at 180 characters; the embedded CSV preserves the complete matched source line.

Source location	Matched declaration / default
lib/core/auth/auth_controller.dart:435	List<String> portfolioItemIds = const [],
lib/core/auth/auth_repository.dart:409	List<String> portfolioItemIds = const [],
lib/core/auth/portal_access_guard.dart:17	static const _portals = {
lib/core/auth/portal_access_guard.dart:36	static const _accountScreens = {
lib/core/auth/token_store.dart:4	static const _accessKey = 'cineconnect.access_token';
lib/core/auth/token_store.dart:5	static const _refreshKey = 'cineconnect.refresh_token';
lib/core/bookings/booking_models.dart:316	this.attachments = const [],
lib/core/bookings/bookings_controller.dart:163	List<ConversationAttachmentInput> attachments = const [],
lib/core/bookings/bookings_repository.dart:202	List<ConversationAttachmentInput> attachments = const [],
lib/core/casting/casting_models.dart:129	this.requiredDocuments = const [],
lib/core/cineplanner/cineplanner_controller.dart:17	List<Map<String, dynamic>> productions = const [];
lib/core/constants/app_assets.dart:8	static const String currentUserAvatar = 'assets/images/me.jpg';
lib/core/constants/app_assets.dart:9	static const String brandCampaignCover =
lib/core/constants/app_assets.dart:12	static const String sanaKhalid = 'assets/images/sana_khalid.jpg';
lib/core/constants/app_assets.dart:13	static const String danishTaimoor = 'assets/images/danish.jpg';
lib/core/constants/app_assets.dart:14	static const String hiraMani = 'assets/images/hira.jpg';
lib/core/constants/app_assets.dart:15	static const String bilalAbbas = 'assets/images/bilal.jpg';
lib/core/constants/app_assets.dart:16	static const String ayezaKhan = 'assets/images/ayeza.jpg';
lib/core/constants/app_icons.dart:11	static const actors = Icons.person_outline_rounded;
lib/core/constants/app_icons.dart:12	static const models = Icons.people_outline_rounded;
lib/core/constants/app_icons.dart:13	static const directors = Icons.shield_outlined;
lib/core/constants/app_icons.dart:14	static const makeupArtists = Icons.person_outline_rounded;
lib/core/constants/app_icons.dart:15	static const more = Icons.grid_view_rounded;
lib/core/constants/app_icons.dart:18	static const search = Icons.search_rounded;
lib/core/constants/app_icons.dart:19	static const tune = Icons.tune_rounded;
lib/core/constants/app_icons.dart:20	static const location = Icons.location_on_outlined;
lib/core/constants/app_icons.dart:21	static const chevronDown = Icons.keyboard_arrow_down_rounded;
lib/core/constants/app_icons.dart:22	static const chevronRight = Icons.chevron_right_rounded;
lib/core/constants/app_icons.dart:25	static const star = Icons.star_rounded;
lib/core/constants/app_icons.dart:26	static const verifiedUser = Icons.verified_user_outlined;
lib/core/constants/app_icons.dart:27	static const negotiable = Icons.sell_outlined;
lib/core/constants/app_icons.dart:28	static const respondsFast = Icons.bolt_rounded;
lib/core/constants/app_icons.dart:29	static const bookmark = Icons.bookmark_border_rounded;

Source location	Matched declaration / default
lib/core/constants/app_icons.dart:30	static const sendBooking = Icons.near_me_outlined;
lib/core/constants/app_icons.dart:31	static const play = Icons.play_arrow_rounded;
lib/core/constants/app_icons.dart:32	static const check = Icons.check_rounded;
lib/core/constants/app_icons.dart:35	static const escrow = Icons.shield_outlined;
lib/core/constants/app_icons.dart:36	static const contract = Icons.description_outlined;
lib/core/constants/app_icons.dart:37	static const securePayments = Icons.lock_outline_rounded;
lib/core/constants/app_icons.dart:38	static const superAdminVerified = Icons.verified_outlined;
lib/core/constants/app_icons.dart:41	static const home = Icons.home_outlined;
lib/core/constants/app_icons.dart:42	static const discover = Icons.search_rounded;
lib/core/constants/app_icons.dart:43	static const create = Icons.add_rounded;
lib/core/constants/app_icons.dart:44	static const bookings = Icons.work_outline_rounded;
lib/core/constants/app_icons.dart:45	static const profile = Icons.person_outline_rounded;
lib/core/constants/app_icons.dart:48	static const notifications = Icons.notifications_none_rounded;
lib/core/constants/app_icons.dart:49	static const castingCall = Icons.movie_creation_outlined;
lib/core/constants/app_icons.dart:50	static const themeSun = Icons.wb_sunny_outlined;
lib/core/constants/app_icons.dart:51	static const themeMoon = Icons.dark_mode_outlined;
lib/core/constants/app_strings.dart:8	static const brandCine = 'CINE';
lib/core/constants/app_strings.dart:9	static const brandConnect = 'CONNECT';
lib/core/constants/app_strings.dart:10	static const tagline = 'CAST. CONNECT. CREATE.';
lib/core/constants/app_strings.dart:12	static const searchHint = 'Search actors, models, directors...';
lib/core/constants/app_strings.dart:14	static const categoryActors = 'Actors';
lib/core/constants/app_strings.dart:15	static const categoryModels = 'Models';
lib/core/constants/app_strings.dart:16	static const categoryDirectors = 'Directors';
lib/core/constants/app_strings.dart:17	static const categoryMakeupArtists = 'Makeup Artists';
lib/core/constants/app_strings.dart:18	static const categoryMore = 'More';
lib/core/constants/app_strings.dart:20	static const filterLocation = 'Lahore';
lib/core/constants/app_strings.dart:21	static const filterBudget = 'Budget: 5k-15k';
lib/core/constants/app_strings.dart:22	static const filterAvailability = 'Available this week';
lib/core/constants/app_strings.dart:23	static const filterVerifiedOnly = 'Verified only';
lib/core/constants/app_strings.dart:25	static const featuredTalentTitle = 'Featured Talent';
lib/core/constants/app_strings.dart:26	static const viewAll = 'View all';
lib/core/constants/app_strings.dart:28	static const tabAvailableThisWeek = 'Available this week';
lib/core/constants/app_strings.dart:29	static const tabRisingStars = 'Rising Stars';
lib/core/constants/app_strings.dart:30	static const tabTopRated = 'Top Rated';
lib/core/constants/app_strings.dart:31	static const tabNewTalents = 'New Talents';
lib/core/constants/app_strings.dart:33	static const shortlistCta = 'Add to Shortlist';
lib/core/constants/app_strings.dart:34	static const bookingCta = 'Request Booking';
lib/core/constants/app_strings.dart:36	static const castingCallTitle = 'Looking for the perfect match?';

Source location	Matched declaration / default
lib/core/constants/app_strings.dart:37	static const castingCallSubtitle =
lib/core/constants/app_strings.dart:39	static const castingCallCta = 'Create Casting Call';
lib/core/constants/app_strings.dart:41	static const navHome = 'Home';
lib/core/constants/app_strings.dart:42	static const navDiscover = 'Discover';
lib/core/constants/app_strings.dart:43	static const navCreate = 'Create';
lib/core/constants/app_strings.dart:44	static const navBookings = 'Bookings';
lib/core/constants/app_strings.dart:45	static const navProfile = 'Profile';
lib/core/core_payment/screens/payment_proof_screen.dart:52	List<PaymentScheduleDto> _liveSchedules = const [];
lib/core/core_payment/screens/payment_proof_screen.dart:53	List<PaymentMilestoneDto> _liveMilestones = const [];
lib/core/core_payment/screens/payment_proof_screen.dart:93	_liveMilestones = const [];
lib/core/core_payment/screens/payment_proof_screen.dart:113	_liveMilestones = const [];
lib/core/core_payment/screens/payment_proof_screen.dart:134	_liveMilestones = const [];
lib/core/core_payment/screens/payment_proof_screen.dart:135	_liveSchedules = const [];
lib/core/core_payment/screens/payment_proof_screen.dart:345	values: const [
lib/core/core_payment/screens/receipts_ledger_screen.dart:23	final _filters = const [
lib/core/core_safety/screens/ratings_review_screen.dart:30	final _categories = const [
lib/core/core_safety/screens/report_block_screen.dart:36	static const _reasons = [
lib/core/core_safety/screens/report_block_screen.dart:53	List<String> _liveReasons = const [];
lib/core/core_safety/screens/report_block_screen.dart:240	values: const ['Normal', 'Urgent', 'Safety Risk'],
lib/core/core_settings/screens/settings_account_screen.dart:463	values: const ['English', 'Urdu', 'Roman Urdu'],
lib/core/core_ui/core_routes.dart:80	static const splash = '/';
lib/core/core_ui/core_routes.dart:81	static const onboarding = '/onboarding';
lib/core/core_ui/core_routes.dart:82	static const roleSelection = '/roles';
lib/core/core_ui/core_routes.dart:83	static const login = '/login';
lib/core/core_ui/core_routes.dart:84	static const signup = '/signup';
lib/core/core_ui/core_routes.dart:85	static const forgotPassword = '/forgot-password';
lib/core/core_ui/core_routes.dart:86	static const resetPassword = '/reset-password';
lib/core/core_ui/core_routes.dart:87	static const kyc = '/verification/upload';
lib/core/core_ui/core_routes.dart:88	static const verificationStatus = '/verification/status';
lib/core/core_ui/core_routes.dart:89	static const profileRoles = '/profile/roles';
lib/core/core_ui/core_routes.dart:90	static const notifications = '/notifications';
lib/core/core_ui/core_routes.dart:91	static const chat = '/booking/chat';
lib/core/core_ui/core_routes.dart:92	static const contract = '/contract';
lib/core/core_ui/core_routes.dart:93	static const paymentProof = '/payments/proof';
lib/core/core_ui/core_routes.dart:94	static const ledger = '/payments/ledger';
lib/core/core_ui/core_routes.dart:95	static const review = '/review';
lib/core/core_ui/core_routes.dart:96	static const report = '/report';
lib/core/core_ui/core_routes.dart:97	static const settings = '/settings';

Source location	Matched declaration / default
lib/core/core_ui/core_routes.dart:98	static const error = '/utility/error';
lib/core/core_ui/core_routes.dart:99	static const empty = '/utility/empty';
lib/core/core_ui/core_routes.dart:100	static const noInternet = '/utility/no-internet';
lib/core/core_ui/core_routes.dart:101	static const forceUpdate = '/utility/force-update';
lib/core/core_ui/core_routes.dart:102	static const maintenance = '/utility/maintenance';
lib/core/core_ui/core_routes.dart:103	static const dashboard = '/portal/dashboard';
lib/core/core_ui/core_routes.dart:617	static const _heroRevealRoutes = {
lib/core/core_ui/core_routes.dart:653	static const _authShellRoutes = {
lib/core/core_ui/mock_data/shared_mock_data.dart:9	static const roles = [
lib/core/core_ui/mock_data/shared_mock_data.dart:87	static const cities = [
lib/core/core_ui/mock_data/shared_mock_data.dart:95	static const notifications = [
lib/core/core_ui/mock_data/shared_mock_data.dart:152	static const chatMessages = [
lib/core/core_ui/mock_data/shared_mock_data.dart:198	static const clauses = [
lib/core/core_ui/mock_data/shared_mock_data.dart:228	static const milestones = [
lib/core/core_ui/mock_data/shared_mock_data.dart:236	static const ledgerRows = [
lib/core/core_ui/screens/notification_center_screen.dart:26	List<CoreNotification> _notifications = const [];
lib/core/core_ui/screens/notification_center_screen.dart:48	_notifications = const [];
lib/core/core_ui/screens/notification_center_screen.dart:71	_notifications = const [];
lib/core/core_ui/screens/onboarding_screen.dart:19	final _slides = const [
lib/core/core_ui/screens/verification_screens.dart:46	final _bankName = TextEditingController(text: 'HBL');
lib/core/core_ui/widgets/brand_panel.dart:23	static const _icons = [
lib/core/core_ui/widgets/core_widgets.dart:144	this.actions = const [],
lib/core/director/director_discovery_models.dart:82	this.subcategories = const [],
lib/core/marketplace/marketplace_models.dart:42	this.subcategories = const [],
lib/core/network/api_config.dart:4	static const baseUrl = String.fromEnvironment(
lib/core/operations/operations_controller.dart:156	List<String> fileIds = const [],
lib/core/operations/operations_repository.dart:121	List<String> fileIds = const [],
lib/core/opportunities/opportunities_controller.dart:52	List<String> attachmentFileIds = const [],
lib/core/opportunities/opportunities_repository.dart:64	List<String> attachmentFileIds = const [],
lib/core/profile/profile_models.dart:129	this.skills = const [],
lib/core/profile/profile_models.dart:130	this.accents = const [],
lib/core/profile/profile_models.dart:131	this.specialAbilities = const [],
lib/core/profile/profile_models.dart:133	this.credits = const [],
lib/core/profile/profile_models.dart:134	this.training = const [],
lib/core/profile/profile_models.dart:137	this.availabilityCategories = const ['actor'],
lib/core/projects/project_models.dart:109	this.requiredDocuments = const [],
lib/core/projects/projects_controller.dart:146	List<String> skillIds = const [],
lib/core/projects/projects_controller.dart:149	List<String> requiredDocuments = const [],

Source location	Matched declaration / default
lib/core/projects/projects_repository.dart:161	List<String> skillIds = const [],
lib/core/projects/projects_repository.dart:164	List<String> requiredDocuments = const [],
lib/core/theme/app_borders.dart:9	static const double hairline = 1.0;
lib/core/theme/app_borders.dart:12	static const double emphasized = 1.2;
lib/core/theme/app_borders.dart:15	static const double active = 1.35;
lib/core/theme/app_breakpoints.dart:13	static const double compactPhone = 375;
lib/core/theme/app_breakpoints.dart:16	static const double phone = 600;
lib/core/theme/app_breakpoints.dart:19	static const double largePhone = 430;
lib/core/theme/app_breakpoints.dart:23	static const double tablet = 1024;
lib/core/theme/app_breakpoints.dart:27	static const double laptop = 1200;
lib/core/theme/app_breakpoints.dart:31	static const double wideDesktop = 1600;
lib/core/theme/app_breakpoints.dart:34	static const double maxContentWidth = 1440;
lib/core/theme/app_color_scheme.dart:108	static const light = CineThemeColors(
lib/core/theme/app_color_scheme.dart:195	static const dark = CineThemeColors(
lib/core/theme/app_colors.dart:16	static const Color background = Color(0xFF07070A);
lib/core/theme/app_colors.dart:17	static const Color backgroundElevated = Color(0xFF121215);
lib/core/theme/app_colors.dart:20	static const Color glassFill = Color(0x1A101820);
lib/core/theme/app_colors.dart:21	static const Color glassFillStrong = Color(0x261A2530);
lib/core/theme/app_colors.dart:24	static const Color card = Color(0xFF121215);
lib/core/theme/app_colors.dart:25	static const Color cardMuted = Color(0xFF17171B);
lib/core/theme/app_colors.dart:28	static const Color gold = Color(0xFFE5C46E);
lib/core/theme/app_colors.dart:29	static const Color goldBright = Color(0xFFF4C76A);
lib/core/theme/app_colors.dart:30	static const Color goldDeep = Color(0xFFC88A1E);
lib/core/theme/app_colors.dart:31	static const Color goldGlow = Color(0x44D4AF37);
lib/core/theme/app_colors.dart:34	static const Color textPrimary = Color(0xFFF3F0E7);
lib/core/theme/app_colors.dart:35	static const Color textSecondary = Color(0xFFC6C0B0);
lib/core/theme/app_colors.dart:36	static const Color textTertiary = Color(0xFF8B8677);
lib/core/theme/app_colors.dart:39	static const Color border = Color(0xFF1A1A1D);
lib/core/theme/app_colors.dart:40	static const Color borderMuted = Color(0xFF131316);
lib/core/theme/app_colors.dart:41	static const Color borderGold = Color(0x99D4AF37);
lib/core/theme/app_colors.dart:44	static const Color success = Color(0xFF6FB585);
lib/core/theme/app_colors.dart:45	static const Color successSoft = Color(0xFF3E8C5E);
lib/core/theme/app_colors.dart:46	static const Color infoBlue = Color(0xFF7FA8CC);
lib/core/theme/app_colors.dart:47	static const Color infoPurple = Color(0xFF9B8BE0);
lib/core/theme/app_durations.dart:12	static const press = Duration(milliseconds: 140);
lib/core/theme/app_durations.dart:15	static const hover = Duration(milliseconds: 180);
lib/core/theme/app_durations.dart:18	static const cardLift = Duration(milliseconds: 220);
lib/core/theme/app_durations.dart:21	static const pointerFollow = Duration(milliseconds: 90);

Source location	Matched declaration / default
lib/core/theme/app_durations.dart:24	static const pointerFade = Duration(milliseconds: 260);
lib/core/theme/app_durations.dart:27	static const pageEntrance = Duration(milliseconds: 280);
lib/core/theme/app_durations.dart:30	static const sheet = Duration(milliseconds: 300);
lib/core/theme/app_durations.dart:33	static const tab = Duration(milliseconds: 220);
lib/core/theme/app_durations.dart:36	static const expand = Duration(milliseconds: 240);
lib/core/theme/app_durations.dart:39	static const status = Duration(milliseconds: 320);
lib/core/theme/app_durations.dart:42	static const shimmer = Duration(milliseconds: 1400);
lib/core/theme/app_durations.dart:45	static const holographicSweep = Duration(milliseconds: 2600);
lib/core/theme/app_durations.dart:48	static const dashboardCascade = Duration(milliseconds: 700);
lib/core/theme/app_durations.dart:51	static const ambientFloat = Duration(seconds: 20);
lib/core/theme/app_durations.dart:54	static const heroRingRotation = Duration(seconds: 6);
lib/core/theme/app_durations.dart:61	static const heroReveal = Duration(milliseconds: 640);
lib/core/theme/app_durations.dart:63	static const Curve standardCurve = Curves.easeOutCubic;
lib/core/theme/app_gradients.dart:12	static const Gradient gold = LinearGradient(
lib/core/theme/app_gradients.dart:19	static const Gradient goldStroke = LinearGradient(
lib/core/theme/app_gradients.dart:31	static const Gradient page = LinearGradient(
lib/core/theme/app_radius.dart:9	static const double sm = 10;
lib/core/theme/app_radius.dart:12	static const double control = 12;
lib/core/theme/app_radius.dart:15	static const double md = 14;
lib/core/theme/app_radius.dart:18	static const double panel = 26;
lib/core/theme/app_radius.dart:21	static const double lg = 18;
lib/core/theme/app_radius.dart:24	static const double xl = 28;
lib/core/theme/app_radius.dart:27	static const double xxl = 26;
lib/core/theme/app_radius.dart:30	static const double pill = 999;
lib/core/theme/app_shadows.dart:11	static const card = [
lib/core/theme/app_shadows.dart:21	static const control = [
lib/core/theme/app_spacing.dart:10	static const double xs = 4;
lib/core/theme/app_spacing.dart:11	static const double sm = 8;
lib/core/theme/app_spacing.dart:12	static const double md = 12;
lib/core/theme/app_spacing.dart:13	static const double lg = 16;
lib/core/theme/app_spacing.dart:16	static const double pageHorizontal = 18;
lib/core/theme/app_spacing.dart:17	static const double xl = 20;
lib/core/theme/app_spacing.dart:18	static const double xxl = 24;
lib/core/theme/app_spacing.dart:19	static const double xxxl = 32;
lib/core/theme/app_spacing.dart:20	static const double display = 40;
lib/core/theme/app_spacing.dart:23	static const double sectionGap = 14;
lib/core/theme/app_text_styles.dart:16	static const String serif = 'Newsreader';
lib/core/theme/app_text_styles.dart:17	static const String sans = 'Archivo';

Source location	Matched declaration / default
lib/core/theme/app_text_styles.dart:18	static const String dashboard = 'Archivo';
lib/core/tour/tour_controller.dart:20	List<TourStep> _steps = const [];
lib/core/tour/tour_controller.dart:122	_steps = const [];
lib/core/tour/tour_preferences_store.dart:7	static const _keyPrefix = 'cineconnect.tour_seen.';
lib/core/trust_safety/trust_safety_models.dart:182	this.evidence = const [],
lib/core/trust_safety/trust_safety_models.dart:183	this.events = const [],
lib/core/verification/verification_models.dart:101	this.files = const [],
lib/core/verification/verification_models.dart:102	this.documentTypes = const [],
lib/features/actor_talent/routes/actor_talent_routes.dart:4	static const dashboard = '/talent';
lib/features/actor_talent/routes/actor_talent_routes.dart:5	static const profile = '/talent/profile';
lib/features/actor_talent/routes/actor_talent_routes.dart:6	static const portfolio = '/talent/portfolio';
lib/features/actor_talent/routes/actor_talent_routes.dart:7	static const calendar = '/talent/availability';
lib/features/actor_talent/routes/actor_talent_routes.dart:8	static const rates = '/talent/rates';
lib/features/actor_talent/routes/actor_talent_routes.dart:9	static const opportunities = '/talent/opportunities';
lib/features/actor_talent/routes/actor_talent_routes.dart:10	static const roleDetail = '/talent/roles/:id';
lib/features/actor_talent/routes/actor_talent_routes.dart:11	static const applications = '/talent/applications';
lib/features/actor_talent/routes/actor_talent_routes.dart:12	static const applicationDetail = '/talent/applications/:id';
lib/features/actor_talent/routes/actor_talent_routes.dart:13	static const auditions = '/talent/auditions';
lib/features/actor_talent/routes/actor_talent_routes.dart:14	static const bookings = '/talent/bookings';
lib/features/actor_talent/routes/actor_talent_routes.dart:15	static const offerDetail = '/talent/offers/:id';
lib/features/actor_talent/routes/actor_talent_routes.dart:16	static const counteroffer = '/talent/counteroffer';
lib/features/actor_talent/routes/actor_talent_routes.dart:17	static const contracts = '/talent/contracts';
lib/features/actor_talent/routes/actor_talent_routes.dart:18	static const earnings = '/talent/earnings';
lib/features/actor_talent/routes/actor_talent_routes.dart:19	static const reputation = '/talent/reputation';
lib/features/actor_talent/routes/actor_talent_routes.dart:20	static const safety = '/talent/safety';
lib/features/actor_talent/routes/actor_talent_routes.dart:22	static const primaryNav = [
lib/features/actor_talent/routes/actor_talent_routes.dart:30	static const allRoutes = [
lib/features/actor_talent/screens/at01_talent_dashboard_screen.dart:858	static const _clockRingWidth = 168.0 * 2 + 14;
lib/features/actor_talent/screens/at01_talent_dashboard_screen.dart:859	static const _calendarWidth = 340.0;
lib/features/actor_talent/screens/at01_talent_dashboard_screen.dart:864	static const _sideBySideThreshold = _clockRingWidth + 14 + _calendarWidth;
lib/features/actor_talent/screens/at02_profile_builder_screen.dart:56	List<ProfileCity> supportedCities = const [];
lib/features/actor_talent/screens/at04_availability_calendar_screen.dart:27	List<booking_models.AvailabilityEntry> _liveEntries = const [];
lib/features/actor_talent/screens/at07_offer_detail_screen.dart:104	final reason = TextEditingController(text: 'Dates unavailable');
lib/features/actor_talent/screens/at12_safety_controls_screen.dart:809	final _subject = TextEditingController(text: 'Talent safety concern');
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:4	static const home = '/brand';
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:5	static const projects = '/brand/projects';
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:6	static const marketplace = '/brand/discover';
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:7	static const shortlists = '/brand/shortlists';

Source location	Matched declaration / default
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:8	static const bookings = '/brand/requests';
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:9	static const profile = '/brand/profile';
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:10	static const composer = '/brand/opportunity-composer';
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:11	static const applications = '/brand/applications';
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:12	static const negotiation = '/brand/negotiation';
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:13	static const tracker = '/brand/campaign-tracker';
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:14	static const payments = '/brand/payments';
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:16	static const primaryNav = [
lib/features/brand_sponsors/routes/brand_sponsor_routes.dart:23	static const allRoutes = [
lib/features/brand_sponsors/screens/br01_brand_dashboard_screen.dart:34	List<BrandOpportunityDto> _opportunities = const [];
lib/features/brand_sponsors/screens/br01_brand_dashboard_screen.dart:35	List<BrandApplicationDto> _applications = const [];
lib/features/brand_sponsors/screens/br01_brand_dashboard_screen.dart:36	List<CampaignDeliverableDto> _deliverables = const [];
lib/features/brand_sponsors/screens/br01_brand_dashboard_screen.dart:38	List<Booking> _productionBookings = const [];
lib/features/brand_sponsors/screens/br01_brand_dashboard_screen.dart:68	List<BrandOpportunityDto> opportunities = const [];
lib/features/brand_sponsors/screens/br01_brand_dashboard_screen.dart:69	List<BrandApplicationDto> applications = const [];
lib/features/brand_sponsors/screens/br01_brand_dashboard_screen.dart:70	List<CampaignDeliverableDto> deliverables = const [];
lib/features/brand_sponsors/screens/br01_brand_dashboard_screen.dart:82	List<Booking> productionBookings = const [];
lib/features/brand_sponsors/screens/br02_brand_profile_screen.dart:41	List<ProfileCity> _cities = const [];
lib/features/brand_sponsors/screens/br02_brand_profile_screen.dart:74	List<ProfileCity> cities = const [];
lib/features/brand_sponsors/screens/br03_opportunity_composer_screen.dart:38	List<BrandOpportunityDto> _opportunities = const [];
lib/features/brand_sponsors/screens/br03_opportunity_composer_screen.dart:177	values: const [
lib/features/brand_sponsors/screens/br04_applications_inbox_screen.dart:28	List<BrandOpportunityDto> _opportunities = const [];
lib/features/brand_sponsors/screens/br04_applications_inbox_screen.dart:29	List<BrandApplicationDto> _applications = const [];
lib/features/brand_sponsors/screens/br04_applications_inbox_screen.dart:55	List<BrandOpportunityDto> opportunities = const [];
lib/features/brand_sponsors/screens/br04_applications_inbox_screen.dart:56	List<BrandApplicationDto> applications = const [];
lib/features/brand_sponsors/screens/br04_applications_inbox_screen.dart:193	values: const [
lib/features/brand_sponsors/screens/br04_applications_inbox_screen.dart:229	values: const [
lib/features/brand_sponsors/screens/br05_negotiation_terms_screen.dart:30	final _advance = TextEditingController(text: '40');
lib/features/brand_sponsors/screens/br05_negotiation_terms_screen.dart:31	final _proofApproval = TextEditingController(text: '40');
lib/features/brand_sponsors/screens/br05_negotiation_terms_screen.dart:32	final _completion = TextEditingController(text: '20');
lib/features/brand_sponsors/screens/br05_negotiation_terms_screen.dart:36	List<BrandApplicationDto> _applications = const [];
lib/features/brand_sponsors/screens/br06_campaign_tracker_screen.dart:28	List<BrandOpportunityDto> _opportunities = const [];
lib/features/brand_sponsors/screens/br06_campaign_tracker_screen.dart:29	List<BrandApplicationDto> _applications = const [];
lib/features/brand_sponsors/screens/br06_campaign_tracker_screen.dart:30	List<CampaignDeliverableDto> _deliverables = const [];
lib/features/brand_sponsors/screens/br06_campaign_tracker_screen.dart:54	List<BrandOpportunityDto> opportunities = const [];
lib/features/brand_sponsors/screens/br06_campaign_tracker_screen.dart:55	List<BrandApplicationDto> applications = const [];
lib/features/brand_sponsors/screens/br06_campaign_tracker_screen.dart:56	List<CampaignDeliverableDto> deliverables = const [];

Source location	Matched declaration / default
lib/features/brand_sponsors/screens/br06_campaign_tracker_screen.dart:200	values: const [
lib/features/brand_sponsors/screens/br06_campaign_tracker_screen.dart:552	values: const [
lib/features/brand_sponsors/screens/br07_payments_records_screen.dart:32	List<LedgerEntryDto> _ledger = const [];
lib/features/brand_sponsors/screens/br07_payments_records_screen.dart:33	List<BrandApplicationDto> _applications = const [];
lib/features/brand_sponsors/screens/br07_payments_records_screen.dart:60	List<BrandApplicationDto> applications = const [];
lib/features/brand_sponsors/screens/br07_payments_records_screen.dart:69	List<LedgerEntryDto> ledger = const [];
lib/features/brand_sponsors/screens/br07_payments_records_screen.dart:213	values: const [
lib/features/brand_sponsors/screens/br07_payments_records_screen.dart:349	static const _payableStatuses = {
lib/features/brand_sponsors/screens/br07_payments_records_screen.dart:355	static const _pendingStatuses = {
lib/features/brand_sponsors/screens/br07_payments_records_screen.dart:360	static const _releasedStatuses = {
lib/features/brand_sponsors/screens/br07_payments_records_screen.dart:366	static const _issueStatuses = {
lib/features/brand_sponsors/screens/br08_brand_projects_screen.dart:34	List<Project> _projects = const [];
lib/features/brand_sponsors/screens/br08_brand_projects_screen.dart:35	List<Booking> _bookings = const [];
lib/features/brand_sponsors/screens/br08_brand_projects_screen.dart:36	List<MarketplaceShortlist> _shortlists = const [];
lib/features/brand_sponsors/screens/br08_brand_projects_screen.dart:37	List<ProfileCity> _cities = const [];
lib/features/brand_sponsors/screens/br08_brand_projects_screen.dart:236	values: const [
lib/features/brand_sponsors/screens/br08_brand_projects_screen.dart:802	values: const [
lib/features/brand_sponsors/screens/br08_brand_projects_screen.dart:927	values: const ['draft', 'active'],
lib/features/brand_sponsors/screens/br08_brand_projects_screen.dart:1044	final quantity = TextEditingController(text: '1');
lib/features/brand_sponsors/screens/br08_brand_projects_screen.dart:1061	values: const [
lib/features/brand_sponsors/screens/br09_brand_marketplace_screen.dart:51	List<Project> _projects = const [];
lib/features/brand_sponsors/screens/br09_brand_marketplace_screen.dart:52	List<DirectorDiscoveryItem> _items = const [];
lib/features/brand_sponsors/screens/br09_brand_marketplace_screen.dart:298	values: const ['All', 'DOP', 'General Crew'],
lib/features/brand_sponsors/screens/br10_brand_shortlists_screen.dart:31	List<Project> _projects = const [];
lib/features/brand_sponsors/screens/br11_brand_bookings_screen.dart:25	List<Booking> _bookings = const [];
lib/features/brand_sponsors/screens/br11_brand_bookings_screen.dart:156	values: const [
lib/features/casting_agency/routes/casting_agency_routes.dart:4	static const home = '/agency';
lib/features/casting_agency/routes/casting_agency_routes.dart:5	static const roster = '/agency/roster';
lib/features/casting_agency/routes/casting_agency_routes.dart:6	static const auditions = '/agency/auditions';
lib/features/casting_agency/routes/casting_agency_routes.dart:7	static const shortlist = '/agency/shortlist';
lib/features/casting_agency/routes/casting_agency_routes.dart:8	static const selfTapes = '/agency/self-tapes';
lib/features/casting_agency/routes/casting_agency_routes.dart:9	static const notes = '/agency/selection-notes';
lib/features/casting_agency/routes/casting_agency_routes.dart:10	static const commission = '/agency/commission';
lib/features/casting_agency/routes/casting_agency_routes.dart:11	static const records = '/agency/records';
lib/features/casting_agency/routes/casting_agency_routes.dart:13	static const primaryNav = [
lib/features/casting_agency/routes/casting_agency_routes.dart:21	static const allRoutes = [
lib/features/casting_agency/screens/ca01_agency_dashboard_screen.dart:136	static const _clockRingWidth = 168.0 * 2 + 14;
lib/features/casting_agency/screens/ca02_talent_roster_screen.dart:183	values: const ['All', 'active', 'pending'],

Source location	Matched declaration / default
lib/features/casting_agency/screens/ca02_talent_roster_screen.dart:192	values: const ['Name', 'Commission'],
lib/features/casting_agency/screens/ca03_audition_request_inbox_screen.dart:253	values: const ['All', 'requested', 'reviewing', 'rejected'],
lib/features/casting_agency/screens/ca03_audition_request_inbox_screen.dart:262	values: const ['Newest', 'Budget'],
lib/features/casting_agency/screens/ca05_self_tape_collection_screen.dart:55	values: const ['All', 'Received', 'Missing'],
lib/features/casting_agency/screens/ca06_selection_notes_screen.dart:59	values: const ['All', 'shortlisted', 'selected', 'rejected'],
lib/features/casting_agency/screens/ca07_commission_records_screen.dart:112	values: const ['All', 'pending', 'paid'],
lib/features/casting_agency/screens/ca08_agency_booking_records_screen.dart:62	values: const ['All', 'pending', 'paid'],
lib/features/crew_services/routes/crew_services_routes.dart:4	static const home = '/crew';
lib/features/crew_services/routes/crew_services_routes.dart:5	static const profile = '/crew/profile';
lib/features/crew_services/routes/crew_services_routes.dart:6	static const portfolio = '/crew/portfolio';
lib/features/crew_services/routes/crew_services_routes.dart:7	static const availability = '/crew/availability';
lib/features/crew_services/routes/crew_services_routes.dart:8	static const requests = '/crew/requests';
lib/features/crew_services/routes/crew_services_routes.dart:9	static const contracts = '/crew/contracts-payments';
lib/features/crew_services/routes/crew_services_routes.dart:10	static const ratings = '/crew/ratings';
lib/features/crew_services/routes/crew_services_routes.dart:11	static const opportunities = '/crew/opportunities';
lib/features/crew_services/routes/crew_services_routes.dart:12	static const opportunityApplicationDetail = '/crew/opportunities/application';
lib/features/crew_services/routes/crew_services_routes.dart:14	static const primaryNav = [
lib/features/crew_services/routes/crew_services_routes.dart:22	static const allRoutes = [
lib/features/crew_services/screens/cr01_crew_dashboard_screen.dart:304	static const _clockRingWidth = 168.0 * 2 + 14;
lib/features/crew_services/screens/cr01_crew_dashboard_screen.dart:305	static const _calendarWidth = 340.0;
lib/features/crew_services/screens/cr01_crew_dashboard_screen.dart:310	static const _sideBySideThreshold = _clockRingWidth + 14 + _calendarWidth;
lib/features/crew_services/screens/cr02_service_profile_screen.dart:42	List<ProfileCity> supportedCities = const [];
lib/features/crew_services/screens/cr05_requests_negotiation_screen.dart:79	values: const [
lib/features/crew_services/screens/cr05_requests_negotiation_screen.dart:274	final reason = TextEditingController(text: 'Not available for these dates');
lib/features/director_producer/data/project_draft_store.dart:10	static const _key = 'cineconnect.create_project.draft';
lib/features/director_producer/models/dp_candidate.dart:41	this.subcategories = const [],
lib/features/director_producer/routes/director_producer_routes.dart:6	static const home = '/director';
lib/features/director_producer/routes/director_producer_routes.dart:7	static const console = '/console';
lib/features/director_producer/routes/director_producer_routes.dart:8	static const projectsAlias = '/projects';
lib/features/director_producer/routes/director_producer_routes.dart:9	static const projects = '/director/projects';
lib/features/director_producer/routes/director_producer_routes.dart:10	static const createProject = '/director/projects/create';
lib/features/director_producer/routes/director_producer_routes.dart:11	static const projectDetail = '/director/projects/:id';
lib/features/director_producer/routes/director_producer_routes.dart:12	static const projectPathPrefix = '/project/';
lib/features/director_producer/routes/director_producer_routes.dart:15	static const requirements = '/director/projects/:id/requirements';
lib/features/director_producer/routes/director_producer_routes.dart:16	static const marketplace = '/director/marketplace';
lib/features/director_producer/routes/director_producer_routes.dart:17	static const discover = '/discover';

Source location	Matched declaration / default
lib/features/director_producer/routes/director_producer_routes.dart:18	static const filters = '/director/marketplace/filters';
lib/features/director_producer/routes/director_producer_routes.dart:19	static const profile = '/director/profile/:id';
lib/features/director_producer/routes/director_producer_routes.dart:20	static const profilePathPrefix = '/profile/';
lib/features/director_producer/routes/director_producer_routes.dart:21	static const shortlist = '/director/shortlist';
lib/features/director_producer/routes/director_producer_routes.dart:22	static const bookingRequest = '/director/booking-request';
lib/features/director_producer/routes/director_producer_routes.dart:23	static const bookingPathPrefix = '/booking/';
lib/features/director_producer/routes/director_producer_routes.dart:24	static const bargaining = '/director/bargaining';
lib/features/director_producer/routes/director_producer_routes.dart:25	static const negotiationThread = '/director/bargaining/:id';
lib/features/director_producer/routes/director_producer_routes.dart:26	static const contracts = '/director/contracts';
lib/features/director_producer/routes/director_producer_routes.dart:27	static const payments = '/director/payments';
lib/features/director_producer/routes/director_producer_routes.dart:28	static const schedule = '/director/schedule';
lib/features/director_producer/routes/director_producer_routes.dart:29	static const accounts = '/director/accounts';
lib/features/director_producer/routes/director_producer_routes.dart:30	static const room = '/director/room';
lib/features/director_producer/routes/director_producer_routes.dart:31	static const reports = '/director/reports';
lib/features/director_producer/routes/director_producer_routes.dart:32	static const cinePlanner = '/director/cineplanner';
lib/features/director_producer/routes/director_producer_routes.dart:34	static const allRoutes = [
lib/features/director_producer/screens/cineplanner_console_screen.dart:28	static const _modules = <_CineModule>[
lib/features/director_producer/screens/cineplanner_console_screen.dart:3157	static const _types = [
lib/features/director_producer/screens/cineplanner_console_screen.dart:3550	this.actions = const [],
lib/features/director_producer/screens/cineplanner_console_screen.dart:3599	this.actions = const [],
lib/features/director_producer/screens/director_producer_portal_screen.dart:44	static const _ownHeaderRoutes = {
lib/features/director_producer/screens/dp_ai_casting_match_sheet.dart:152	static const _categories = ['All', 'Actors', 'Models', 'Influencers'];
lib/features/director_producer/screens/dp_ai_casting_match_sheet.dart:153	static const _cities = [
lib/features/director_producer/screens/dp_ai_casting_match_sheet.dart:162	static const _languages = [
lib/features/director_producer/screens/dp_booking_request_form_screen.dart:55	List<Project> _projects = const [];
lib/features/director_producer/screens/dp_booking_request_form_screen.dart:56	List<ProjectRequirement> _requirements = const [];
lib/features/director_producer/screens/dp_booking_request_form_screen.dart:64	final _deposit = TextEditingController(text: '30');
lib/features/director_producer/screens/dp_booking_request_form_screen.dart:65	final _middle = TextEditingController(text: '40');
lib/features/director_producer/screens/dp_booking_request_form_screen.dart:66	final _final = TextEditingController(text: '30');
lib/features/director_producer/screens/dp_booking_request_form_screen.dart:70	final _expiry = TextEditingController(text: '72');
lib/features/director_producer/screens/dp_home_dashboard_screen.dart:581	static const _categories = <String>[
lib/features/director_producer/screens/dp_negotiation_thread_screen.dart:37	final _rate = TextEditingController(text: '275000');
lib/features/director_producer/screens/dp_negotiation_thread_screen.dart:38	final _schedule = TextEditingController(text: '30% / 40% / 30%');
lib/features/director_producer/screens/dp_payment_center_screen.dart:158	values: const ['Ledger', 'Timeline', 'History'],
lib/features/director_producer/screens/dp_project_detail_screen.dart:59	static const _tabs = [

Source location	Matched declaration / default
lib/features/director_producer/screens/dp_project_detail_screen.dart:2667	final _role = TextEditingController(text: 'Co-producer');
lib/features/director_producer/screens/dp_project_room_screen.dart:32	List<Project> _projects = const [];
lib/features/director_producer/screens/dp_requirement_builder_screen.dart:36	final _quantity = TextEditingController(text: '1');
lib/features/director_producer/widgets/dashboard/dp_activity_feed.dart:14	const DPActivityFeed({super.key, this.items = const []});
lib/features/director_producer/widgets/dashboard/dp_mini_calendar_section.dart:60	this.addPlanProjects = const [],
lib/features/director_producer/widgets/dashboard/dp_mini_calendar_section.dart:186	static const _eventTypes = [
lib/features/director_producer/widgets/dp_booking_status_spine.dart:14	static const statuses = [
lib/features/director_producer/widgets/dp_milestone_board.dart:77	static const columns = ['Due', 'Proof Uploaded', 'Verified', 'Rejected'];
lib/features/director_producer/widgets/dp_shell.dart:51	static const navItems = [
lib/features/director_producer/widgets/dp_shell.dart:640	static const _destinations = [
lib/features/distribution_partner/routes/distribution_partner_routes.dart:4	static const home = '/distribution';
lib/features/distribution_partner/routes/distribution_partner_routes.dart:5	static const contacts = '/distribution/contacts';
lib/features/distribution_partner/routes/distribution_partner_routes.dart:6	static const release = '/distribution/release';
lib/features/distribution_partner/routes/distribution_partner_routes.dart:7	static const reports = '/distribution/reports';
lib/features/distribution_partner/routes/distribution_partner_routes.dart:9	static const primaryNav = [
lib/features/distribution_partner/routes/distribution_partner_routes.dart:16	static const allRoutes = [
lib/features/distribution_partner/screens/ds02_distributor_contacts_screen.dart:61	values: const ['All', 'cinema', 'ott', 'tv'],
lib/features/general_public/routes/general_public_routes.dart:6	static const home = '/public';
lib/features/general_public/routes/general_public_routes.dart:7	static const cinema = '/public/cinema';
lib/features/general_public/routes/general_public_routes.dart:8	static const browse = '/public/browse';
lib/features/general_public/routes/general_public_routes.dart:9	static const actors = '/public/actors';
lib/features/general_public/routes/general_public_routes.dart:10	static const models = '/public/models';
lib/features/general_public/routes/general_public_routes.dart:11	static const influencers = '/public/influencers';
lib/features/general_public/routes/general_public_routes.dart:12	static const profile = '/public/profile/:id';
lib/features/general_public/routes/general_public_routes.dart:13	static const bookingRequest = '/public/booking-request';
lib/features/general_public/routes/general_public_routes.dart:14	static const requests = '/public/requests';
lib/features/general_public/routes/general_public_routes.dart:15	static const contracts = '/public/contracts';
lib/features/general_public/routes/general_public_routes.dart:16	static const payments = '/public/payments';
lib/features/general_public/routes/general_public_routes.dart:17	static const account = '/public/account';
lib/features/general_public/routes/general_public_routes.dart:19	static const allRoutes = [
lib/features/general_public/screens/general_public_cinema_screen.dart:319	values: const ['all', 'trailer', 'ost'],
lib/features/general_public/screens/general_public_portal_screen.dart:44	static const _ownHeaderRoutes = {
lib/features/general_public/screens/general_public_portal_screen.dart:125	static const navItems = [
lib/features/general_public/screens/general_public_portal_screen.dart:821	static const _destinations = [
lib/features/influencer/routes/influencer_routes.dart:4	static const home = '/influencer';
lib/features/influencer/routes/influencer_routes.dart:5	static const mediaKit = '/influencer/media-kit';

Source location	Matched declaration / default
lib/features/influencer/routes/influencer_routes.dart:6	static const packages = '/influencer/packages';
lib/features/influencer/routes/influencer_routes.dart:7	static const campaigns = '/influencer/campaigns';
lib/features/influencer/routes/influencer_routes.dart:8	static const analytics = '/influencer/analytics';
lib/features/influencer/routes/influencer_routes.dart:9	static const portfolio = '/influencer/portfolio';
lib/features/influencer/routes/influencer_routes.dart:10	static const calendar = '/influencer/calendar';
lib/features/influencer/routes/influencer_routes.dart:11	static const contracts = '/influencer/contracts';
lib/features/influencer/routes/influencer_routes.dart:12	static const earnings = '/influencer/earnings';
lib/features/influencer/routes/influencer_routes.dart:13	static const reviews = '/influencer/reviews';
lib/features/influencer/routes/influencer_routes.dart:14	static const safety = '/influencer/safety';
lib/features/influencer/routes/influencer_routes.dart:16	static const primaryNav = [
lib/features/influencer/routes/influencer_routes.dart:24	static const allRoutes = [
lib/features/insurance_partner/routes/insurance_partner_routes.dart:4	static const home = '/insurance';
lib/features/insurance_partner/routes/insurance_partner_routes.dart:5	static const records = '/insurance/records';
lib/features/insurance_partner/routes/insurance_partner_routes.dart:6	static const claims = '/insurance/claims';
lib/features/insurance_partner/routes/insurance_partner_routes.dart:7	static const safety = '/insurance/safety-permits';
lib/features/insurance_partner/routes/insurance_partner_routes.dart:8	static const incidents = '/insurance/incidents';
lib/features/insurance_partner/routes/insurance_partner_routes.dart:10	static const primaryNav = [
lib/features/insurance_partner/routes/insurance_partner_routes.dart:18	static const allRoutes = [
lib/features/legal_partner/routes/legal_partner_routes.dart:4	static const home = '/legal';
lib/features/legal_partner/routes/legal_partner_routes.dart:5	static const contractReview = '/legal/contract-review';
lib/features/legal_partner/routes/legal_partner_routes.dart:6	static const templateReview = '/legal/template-review';
lib/features/legal_partner/routes/legal_partner_routes.dart:7	static const addendumReview = '/legal/addendum-review';
lib/features/legal_partner/routes/legal_partner_routes.dart:8	static const billing = '/legal/history-billing';
lib/features/legal_partner/routes/legal_partner_routes.dart:10	static const primaryNav = [
lib/features/legal_partner/routes/legal_partner_routes.dart:18	static const allRoutes = [
lib/features/location_owner/routes/location_owner_routes.dart:4	static const home = '/location-owner';
lib/features/location_owner/routes/location_owner_routes.dart:5	static const listing = '/location-owner/listing-wizard';
lib/features/location_owner/routes/location_owner_routes.dart:6	static const calendar = '/location-owner/availability';
lib/features/location_owner/routes/location_owner_routes.dart:7	static const pricing = '/location-owner/pricing';
lib/features/location_owner/routes/location_owner_routes.dart:8	static const rules = '/location-owner/rules';
lib/features/location_owner/routes/location_owner_routes.dart:9	static const requests = '/location-owner/requests';
lib/features/location_owner/routes/location_owner_routes.dart:10	static const checkIn = '/location-owner/check-in';
lib/features/location_owner/routes/location_owner_routes.dart:11	static const checkOut = '/location-owner/check-out';
lib/features/location_owner/routes/location_owner_routes.dart:12	static const earnings = '/location-owner/earnings';
lib/features/location_owner/routes/location_owner_routes.dart:13	static const performance = '/location-owner/performance';
lib/features/location_owner/routes/location_owner_routes.dart:14	static const profile = '/location-owner/profile';
lib/features/location_owner/routes/location_owner_routes.dart:15	static const portfolio = '/location-owner/portfolio';
lib/features/location_owner/routes/location_owner_routes.dart:16	static const opportunities = '/location-owner/opportunities';

Source location	Matched declaration / default
lib/features/location_owner/routes/location_owner_routes.dart:17	static const opportunityApplicationDetail =
lib/features/location_owner/routes/location_owner_routes.dart:20	static const primaryNav = [
lib/features/location_owner/routes/location_owner_routes.dart:27	static const allRoutes = [
lib/features/location_owner/screens/lo02_location_listing_wizard_screen.dart:332	values: const [
lib/features/location_owner/screens/lo03_availability_calendar_screen.dart:28	List<AvailabilityEntry> _entries = const [];
lib/features/location_owner/screens/lo04_pricing_deposit_screen.dart:29	List<_RateDraft> _rates = const [];
lib/features/location_owner/screens/lo05_rules_restrictions_screen.dart:29	List<_RuleDraft> _rules = const [];
lib/features/location_owner/screens/lo06_booking_requests_screen.dart:446	values: const [
lib/features/location_owner/screens/lo06_booking_requests_screen.dart:461	values: const ['Newest', 'Fee'],
lib/features/location_owner/screens/lo09_earnings_deposits_screen.dart:163	values: const [
lib/features/location_owner/screens/lo10_property_performance_screen.dart:134	values: const ['7 days', '30 days', '90 days'],
lib/features/location_owner/screens/lo11_owner_profile_screen.dart:41	List<ProfileCity> supportedCities = const [];
lib/features/media_equipment/routes/media_equipment_routes.dart:4	static const home = '/equipment-provider';
lib/features/media_equipment/routes/media_equipment_routes.dart:5	static const profile = '/equipment-provider/profile';
lib/features/media_equipment/routes/media_equipment_routes.dart:6	static const inventory = '/equipment-provider/inventory';
lib/features/media_equipment/routes/media_equipment_routes.dart:7	static const packages = '/equipment-provider/packages';
lib/features/media_equipment/routes/media_equipment_routes.dart:8	static const availability = '/equipment-provider/availability';
lib/features/media_equipment/routes/media_equipment_routes.dart:9	static const terms = '/equipment-provider/terms';
lib/features/media_equipment/routes/media_equipment_routes.dart:10	static const requests = '/equipment-provider/requests';
lib/features/media_equipment/routes/media_equipment_routes.dart:11	static const handover = '/equipment-provider/handover';
lib/features/media_equipment/routes/media_equipment_routes.dart:12	static const returns = '/equipment-provider/return';
lib/features/media_equipment/routes/media_equipment_routes.dart:13	static const earnings = '/equipment-provider/earnings';
lib/features/media_equipment/routes/media_equipment_routes.dart:14	static const portfolio = '/equipment-provider/portfolio';
lib/features/media_equipment/routes/media_equipment_routes.dart:15	static const opportunities = '/equipment-provider/opportunities';
lib/features/media_equipment/routes/media_equipment_routes.dart:16	static const opportunityApplicationDetail =
lib/features/media_equipment/routes/media_equipment_routes.dart:19	static const primaryNav = [
lib/features/media_equipment/routes/media_equipment_routes.dart:27	static const allRoutes = [
lib/features/media_equipment/screens/me03_inventory_manager_screen.dart:62	values: const [
lib/features/media_equipment/screens/me03_inventory_manager_screen.dart:79	values: const ['Category', 'Rate'],
lib/features/media_equipment/screens/me05_availability_calendar_screen.dart:169	values: const [
lib/features/media_equipment/screens/me07_booking_requests_screen.dart:70	values: const [
lib/features/media_equipment/screens/me07_booking_requests_screen.dart:258	final reason = TextEditingController(text: 'Inventory unavailable');
lib/features/media_equipment/screens/me10_earnings_ratings_screen.dart:208	values: const [
lib/features/model_extension/routes/model_extension_routes.dart:4	static const categories = '/model';
lib/features/model_extension/routes/model_extension_routes.dart:5	static const usageRights = '/model/usage-rights';

Source location	Matched declaration / default
lib/features/model_extension/routes/model_extension_routes.dart:6	static const portfolio = '/model/portfolio-categories';
lib/features/model_extension/routes/model_extension_routes.dart:7	static const rateByUsage = '/model/rate-by-usage';
lib/features/model_extension/routes/model_extension_routes.dart:8	static const brandSafety = '/model/brand-safety';
lib/features/model_extension/routes/model_extension_routes.dart:9	static const profile = '/model/profile';
lib/features/model_extension/routes/model_extension_routes.dart:10	static const opportunities = '/model/opportunities';
lib/features/model_extension/routes/model_extension_routes.dart:11	static const opportunityApplicationDetail =
lib/features/model_extension/routes/model_extension_routes.dart:14	static const primaryNav = [
lib/features/model_extension/routes/model_extension_routes.dart:22	static const allRoutes = [
lib/features/model_extension/screens/md01_campaign_categories_screen.dart:28	List<_CategoryDraft> _categories = const [];
lib/features/model_extension/screens/md01_campaign_categories_screen.dart:286	_categories = const [];
lib/features/model_extension/screens/md01_campaign_categories_screen.dart:304	_categories = const [];
lib/features/model_extension/screens/md02_usage_rights_screen.dart:154	final territory = TextEditingController(text: 'Pakistan');
lib/features/model_extension/screens/md02_usage_rights_screen.dart:155	final months = TextEditingController(text: '6');
lib/features/model_extension/screens/md05_brand_safety_screen.dart:21	List<_RestrictionDraft> _restricted = const [];
lib/features/model_extension/screens/md05_brand_safety_screen.dart:298	_restricted = const [];
lib/features/model_extension/screens/md06_model_profile_screen.dart:45	List<ProfileCity> supportedCities = const [];
lib/features/role_portals/models/role_portal_models.dart:102	this.filters = const [],
lib/features/role_portals/models/role_portal_models.dart:103	this.formFields = const [],
lib/features/role_portals/routes/role_portal_routes.dart:4	static const talentHome = '/talent';
lib/features/role_portals/routes/role_portal_routes.dart:5	static const talentProfile = '/talent/profile';
lib/features/role_portals/routes/role_portal_routes.dart:6	static const talentPortfolio = '/talent/portfolio';
lib/features/role_portals/routes/role_portal_routes.dart:7	static const talentAvailability = '/talent/availability';
lib/features/role_portals/routes/role_portal_routes.dart:8	static const talentRates = '/talent/rates';
lib/features/role_portals/routes/role_portal_routes.dart:9	static const talentOpportunities = '/talent/opportunities';
lib/features/role_portals/routes/role_portal_routes.dart:10	static const talentOfferDetail = '/talent/offers/:id';
lib/features/role_portals/routes/role_portal_routes.dart:11	static const talentCounteroffer = '/talent/counteroffer';
lib/features/role_portals/routes/role_portal_routes.dart:12	static const talentContracts = '/talent/contracts';
lib/features/role_portals/routes/role_portal_routes.dart:13	static const talentEarnings = '/talent/earnings';
lib/features/role_portals/routes/role_portal_routes.dart:14	static const talentReputation = '/talent/reputation';
lib/features/role_portals/routes/role_portal_routes.dart:15	static const talentSafety = '/talent/safety';
lib/features/role_portals/routes/role_portal_routes.dart:17	static const modelHome = '/model';
lib/features/role_portals/routes/role_portal_routes.dart:18	static const modelUsageRights = '/model/usage-rights';
lib/features/role_portals/routes/role_portal_routes.dart:19	static const modelPortfolio = '/model/portfolio-categories';
lib/features/role_portals/routes/role_portal_routes.dart:20	static const modelRateUsage = '/model/rate-by-usage';
lib/features/role_portals/routes/role_portal_routes.dart:21	static const modelBrandSafety = '/model/brand-safety';
lib/features/role_portals/routes/role_portal_routes.dart:23	static const locationHome = '/location-owner';

Source location	Matched declaration / default
lib/features/role_portals/routes/role_portal_routes.dart:24	static const locationListing = '/location-owner/listing-wizard';
lib/features/role_portals/routes/role_portal_routes.dart:25	static const locationAvailability = '/location-owner/availability';
lib/features/role_portals/routes/role_portal_routes.dart:26	static const locationPricing = '/location-owner/pricing';
lib/features/role_portals/routes/role_portal_routes.dart:27	static const locationRules = '/location-owner/rules';
lib/features/role_portals/routes/role_portal_routes.dart:28	static const locationRequests = '/location-owner/requests';
lib/features/role_portals/routes/role_portal_routes.dart:29	static const locationCheckIn = '/location-owner/check-in';
lib/features/role_portals/routes/role_portal_routes.dart:30	static const locationCheckOut = '/location-owner/check-out';
lib/features/role_portals/routes/role_portal_routes.dart:31	static const locationEarnings = '/location-owner/earnings';
lib/features/role_portals/routes/role_portal_routes.dart:32	static const locationPerformance = '/location-owner/performance';
lib/features/role_portals/routes/role_portal_routes.dart:34	static const equipmentHome = '/equipment-provider';
lib/features/role_portals/routes/role_portal_routes.dart:35	static const equipmentProfile = '/equipment-provider/profile';
lib/features/role_portals/routes/role_portal_routes.dart:36	static const equipmentInventory = '/equipment-provider/inventory';
lib/features/role_portals/routes/role_portal_routes.dart:37	static const equipmentPackages = '/equipment-provider/packages';
lib/features/role_portals/routes/role_portal_routes.dart:38	static const equipmentAvailability = '/equipment-provider/availability';
lib/features/role_portals/routes/role_portal_routes.dart:39	static const equipmentTerms = '/equipment-provider/terms';
lib/features/role_portals/routes/role_portal_routes.dart:40	static const equipmentRequests = '/equipment-provider/requests';
lib/features/role_portals/routes/role_portal_routes.dart:41	static const equipmentHandover = '/equipment-provider/handover';
lib/features/role_portals/routes/role_portal_routes.dart:42	static const equipmentReturn = '/equipment-provider/return';
lib/features/role_portals/routes/role_portal_routes.dart:43	static const equipmentEarnings = '/equipment-provider/earnings';
lib/features/role_portals/routes/role_portal_routes.dart:45	static const crewHome = '/crew';
lib/features/role_portals/routes/role_portal_routes.dart:46	static const crewProfile = '/crew/profile';
lib/features/role_portals/routes/role_portal_routes.dart:47	static const crewPortfolio = '/crew/portfolio';
lib/features/role_portals/routes/role_portal_routes.dart:48	static const crewAvailability = '/crew/availability';
lib/features/role_portals/routes/role_portal_routes.dart:49	static const crewRequests = '/crew/requests';
lib/features/role_portals/routes/role_portal_routes.dart:50	static const crewContracts = '/crew/contracts-payments';
lib/features/role_portals/routes/role_portal_routes.dart:51	static const crewRatings = '/crew/ratings';
lib/features/role_portals/routes/role_portal_routes.dart:53	static const agencyHome = '/agency';
lib/features/role_portals/routes/role_portal_routes.dart:54	static const agencyRoster = '/agency/roster';
lib/features/role_portals/routes/role_portal_routes.dart:55	static const agencyAuditions = '/agency/auditions';
lib/features/role_portals/routes/role_portal_routes.dart:56	static const agencyShortlist = '/agency/shortlist';
lib/features/role_portals/routes/role_portal_routes.dart:57	static const agencySelfTapes = '/agency/self-tapes';
lib/features/role_portals/routes/role_portal_routes.dart:58	static const agencyNotes = '/agency/selection-notes';
lib/features/role_portals/routes/role_portal_routes.dart:59	static const agencyCommission = '/agency/commission';
lib/features/role_portals/routes/role_portal_routes.dart:60	static const agencyRecords = '/agency/records';
lib/features/role_portals/routes/role_portal_routes.dart:62	static const brandHome = '/brand';
lib/features/role_portals/routes/role_portal_routes.dart:63	static const brandProfile = '/brand/profile';
lib/features/role_portals/routes/role_portal_routes.dart:64	static const brandComposer = '/brand/opportunity-composer';
lib/features/role_portals/routes/role_portal_routes.dart:65	static const brandApplications = '/brand/applications';

Source location	Matched declaration / default
lib/features/role_portals/routes/role_portal_routes.dart:66	static const brandNegotiation = '/brand/negotiation';
lib/features/role_portals/routes/role_portal_routes.dart:67	static const brandTracker = '/brand/campaign-tracker';
lib/features/role_portals/routes/role_portal_routes.dart:68	static const brandPayments = '/brand/payments';
lib/features/role_portals/routes/role_portal_routes.dart:70	static const legalHome = '/legal';
lib/features/role_portals/routes/role_portal_routes.dart:71	static const legalContractReview = '/legal/contract-review';
lib/features/role_portals/routes/role_portal_routes.dart:72	static const legalTemplateReview = '/legal/template-review';
lib/features/role_portals/routes/role_portal_routes.dart:73	static const legalAddendumReview = '/legal/addendum-review';
lib/features/role_portals/routes/role_portal_routes.dart:74	static const legalBilling = '/legal/history-billing';
lib/features/role_portals/routes/role_portal_routes.dart:76	static const insuranceHome = '/insurance';
lib/features/role_portals/routes/role_portal_routes.dart:77	static const insuranceRecords = '/insurance/records';
lib/features/role_portals/routes/role_portal_routes.dart:78	static const insuranceClaims = '/insurance/claims';
lib/features/role_portals/routes/role_portal_routes.dart:79	static const insuranceSafety = '/insurance/safety-permits';
lib/features/role_portals/routes/role_portal_routes.dart:80	static const insuranceIncidents = '/insurance/incidents';
lib/features/role_portals/routes/role_portal_routes.dart:82	static const distributionHome = '/distribution';
lib/features/role_portals/routes/role_portal_routes.dart:83	static const distributionContacts = '/distribution/contacts';
lib/features/role_portals/routes/role_portal_routes.dart:84	static const distributionRelease = '/distribution/release';
lib/features/role_portals/routes/role_portal_routes.dart:85	static const distributionReports = '/distribution/reports';
lib/features/role_portals/routes/role_portal_routes.dart:87	static const allRoutes = [
lib/features/super_admin/routes/super_admin_routes.dart:6	static const loginDemo = '/admin/login-demo';
lib/features/super_admin/routes/super_admin_routes.dart:7	static const dashboard = '/admin/dashboard';
lib/features/super_admin/routes/super_admin_routes.dart:8	static const reviewHub = '/admin/review-hub';
lib/features/super_admin/routes/super_admin_routes.dart:9	static const reviewHubPeople = '/admin/review-hub/people';
lib/features/super_admin/routes/super_admin_routes.dart:10	static const reviewHubListings = '/admin/review-hub/listings';
lib/features/super_admin/routes/super_admin_routes.dart:11	static const reviewHubContent = '/admin/review-hub/content';
lib/features/super_admin/routes/super_admin_routes.dart:12	static const verifications = '/admin/verifications';
lib/features/super_admin/routes/super_admin_routes.dart:13	static const verificationDetail = '/admin/verifications/:id';
lib/features/super_admin/routes/super_admin_routes.dart:14	static const contentModeration = '/admin/content-moderation';
lib/features/super_admin/routes/super_admin_routes.dart:15	static const listingsModeration = '/admin/listings-moderation';
lib/features/super_admin/routes/super_admin_routes.dart:16	static const bookingsMonitor = '/admin/bookings-monitor';
lib/features/super_admin/routes/super_admin_routes.dart:17	static const bookingDetail = '/admin/bookings-monitor/:id';
lib/features/super_admin/routes/super_admin_routes.dart:18	static const payments = '/admin/payments';
lib/features/super_admin/routes/super_admin_routes.dart:19	static const paymentQueue = '/admin/payment-queue';
lib/features/super_admin/routes/super_admin_routes.dart:20	static const paymentReview = '/admin/payment-review/:id';
lib/features/super_admin/routes/super_admin_routes.dart:21	static const paymentLedger = '/admin/payments/ledger';
lib/features/super_admin/routes/super_admin_routes.dart:22	static const paymentRevenue = '/admin/payments/revenue';
lib/features/super_admin/routes/super_admin_routes.dart:23	static const contractTemplates = '/admin/contract-templates';
lib/features/super_admin/routes/super_admin_routes.dart:24	static const contractTemplateDetail = '/admin/contract-templates/:id';
lib/features/super_admin/routes/super_admin_routes.dart:25	static const fees = '/admin/fees';

Source location	Matched declaration / default
lib/features/super_admin/routes/super_admin_routes.dart:26	static const disputes = '/admin/disputes';
lib/features/super_admin/routes/super_admin_routes.dart:27	static const disputeCase = '/admin/disputes/:id';
lib/features/super_admin/routes/super_admin_routes.dart:28	static const users = '/admin/users';
lib/features/super_admin/routes/super_admin_routes.dart:29	static const adminRoles = '/admin/admin-roles';
lib/features/super_admin/routes/super_admin_routes.dart:30	static const support = '/admin/support';
lib/features/super_admin/routes/super_admin_routes.dart:31	static const broadcasts = '/admin/broadcasts';
lib/features/super_admin/routes/super_admin_routes.dart:32	static const auditLogs = '/admin/audit-logs';
lib/features/super_admin/routes/super_admin_routes.dart:33	static const analytics = '/admin/analytics';
lib/features/super_admin/routes/super_admin_routes.dart:41	static const allRoutes = [
lib/features/super_admin/screens/admin_portal/admin_roles_permissions_screen.dart:18	static const _adminCodes = {
lib/features/super_admin/screens/admin_portal/broadcast_announcements_screen.dart:13	final _title = TextEditingController(text: 'Payment verification update');
lib/features/super_admin/screens/admin_portal/contract_template_manager_screen.dart:364	final category = TextEditingController(text: 'general');
lib/features/super_admin/screens/admin_portal/kyc_review_detail_screen.dart:305	final checks = const [
lib/features/super_admin/screens/admin_portal/payments_hub_screen.dart:259	static const _toneByStatus = {
lib/features/super_admin/screens/admin_portal/payments_hub_screen.dart:270	static const _statusLabel = {
lib/features/super_admin/screens/admin_portal/receipts_ledger_admin_screen.dart:16	static const _filters = [
lib/features/super_admin/widgets/admin_widgets.dart:593	static const _destinations = [
lib/models/talent.dart:25	this.tags = const [],
lib/models/talent.dart:32	static const featured = Talent(
lib/models/talent.dart:43	static const carousel = <Talent>[
lib/screens/dashboard_screen.dart:34	final _categories = const [
lib/screens/dashboard_screen.dart:42	final _tabs = const [
lib/shared/cards/cine_card_system.dart:1780	this.metadata = const [],
lib/shared/dashboard/portal_command_center.dart:31	this.actions = const [],
lib/shared/entity_profile/entity_reveal.dart:17	static const Duration _stepGap = Duration(milliseconds: 90);
lib/shared/entity_profile/entity_reveal.dart:18	static const Duration _duration = Duration(milliseconds: 520);
lib/shared/layout/portal_reference_design.dart:26	static const _dashboardRoutes = <String>{
lib/shared/layout/portal_reference_design.dart:228	static const _layoutOverrides = <String, PortalBodyLayout>{
lib/shared/marketplace/marketplace_preferences.dart:4	static const _prefix = 'cineconnect.marketplace.view.';
lib/shared/marketplace/marketplace_routes.dart:4	static const browse = '/marketplace';
lib/shared/marketplace/marketplace_routes.dart:5	static const profile = '/marketplace/profile';
lib/shared/widgets/cinematic_cursor.dart:25	static const _trailCount = 4;
lib/shared/widgets/featured_talent_card.dart:17	static const double _radius = 22;
lib/shared/widgets/featured_talent_card.dart:18	static const double _borderWidth = 1;
lib/shared/widgets/featured_talent_card.dart:2353	static const Color backgroundBlack = Color(0xFF050607);

Source location	Matched declaration / default
lib/shared/widgets/featured_talent_card.dart:2354	static const Color cardBlack = Color(0xFF0B0F12);
lib/shared/widgets/featured_talent_card.dart:2355	static const Color cardGlass = Color(0xCC101418);
lib/shared/widgets/featured_talent_card.dart:2356	static const Color goldLight = Color(0xFFF4C76A);
lib/shared/widgets/featured_talent_card.dart:2357	static const Color goldDark = Color(0xFFC88A1E);
lib/shared/widgets/featured_talent_card.dart:2358	static const Color mutedText = Color(0xFFAAA39A);
lib/shared/widgets/featured_talent_card.dart:2359	static const Color whiteText = Color(0xFFF7F3EA);
lib/shared/widgets/featured_talent_card.dart:2360	static const Color cream = Color(0xFFFFE7A3);
lib/shared/widgets/featured_talent_card.dart:2361	static const Color borderGrey = Color(0xFF2A2D30);
lib/shared/widgets/featured_talent_card.dart:2362	static const Color green = Color(0xFF20D37A);
lib/shared/widgets/featured_talent_card.dart:2363	static const Color blue = Color(0xFF5AA9FF);
lib/shared/widgets/featured_talent_card.dart:2364	static const Color purple = Color(0xFFC078FF);
lib/shared/widgets/featured_talent_card.dart:2365	static const Color textDim = Color(0xFF756F68);
lib/shared/widgets/featured_talent_card.dart:2367	static const LinearGradient cardGradient = LinearGradient(
lib/shared/widgets/featured_talent_card.dart:2379	static const LinearGradient goldStrokeGradient = LinearGradient(
lib/shared/widgets/featured_talent_card.dart:2391	static const LinearGradient goldButtonGradient = LinearGradient(
lib/shared/widgets/talent_card.dart:301	final shadow = const [
lib/shared/widgets/talent_card.dart:396	static const Color glassBorder = Color(0xFF252A2F);
lib/shared/widgets/talent_card.dart:397	static const Color goldLight = Color(0xFFF4C76A);
lib/shared/widgets/talent_card.dart:398	static const Color whiteText = Color(0xFFF7F3EA);
lib/shared/widgets/talent_card.dart:399	static const Color mutedText = Color(0xFF9E9992);
lib/shared/widgets/talent_profile_showcase.dart:44	this.highlights = const [],
lib/shared/widgets/talent_profile_showcase.dart:45	this.actions = const [],
lib/shared/widgets/talent_profile_showcase.dart:579	final ratio = const [1.15, 0.85, 1.0, 0.72][index % 4];

Appendix E. Marker triage and embedded evidence

These 71 marker lines include ordinary placeholder imagery, error text, comments, demo-specific presentation and inactive definitions. They are not automatically failures. Confirmed runtime cases are described in the findings; the marker list is retained for reproducibility.

Source location	Matched marker line
lib/core/auth/auth_controller.dart:234	Future<UploadedFile> completeDemoUpload({
lib/core/core_contract/screens/contract_viewer_screen.dart:36	Comment: // Contract identifiers are opaque server values. Production demo records use
lib/core/core_contract/screens/contract_viewer_screen.dart:37	Comment: // `DEMO-CTR-*`, while user-created records may use a different prefix; the
lib/core/core_contract/screens/contract_viewer_screen.dart:223	'CineConnect could not load this live contract. No demo contract is being substituted.',
lib/core/core_safety/screens/report_block_screen.dart:37	'Fake offer',
lib/core/core_safety/screens/report_block_screen.dart:39	'Fake profile',
lib/core/core_safety/screens/report_block_screen.dart:104	'Fake offer' || 'Fake profile' => 'spam',
lib/core/core_safety/screens/report_block_screen.dart:178	'Report fake offers, harassment, payment issues or unsafe behavior.',
lib/core/core_settings/screens/settings_account_screen.dart:359	subtitle: 'WhatsApp delivery is not configured yet.',
lib/core/core_settings/screens/settings_account_screen.dart:383	subtitle: 'Portfolio-level control is not available yet.',
lib/core/core_settings/screens/settings_account_screen.dart:405	subtitle: 'Device biometric sign-in is not configured yet.',
lib/core/core_settings/screens/settings_account_screen.dart:412	subtitle: 'Two-factor enrollment is not available yet.',
lib/core/core_ui/core_routes.dart:574	message: 'This CineConnect screen is not available yet.',
lib/core/core_ui/core_routes.dart:841	Comment: /// Guards deep-link id segments against the literal `:id` placeholder -
lib/core/core_ui/mock_data/shared_mock_data.dart:6	class SharedMockData {
lib/core/core_ui/mock_data/shared_mock_data.dart:7	SharedMockData._();
lib/core/core_ui/screens/auth_screens.dart:169	String _city = SharedMockData.cities.first;
lib/core/core_ui/screens/auth_screens.dart:366	values: SharedMockData.cities,
lib/core/core_ui/screens/role_selection_screen.dart:35	return SharedMockData.roles;
lib/core/core_ui/screens/role_selection_screen.dart:40	final fallback = SharedMockData.roles.where(
lib/core/core_ui/screens/role_selection_screen.dart:70	final roles = snapshot.data ?? SharedMockData.roles;
lib/core/core_ui/screens/verification_screens.dart:469	final documents = SharedMockData.roleDocuments(widget.selectedRole);
lib/core/payments/payment_models.dart:347	provider: json['provider'] as String? ?? 'sandbox',
lib/core/payments/payments_controller.dart:77	provider: 'sandbox',
lib/core/payments/payments_controller.dart:79	accountMasked: 'SANDBOX-****-0001',
lib/core/payments/payments_controller.dart:80	accountToken: 'sandbox-token-0001',
lib/core/theme/app_colors.dart:8	Comment: /// portrait placeholder).
lib/features/actor_talent/screens/at01_talent_dashboard_screen.dart:743	Comment: /// actions sections, no fabricated sample events.
lib/features/actor_talent/screens/at04_availability_calendar_screen.dart:170	'No dummy city/radius values are shown. Connect profile travel preferences when the backend exposes them.',
lib/features/actor_talent/screens/at08_counteroffer_composer_screen.dart:78	'Counteroffers require a server booking ID. No local draft or fake offer is shown.',
lib/features/brand_sponsors/screens/br01_brand_dashboard_screen.dart:212	BrandDemoJourneyCard(

Source location	Matched marker line
lib/features/brand_sponsors/screens/br02_brand_profile_screen.dart:331	value: _auth?.user?.email ?? 'Not available',
lib/features/brand_sponsors/widgets/brand_demo_journey.dart:11	const brandDemoProjectId = 'DEMO-BRAND-PRJ-001';
lib/features/brand_sponsors/widgets/brand_demo_journey.dart:16	'brand01@demo.cine.nalexustechnologies.com';
lib/features/brand_sponsors/widgets/brand_demo_journey.dart:33	class BrandDemoJourneyCard extends StatelessWidget {
lib/features/brand_sponsors/widgets/brand_demo_journey.dart:40	const BrandDemoJourneyCard({
lib/features/brand_sponsors/widgets/brand_demo_journey.dart:105	id: 'brand:demo:journey',
lib/features/brand_sponsors/widgets/brand_demo_journey.dart:107	key: const ValueKey('brand-demo-project-journey'),
lib/features/brand_sponsors/widgets/brand_demo_journey.dart:169	key: const ValueKey('brand-demo-journey-play'),
lib/features/crew_services/screens/cr01_crew_dashboard_screen.dart:414	Comment: /// fabricated/sample data.
lib/features/crew_services/screens/cr05_requests_negotiation_screen.dart:274	final reason = TextEditingController(text: 'Not available for these dates');
lib/features/crew_services/widgets/crew_full_walkthrough_steps.dart:124	'Up to three video clips - reels, behind-the-scenes footage, or sample work - give directors the clearest sense of your actual output.',
lib/features/director_producer/screens/dp_booking_request_form_screen.dart:106	message: 'Projects are not available in this session.',
lib/features/director_producer/widgets/dashboard/dp_mini_calendar_section.dart:26	Comment: /// no fabricated/sample data.
lib/features/director_producer/widgets/dashboard/dp_pulse_strip.dart:11	Comment: /// computed live from demo-data state.
lib/features/director_producer/widgets/dp_project_console_widgets.dart:1317	? 'Not configured'
lib/features/distribution_partner/screens/ds04_performance_reporting_screen.dart:337	'Exports are disabled until the backend exposes a real statement export endpoint.',
lib/features/general_public/screens/general_public_cinema_screen.dart:47	message: 'Project service is not available in this session.',
lib/features/general_public/screens/general_public_portal_screen.dart:355	message: 'Booking service is not available in this session.',
lib/features/location_owner/screens/lo09_earnings_deposits_screen.dart:242	_addingAccount ? null : () => _addSandboxAccount(),
lib/features/location_owner/screens/lo09_earnings_deposits_screen.dart:286	Future<void> _addSandboxAccount() async {
lib/features/location_owner/widgets/location_full_walkthrough_steps.dart:322	'Add a payout account before earnings can be released to you - use the sandbox account here while testing the flow end to end.',
lib/features/media_equipment/screens/me01_provider_dashboard_screen.dart:189	? 'Not configured'
lib/features/media_equipment/screens/me02_provider_profile_screen.dart:231	? 'Not configured'
lib/features/media_equipment/screens/me02_provider_profile_screen.dart:238	? 'Not configured'
lib/features/media_equipment/screens/me10_earnings_ratings_screen.dart:279	onTap: _addingAccount ? null : _addSandboxAccount,
lib/features/media_equipment/screens/me10_earnings_ratings_screen.dart:354	Future<void> _addSandboxAccount() async {
lib/features/role_portals/screens/role_portal_screen.dart:32	'This legacy route does not render sample records. Use the dedicated live portal for this role, or connect a database API before enabling this surface.',
lib/features/role_portals/screens/role_portal_screen.dart:58	description: 'Legacy generic ${group.label} portal placeholder.',
lib/features/super_admin/routes/super_admin_routes.dart:6	static const loginDemo = '/admin/login-demo';
lib/models/talent.dart:14	final String imageAsset; // asset path (may be empty -> placeholder)
lib/models/talent.dart:30	Comment: /// Sample data matching the reference design.
lib/shared/cards/cine_card_system.dart:2803	Comment: // Keep the placeholder lines inside compact skeletons.
lib/shared/dashboard/portal_poster_card.dart:229	Comment: /// new" dashed placeholder card.
lib/shared/widgets/app_search_bar.dart:11	final String placeholder;
lib/shared/widgets/app_search_bar.dart:16	this.placeholder = 'Search actors, models, directors...',

Source location	Matched marker line
lib/shared/widgets/app_search_bar.dart:106	placeholder,
lib/shared/widgets/portrait_image.dart:7	Comment: /// placeholder if the asset is missing (so the app runs before you
lib/shared/widgets/portrait_image.dart:23	final placeholder = _placeholder();
lib/shared/widgets/portrait_image.dart:24	if (asset.isEmpty) return placeholder;
lib/shared/widgets/portrait_image.dart:28	errorBuilder: (_, __, ___) => placeholder,

Embedded files

Attachment	Purpose
inventory.json	Complete reproducible evidence table or verification log.
findings.json	Complete structured findings, source ranges and acceptance criteria.
findings.csv	Complete reproducible evidence table or verification log.
files.csv	Complete reproducible evidence table or verification log.
callbacks.csv	All 2,411 named callback declarations and heuristic nearby-context labels. Labels are triage hints, not connectivity verdicts.
markers.csv	Complete reproducible evidence table or verification log.
static_declarations.csv	Complete reproducible evidence table or verification log.
frontend_api_calls.csv	All extracted client API sites, normalized mapping and evidence references.
backend_routes.csv	Complete reproducible evidence table or verification log.
registered_routes.json	Actual Flask URL map from isolated application creation.
runtime_results.json	Sanitized local behavior checks and live public responses.
source_manifest.json	SHA-256 for all scanned Dart and backend application Python files.
flutter-analyze.txt	Complete reproducible evidence table or verification log.
flutter-tests.txt	Complete reproducible evidence table or verification log.
backend-unit-tests.txt	Complete reproducible evidence table or verification log.
integration-status.txt	Complete reproducible evidence table or verification log.
web-build.txt	Complete reproducible evidence table or verification log.

Open the PDF attachment panel in a reader that supports embedded files to extract these tables and logs. No environment files, credentials, access tokens, personal production records or private keys are embedded.

Audit source contract

All file references are relative to /Users/abdulbasit/Desktop/filmapp and commit b66a4deaa6c6664715af97377842d98742650c76. The prior July audit and October release notes were inspected only as context; their claims were not substituted for current source or current executed checks. The local lib.zip archive was preserved.