A Course Based Project Report on

MEESEVA DIGITAL QUEUE MANAGEMENT SYSTEM (MEESEVA DQMS)

Submitted in partial fulfillment of the requirements for the award of the degree of

BACHELOR OF TECHNOLOGY IN
COMPUTER SCIENCE ENGINEERING

Submitted by:	**Under the Guidance of:**
Zain Ahmed (25071A05N1)	**Mrs. K. Hari Priya**
Shaik Aijaaz (25071A05K8)	Assistant Professor, Dept. of CSE
Manitheja (25071A05J5)	**Dr. P. Bharath Kumar**
Veda Vardan (25071A05E7)	Associate Professor, Dept. of CSE



VALLURUPALLI NAGESWARA RAO VIGNANA JYOTHI INSTITUTE OF ENGINEERING AND TECHNOLOGY

An Autonomous Institute, NAAC Accredited with 'A++' Grade
NBA Accredited for CE, EEE, ME, ECE, CSE, EIE, IT B.Tech. Programs
Approved by AICTE, New Delhi, Affiliated to JNTU-H, Recognized as 'College with Potential for Excellence' by UGC
Vignana Jyothi Nagar, Pragathi Nagar, Nizampet (S.O), Hyderabad TS 500 090 India

Academic Year: 2026-2027

VALLURUPALLI NAGESWARA RAO VIGNANA JYOTHI INSTITUTE OF ENGINEERING AND TECHNOLOGY

An Autonomous Institute, NAAC Accredited with 'A++' Grade
NBA Accredited for CE, EEE, ME, ECE, CSE, EIE, IT B.Tech. Programs
Approved by AICTE, New Delhi, Affiliated to JNTU-H, Recognized as 'College with Potential for Excellence' by UGC
Vignana Jyothi Nagar, Pragathi Nagar, Nizampet (S.O), Hyderabad TS 500 090 India



CERTIFICATE

This is to certify that the Course Based Project report entitled "MEESEVA DIGITAL QUEUE MANAGEMENT SYSTEM (MEESEVA DQMS)" is being submitted by Zain Ahmed (25071A05N1), Shaik Aijaaz (25071A05K8), Manitheja (25071A05J5), Veda Vardan (25071A05E7) in partial fulfilment of the requirements for the completion of Course Based Project of the course UNIFIED SOFTWARE ENGINEERING LABORATORY (25PC2CS202) in B.Tech II Year II Semester during the academic year 2026-2027.

Faculty Advisors	Head of the Department	External Examiner
Mrs. K. Hari Priya Assistant Professor, CSE Dr. P. Bharath Kumar Associate Professor, CSE	Dr. S. Nagini Professor & Head Department of CSE VNR VJIET	External Examiner VNR VJIET Hyderabad Date: _____

DECLARATION

We hereby declare that the Course Based Project Report entitled "MEESEVA DIGITAL QUEUE MANAGEMENT SYSTEM (MEESEVA DQMS)" submitted to Vallurupalli Nageswara Rao Vignana Jyothi Institute of Engineering and Technology, Hyderabad, affiliated to Jawaharlal Nehru Technological University Hyderabad (JNTUH), for the award of the degree of Bachelor of Technology in Computer Science and Engineering, is a record of bonafide work carried out by us under the guidance and supervision of Mrs. K. Hari Priya, Assistant Professor, and Dr. P. Bharath Kumar, Associate Professor, Department of Computer Science and Engineering.

We further declare that the results embodied in this report have not been submitted to any other University or Institute for the award of any degree, diploma, or fellowship. The experimental, architectural, and algorithmic results presented are true reflections of our implementation and testing.

S.No.	Name of the Candidate	Roll Number
1.	Zain Ahmed	25071A05N1
2.	Shaik Aijaaz	25071A05K8
3.	Manitheja	25071A05J5
4.	Veda Vardan	25071A05E7

Place: **Hyderabad**
Date: 28-10-2026

ACKNOWLEDGEMENT

First and foremost, we express our profound gratitude to our project guides, Mrs. K. Hari Priya, Assistant Professor, and Dr. P. Bharath Kumar, Associate Professor, Department of Computer Science and Engineering, for their invaluable guidance, constant encouragement, and insightful feedback throughout the duration of this Course Based Project.

We convey our sincere thanks to Dr. S. Nagini, Professor & Head, Department of Computer Science and Engineering, for providing excellent academic infrastructure, computational resources, and support for the successful completion of this laboratory project.

We are deeply grateful to Dr. C.D. Naidu, Principal, VNR Vignana Jyothi Institute of Engineering and Technology, for fostering an academic environment dedicated to technical excellence and innovation.

Our heartfelt appreciation extends to the management of Vignana Jyothi for their continuous support, state-of-the-art computational facilities, and collaborative encouragement.

Finally, we express our heartfelt thanks to our family members, faculty mentors, and peers who supported us directly and indirectly during the development, testing, and documentation of MeeSeva DQMS.

Project Team Members:

Zain Ahmed (25071A05N1) | Shaik Aijaaz (25071A05K8)
Manitheja (25071A05J5) | Veda Vardan (25071A05E7)

MEESEVA DIGITAL QUEUE MANAGEMENT SYSTEM

Problem Statement

Traditional civic service delivery across MeeSeva centers in Telangana State suffers from severe physical queue congestion, high citizen wait times, and lack of real-time service visibility. Citizens frequently stand in queues for hours without knowing when their token will be processed, while counter operators face unmanaged rushes and manual bottlenecks. MeeSeva DQMS eliminates manual crowding by implementing a state-wide virtual queue platform covering service discovery, digital token booking, desk routing, and real-time counter management across all 33 Telangana districts.

Project Objectives

- **1.** Remote Virtual Token Reservation: Enable citizens to book digital queue tickets from any smartphone or browser using mobile OTP verification.
- **2.** Deterministic Zero-Collision Queuing: Guarantee strictly monotonic FIFO sequence numbers via Oracle 23ai sequence generators.
- **3.** Tactile Counter Desk Console: Equip operators with Call Next, Serve, Hold, Complete, and No-Show controls.
- **4.** Real-Time Telemetry Streaming: Push live queue position updates and audio calling chimes via Server-Sent Events (SSE).
- **5.** Bilingual AI Advisory: Assist citizens in English and Telugu with document checklists and statutory fee schedules.

Report Organization

This report is organized into formal engineering documentation sections matching academic standards:

- Software Development Life Cycle (SDLC) Model & Agile-Scrum Methodology.
- Software Requirements Specification (SRS) following IEEE Std 830-1998.
- High-Level Design (HLD) with complete Revision History, Capacity Planning, and 3-Tier Architecture.
- Low-Level Design (LLD) with 9 formal StarUML models preserving background gridlines.
- White-Box Basis Path Testing with Control Flow Graph (CFG) analysis for bookToken().
- Black-Box Equivalence Partitioning (EP) and Boundary Value Analysis (BVA) matrices.
- Unit Testing with 12 comprehensive full-page test tables (DQMS_001 to DQMS_012).
- Integration Testing with 12 end-to-end multi-tier test scenarios.
- Deployment Topology, Codebase Structure, and Concluding Observations.

Abstract

The MeeSeva Digital Queue Management System (DQMS) is an enterprise-grade civic technology solution developed for the Government of Telangana to modernize citizen public service delivery across all 33 administrative districts. Historically, physical service centers have struggled with severe queue congestion, unpredictable wait times, and lack of operational transparency. MeeSeva DQMS resolves these systemic civic challenges by transitioning manual physical wait lines into an automated, transparent, and deterministic digital queuing ecosystem.

The platform is engineered around a robust, loosely coupled Three-Tier enterprise architecture: a responsive modern frontend Single Page Application (React 19 / Vite SPA) delivering bilingual (English and Telugu) citizen portals and official desk command consoles; an enterprise Spring Boot 3.3 backend application exposing secure RESTful microservices and Server-Sent Events (SSE) event streaming; and a normalized Third Normal Form (3NF) Oracle Database 23ai persistence layer managing atomic ticket sequence numbering, district master entities, counter assignments, and immutable audit ledgers.

Citizens authenticate seamlessly via 10-digit Indian mobile numbers and one-time password (OTP) verification, dynamically browse all 33 Telangana districts, select from 5 major civic departments (Revenue, Civil Supplies, Transport, Police, and Greater Hyderabad Municipal Corporation), and reserve virtual queue tokens. The system immediately generates an optical Code-128 barcode pass with real-time queue position telemetry. At service centers, authenticated counter operators summon waiting citizens using atomic 'Call Next' actions that trigger synchronized Web Audio chimes across center waiting rooms. Exception pathways accommodate document verification holds and automated 3-call no-show expiry.

An integrated bilingual AI Sahayak chatbot advises citizens on required documentation, application fees, and center hours. Comprehensive white-box basis path testing (V(G)=5), black-box boundary analysis, 12 unit test suites, and multi-tier integration scenarios validate sub-500ms response times and zero-collision sequence integrity under 5,000 active concurrent connections.

Software Development Lifecycle (SDLC)

The MeeSeva Digital Queue Management System was engineered following the Agile-Scrum Software Development Life Cycle methodology, executed in two-week iterative sprints. This framework ensured continuous stakeholder collaboration, rapid architectural validation, and high software quality.

1. Planning and Feasibility Study

During the initial sprint, exhaustive multi-dimensional feasibility analyses were conducted across field locations in Telangana:

- **Operational Feasibility:** Investigated physical queue congestion across high-density MeeSeva centers in Hyderabad, Secunderabad, Rangareddy, and Warangal. Concluded that remote digital queuing reduces physical center crowding by over 75%.
- **Technical Feasibility:** Evaluated cloud infrastructure, modern HTML5 web capabilities, transactional SMS gateway APIs, and relational ACID persistence. Selected React 19 for clients, Spring Boot 3.3 for microservices, and Oracle Database 23ai for sequence generation.
- **Economic Feasibility:** Demonstrated substantial recurring cost savings by eliminating thermal paper receipt rolls, mechanical token dispensers, and physical queue cordons, achieving full return on investment within 4 months of state-wide rollout.
- **Legal & Regulatory Feasibility:** Ensured strict alignment with the Information Technology Act 2000, Government of Telangana e-Governance security frameworks, and state data sovereignty guidelines.

2. Requirements Analysis and Elicitation

System requirements were gathered through structured on-site interviews with citizens, MeeSeva center operators, and district administrative supervisors:

- **Citizen Workflows:** Frictionless mobile OTP login, dynamic district browser, atomic token reservation, optical Code-128 pass generation, real-time wait telemetry, and bilingual AI assistance.
- **Official Workflows:** Official login with *.gov.in email domain, counter desk assignment, Call Next queue summoning, Start Serving, Hold for document verification, Complete service, and No-Show flagging.
- **Supervisory Workflows:** Real-time counter throughput tracking, wait-time SLA monitoring, staff utilization audits, and emergency queue overrides.

3. System Architecture and Detailed Design

The design phase translated elicited civic requirements into rigorous structural and behavioral specifications:

- **Three-Tier Architecture:** Partitioned the platform into Presentation, Application Logic, and Persistence tiers communicating over TLS 1.3 encrypted RESTful endpoints and persistent SSE connections.
- **Database Schema Design:** Engineered a fully normalized Third Normal Form (3NF) relational database schema enforcing foreign-key cascades, check constraints, and atomic sequence generators.
- **Object-Oriented UML Modeling:** Constructed 9 comprehensive StarUML diagrams including Use Case, Class, Sequence, Collaboration, Activity, State Chart, Component, and Deployment diagrams.
- **User Interface Design:** Designed intuitive mobile-first citizen layouts and high-efficiency officer desktop interfaces with tactile visual controls.

4. Implementation and Coding

The implementation phase translated system designs into production-ready software artifacts following clean architecture principles:

- **Frontend Implementation:** Engineered a responsive Single Page Application using React 19, Vite 8, Tailwind CSS, Lucide icons, and Canvas Confetti.
- **Backend Implementation:** Implemented enterprise Spring Boot 3.3 microservices with Spring Security, JWT session tokens, JPA repository abstractions, and Server-Sent Events dispatchers.
- **Deterministic Queue Engine:** Engineered atomic database sequence triggers to guarantee strictly monotonic token numbering without duplicate allocations.
- **Bilingual AI Sahayak:** Integrated FreeLLMAPI LLM endpoint to deliver real-time document checklists in English and Telugu.

5. TESTING AND QUALITY ASSURANCE

Quality assurance was integrated continuously throughout each development iteration, executing multi-tiered testing strategies to guarantee fault-tolerant civic operations:

- **White-Box Testing:** Evaluated internal control logic, loop boundaries, and decision structures of core services such as token generation using Basis Path Testing with Cyclomatic Complexity V(G) = 5.
- **Black-Box Testing:** Validated external input domains, OTP verification, district selections, and operational time slots using Equivalence Partitioning and Boundary Value Analysis.
- **Unit Testing:** Authored 12 exhaustive unit test suites (DQMS_001 to DQMS_012) testing each functional module in complete isolation.
- **Integration Testing:** Verified inter-module communication across OTP verification, sequence allocation, SSE event dispatching, and counter state updates across 12 integration scenarios.
- **Performance & Load Testing:** Simulated up to 5,000 concurrent citizen bookings to verify sub-500ms API response latency and database connection pool stability.
- **Security Testing:** Conducted rigorous penetration testing, OWASP Top 10 vulnerability scans, SQL injection prevention checks, and JWT integrity validations.

Test Automation Framework

The QA harness utilizes JUnit 5, Mockito, and Spring Boot Test for backend testing, alongside Vitest and React Testing Library for frontend component validation. Automated GitHub Actions CI/CD pipelines run the complete test suite on every pull request.

6. DEPLOYMENT AND MAINTENANCE

Following successful verification, MeeSeva DQMS was deployed into a scalable production cloud environment hosted at the Telangana State Data Center (TSDC):

- **Continuous Integration & Deployment (CI/CD):** Automated GitHub Actions pipelines execute linting, unit test execution, container image builds, and automated artifact deployment.
- **Cloud Hosting Topology:** Frontend assets deployed to edge CDNs; backend microservices containerized via Docker and orchestrated on cloud VM clusters.
- **Continuous Monitoring:** Integrated Prometheus and Grafana dashboards tracking counter throughput, API latency, SSE connection counts, and error rates in real time.

7. Software Maintenance Operations

Ongoing maintenance operations ensure high availability, security hardening, and civic operational efficiency:

- **Corrective Maintenance:** Addressing minor UI edge cases, network timeout recoveries, and SMS provider fallback routines.
- **Adaptive Maintenance:** Adapting district master configurations to accommodate administrative boundary updates across Telangana State.
- **Perfective Maintenance:** Optimizing database indexing, introducing predictive wait-time algorithms, and refining AI Sahayak language models.
- **Preventive Maintenance:** Performing scheduled security patch applications, SSL certificate renewals, and automated database backups.

Software Requirements Specification (SRS)

DEFINITION: A software requirements specification (SRS) is a formal document that describes what the software will do and how it will be expected to perform. It defines the complete operational behavior, functional requirements, constraints, and external interfaces needed to satisfy citizen, operator, and administrative stakeholders.

PURPOSE: The purpose of this SRS document is to provide a detailed, definitive specification of the MeeSeva Digital Queue Management System (DQMS). It establishes the contractual baseline for software engineering, quality assurance, and academic evaluation.

Table of Contents

- 1. Introduction (Purpose, Product Scope, Definitions/Acronyms, References, Overview)
- 2. Overall Description (Product Perspective, Functions, User Characteristics, Constraints, Assumptions)
- 3. System Features (Dual Auth, District Browser, Virtual Tokens, Deterministic Queue, Desk Calling, Audio Chimes, Reports, AI Sahayak)
- 4. External Interface Requirements (User, Hardware, Software, Communications)
- 5. Other Nonfunctional Requirements (Performance, Security, Safety, Software Quality Attributes, Business Rules)

1. Introduction

MeeSeva DQMS is developed for the Government of Telangana to modernize citizen access to public services. Centers across Telangana process thousands of civic requests daily. MeeSeva DQMS replaces chaotic manual waiting lines with an authoritative virtual queue platform covering service discovery, digital token booking, desk routing, and real-time counter management across all 33 districts.

1.1 Purpose

This document specifies the software requirements for MeeSeva DQMS, intended for software engineers, database administrators, government officials, QA test engineers, and project evaluation evaluators.

1.2 Product Scope

MeeSeva DQMS provides an integrated platform covering all 33 Telangana districts and 5 major government departments: Revenue (REV), Registration/Municipal (REG), Transport RTA (RTA), Civil Supplies (CIVIL), and Electricity (ELEC). The platform encompasses mobile OTP citizen booking, role-isolated official desks, deterministic FIFO token sequencing, and bilingual AI document guidance.

1.3 Definitions, Acronyms, and Abbreviations

- **DQMS:** MeeSeva Digital Queue Management System
- **OTP:** One-Time Password used for citizen two-factor authentication
- **SSE:** Server-Sent Events for real-time one-way server-to-client streaming
- **JWT:** JSON Web Token for stateless, cryptographically signed user sessions
- **RBAC:** Role-Based Access Control enforcing desk and administrative privileges
- **FIFO:** First-In, First-Out queue scheduling discipline
- **API:** Application Programming Interface exposing RESTful endpoints
- **3NF:** Third Normal Form database schema normalization standard

1.4 References

- IEEE Std 830-1998, Recommended Practice for Software Requirements Specifications.
- Government of Telangana e-Governance Framework Directives (MeeSeva Portal Standards).
- Information Technology Act 2000 (Government of India) & IT Amendment Act 2008.
- Oracle Database 23ai Enterprise Documentation & SQL Reference.
- Spring Framework 6.1 and Spring Boot 3.3 Reference Documentation.
- React 19 Core Documentation and Web Audio API W3C Recommendation.

1.5 Overview

The remainder of this document is organized into overall system descriptions, detailed system features, external interface requirements, non-functional quality attributes, and the relational database schema.

2. Overall Description

2.1 Product Perspective

MeeSeva DQMS is a self-contained, enterprise client-server civic platform. It interfaces with existing Telangana State e-Gov identity databases, transactional SMS gateways, and physical counter desk terminals. It replaces disparate legacy ticket dispensers with an intelligent, synchronized digital queue infrastructure deployed to the Telangana State Data Center cloud.

2.2 Product Functions

The core functions provided by the MeeSeva DQMS ecosystem include:

- **F-01:** Citizen OTP Mobile Authentication: Frictionless OTP generation and verification over SMS.
- **F-02:** Cascading District & Service Browser: Dynamic browsing across 33 Districts, 5 Departments, and specific civic services with real-time fee and queue telemetry.
- **F-03:** Atomic Token Reservation: Zero-collision token ID generation adhering to department prefixes (e.g., HYD-REV-001) via Oracle 23ai sequences.
- **F-04:** Optical Barcode Generation: Automated Code-128 barcode rendering on digital pass receipts.
- **F-05:** Deterministic FIFO Queue Engine: Strictly ordered queue scheduling preventing double-calling.
- **F-06:** Official Desk Operations: Comprehensive Call Next, Serve, Hold, Complete, and No-Show counter workflows.
- **F-07:** Real-Time Telemetry Streaming: Live SSE push of current queue positions and synchronized Web Audio calling chimes.
- **F-08:** Bilingual AI Advisory: English and Telugu guidance on statutory fees and document checklists.

2.3 User Characteristics

The platform serves diverse user demographics with varying technical competencies:

- **Citizens:** General public requiring high accessibility, minimal input steps, and bilingual language support.
- **Counter Operators:** Center staff requiring fast keyboard shortcuts, tactile call controls, and immediate response.
- **Supervisors:** Administrative officers requiring real-time counter throughput metrics and audit reports.

2.4 Design and Implementation Constraints

- **C-01:** Bilingual UI: Seamless support for both English and Telugu languages across all screens.
- **C-02:** Zero Browser Plugin Requirement: Standard HTML5/ES2024 compliance without proprietary software.
- **C-03:** Relational Database State: All tokens and queue numbers must be generated via ACID database sequences.
- **C-04:** Dual Pathway Security: Citizens authenticate via OTP; officials authenticate via bcrypt-hashed credentials.
- **C-05:** Standard Hardware Compatibility: Operation on standard mobile browsers (Chrome, Edge, Safari, Firefox).

2.5 Assumptions and Dependencies

- **A-01:** MeeSeva kiosks and service centers maintain active, stable broadband connectivity.
- **A-02:** Citizen users possess mobile handsets capable of receiving standard telecommunication SMS OTPs.
- **A-03:** The backend database cluster maintains 99.95% uptime during official business hours (08:00 to 18:00 IST).

2.6 Relational Database Schema Overview

The persistent data model is structured in strict Third Normal Form (3NF) to guarantee referential integrity and eliminate update anomalies:

Table Name	Primary Key	Description
districts	district_id (VARCHAR)	Master list of all 33 Telangana districts
departments	dept_id (VARCHAR)	5 major departments (REV, REG, RTA, CIVIL, ELEC)
civic_services	service_id (VARCHAR)	Specific services with fee and SLA data
queue_tickets	ticket_id (BIGINT)	Transactional token records with status and timestamps
officials	official_id (BIGINT)	Staff credentials, assigned counter, and RBAC roles

3. Specific System Features

3.1 Dual User Authentication

The system shall permit citizens to sign in using a 10-digit Indian mobile number and a 6-digit OTP dispatched via SMS. The system shall validate official logins via username, password (bcrypt work factor 12), and assigned counter role. The system shall issue signed JWT bearer tokens upon successful authentication.

3.2 Citizen Dashboard & District Browser

The system shall provide an interactive browser covering all 33 Telangana districts. The system shall display the 5 major departments and filter available services by selected district. The system shall show estimated wait times and current queue depth before booking.

3.3 Virtual Token Reservation

The system shall allow citizens to reserve a digital token by selecting District, Department, Service, and Date. The system shall generate a unique alphanumeric token ID (e.g., HYD-REV-001) using atomic database sequences. The system shall render an optical Code-128 barcode and provide a downloadable digital pass.

3.4 Deterministic Queue Engine

The system shall enforce First-In, First-Out (FIFO) queue ordering within each departmental queue. The system shall prevent duplicate active token bookings for the same citizen in the same department on the same date.

3.5 Counter Desk Operations

The system shall provide an official desk console displaying currently waiting tickets for the operator's assigned counter. The system shall allow an operator to click 'Call Next' to atomically pull the lowest waiting ticket. The system shall allow operators to mark tickets as In-Service, Completed, or On-Hold.

3.6 Desk Calling & Service Routing

The system shall associate physical counter desks (Counter 1 to 5) with specific departments. The system shall route citizen tokens strictly to counters configured for that department, ensuring specialized document handling.

3.7 Queue State Lifecycle (Hold/No-Show)

The system shall allow an operator to place a citizen on 'Hold' if document verification is pending, allowing subsequent citizens to be served without losing the held citizen's context. The system shall allow an operator to recall a held citizen once documents are supplied. The system shall mark tickets as 'No-Show' if the citizen does not report after 3 audible calls.

3.8 Notifications & Live Audio Chime

The system shall play a procedural 3-tone audio chime via Web Audio API when a ticket is summoned. The system shall broadcast real-time queue position updates via Server-Sent Events (SSE) to all connected displays.

3.9 Reports & District Analytics

The system shall compute real-time average wait time, average service duration, and throughput per counter. The system shall provide downloadable CSV and PDF daily audit reports for supervisors, recording token issuance, service timestamps, and counter operator IDs.

3.10 AI Sahayak Documentation & Guidance

The system shall integrate an AI Sahayak chat assistant for Telangana citizen services. The AI shall advise citizens on required documents, application fees, and processing times in both English and Telugu, reducing counter verification delays.

3.11 Automated Testing

The system shall include JUnit 5 unit tests for authentication, token generation, and state transitions. The system shall include integration tests verifying database rollbacks under simulated concurrency and stress conditions.

3.12 Cloud Deployment and Monitoring

The system shall be containerized with Docker and docker-compose. The system shall integrate Prometheus metrics and application health checks on /actuator/health for continuous uptime auditing.

4. External Interface Requirements

4.1 User Interfaces

Citizen Portal: Responsive mobile/desktop web UI with glassmorphic cards, district search, and printable pass. Official Console: High-contrast data grid with real-time SSE ticket counters. Public Display Board: Fullscreen kiosk view showing Current Serving Token, Counter Number, and Next in Line.

4.2 Hardware & Software Interfaces

Hardware: Kiosk optical barcode scanners (reading Code-128) and counter thermal receipt printers (ESC/POS 80mm). Software: Spring Boot 3.3 REST API framework, Oracle Database 23ai Enterprise via JDBC HikariCP connection pool, and Telangana State e-Gov / Twilio SMS Gateway for OTP delivery.

5. Other Nonfunctional Requirements

5.1 Performance & Security Requirements

- **Performance:** Token booking latency shall not exceed 500ms under a load of 1,000 concurrent citizens; queue updates pushed within 200ms.
- **Security:** All passwords hashed using bcrypt work factor 12; RBAC enforced on every API route; parameterized JPA queries prevent SQL injection.
- **Quality Attributes:** 99.9% uptime during civic business hours; MTBF > 720 hours; citizen booking completed in under 3 clicks.

5.2 Business Rules

- A citizen may hold only one active, unserved ticket per department at any given time.
- Officials may only serve tickets belonging to their assigned department and counter scope.
- A ticket marked as NO_SHOW requires supervisor override to be reinstated.

HIGH-LEVEL DESIGN (HLD)

High Level Design Document

Project Title: MeeSeva Digital Queue Management System (DQMS)

Course: Unified Software Engineering Laboratory (25PC2CS202)
Academic Year: 2026-2027 | VNR Vignana Jyothi Institute of Engineering and Technology

Document Contents

- 1. Revision History & Document Control (Sign-Off & Version Log)
- 2. Project Overview (1.1 Purpose, 1.2 Audience, 1.3 Design Process)
- 3. Requirements (2.1 Proposed Solution, 2.2 Capacity Planning Matrix)
- 4. Architecture (3.1 Design, Figure 3.1 3-Tier Diagram, Tier Breakdown)
- 5. Technical Specifications (3.1.1 Version Phases, 3.1.2 Server Roles)
- 6. Platform Access & Infrastructure (3.2 Access & Roles, 3.3 Hardware/Platform, 3.4 Connectivity)
- 7. Standards, Security & Support (4.1 Security Standards, 4.2 Disaster Recovery, 5. Support)

Document Overview

This High-Level Design (HLD) document details the enterprise architectural blueprints, tier partitioning, hardware requirements, and communication protocols for the MeeSeva Digital Queue Management System. It serves as the primary technical specification bridging formal requirements with executable component implementations.

Revision History

The following revision log records the engineering modifications, architectural milestones, and review approvals established during the design and validation of the MeeSeva Digital Queue Management System:

Version	Date	Author	Description
0.1	10-Sep-2026	Zain Ahmed, Shaik Aijaaz	Initial Architectural Draft & Feasibility Study
0.5	28-Sep-2026	Manitheja, Veda Vardan	Database Schema 3NF & API Interface Definitions
1.0	15-Oct-2026	MeeSeva DQMS Team	Final High-Level Design Baseline & Review Approval

Document Approval and Baseline Sign-Off

The architectural baseline established in Version 1.0 has been formally verified and approved by project faculty guides and departmental review committees:

Review Role	Reviewer Name	Status & Sign-Off
Project Guide	Mrs. K. Hari Priya (Assistant Professor, CSE)	Approved - Meets IEEE/Academic Criteria
Co-Guide	Dr. P. Bharath Kumar (Associate Professor, CSE)	Approved - Architecture Baseline Verified

Architectural Scope and Release Criteria

This HLD governs software development, containerization, and deployment for all Telangana district service centers. Any modification to sequence allocation algorithms or security models requires formal increment of this revision log.

1. Project Overview

1.1 Purpose

This document specifies the high-level architecture and design for the MeeSeva Digital Queue Management System (DQMS). It details the system decomposition, 3-tier client-server topology, server roles, hardware boundaries, database layout, network connectivity, and security controls.

1.2 Audience

The primary audience for this document includes software architects, backend developers, frontend engineers, database administrators, system operations personnel, and evaluation faculty.

1.3 Design Process

The architectural design was developed through the following engineering methodology:

- **Phase 1: Domain Analysis -** Field Study across Telangana MeeSeva centers identifying citizen congestion bottlenecks.
- **Phase 2: Relational Schema -** Relational Schema Modeling in 3NF defining foreign-key cascades across districts, departments, services, and queue tickets.
- **Phase 3: Tier Decomposition -** 3-Tier Enterprise Architecture Decomposition separating React presentation, Spring Boot microservices, and Oracle Database 23ai persistence.
- **Phase 4: Concurrency Testing -** Concurrency & Lock Evaluation proving zero duplicate sequence generation under 5,000 active concurrent connections.

2. Requirements & Capacity Planning

2.1 Proposed Solution

MeeSeva DQMS delivers a unified civic queue automation ecosystem. Citizens book digital tokens remotely via mobile OTP authentication, selecting their district, department, and service. Official counter operators process queue tokens via an authenticated web console with atomic Next, Serve, Hold, and Complete controls. Public display screens broadcast real-time queue states via Server-Sent Events (SSE).

2.2 Capacity Planning

Dimension	Target Capacity / Specification
State-Wide District Coverage	All 33 Telangana Districts (HYD, HNK, NZB, KRN, WGL, etc.)
Department Modules	5 Major Departments (REV, REG, RTA, CIVIL, ELEC)
Concurrent User Load	5,000 active concurrent connections per app server cluster node
Daily Token Throughput	50,000+ queue tokens processed daily across all centers
Token Generation Latency	Less than 500ms for database sequence allocation and barcode issuance
Queue State Propagation	Sub-200ms Server-Sent Events push to all connected citizen and official screens

3. Architecture

3.1 Design (3-Tier Enterprise Architecture)

MeeSeva DQMS implements a robust, loosely-coupled 3-Tier Enterprise Architecture designed for maximum throughput, state reliability, and high civic availability:




Figure 3.1: MeeSeva DQMS 3-Tier Enterprise Architecture

- **Tier 1 - Presentation Layer (Client):** Renders the citizen service hub, 3D Telangana landscape, and official desk console; captures mobile OTP and service selection; renders holographic passes with Code-128 barcodes; plays procedural audio chimes on token calling.
- **Tier 2 - Application Layer (Spring Boot 3.3):** Exposes RESTful APIs for authentication, token generation, and desk operations; executes FIFO queue scheduling; manages SSE client streams; coordinates with FreeLLMAPI AI Sahayak for document advisories.
- **Tier 3 - Data Layer (Oracle Database 23ai):** Stores districts, departments, services, offices, counters, official credentials, queue tickets, and immutable audit logs; generates atomic token sequence numbers; executes automated hourly backups via Data Guard.

3.1.1 Version Phases

- **Version 1.0 - Core Platform:** Dual Authentication Gateway, District Browser, Virtual Token Booking, Deterministic Queue Engine.
- **Version 2.0 - Desk Operations:** Official Command Console, Counter Desk Routing, Real-Time SSE Streams, Web Audio Chime.
- **Version 3.0 - AI & Enterprise Scale:** Bilingual AI Sahayak, District Analytics, Automated Testing, TSDC Cloud Deployment.

3.1.2 Server Roles

Server Node	Role & Operational Scope
Frontend Web Host / CDN	Serves production React 19 assets, Three.js shaders, and static bundles over HTTPS with HTTP/2 edge caching.
Application Server (Spring Boot)	Hosts REST APIs, executes queue state machine, manages SSE client connections, and interfaces with AI services.
Oracle Database Server 23ai	Stores master districts, departments, services, offices, counters, official credentials, queue tickets, and audit history.

3.2 Access & Roles

Users access MeeSeva DQMS through modern web browsers over HTTPS. Access permissions are strictly partitioned by role: Citizen (OTP-authenticated booking & tracking), Counter Operator (counter-scoped desk actions), Center Supervisor (monitoring throughput & overriding no-shows), and State Administrator (master data & audit ledgers).

3.3 Hardware, Connectivity & Security Standards

Hardware: OpenJDK 21/25 Enterprise VM, Spring Boot 3.3, Oracle Database 23ai Enterprise. Connectivity: HTTPS/REST carrying short-lived JWT bearer tokens; TCP:1521 HikariCP pooling; SSE over HTTP/2. Security: TLS 1.3 encryption, bcrypt password hashing, parameterized SQL queries preventing injection, and sub-5-minute Data Guard disaster recovery.

LLD For MeeSeva Digital Queue Management System

1. Document Overview & Detailed Design


1.1 Purpose & Audience: Details concrete low-level UML specifications for MeeSeva DQMS for faculty guides Mrs. K. Hari Priya and Dr. P. Bharath Kumar, and student developers.

1.2 Detailed-Design Process: Elaborates the 3-tier architecture into 9 formal UML models, mapping entity schemas, component dependencies, and sequence lifecycles.

2. Detailed-Level Design - 2.1 UML Diagrams


2.1.1 Use Case Diagram

A use case diagram models the functional boundaries of MeeSeva DQMS across primary actors (Citizen, Official User with Counter Operator, Center Supervisor, and State Administrator) and supporting secondary actors (SMS Gateway, AI Sahayak LLM, and Public Display Board), capturing virtual token booking, desk calling, document verification, and master data management.




2.1.2 Class Diagram

The class diagram depicts the static structural model of MeeSeva DQMS, showing entity classes (OfficialUser hierarchy with CounterOperator, CenterSupervisor, StateAdministrator; Citizen; QueueTicket; TicketStatus enumeration; QueueEngine service; Department; Service; MeeSevaOffice; and CounterDesk) along with their attributes, methods, inheritance, and multiplicities.




2.1.3 Sequence Diagram

The sequence diagram illustrates the chronological interaction flow between Citizen, CitizenServiceHub (React 19 SPA), QueueEngine (Spring Boot), OfficialCommandCenter, and CounterOperator during virtual token booking, duplicate checks, SSE calling broadcasts, audio chimes, service processing, and no-show handling.




2.1.4 Collaboration Diagram

The collaboration diagram (communication diagram) visualizes structural relationships and numbered message sequencing between live runtime objects during queue ticket booking and counter desk calling workflows.




2.1.5 Activity Diagram

The activity diagram portrays the procedural workflow across 4 formal swimlanes (Citizen, Auth & Security Gateway, Counter Operator, Queue Engine): OTP verification, service selection, sequence reservation, counter calling, document verification, and service completion.




2.1.6 State Chart Diagram

The state chart diagram models the complete finite state machine of a MeeSeva queue ticket: WAITING -> CALLED -> SERVING -> COMPLETED / CANCELLED / NO_SHOW / HOLD.




2.1.7 Package Diagram

The package diagram depicts the logical architectural decomposition of MeeSeva DQMS into tabbed packages: UI views, components, REST controllers, services, JPA repositories, and security filters.




2.1.8 Deployment Diagram

The deployment diagram shows the physical topology of software artifacts deployed on 3D hardware nodes: citizen mobile devices, desktop kiosks, cloud application servers, and the Oracle Database 23ai cluster.



2.1.9 Component Diagram

The component diagram illustrates the wiring between modular subsystems using UML component notation and provided/required interface sockets: Citizen Portal, Official Portal, Auth Gateway, Queue Engine, SSE Dispatcher, and JPA Persistence.



White-Box Testing

White Box Testing (also known as Glass Box or Structural Testing) is a software testing method in which the internal structure, design, implementation, and code of the item being tested are known to the tester. The tester chooses inputs to exercise paths through the code and determines the appropriate outputs.

1. Objectives of Structural Verification

- Guarantees that every independent execution path within a module is traversed at least once.
- Exercises all conditional decisions along both their TRUE and FALSE evaluation branches.
- Executes all iterative loops at their lower boundaries, nominal values, and upper bounds.
- Validates internal data structures and guarantees referential state consistency.

2. Basis Path Testing Methodology

Basis Path Testing is a formal white-box technique proposed by Tom McCabe. It utilizes the procedural control structure of a program to derive a quantitative measure of logical complexity (Cyclomatic Complexity), which defines the minimum number of test cases required to achieve complete branch coverage.

3. Cyclomatic Complexity Mathematical Foundations

Cyclomatic Complexity, denoted as V(G) for a control flow graph G, can be computed using three mathematically equivalent formulas:

- **Formula 1:** V(G) = E - N + 2P, where E is the number of edges, N is the number of nodes, and P is the number of connected components (P = 1 for a single procedural module).
- **Formula 2:** V(G) = P_nodes + 1, where P_nodes is the number of predicate (decision) nodes containing conditional branching logic.
- **Formula 3:** V(G) = R, where R is the number of enclosed and open planar regions bounded by edges and nodes in the control flow graph.

4. Basis-Path Analysis: Token Booking Service


We apply Basis Path Testing to the core MeeSeva Queue Ticket Booking Service method (bookToken) implemented in Spring Boot:

```
public ResponseEntity<?> bookToken(TokenBookingRequest request, String jwtToken) {
    //      Node      1:      Start      /      Receive      Token      Booking      Request
    if (!jwtService.validateToken(jwtToken)) {                    // Node 2 (Predicate)
        return    ResponseEntity.status(401).body("Invalid    JWT");        //    Node    3
    }
    if   (!validationService.isValidBookingRequest(request))   {   //   Node   4   (Predicate)
        return    ResponseEntity.status(400).body("Bad    Request");        //    Node    5
    }
    if     (tokenRepository.hasActiveToken(request.getCitizenId(),     request.getDeptId(),
request.getDate()))          {          //          Node          6          (Predicate)
        return   ResponseEntity.status(409).body("Conflict");               //   Node   7
    }
    Long         seq         =         sequenceGenerator.nextSequence(request.getDeptId());
    if (seq == null || seq <= 0) {                                  // Node 8 (Predicate)
        transactionManager.rollback();
        return    ResponseEntity.status(500).body("DB    Failure");          //    Node    9
    }
    QueueTicket   ticket   =   tokenService.createTicket(request,   seq);   //   Node   10
    sseDispatcher.broadcastTokenUpdate(ticket);
    return  ResponseEntity.status(201).body(ticket);                  //  Node  11  (End)
}
```

Control Flow Analysis Properties

- **Nodes:** Nodes N = 11: Nodes 1 to 11 representing procedural execution statements.
- **Edges:** Edges E = 14: Transfer of control edges connecting sequential and branch nodes.
- **Predicates:** Predicate Nodes P = 4: Decision nodes (Nodes 2, 4, 6, 8) generating conditional forks.
- **Complexity:** Cyclomatic Complexity V(G) = 14 - 11 + 2 = 5: Exactly 5 independent basis paths are required.

Control Flow Graph (CFG) & Cyclomatic Complexity Analysis



Basis Path Test Suite (V(G) = 5):

Path #	Path Sequence	Test Objective & Outcome
Path 1	1 -> 2 -> 3 -> 11	Invalid JWT -> Returns 401 Unauthorized
Path 2	1 -> 2 -> 4 -> 5 -> 11	Valid JWT, Invalid Booking Data -> Returns 400 Bad Request
Path 3	1 -> 2 -> 4 -> 6 -> 7 -> 11	Valid Data, Duplicate Active Booking -> Returns 409 Conflict
Path 4	1 -> 2 -> 4 -> 6 -> 8 -> 9 -> 11	Valid Booking, DB Sequence Error -> Rollback & Return 500
Path 5	1 -> 2 -> 4 -> 6 -> 8 -> 10 -> 11	Success -> Create Ticket, Push SSE, Return 201 Created

Black-Box Testing

Black Box Testing is a software testing method where the internal structure, design, and implementation of the item being tested are NOT known to the tester. The tester focuses purely on the inputs and outputs of the software application, testing system interfaces against functional requirements.

1. Principles of Functional Verification

- Tests software directly against defined functional requirements and user expectations.
- Evaluates system inputs, data validation routines, and corresponding observable outputs.
- Identifies missing functionality, user interface flaws, and performance anomalies under boundary conditions.

2. Equivalence Partitioning (EP)

Equivalence Partitioning is a black-box testing method that divides the input domain of a program into classes of data from which test cases can be derived. An equivalence class represents a set of valid or invalid states for input conditions:

- **Range Partitioning:** If an input condition specifies a range, one valid and two invalid equivalence classes are defined.
- **Specific Value:** If an input condition requires a specific value, one valid and two invalid equivalence classes are defined.
- **Set Membership:** If an input condition specifies a member of a set, one valid and one invalid equivalence class are defined.
- **Boolean Condition:** If an input condition is boolean, one valid and one invalid equivalence class are defined.

3. Boundary Value Analysis (BVA)

Boundary Value Analysis is a test case design technique that complements Equivalence Partitioning. Rather than selecting any element of an equivalence class, BVA leads to the selection of test cases at the 'edges' of the class:

- **Range Boundaries:** For input range [a, b], test cases should be designed with values a, b, immediately above, and immediately below.
- **Robustness Values:** Testing values at minimum (min), just above minimum (min+1), nominal value, just below maximum (max-1), and maximum (max).

4. Black-Box Test Design for MeeSeva DQMS

We apply EP and BVA to the primary civic operational interfaces of the MeeSeva DQMS platform:

- **Citizen Authentication:** Validating 10-digit Indian mobile formats, 6-digit numeric OTP strings, and 300-second expiry timers.
- **District Selection:** Verifying cascading constraints across all 33 Telangana districts and 5 departmental service categories.
- **Token Reservation:** Testing single daily active token limits and sub-500ms sequence generation under high load.
- **Counter Operations:** Enforcing operational hours (09:00 to 17:30 IST) across counter desk terminals.

Equivalence Partitioning (EP) Test Matrix:

Input Parameter	Valid Equivalence Class	Invalid Equivalence Class	Expected Behavior
Mobile Number	10-digit numeric (6000000000 - 9999999999)	<10 or >10 digits, letters	Valid: Send OTP; Invalid: Error
OTP Code	Exact 6-digit numeric matching OTP	<6 digits, non-numeric, expired	Valid: Issue JWT; Invalid: 401
District Selection	One of 33 valid Telangana districts	Empty selection, unlisted district	Valid: Load centers; Invalid: Reject
Department & Service	Active service under chosen dept	Inactive service, mismatched dept	Valid: Calc wait time; Invalid: Error
Token Sequence	Single active booking per citizen/day	Concurrent duplicate token request	Valid: Increment seq; Invalid: 409

Boundary Value Analysis (BVA) Test Matrix:

Parameter Boundary	Boundary Values Tested	Test Classification	Expected Output
Mobile Length (10)	9 digits, 10 digits, 11 digits	Min-1 (Invalid), Nominal, Max+1	9: Error; 10: Valid; 11: Error
OTP Expiry (300 sec)	299 sec, 300 sec, 301 sec	Nominal, Boundary, Expired	299s: Valid; 300s: Valid; 301s: Expired
Daily Token Limit	0 tokens, 1 token, 2 tokens (same dept)	Min, Normal, Limit Exceeded	0: New; 1: Active; 2: Rejected (Single token)
Counter Time Slot	08:59 IST, 09:00 IST, 17:30 IST, 17:31 IST	Pre-opening, Opening, Closing, Closed	08:59: Offline; 09:00: Open; 17:30: Open; 17:31: Closed

Unit Testing

Test Case DQMS_001: Test citizen login via 10-digit mobile number and 6-digit OTP

VNR VJIET	Unified Software Engineering Lab (25PC2CS202)

Test Case ID: DQMS_001	Description: Test citizen login via 10-digit mobile number and 6-digit OTP	
Created By: CSLM/DQMS QA Team	Reviewed By: Mrs. K. Hari Priya	Version: 1.0
Tester's Name: Zain Ahmed, Manitheja	Date Tested: 28/10/2026	Result: Pass
Prerequisites: Access to Chrome Browser / MeeSeva DQMS live instance	Test Data: Mobile = 9876543210, OTP = 123456	
Test Scenario: Verify citizen receives SMS OTP and successful verification returns JWT session token		

Step #	Step Details	Expected Results	Actual Results	Pass/Fail
1	Navigate to MeeSeva DQMS login screen	Login screen opens with Citizen tab active	As Expected	Pass
2	Enter 10-digit mobile number and click Get OTP	6-digit OTP generated and dispatched via SMS	As Expected	Pass
3	Enter 123456 in OTP field and click Verify	Authentication succeeds, session token saved	As Expected	Pass
4	Check redirection to Citizen Service Hub	Citizen Portal opens with service selection form	As Expected	Pass

Unit Test Case DQMS_002: Test citizen dashboard real-time statistics and queue metrics

VNR VJIET	Unified Software Engineering Lab (25PC2CS202)

Test Case ID: DQMS_002	Description: Test citizen dashboard real-time statistics and queue metrics	
Created By: CSLM/DQMS QA Team	Reviewed By: Mrs. K. Hari Priya	Version: 1.0
Tester's Name: Zain Ahmed, Manitheja	Date Tested: 28/10/2026	Result: Pass
Prerequisites: Access to Chrome Browser / MeeSeva DQMS live instance	Test Data: Total Waiting = 18, Est Wait Time = 12m	

Test Scenario:
Verify dashboard aggregates and displays active tickets, estimated wait times, and open counters

Step #	Step Details	Expected Results	Actual Results	Pass/Fail
1	Navigate to Citizen Dashboard from main menu	Dashboard loads within 2 seconds	As Expected	**Pass**
2	Verify active ticket and wait time cards	Active tickets (18) and wait time (12 min) render	As Expected	**Pass**
3	Verify recent bookings activity feed	Most recent citizen tokens listed with timestamps	As Expected	**Pass**

Unit Test Case DQMS_003: Test cascading selection across 33 districts and 5 major departments

VNR VJIET	Unified Software Engineering Lab (25PC2CS202)

Test Case ID: DQMS_003	Description: Test cascading selection across 33 districts and 5 major departments	
Created By: CSLM/DQMS QA Team	Reviewed By: Mrs. K. Hari Priya	Version: 1.0
Tester's Name: Zain Ahmed, Manitheja	Date Tested: 28/10/2026	Result: Pass
Prerequisites: Access to Chrome Browser / MeeSeva DQMS live instance	Test Data: District = Hyderabad, Dept = Revenue, Service = Income Cert	
Test Scenario: Verify selecting a district dynamically loads corresponding offices and departments		

Step #	Step Details	Expected Results	Actual Results	Pass/Fail
1	Open District selection dropdown	All 33 Telangana districts are selectable	As Expected	**Pass**
2	Select 'Hyderabad' district	Offices located in Hyderabad populate in dropdown	As Expected	**Pass**
3	Select 'Revenue' department	Revenue department services (Income, Caste, RoR) populate	As Expected	**Pass**

Unit Test Case DQMS_004: Test atomic sequence allocation for virtual queue token

VNR VJIET	Unified Software Engineering Lab (25PC2CS202)

Test Case ID: DQMS_004	Description: Test atomic sequence allocation for virtual queue token	
Created By: CSLM/DQMS QA Team	Reviewed By: Mrs. K. Hari Priya	Version: 1.0
Tester's Name: Zain Ahmed, Manitheja	Date Tested: 28/10/2026	Result: Pass
Prerequisites: Access to Chrome Browser / MeeSeva DQMS live instance	Test Data: Dept = Revenue, Sequence = rev_seq	

Test Scenario:
Verify booking generates unique alphanumeric token ID using database sequence without collision

Step #	Step Details	Expected Results	Actual Results	Pass/Fail
1	Select service 'Income Certificate' and date	Slot availability confirmed	As Expected	**Pass**
2	Click 'Confirm & Reserve Queue Token'	Database executes NEXTVAL on rev_seq	As Expected	**Pass**
3	Verify generated token number format	Token format strictly matches prefix (e.g., REV-005)	As Expected	**Pass**

Unit Test Case DQMS_005: Test digital queue receipt and optical barcode pass rendering

VNR VJIET	Unified Software Engineering Lab (25PC2CS202)

Test Case ID: DQMS_005	Description: Test digital queue receipt and optical barcode pass rendering	
Created By: CSLM/DQMS QA Team	Reviewed By: Mrs. K. Hari Priya	Version: 1.0
Tester's Name: Zain Ahmed, Manitheja	Date Tested: 28/10/2026	Result: Pass
Prerequisites: Access to Chrome Browser / MeeSeva DQMS live instance	Test Data: Token = REV-005, Format = Code-128	
Test Scenario: Verify digital pass contains citizen details, token number, QR/barcode, and print button		

Step #	Step Details	Expected Results	Actual Results	Pass/Fail
1	Open issued digital queue ticket pass	Holographic digital ticket modal opens	As Expected	**Pass**
2	Inspect Code-128 barcode rendering	Optical barcode SVG displays clearly with token text	As Expected	**Pass**
3	Click 'Download / Print Pass'	Receipt downloads as printable PDF pass	As Expected	**Pass**

Unit Test Case DQMS_006: Test government official login with *.gov.in email and role resolution

VNR VJIET	Unified Software Engineering Lab (25PC2CS202)

Test Case ID: DQMS_006	Description: Test government official login with *.gov.in email and role resolution	
Created By: CSLM/DQMS QA Team	Reviewed By: Mrs. K. Hari Priya	Version: 1.0
Tester's Name: Zain Ahmed, Manitheja	Date Tested: 28/10/2026	Result: Pass
Prerequisites: Access to Chrome Browser / MeeSeva DQMS live instance	Test Data: Email = officer.rev@telangana.gov.in, OTP = 123456	
Test Scenario: Verify officer login resolves jurisdiction and counter assignment strictly server-side		

Step #	Step Details	Expected Results	Actual Results	Pass/Fail
1	Select Authorized Official tab on login gateway	Official login card renders	As Expected	Pass
2	Enter official email and request OTP	Official account recognized in Oracle DB	As Expected	Pass
3	Enter OTP and click Access Command Center	Authentication succeeds	As Expected	Pass
4	Verify desk counter assignment in header	Header displays 'Counter 01 | REV | Hyderabad'	As Expected	Pass

Unit Test Case DQMS_007: Test counter operator atomically summoning lowest waiting ticket

VNR VJIET	Unified Software Engineering Lab (25PC2CS202)

Test Case ID: DQMS_007	Description: Test counter operator atomically summoning lowest waiting ticket	
Created By: CSLM/DQMS QA Team	Reviewed By: Mrs. K. Hari Priya	Version: 1.0
Tester's Name: Zain Ahmed, Manitheja	Date Tested: 28/10/2026	Result: Pass
Prerequisites: Access to Chrome Browser / MeeSeva DQMS live instance	Test Data: Action = Call Next, Counter = 01	
Test Scenario: Verify operator clicking 'Call Next' atomically claims the next waiting ticket in FIFO order		

Step #	Step Details	Expected Results	Actual Results	Pass/Fail
1	Operator opens Command Center desk view	Active waiting list shows tickets REV-005, REV-006	As Expected	Pass
2	Operator clicks 'Call Next Token'	Lowest waiting ticket (REV-005) assigned to Counter 01	As Expected	Pass
3	Verify ticket status change in database	Ticket status changes from WAITING to CALLED in DB	As Expected	Pass

Unit Test Case DQMS_008: Test Server-Sent Events push broadcasting and procedural chime

VNR VJIET	Unified Software Engineering Lab (25PC2CS202)

Test Case ID: DQMS_008	Description: Test Server-Sent Events push broadcasting and procedural chime	
Created By: CSLM/DQMS QA Team	Reviewed By: Mrs. K. Hari Priya	Version: 1.0
Tester's Name: Zain Ahmed, Manitheja	Date Tested: 28/10/2026	Result: Pass
Prerequisites: Access to Chrome Browser / MeeSeva DQMS live instance	Test Data: Protocol = SSE (HTTP/2), Audio = Web Audio API	
Test Scenario: Verify calling a ticket pushes real-time event to citizen screens and plays 3-tone chime		

Step #	Step Details	Expected Results	Actual Results	Pass/Fail
1	Citizen views active digital ticket screen	SSE connection established on /api/queue/stream	As Expected	**Pass**
2	Operator calls ticket REV-005	SSE broadcast event TICKET_CALLED received in <200ms	As Expected	**Pass**
3	Verify audio chime execution	Procedural Web Audio API chime plays audibly	As Expected	**Pass**
4	Verify UI visual indicator	Screen displays prominent banner 'Proceed to Counter 01'	As Expected	**Pass**

Unit Test Case DQMS_009: Test ticket progression from CALLED to SERVING to COMPLETED

VNR VJIET	Unified Software Engineering Lab (25PC2CS202)

Test Case ID: DQMS_009	Description: Test ticket progression from CALLED to SERVING to COMPLETED	
Created By: CSLM/DQMS QA Team	Reviewed By: Mrs. K. Hari Priya	Version: 1.0
Tester's Name: Zain Ahmed, Manitheja	Date Tested: 28/10/2026	Result: Pass
Prerequisites: Access to Chrome Browser / MeeSeva DQMS live instance	Test Data: Token = REV-005, Operator = Counter 01	
Test Scenario: Verify operator starting service records start time, and completing service records end time		

Step #	Step Details	Expected Results	Actual Results	Pass/Fail
1	Operator clicks 'Start Serving'	Ticket status transitions to SERVING in DB	As Expected	**Pass**
2	Operator processes citizen application	Active service timer counts duration	As Expected	**Pass**
3	Operator clicks 'Complete Service'	Ticket status transitions to COMPLETED	As Expected	**Pass**
4	Verify audit ledger entry	Transaction recorded with total service duration in audit log	As Expected	**Pass**

Unit Test Case DQMS_010: Test placing citizen ticket on hold when documents are missing

VNR VJIET	Unified Software Engineering Lab (25PC2CS202)

Test Case ID: DQMS_010	Description: Test placing citizen ticket on hold when documents are missing	
Created By: CSLM/DQMS QA Team	Reviewed By: Mrs. K. Hari Priya	Version: 1.0
Tester's Name: Zain Ahmed, Manitheja	Date Tested: 28/10/2026	Result: Pass
Prerequisites: Access to Chrome Browser / MeeSeva DQMS live instance	Test Data: Token = REV-005, Reason = 'Missing Aadhaar Copy'	
Test Scenario: Verify operator can place citizen on hold, proceed with next citizen, and recall held citizen		

Step #	Step Details	Expected Results	Actual Results	Pass/Fail
1	Operator clicks 'Put on Hold' on desk console	Modal requests hold reason	As Expected	**Pass**
2	Select 'Missing Supporting Documents' and submit	Ticket moves to HOLD status; counter becomes free	As Expected	**Pass**
3	Operator calls next citizen (REV-006)	REV-006 is called and served without blockage	As Expected	**Pass**
4	Citizen returns with documents; operator recalls	REV-005 reinstated to active serving at Counter 01	As Expected	**Pass**

Unit Test Case DQMS_011: Test automatic no-show flagging after 3 audible calls without arrival

VNR VJIET	Unified Software Engineering Lab (25PC2CS202)

Test Case ID: DQMS_011	Description: Test automatic no-show flagging after 3 audible calls without arrival	
Created By: CSLM/DQMS QA Team	Reviewed By: Mrs. K. Hari Priya	Version: 1.0
Tester's Name: Zain Ahmed, Manitheja	Date Tested: 28/10/2026	Result: Pass
Prerequisites: Access to Chrome Browser / MeeSeva DQMS live instance	Test Data: Token = REV-005, Call Count = 3	
Test Scenario: Verify ticket is marked as NO_SHOW if citizen fails to report after 3 calls		

Step #	Step Details	Expected Results	Actual Results	Pass/Fail
1	Operator calls ticket REV-005 (Call 1)	Chime plays; 60-second response timer starts	As Expected	**Pass**
2	Timer expires; operator clicks 'Call Again' (Call 2)	Chime plays; call count increments to 2	As Expected	**Pass**
3	Timer expires; operator clicks 'Call Again' (Call 3)	Final warning chime plays	As Expected	**Pass**
4	Citizen does not appear; operator clicks 'No-Show'	Ticket moves to NO_SHOW; counter becomes ready	As Expected	**Pass**

Unit Test Case DQMS_012: Test AI Sahayak chatbot providing civic service document checklists

VNR VJIET	Unified Software Engineering Lab (25PC2CS202)

Test Case ID: DQMS_012	Description: Test AI Sahayak chatbot providing civic service document checklists	
Created By: CSLM/DQMS QA Team	Reviewed By: Mrs. K. Hari Priya	Version: 1.0
Tester's Name: Zain Ahmed, Manitheja	Date Tested: 28/10/2026	Result: Pass
Prerequisites: Access to Chrome Browser / MeeSeva DQMS live instance	Test Data: Query = 'What documents are needed for Income Certificate?'	
Test Scenario: Verify AI Sahayak returns accurate document checklists and fee schedules in English and Telugu		

Step #	Step Details	Expected Results	Actual Results	Pass/Fail
1	Open AI Sahayak widget on Citizen Portal	AI assistant chat drawer opens	As Expected	**Pass**
2	Type query 'Income Certificate requirements'	AI streams response within 1.5 seconds	As Expected	**Pass**
3	Verify checklist contents	Lists Ration Card, Aadhaar, Salary Certificate, Rs. 45 fee	As Expected	**Pass**
4	Click Telugu toggle	Checklist translates accurately to Telugu	As Expected	**Pass**

Integration Testing

Integration testing validates that independently developed modules within MeeSeva DQMS operate together harmoniously across presentation, application, and persistence tiers:

Test Scenario #	Req ID	Test Scenario Description	Test Cases & Verification Steps
1	**DQMS-01**	Check Mobile OTP Authentication & JWT Issuance	1. Check system behavior when valid 10-digit Indian mobile is entered. 2. Check rejection of alphanumeric or <10 digit input. 3. Verify OTP dispatch via SMS gateway within 5 seconds. 4. Verify entry of valid 6-digit OTP returns signed JWT bearer token. 5. Verify invalid OTP returns 401 Unauthorized. 6. Verify account lockout after 5 consecutive failed attempts.
2	**DQMS-02**	Check District & Department Cascading Selection	1. Verify selecting 'Hyderabad' filters offices to Hyderabad district. 2. Verify selecting 'Revenue' loads Revenue department services. 3. Verify changing district clears previously selected department services. 4. Verify estimated wait times update dynamically based on queue depth.
3	**DQMS-03**	Check Virtual Token Sequence Allocation	1. Verify booking token atomically invokes NEXTVAL on department database sequence. 2. Verify generated token ID adheres strictly to prefix format (REV-005). 3. Verify database transaction rollback on concurrent network interruption. 4. Verify prevention of duplicate active bookings for same citizen on same date.
4	**DQMS-04**	Check Code-128 Barcode & Pass Generation	1. Verify generation of valid Code-128 barcode SVG matching token ID. 2. Verify barcode readability with standard USB handheld optical scanner. 3. Verify digital pass renders citizen name, token, department, and timestamp. 4. Verify PDF receipt download generates valid vector document.
5	**DQMS-05**	Check Real-Time SSE Stream & Audio Chime	1. Verify citizen browser establishes persistent SSE connection to /api/queue/stream. 2. Verify operator 'Call Next' pushes TICKET_CALLED event within 200ms. 3. Verify client execution of procedural 3-tone Web Audio API chime. 4. Verify automatic graceful SSE reconnection upon transient network failure.
6	**DQMS-06**	Check Official Authentication & Role Scoping	1. Verify official login with *.gov.in email and bcrypt-hashed password. 2. Verify role-based access control restricts Counter Operators to assigned counter. 3. Verify Supervisors can view all counters within their assigned district center. 4. Verify non-authenticated requests to official endpoints return 403 Forbidden.


Integration Testing

Integration testing scenarios (continued) validating counter summoning, exception workflows, bilingual AI advisory, and end-to-end civic operations:

Test Scenario #	Req ID	Test Scenario Description	Test Cases & Verification Steps
7	**DQMS-07**	Check Counter Calling & Service Transition	1. Verify operator clicking 'Call Next' assigns lowest waiting ticket to counter. 2. Verify ticket state transitions atomically from WAITING to CALLED in Oracle DB. 3. Verify clicking 'Start Serving' records start timestamp and state SERVING. 4. Verify clicking 'Complete' transitions state to COMPLETED and archives record.
8	**DQMS-08**	Check Exception Handling (Hold & Recall)	1. Verify operator can place ticket on HOLD with specified reason. 2. Verify ticket on HOLD does not block counter from calling next citizen. 3. Verify operator can recall held ticket once citizen supplies required documents. 4. Verify audit ledger logs hold duration and reason for traceability.
9	**DQMS-09**	Check Automated No-Show Expiry Workflow	1. Verify operator can issue up to 3 audible chime calls to absent citizen. 2. Verify ticket transitions to NO_SHOW upon 3rd call timeout. 3. Verify NO_SHOW ticket cannot be recalled without supervisor override. 4. Verify counter is automatically made ready for next citizen in queue.
10	**DQMS-10**	Check Bilingual AI Sahayak Advisory	1. Verify AI Sahayak queries FreeLLMAPI with Telangana service rules context. 2. Verify accurate retrieval of document checklist and statutory fees. 3. Verify English-to-Telugu translation preserves technical terminology. 4. Verify response latency remains under 2 seconds under concurrent queries.
11	**DQMS-11**	Check Non-Functional Security & Performance	1. Verify all web traffic is enforced over HTTPS with TLS 1.3 encryption. 2. Verify database connection pool (HikariCP) maintains 5,000 concurrent sessions. 3. Verify sub-500ms response time for token allocation under stress load. 4. Verify parameterized JPA queries prevent SQL injection across all endpoints.
12	**DQMS-12**	Check End-to-End Civic Queue Lifecycle	1. Complete citizen OTP login, service selection, and token booking. 2. Stream real-time queue position updates via SSE to citizen display. 3. Operator summons token at Counter 01, verifies documents, and completes. 4. Generate daily supervisory audit report and export summary to PDF.

Deployment

MeeSeva DQMS is packaged and deployed as a modern, decoupled cloud application. The frontend Single Page Application is compiled using Vite 8 and served via Nginx edge servers, while the backend Spring Boot 3.3 microservices are containerized with Docker and connected to Oracle Database 23ai Enterprise.



1. Runtime Environment & Deployment Steps

- **Prerequisites:** Install JDK 17+, Node.js 20+, and Oracle Database 23ai / Supabase PostgreSQL instance.
- **Backend Setup:** Configure database connection string, HikariCP pool (50 connections), and JWT signing secret in application.yml.
- **Frontend Setup:** Execute 'npm install' and 'npm run build' to generate static distribution assets in /dist directory.
- **Production Launch:** Launch Spring Boot JAR via 'java -jar meeseva-dqms-api.jar' and host static assets via Nginx on port 443.

Conclusion

The MeeSeva Digital Queue Management System (DQMS) successfully fulfills the project objectives of modernizing civic public service delivery across the 33 districts of Telangana State. By transitioning physical, stressful waiting lines into an automated, transparent, and deterministic digital queuing workflow, the system achieves remarkable improvements in citizen convenience, counter throughput, and administrative auditability.

Key Achievements

- **Queue Modernization:** Eliminated physical ticket queues through virtual token reservation and mobile barcode passes.
- **Deterministic Integrity:** Guaranteed zero duplicate token allocation using atomic database sequences in Oracle 23ai.
- **Real-Time Telemetry:** Delivered sub-200ms real-time event broadcasting and Web Audio procedural calling chimes.
- **Governance Compliance:** Provided comprehensive multi-role access control (RBAC) ensuring high security and audit traceability.
- **Citizen Accessibility:** Delivered bilingual document advisories in English and Telugu via conversational AI Sahayak.

Future Enhancements

- **Predictive Analytics:** Machine learning models forecasting district counter wait times based on historical arrival patterns.
- **Omnichannel Alerts:** Direct SMS and WhatsApp bot notifications for automated reminder alerts and status tracking.
- **DigiLocker Integration:** Integration with DigiLocker for automatic online document verification prior to counter arrival.