

PENTEST Analysis Report

Report generated by: https://github.com/TempeHS/Secure_Architecture_Sandbox_Testing_Environment

Security analysis report

Report Information

Field	Value
Generated	June 17, 2026 at 01:51 AM UTC

Executive Summary

24 security issues were found, including **3 critical** and **20 high severity** issues that require immediate attention.

Vulnerability Breakdown

Severity	Count	Percentage
CRITICAL	3	12.5%
HIGH	20	83.3%
MEDIUM	1	4.2%
LOW	0	0.0%
INFO	0	0.0%

Learning Objectives

After reviewing this PENTEST analysis report, you should be able to:

Detailed Findings

The following 24 security issues were identified:

Finding 1

CRITICAL Debug Console Exposed

Tool debug console scanner

Description: Debug console accessible at /console. This provides interactive shell access.

Location: <http://localhost:5000/console>

CWE ID: [CWE-CWE-489](#)

Educational Explanation

Exploitation proof: Console accessible at <http://localhost:5000/console>

How to Fix This

Disable debug mode in production

Confidence: high

Finding 2

CRITICAL Open Redirect in Parameter 'url'

Tool **redirect scanner**

Description: Open redirect vulnerability detected. Application redirects to untrusted URLs.

Location: `http://localhost:5000/?url=http%3A%2F%2Fevil.com`

CWE ID: [CWE-CWE-601](#)

Educational Explanation

Exploitation proof: Parameter: url, Payload: `http://evil.com`

How to Fix This

Implement URL validation and whitelist

Confidence: high

Finding 3

CRITICAL SQL Injection in Parameter 'username' (POST)

Tool **sql injection scanner**

Description: SQL injection vulnerability detected in parameter 'username'. Database error exposed when injecting: `1' UNION SELECT NULL--`

Location: `http://localhost:5000/`

CWE ID: [CWE-CWE-89](#)

Educational Explanation

Exploitation proof: Parameter: username, Payload: `1' UNION SELECT NULL--`, Method: POST

How to Fix This

Use parameterized queries instead of string concatenation

Confidence: high

Finding 4

HIGH Weak Authentication: admin:password

Tool **brute force scanner**

Description: Successfully authenticated using weak credentials: admin:password

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: admin, Password: password

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 5

HIGH **Weak Authentication: admin:123456**

Tool brute force scanner

Description: Successfully authenticated using weak credentials: admin:123456

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: admin, Password: 123456

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 6

HIGH **Weak Authentication: admin:password123**

Tool brute force scanner

Description: Successfully authenticated using weak credentials: admin:password123

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: admin, Password: password123

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 7

HIGH Weak Authentication: admin:admin

Tool brute force scanner

Description: Successfully authenticated using weak credentials: admin:admin

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: admin, Password: admin

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 8

HIGH Weak Authentication: admin:12345678

Tool brute force scanner

Description: Successfully authenticated using weak credentials: admin:12345678

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: admin, Password: 12345678

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 9

HIGH Weak Authentication: admin:qwerty

Tool brute force scanner

Description: Successfully authenticated using weak credentials: admin:qwerty

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: admin, Password: qwerty

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 10

HIGH Weak Authentication: admin:abc123

Tool brute force scanner

Description: Successfully authenticated using weak credentials: admin:abc123

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: admin, Password: abc123

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 11

HIGH Weak Authentication: admin:Password1

Tool brute force scanner

Description: Successfully authenticated using weak credentials: admin:Password1

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: admin, Password: Password1

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 12

HIGH Weak Authentication: admin:password1

Tool brute force scanner

Description: Successfully authenticated using weak credentials: admin:password1

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: admin, Password: password1

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 13

HIGH **Weak Authentication: admin:123456789**

Tool brute force scanner

Description: Successfully authenticated using weak credentials: admin:123456789

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: admin, Password: 123456789

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 14

HIGH **Weak Authentication: administrator:password**

Tool brute force scanner

Description: Successfully authenticated using weak credentials: administrator:password

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: administrator, Password: password

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 15

HIGH Weak Authentication: administrator:123456

Tool brute force scanner

Description: Successfully authenticated using weak credentials: administrator:123456

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: administrator, Password: 123456

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 16

HIGH Weak Authentication: administrator:password123

Tool brute force scanner

Description: Successfully authenticated using weak credentials: administrator:password123

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: administrator, Password: password123

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 17

HIGH Weak Authentication: administrator:admin

Tool brute force scanner

Description: Successfully authenticated using weak credentials: administrator:admin

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: administrator, Password: admin

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 18

HIGH **Weak Authentication: administrator:12345678**

Tool brute force scanner

Description: Successfully authenticated using weak credentials: administrator:12345678

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: administrator, Password: 12345678

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 19

HIGH **Weak Authentication: administrator:qwerty**

Tool brute force scanner

Description: Successfully authenticated using weak credentials: administrator:qwerty

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: administrator, Password: qwerty

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 20

HIGH Weak Authentication: administrator:abc123

Tool brute force scanner

Description: Successfully authenticated using weak credentials: administrator:abc123

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: administrator, Password: abc123

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 21

HIGH Weak Authentication: administrator:Password1

Tool brute force scanner

Description: Successfully authenticated using weak credentials: administrator:Password1

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: administrator, Password: Password1

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 22

HIGH Weak Authentication: administrator:password1

Tool brute force scanner

Description: Successfully authenticated using weak credentials: administrator:password1

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: administrator, Password: password1

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 23

HIGH **Weak Authentication: administrator:123456789**

Tool brute force scanner

Description: Successfully authenticated using weak credentials: administrator:123456789

Location: http://localhost:5000/

CWE ID: [CWE-CWE-521](#)

Educational Explanation

Exploitation proof: Username: administrator, Password: 123456789

How to Fix This

Enforce strong password policies and account lockout mechanisms

Confidence: high

Finding 24

MEDIUM **Missing CSRF Protection**

Tool csrf scanner

Description: Forms detected without apparent CSRF token protection

Location: http://localhost:5000

CWE ID: [CWE-CWE-352](#)

Educational Explanation

Cross-site request forgery attacks

Confidence: medium

Recommendations

General Security Recommendations:

Priority Actions:

The following issues require immediate attention:

- **3 Critical issues** - Address immediately

- **20 High severity issues** - Address within 24-48 hours

Additional Learning Resources

To learn more about security testing and vulnerability management:

- [OWASP Top 10](#) - Most critical web application security risks
- [CWE/SANS Top 25](#) - Most dangerous software weaknesses
- [NIST Cybersecurity Framework](#) - Cybersecurity best practices

This report was generated by the Secure Architecture Sandbox Testing Environment Security Analysis Platform Report Type: PENTEST Analysis
Generated: June 17, 2026 at 01:51 AM