






# GDS Processing for Cadence in Matlab

By Zainulabideen Khalifa

# HFSS → Cadence Layout





# Overview

Each code will have the following general structure:

1. Import GDS libraries from HFSS or Cadence
2. Perform the needed operations
3. Assign layer and data type numbers (mapping).
4. Export the GDS library.

# GDSII File Basics

- gds\_library
  - gds\_structures
    - gds\_elements
      - Different types: “boundary” , “SREF” or ... etc
      - Layer number
      - Data type number

```
>> glib = in_glib
```

glib is a GDSII library:

```
Library name   : HRO_M8_HFSS.gds
Database unit  : 1e-09 m
User unit      : 1e-06 m
Structures     : 1
                1 ... HRO_M8_HFSSstruct (11)
```

```
>> gstr = glib(1)
```

gstr is a GDSII structure with 11 elements:

```
sname = HRO_M8_HFSSstruct
cdate = 120-7-21, 13:31:41
mdate = 120-7-21, 13:31:41
```

```
>> gelm = gstr(1)
```

gelm is a GDSII element:


```
Type: boundary (1)
layer = 1
dtype = 0
```

```
>> XY = gelm(1)
```

```
ans =
```

```
2.1000    -2.1000
2.1000     0.2630
2.5290     0.5770
3.0150     0.9430
...
```

# GDSII File Basics



```
>> cell2mat(xy(gstr(1)))
```

```
65    30
55    30
55    20
65    20
65    30
```

```
>> cell2mat(xy(gstr(2)))
```

```
55     5
80     5
80    30
70    30
70    15
55    15
55     5
```

```
>> cell2mat(xy(gstr(3)))
```

```
50.0100  50.0100
100.0100  25.0100
150.0100  50.0100
125.0100  75.0100
 50.0100  50.0100
```



```
>> cell2mat(xy(gstr(4)))
```

```
134.1400  10.0000
140.0000  15.8600
140.0000  24.1400
134.1400  30.0000
125.8600  30.0000
120.0000  24.1400
120.0000  15.8600
125.8600  10.0000
134.1400  10.0000
```

# Main Operations



- The goal is to manipulate the layout to pass DRC and maintain your structure from EM point of view.
- Operations:
  - (Discretize): Discretize to correct for allowed angles and minimum grid.
  - (minWidth): Correct for minimum Width/Space.
  - Generate vias between metals
  - Fill metal block fillings like (Grid\_Wall)
- With these operations, you can convert any design from HFSS to Cadence without any DRC errors.

# Operations - Discretize





# Operations - minWidth



# Functions


```
% % -----General Functions-----
% function GDS_plot(igds,str)
% function [ogstr] = GDS_MATH(ig1,ig2,operation,units)
% function [ogstr] = GDS_Merge(igstr,units)
% function [ogstr] = GDS_combine_gstrcells(igstr)
% function [ogelm] = GDS_Create_box(d,c)
% function [ogelm] = GDS_Create_Octagonal(d_side, center, max45)
% function [ogstr] = GDS_Create_Grid(igstr,NxN)
% function [ogstr] = GDS_Split_gstr(igstr,NxN,units)
% function [RC,Center] = GDS_Mosaic_calc(igelm,Mosaic)
% function [ogstr] = GDS_Mosaic(igds,Mosaic,RC,Center)
% function [ogds] = GDS_Shift(igds,shift)
% function [ogds] = GDS_reset(igds,info)
% function [iglib] = GDS_auto_rename_glib(iglib,sname)

% % -----Layout specific Functions-----
% function [ogstr] = GDS_checkvias(igstr,d)
% function [ogstr] = GDS_Mosaic_intersections(igds,Mosaic_gstr,units)
% function [ogstr] = GDS_Mosaic_imprint(block_gstr,bbox_block,igstr,bbox_gstr,units)
% function [ogstr] = GDS_Discretize_gstr(igstr,minGrid,units)
% function [ogelm] = GDS_minwidth_gelm(igelm,minwidth,minGrid,Smallestwirewidth,units)
% function [ogstr] = GDS_minwidth_gstr(igstr,minwidth,minGrid,Smallestwirewidth,units)
% function [xo,yo] = Discritize_2P(X,Y,minGrid)
% function [XY,count] = minwidth_corr(XY,minwidth,minGrid,Smallestwirewidth,units)






% % -----ST55 Functions-----
% function [info] = GDS_ST55(str)
% function [ogstr] = GDS_ST55_Generate_tileNot(igstr)
```

# Needed layers from HFSS

1. M8 or your line metal layer
  2. Shielding
  3. Shrunk version of shielding for via filling
  4. Grid\_Wall filling layers (connected with shielding)
  5. tileNot layer
- Keep in mind that all layer must have the same reference point.







# Needed layers from HFSS



# Processing M8

1. Export the GDS layer from HFSS
2. Import in Matlab
3. Discretize and minWidth
4. Split (Why ?!)
5. Reset layer and dtype
6. Export






```
Type: boundary (1)  
layer = 38  
dtype = 120
```



# Processing Vias

- There are two procedures for processing vias:
  1. Processing vias between the shield walls and the ground layer.
  2. Processing vias between the shield walls itself.

# Processing Wall-Ground Vias





# Processing Wall-Ground Vias










# Processing Wall-Ground Vias





# Processing Wall-Ground Vias





# Processing Wall-Wall Vias






# Processing Wall-Wall Vias




# Processing Wall-Wall Vias




# Processing Fillings and Wall Metals



# Processing Fillings and Wall Metals





# Processing Fillings and Wall Metals









# Processing Fillings and Wall Metals



# Processing tileNOT filling

1. Export the GDS layer from HFSS
2. Import in Matlab
3. Discretize
4. Split
5. Reset layer and dtype
6. Export



THE END !