# LEETCODE ACADEMIC PRACTICE ROADMAP

## B.Sc. (Hons.) Computer Applications

Aligned to Semester I C • Semester II Data Structures • Semester III Java

## 215 curated problems

**205 Easy • 10 Medium**

Printable checklist • topic-wise • acceptance rates • language guidance

Acceptance-rate snapshot: 04 Oct 2026

# How to Use This Roadmap

This list is deduplicated and arranged by the point at which a problem becomes relevant to your academic background. Solve in Java for your current semester; use C when you specifically want to revise Semester I / II implementation skills.

| Stage | When to start | What it covers |
|---|---|---|
| 1 | After Java Unit I | Basic logic, arithmetic, conditions, loops, bit manipulation |
| 2 | After Java Unit II | Arrays, strings, methods, recursion basics, searching, matrices |
| 3 | Revise Semester II DSA in Java | Stack, queue, linked list, trees, graphs, heap |
| 4 | After classes / constructors | Java class-design problems |
| 5 | Any time after arrays/strings | Easy extra patterns: HashMap, Greedy, DP, Sorting |
| 6 | After Easy foundation is comfortable | Medium stretch directly related to your syllabus |

## Language key

**C / Java:** The problem is equally suitable for both. For current practice, Java is recommended.

**Java preferred:** Best done in Java because Collections or current Java course concepts make it more useful.

**Java:** Direct class/design practice for your Java OOP course.

**Important:** LeetCode problems are language-agnostic; the language column is a recommendation for your academic journey, not a platform restriction.

**Acceptance rates:** rounded to one decimal. They are a snapshot and will change as new submissions arrive.

**Metadata source:** current LeetCode question metadata snapshot, updated 04 Oct 2026. Titles and official difficulty labels are preserved.

# Stage 1 — After Java Unit I

## 1. Basic Logic & Math

21 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 2235 | Add Two Integers | Easy | 88.0% | C / Java | Basic Logic & Math |
| ☐ | 2469 | Convert the Temperature | Easy | 90.3% | C / Java | Basic Logic & Math |
| ☐ | 2413 | Smallest Even Multiple | Easy | 88.5% | C / Java | Basic Logic & Math |
| ☐ | 1281 | Subtract the Product and Sum of Digits of an Integer | Easy | 86.6% | C / Java | Basic Logic & Math |
| ☐ | 1342 | Number of Steps to Reduce a Number to Zero | Easy | 86.0% | C / Java | Basic Logic & Math |
| ☐ | 2520 | Count the Digits That Divide a Number | Easy | 86.2% | C / Java | Basic Logic & Math |
| ☐ | 2652 | Sum Multiples | Easy | 86.2% | C / Java | Basic Logic & Math |
| ☐ | 1523 | Count Odd Numbers in an Interval Range | Easy | 54.8% | C / Java | Basic Logic & Math |
| ☐ | 1952 | Three Divisors | Easy | 65.1% | C / Java | Basic Logic & Math |
| ☐ | 2119 | A Number After a Double Reversal | Easy | 82.8% | C / Java | Basic Logic & Math |
| ☐ | 2160 | Minimum Sum of Four Digit Number After Splitting Digits | Easy | 86.4% | C / Java | Basic Logic & Math |
| ☐ | 3099 | Harshad Number | Easy | 83.6% | C / Java | Basic Logic & Math |
| ☐ | 9 | Palindrome Number | Easy | 61.0% | C / Java | Basic Logic & Math |
| ☐ | 258 | Add Digits | Easy | 69.3% | C / Java | Basic Logic & Math |
| ☐ | 263 | Ugly Number | Easy | 44.3% | C / Java | Basic Logic & Math |
| ☐ | 507 | Perfect Number | Easy | 50.4% | C / Java | Basic Logic & Math |
| ☐ | 509 | Fibonacci Number | Easy | 74.7% | C / Java | Basic Logic & Math |
| ☐ | 326 | Power of Three | Easy | 51.7% | C / Java | Basic Logic & Math |
| ☐ | 367 | Valid Perfect Square | Easy | 45.1% | C / Java | Basic Logic & Math |
| ☐ | 441 | Arranging Coins | Easy | 48.7% | C / Java | Basic Logic & Math |
| ☐ | 69 | Sqrt(x) | Easy | 42.3% | C / Java | Basic Logic & Math |

## 2. Bit Manipulation

8 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 191 | Number of 1 Bits | Easy | 77.7% | C / Java | Bit Manipulation |

Acceptance rates: snapshot 04 Oct 2026 • rounded to 1 decimal

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 231 | Power of Two | Easy | 50.6% | C / Java | Bit Manipulation |
| ☐ | 342 | Power of Four | Easy | 52.7% | C / Java | Bit Manipulation |
| ☐ | 461 | Hamming Distance | Easy | 77.1% | C / Java | Bit Manipulation |
| ☐ | 476 | Number Complement | Easy | 70.6% | C / Java | Bit Manipulation |
| ☐ | 693 | Binary Number with Alternating Bits | Easy | 70.1% | C / Java | Bit Manipulation |
| ☐ | 762 | Prime Number of Set Bits in Binary Representation | Easy | 79.0% | C / Java | Bit Manipulation |
| ☐ | 190 | Reverse Bits | Easy | 69.5% | C / Java | Bit Manipulation |

# Stage 2 — After Java Unit II

## 3. Arrays

35 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 1920 | Build Array from Permutation | Easy | 91.1% | C / Java | Arrays |
| ☐ | 1929 | Concatenation of Array | Easy | 90.0% | C / Java | Arrays |
| ☐ | 1480 | Running Sum of 1d Array | Easy | 87.1% | C / Java | Arrays |
| ☐ | 1672 | Richest Customer Wealth | Easy | 88.9% | C / Java | Arrays |
| ☐ | 1431 | Kids With the Greatest Number of Candies | Easy | 88.0% | C / Java | Arrays |
| ☐ | 1470 | Shuffle the Array | Easy | 88.7% | C / Java | Arrays |
| ☐ | 1295 | Find Numbers with Even Number of Digits | Easy | 80.0% | C / Java | Arrays |
| ☐ | 1732 | Find the Highest Altitude | Easy | 84.6% | C / Java | Arrays |
| ☐ | 2574 | Left and Right Sum Differences | Easy | 89.7% | C / Java | Arrays |
| ☐ | 1512 | Number of Good Pairs | Easy | 89.9% | C / Java | Arrays |
| ☐ | 2798 | Number of Employees Who Met the Target | Easy | 87.8% | C / Java | Arrays |
| ☐ | 2824 | Count Pairs Whose Sum is Less than Target | Easy | 87.7% | C / Java | Arrays |
| ☐ | 27 | Remove Element | Easy | 62.6% | C / Java | Arrays |
| ☐ | 485 | Max Consecutive Ones | Easy | 66.2% | C / Java | Arrays |
| ☐ | 1051 | Height Checker | Easy | 82.1% | C / Java | Arrays |
| ☐ | 747 | Largest Number At Least Twice of Others | Easy | 53.3% | C / Java | Arrays |
| ☐ | 905 | Sort Array By Parity | Easy | 76.7% | C / Java | Arrays |
| ☐ | 1089 | Duplicate Zeros | Easy | 54.1% | C / Java | Arrays |

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 1346 | Check If N and Its Double Exist | Easy | 42.1% | C / Java | Arrays |
| ☐ | 941 | Valid Mountain Array | Easy | 35.9% | C / Java | Arrays |
| ☐ | 66 | Plus One | Easy | 50.7% | C / Java | Arrays |
| ☐ | 136 | Single Number | Easy | 78.4% | C / Java | Arrays |
| ☐ | 169 | Majority Element | Easy | 66.5% | C / Java | Arrays |
| ☐ | 268 | Missing Number | Easy | 72.8% | C / Java | Arrays |
| ☐ | 283 | Move Zeroes | Easy | 64.4% | C / Java | Arrays |
| ☐ | 414 | Third Maximum Number | Easy | 40.5% | C / Java | Arrays |
| ☐ | 448 | Find All Numbers Disappeared in an Array | Easy | 64.7% | C / Java | Arrays |
| ☐ | 628 | Maximum Product of Three Numbers | Easy | 48.3% | C / Java | Arrays |
| ☐ | 645 | Set Mismatch | Easy | 43.2% | C / Java | Arrays |
| ☐ | 674 | Longest Continuous Increasing Subsequence | Easy | 52.5% | C / Java | Arrays |
| ☐ | 724 | Find Pivot Index | Easy | 64.0% | C / Java | Arrays |
| ☐ | 989 | Add to Array-Form of Integer | Easy | 45.7% | C / Java | Arrays |
| ☐ | 1122 | Relative Sort Array | Easy | 75.5% | C / Java | Arrays |
| ☐ | 1200 | Minimum Absolute Difference | Easy | 75.2% | C / Java | Arrays |
| ☐ | 1385 | Find the Distance Value Between Two Arrays | Easy | 72.4% | C / Java | Arrays |

## 4. Searching & Sorted Arrays

6 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 704 | Binary Search | Easy | 61.4% | C / Java | Searching & Sorted Arrays |
| ☐ | 35 | Search Insert Position | Easy | 52.4% | C / Java | Searching & Sorted Arrays |
| ☐ | 26 | Remove Duplicates from Sorted Array | Easy | 63.9% | C / Java | Searching & Sorted Arrays |
| ☐ | 88 | Merge Sorted Array | Easy | 55.8% | C / Java | Searching & Sorted Arrays |
| ☐ | 744 | Find Smallest Letter Greater Than Target | Easy | 59.7% | C / Java | Searching & Sorted Arrays |
| ☐ | 2089 | Find Target Indices After Sorting Array | Easy | 78.4% | C / Java | Searching & Sorted Arrays |

## 5. Matrix / 2D Arrays

9 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 1572 | Matrix Diagonal Sum | Easy | 84.7% | C / Java | Matrix / 2D Arrays |
| ☐ | 566 | Reshape the Matrix | Easy | 65.6% | C / Java | Matrix / 2D Arrays |
| ☐ | 832 | Flipping an Image | Easy | 84.0% | C / Java | Matrix / 2D Arrays |
| ☐ | 867 | Transpose Matrix | Easy | 77.4% | C / Java | Matrix / 2D Arrays |
| ☐ | 1351 | Count Negative Numbers in a Sorted Matrix | Easy | 79.8% | C / Java | Matrix / 2D Arrays |
| ☐ | 2022 | Convert 1D Array Into 2D Array | Easy | 72.5% | C / Java | Matrix / 2D Arrays |
| ☐ | 2319 | Check if Matrix Is X-Matrix | Easy | 67.5% | C / Java | Matrix / 2D Arrays |
| ☐ | 2643 | Row With Maximum Ones | Easy | 74.1% | C / Java | Matrix / 2D Arrays |
| ☐ | 463 | Island Perimeter | Easy | 74.4% | C / Java | Matrix / 2D Arrays |

## 6. Strings

26 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 1108 | Defanging an IP Address | Easy | 90.2% | C / Java | Strings |
| ☐ | 3110 | Score of a String | Easy | 91.2% | C / Java | Strings |
| ☐ | 2942 | Find Words Containing Character | Easy | 90.2% | C / Java | Strings |
| ☐ | 1816 | Truncate Sentence | Easy | 87.1% | C / Java | Strings |
| ☐ | 1832 | Check if the Sentence Is Pangram | Easy | 84.4% | C / Java | Strings |
| ☐ | 2000 | Reverse Prefix of Word | Easy | 86.5% | C / Java | Strings |
| ☐ | 2108 | Find First Palindromic String in the Array | Easy | 84.1% | C / Java | Strings |
| ☐ | 2114 | Maximum Number of Words Found in Sentences | Easy | 86.8% | C / Java | Strings |
| ☐ | 58 | Length of Last Word | Easy | 59.8% | C / Java | Strings |
| ☐ | 14 | Longest Common Prefix | Easy | 48.5% | C / Java | Strings |
| ☐ | 28 | Find the Index of the First Occurrence in a String | Easy | 47.4% | C / Java | Strings |
| ☐ | 344 | Reverse String | Easy | 81.4% | C / Java | Strings |
| ☐ | 541 | Reverse String II | Easy | 54.7% | C / Java | Strings |
| ☐ | 557 | Reverse Words in a String III | Easy | 84.2% | C / Java | Strings |
| ☐ | 657 | Robot Return to Origin | Easy | 78.2% | C / Java | Strings |

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 709 | To Lower Case | Easy | 85.2% | C / Java | Strings |
| ☐ | 796 | Rotate String | Easy | 66.5% | C / Java | Strings |
| ☐ | 917 | Reverse Only Letters | Easy | 69.2% | C / Java | Strings |
| ☐ | 1221 | Split a String in Balanced Strings | Easy | 87.7% | C / Java | Strings |
| ☐ | 1309 | Decrypt String from Alphabet to Integer Mapping | Easy | 80.7% | C / Java | Strings |
| ☐ | 1662 | Check If Two String Arrays are Equivalent | Easy | 86.3% | C / Java | Strings |
| ☐ | 1768 | Merge Strings Alternately | Easy | 82.2% | C / Java | Strings |
| ☐ | 1790 | Check if One String Swap Can Make Strings Equal | Easy | 49.5% | C / Java | Strings |
| ☐ | 2255 | Count Prefixes of a Given String | Easy | 74.4% | C / Java | Strings |
| ☐ | 2351 | First Letter to Appear Twice | Easy | 75.3% | C / Java | Strings |
| ☐ | 2586 | Count the Number of Vowel Strings in Range | Easy | 74.1% | C / Java | Strings |

## 7. Two Pointers

5 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 125 | Valid Palindrome | Easy | 54.4% | C / Java | Two Pointers |
| ☐ | 345 | Reverse Vowels of a String | Easy | 62.5% | C / Java | Two Pointers |
| ☐ | 392 | Is Subsequence | Easy | 49.5% | C / Java | Two Pointers |
| ☐ | 680 | Valid Palindrome II | Easy | 44.8% | C / Java | Two Pointers |
| ☐ | 977 | Squares of a Sorted Array | Easy | 74.2% | C / Java | Two Pointers |

## 8. Frequency / Counting

12 problems • Recommended: Java preferred

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 242 | Valid Anagram | Easy | 68.7% | Java preferred | Frequency / Counting |
| ☐ | 383 | Ransom Note | Easy | 66.5% | Java preferred | Frequency / Counting |
| ☐ | 387 | First Unique Character in a String | Easy | 66.4% | Java preferred | Frequency / Counting |
| ☐ | 389 | Find the Difference | Easy | 60.8% | Java preferred | Frequency / Counting |
| ☐ | 409 | Longest Palindrome | Easy | 56.3% | Java preferred | Frequency / Counting |
| ☐ | 500 | Keyboard Row | Easy | 74.5% | Java preferred | Frequency / Counting |

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 520 | Detect Capital | Easy | 57.1% | Java preferred | Frequency / Counting |
| ☐ | 771 | Jewels and Stones | Easy | 89.7% | Java preferred | Frequency / Counting |
| ☐ | 884 | Uncommon Words from Two Sentences | Easy | 75.9% | Java preferred | Frequency / Counting |
| ☐ | 929 | Unique Email Addresses | Easy | 68.0% | Java preferred | Frequency / Counting |
| ☐ | 1002 | Find Common Characters | Easy | 74.9% | Java preferred | Frequency / Counting |
| ☐ | 1189 | Maximum Number of Balloons | Easy | 64.3% | Java preferred | Frequency / Counting |

# Stage 3 — Sem II DSA Revision in Java

## 9. Stack

7 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 20 | Valid Parentheses | Easy | 45.3% | C / Java | Stack |
| ☐ | 496 | Next Greater Element I | Easy | 76.9% | C / Java | Stack |
| ☐ | 682 | Baseball Game | Easy | 81.2% | C / Java | Stack |
| ☐ | 844 | Backspace String Compare | Easy | 50.3% | C / Java | Stack |
| ☐ | 1047 | Remove All Adjacent Duplicates In String | Easy | 74.2% | C / Java | Stack |
| ☐ | 2696 | Minimum String Length After Removing Substrings | Easy | 77.2% | C / Java | Stack |
| ☐ | 1598 | Crawler Log Folder | Easy | 71.7% | C / Java | Stack |

## 10. Queue

5 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 225 | Implement Stack using Queues | Easy | 70.5% | C / Java | Queue |
| ☐ | 232 | Implement Queue using Stacks | Easy | 70.3% | C / Java | Queue |
| ☐ | 933 | Number of Recent Calls | Easy | 79.1% | C / Java | Queue |
| ☐ | 1700 | Number of Students Unable to Eat Lunch | Easy | 80.1% | C / Java | Queue |
| ☐ | 2073 | Time Needed to Buy Tickets | Easy | 73.4% | C / Java | Queue |

## 11. Linked List

9 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 876 | Middle of the Linked List | Easy | 82.5% | C / Java | Linked List |
| ☐ | 203 | Remove Linked List Elements | Easy | 55.6% | C / Java | Linked List |
| ☐ | 206 | Reverse Linked List | Easy | 81.1% | C / Java | Linked List |
| ☐ | 83 | Remove Duplicates from Sorted List | Easy | 57.6% | C / Java | Linked List |
| ☐ | 21 | Merge Two Sorted Lists | Easy | 69.0% | C / Java | Linked List |
| ☐ | 141 | Linked List Cycle | Easy | 55.2% | C / Java | Linked List |
| ☐ | 160 | Intersection of Two Linked Lists | Easy | 64.8% | C / Java | Linked List |
| ☐ | 234 | Palindrome Linked List | Easy | 58.9% | C / Java | Linked List |
| ☐ | 1290 | Convert Binary Number in a Linked List to Integer | Easy | 82.5% | C / Java | Linked List |

## 12. Binary Tree / BST

26 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 2236 | Root Equals Sum of Children | Easy | 85.2% | C / Java | Binary Tree / BST |
| ☐ | 2331 | Evaluate Boolean Binary Tree | Easy | 82.4% | C / Java | Binary Tree / BST |
| ☐ | 94 | Binary Tree Inorder Traversal | Easy | 80.7% | C / Java | Binary Tree / BST |
| ☐ | 144 | Binary Tree Preorder Traversal | Easy | 76.8% | C / Java | Binary Tree / BST |
| ☐ | 145 | Binary Tree Postorder Traversal | Easy | 79.1% | C / Java | Binary Tree / BST |
| ☐ | 104 | Maximum Depth of Binary Tree | Easy | 78.7% | C / Java | Binary Tree / BST |
| ☐ | 100 | Same Tree | Easy | 68.1% | C / Java | Binary Tree / BST |
| ☐ | 226 | Invert Binary Tree | Easy | 80.5% | C / Java | Binary Tree / BST |
| ☐ | 700 | Search in a Binary Search Tree | Easy | 83.2% | C / Java | Binary Tree / BST |
| ☐ | 101 | Symmetric Tree | Easy | 62.1% | C / Java | Binary Tree / BST |
| ☐ | 110 | Balanced Binary Tree | Easy | 59.3% | C / Java | Binary Tree / BST |
| ☐ | 111 | Minimum Depth of Binary Tree | Easy | 53.9% | C / Java | Binary Tree / BST |
| ☐ | 112 | Path Sum | Easy | 55.8% | C / Java | Binary Tree / BST |
| ☐ | 257 | Binary Tree Paths | Easy | 69.5% | C / Java | Binary Tree / BST |
| ☐ | 404 | Sum of Left Leaves | Easy | 63.2% | C / Java | Binary Tree / BST |

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 530 | Minimum Absolute Difference in BST | Easy | 59.8% | C / Java | Binary Tree / BST |
| ☐ | 543 | Diameter of Binary Tree | Easy | 66.3% | C / Java | Binary Tree / BST |
| ☐ | 617 | Merge Two Binary Trees | Easy | 79.2% | C / Java | Binary Tree / BST |
| ☐ | 637 | Average of Levels in Binary Tree | Easy | 75.2% | C / Java | Binary Tree / BST |
| ☐ | 653 | Two Sum IV - Input is a BST | Easy | 63.8% | C / Java | Binary Tree / BST |
| ☐ | 872 | Leaf-Similar Trees | Easy | 70.4% | C / Java | Binary Tree / BST |
| ☐ | 897 | Increasing Order Search Tree | Easy | 79.1% | C / Java | Binary Tree / BST |
| ☐ | 938 | Range Sum of BST | Easy | 87.6% | C / Java | Binary Tree / BST |
| ☐ | 965 | Univalued Binary Tree | Easy | 73.4% | C / Java | Binary Tree / BST |
| ☐ | 993 | Cousins in Binary Tree | Easy | 59.9% | C / Java | Binary Tree / BST |
| ☐ | 1022 | Sum of Root To Leaf Binary Numbers | Easy | 76.7% | C / Java | Binary Tree / BST |

## 13. N-ary Tree

3 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 559 | Maximum Depth of N-ary Tree | Easy | 73.9% | C / Java | N-ary Tree |
| ☐ | 589 | N-ary Tree Preorder Traversal | Easy | 77.0% | C / Java | N-ary Tree |
| ☐ | 590 | N-ary Tree Postorder Traversal | Easy | 81.3% | C / Java | N-ary Tree |

## 14. Graph / BFS / DFS

4 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 1791 | Find Center of Star Graph | Easy | 86.6% | C / Java | Graph / BFS / DFS |
| ☐ | 997 | Find the Town Judge | Easy | 51.1% | C / Java | Graph / BFS / DFS |
| ☐ | 1971 | Find if Path Exists in Graph | Easy | 55.9% | C / Java | Graph / BFS / DFS |
| ☐ | 733 | Flood Fill | Easy | 69.0% | C / Java | Graph / BFS / DFS |

### 15. Heap / Priority Queue

2 problems • Recommended: Java preferred

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 703 | Kth Largest Element in a Stream | Easy | 61.6% | Java preferred | Heap / Priority Queue |
| ☐ | 1046 | Last Stone Weight | Easy | 66.8% | Java preferred | Heap / Priority Queue |

# Stage 4 — Java OOP / Design

### 16. Class & Design Problems

5 problems • Recommended: Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 1603 | Design Parking System | Easy | 87.2% | Java | Class & Design Problems |
| ☐ | 303 | Range Sum Query - Immutable | Easy | 73.6% | Java | Class & Design Problems |
| ☐ | 705 | Design HashSet | Easy | 68.4% | Java | Class & Design Problems |
| ☐ | 706 | Design HashMap | Easy | 66.8% | Java | Class & Design Problems |
| ☐ | 1656 | Design an Ordered Stream | Easy | 82.8% | Java | Class & Design Problems |

# Stage 5 — Extra Beginner Patterns

### 17. HashMap / HashSet

8 problems • Recommended: Java preferred

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 1 | Two Sum | Easy | 58.0% | Java preferred | HashMap / HashSet |
| ☐ | 202 | Happy Number | Easy | 60.4% | Java preferred | HashMap / HashSet |
| ☐ | 205 | Isomorphic Strings | Easy | 49.2% | Java preferred | HashMap / HashSet |
| ☐ | 217 | Contains Duplicate | Easy | 64.8% | Java preferred | HashMap / HashSet |
| ☐ | 219 | Contains Duplicate II | Easy | 52.0% | Java preferred | HashMap / HashSet |
| ☐ | 349 | Intersection of Two Arrays | Easy | 78.4% | Java preferred | HashMap / HashSet |
| ☐ | 594 | Longest Harmonious Subsequence | Easy | 65.2% | Java preferred | HashMap / HashSet |
| ☐ | 697 | Degree of an Array | Easy | 58.7% | Java preferred | HashMap / HashSet |

Acceptance rates: snapshot 04 Oct 2026 • rounded to 1 decimal

## 18. Greedy

5 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 121 | Best Time to Buy and Sell Stock | Easy | 57.5% | C / Java | Greedy |
| ☐ | 455 | Assign Cookies | Easy | 55.6% | C / Java | Greedy |
| ☐ | 860 | Lemonade Change | Easy | 59.5% | C / Java | Greedy |
| ☐ | 1005 | Maximize Sum Of Array After K Negations | Easy | 54.4% | C / Java | Greedy |
| ☐ | 1710 | Maximum Units on a Truck | Easy | 75.3% | C / Java | Greedy |

## 19. Intro Dynamic Programming

5 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 1137 | N-th Tribonacci Number | Easy | 63.0% | C / Java | Intro Dynamic Programming |
| ☐ | 70 | Climbing Stairs | Easy | 54.4% | C / Java | Intro Dynamic Programming |
| ☐ | 118 | Pascal's Triangle | Easy | 79.4% | C / Java | Intro Dynamic Programming |
| ☐ | 119 | Pascal's Triangle II | Easy | 68.1% | C / Java | Intro Dynamic Programming |
| ☐ | 746 | Min Cost Climbing Stairs | Easy | 68.8% | C / Java | Intro Dynamic Programming |

## 20. Sorting

4 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 350 | Intersection of Two Arrays II | Easy | 60.4% | C / Java | Sorting |
| ☐ | 561 | Array Partition | Easy | 82.2% | C / Java | Sorting |
| ☐ | 1331 | Rank Transform of an Array | Easy | 74.0% | C / Java | Sorting |
| ☐ | 2418 | Sort the People | Easy | 84.8% | C / Java | Sorting |

# Stage 6 — Future Stretch

## 21. Medium problems directly related to your syllabus

10 problems • Recommended: C / Java

| Done | # | Problem title | Difficulty | Acceptance | Language | Topic / pattern |
|---|---|---|---|---|---|---|
| ☐ | 912 | Sort an Array | Medium | 55.6% | C / Java | Medium problems directly related to your syllabus |
| ☐ | 102 | Binary Tree Level Order Traversal | Medium | 73.6% | C / Java | Medium problems directly related to your syllabus |
| ☐ | 98 | Validate Binary Search Tree | Medium | 36.4% | C / Java | Medium problems directly related to your syllabus |
| ☐ | 230 | Kth Smallest Element in a BST | Medium | 77.4% | C / Java | Medium problems directly related to your syllabus |
| ☐ | 200 | Number of Islands | Medium | 65.2% | C / Java | Medium problems directly related to your syllabus |
| ☐ | 133 | Clone Graph | Medium | 66.3% | C / Java | Medium problems directly related to your syllabus |
| ☐ | 841 | Keys and Rooms | Medium | 76.3% | C / Java | Medium problems directly related to your syllabus |
| ☐ | 215 | Kth Largest Element in an Array | Medium | 69.4% | C / Java | Medium problems directly related to your syllabus |
| ☐ | 743 | Network Delay Time | Medium | 61.7% | C / Java | Medium problems directly related to your syllabus |
| ☐ | 1584 | Min Cost to Connect All Points | Medium | 71.9% | C / Java | Medium problems directly related to your syllabus |

# Practice Rule

For every problem: understand the input/output → write the obvious correct solution → test edge cases → note time/space complexity → only then compare a better approach. Do not memorize accepted code.