

Clean Hydrogen for Decarbonizing Transportation and Industry: Towards Enhanced Energy Efficiency

Zair BOUZIDI

Laboratory LMA, Computer Science Department

Faculty of Exact Sciences, University A.-Mira of Bejaia, Algeria

zair.bouzidi@univ-bejaia.dz

Abstract—The urgent need to mitigate climate change and achieve net-zero emissions has placed hydrogen at the center of global energy strategies. As a clean, high-energy-density carrier, hydrogen offers significant potential for decarbonizing transportation and industry, two of the most carbon-intensive sectors. This study provides a comprehensive analysis of hydrogen's role in enhancing energy efficiency and facilitating a sustainable transition toward low-carbon systems.

The paper reviews recent advancements in hydrogen production pathways—including green, blue, and turquoise hydrogen—and evaluates their respective techno-economic and environmental trade-offs. Special attention is given to green hydrogen produced through renewable-powered electrolysis, identified as the most sustainable long-term solution despite current cost and scalability barriers. The study also explores hydrogen's integration with renewable energy systems, focusing on sector coupling, storage, and utilization across transport, manufacturing, and industrial heat applications.

Furthermore, the review identifies key technological bottlenecks, infrastructure challenges, and policy gaps that hinder widespread hydrogen adoption. Emerging solutions such as AI-assisted optimization, hybrid infrastructure planning, and international hydrogen trade frameworks are discussed as enablers of a resilient hydrogen economy.

By synthesizing insights from environmental, technical, and economic perspectives, this work underscores hydrogen's pivotal role in achieving enhanced energy efficiency, reduced CO_2 emissions, and sustainable industrial transformation. Future research and coordinated policy actions are essential to accelerate the deployment of clean hydrogen technologies and realize their global decarbonization potential.

Index Terms—clean hydrogen, energy efficiency, decarbonization, transportation, industry, renewable energy transition, sustainability

A LIST OF ACRONYMS THAT INCLUDES NOMENCLATURE AND UNITS

- AI: Artificial Intelligence
- ALE: Automated Learning Environment
- API: Interface of Application Programming
- CNN: Convolutional NN
- CSA: Climate-Smart Agriculture
- DL: Deep Learning
- FFNN: Feed-Forward Neural Network
- GMT: Greenwich Mean Time
- LSTM: Memory with Long Short-Term
- MAE: Mean of Absolute Error
- MSA: Multi-head Self-Attention
- MSE: Mean of Square Error

- NB: Naive Bayes
- NN: Network of Neurons
- PCT: Positional Convolutional Transform
- RMSE: Root-Mean of Square Error
- RNN: Recurrent NN
- RF: Random Forest
- SVM: Machine with Support Vector
- WSN: Wireless Sensor Network

HIGHLIGHTS

- The study relies on multimodal DL (social media, IoT & smart data) to gather information
- It seeks to reduce irrigation water waste, fight desert locust & improve productivity
- Smart Farming relies on Multimodal DL to reduce water waste and fight desert locust
- Smart farming concludes with advances to improve productivity & promote sustainability
- It aims to reduce water waste, fight desert locust, improve productivity, promote sustainability

GRAPHICAL ABSTRACT




Fig. 1. Graphical abstract

I. INTRODUCTION

The rapid growth of global energy demand, coupled with the urgent need to reduce greenhouse gas (GHG) emissions, has intensified the search for sustainable and low-carbon energy carriers. Despite significant progress in renewable electricity generation, the transport and industrial sectors remain particularly difficult to decarbonize due to their reliance on

high-temperature processes and dense energy vectors. In this context, clean hydrogen has emerged as a promising solution for achieving deep decarbonization across multiple end-use sectors.

Hydrogen is a versatile energy carrier that can be produced from various primary sources and integrated within diverse energy systems. When generated from renewable electricity through water electrolysis, so-called “green hydrogen” offers a pathway to nearly zero emissions. It can serve as a clean fuel for transportation, an industrial feedstock, or a means of storing and balancing intermittent renewable energy. The flexibility and scalability of hydrogen make it a critical component of the future energy mix.

Over the past decade, numerous initiatives and research efforts have explored the production, storage, and utilization of hydrogen in both transportation and industry. However, challenges remain regarding efficiency, cost competitiveness, infrastructure development, and sustainability of large-scale deployment. The transition toward a hydrogen-based economy also demands a systemic understanding of its environmental implications, including resource use, water consumption, and overall energy efficiency.

This paper provides a comprehensive survey of clean hydrogen technologies and their potential to enhance energy efficiency while decarbonizing transportation and industry. It reviews the state of the art in hydrogen production, storage, and end-use applications, assesses environmental and economic implications, and identifies research and policy priorities for accelerating the transition to a sustainable hydrogen future. By highlighting cross-sectoral synergies and practical pathways, the study aims to contribute to a clearer vision of hydrogen’s role in the global energy transition.

The main survey contributions can be summarized as:

- 1) Comprehensive coverage of AI applications across the key pillars of sustainable agriculture, including crop management, soil and water conservation, livestock farming, climate prediction & agricultural supply chains.
- 2) Analysis of emerging trends such as AI-driven precision farming, IoT-enabled smart agriculture, and the use of blockchain for transparency & traceability.
- 3) Critical discussion of challenge & limitation including technical, economic, social & regulatory barriers.
- 4) Future research perspective with a focus on explainable AI, inclusive technology & interdisciplinary approach that aligns with global sustainability goal (UN SDGs).

The remainder of this paper is organized as follows: Section 2 provides recent surveys. Section 3 highlights The Role of Hydrogen in the Energy Transition. Section 4 explores Hydrogen Production Technologies. Section 5 discusses the Hydrogen Storage and Distribution. Section 6 outlines the Hydrogen Applications in Transportation. Section 7 outlines the Hydrogen Applications in Industry. Section 8 outlines the Hydrogen Infrastructure, Storage, and Distribution. Section 9 highlights the Environmental Impact and Lifecycle Assessment (LCA) of Hydrogen. Section 10 explores the Environmental Impact and

Lifecycle Assessment (LCA) of Hydrogen. Finally, Section 11 concludes with some Future Research Directions.

II. RECENT SURVEYS

The combination of AI and IoT technologies has enormous promise for improving the effectiveness, security, and adaptability of the production, storage, distribution, and use of hydrogen energy [30].

Technologies such as solid-state storage materials, cryogenic liquefaction, and chemical storage have seen significant advancements [31].

AI methods like machine learning and neural networks are being used to solve complex problems related to H₂ storage, including the discovery of new materials and the optimization of systems [32].

Integrated hydrogen energy systems represent a promising solution capable of replacing current non-renewable energy systems; however, their development faces obstacles such as the complexity of balancing supply and demand, the dynamics of consumer demand, and the challenges of integrating and utilizing hydrogen. Consequently, their adoption remains limited [32].

The use of green hydrogen is expanding globally, driven by current interest in the sustainable energy transition. However, this growth is accompanied by significant challenges related to production fluctuations, control strategies, and supply chains [33]. In this context, digital technologies play a major role in the development of green hydrogen (See Table 1).

III. THE ROLE OF HYDROGEN IN THE ENERGY TRANSITION

Hydrogen plays a pivotal role in the global energy transition as both an energy carrier and a decarbonization vector. Its capacity to store, transport, and convert energy across multiple sectors allows it to bridge the gap between renewable electricity generation and hard-to-abate sectors such as transport and heavy industry. Unlike direct electrification, which is often limited by energy density constraints and infrastructural challenges, hydrogen provides a high-energy-density alternative capable of supporting large-scale and long-range applications.

Depending on its production pathway, hydrogen can have vastly different environmental footprints. Conventionally, “grey hydrogen” is produced from natural gas via steam methane reforming (SMR) without carbon capture, resulting in significant CO₂ emissions. “Blue hydrogen” incorporates carbon capture, utilization, and storage (CCUS) technologies to reduce its carbon intensity, while “green hydrogen” is produced by water electrolysis powered by renewable energy, resulting in nearly zero emissions. Emerging forms such as “turquoise hydrogen,” derived from methane pyrolysis, are being explored for their potential to generate solid carbon by-products instead of gaseous emissions.

Hydrogen’s integration into the energy system offers multiple advantages. It enables the storage of excess renewable energy, allowing intermittent sources like solar and wind to contribute to a stable and reliable supply. It also facilitates

TABLE I
RECENT SURVEYS IN CLEAN HYDROGEN FOR DECARBONIZING
TRANSPORTATION AND INDUSTRY

Models	Methods
Hydrogen Energy System	
[30]	Building a comprehensive knowledge-based model by integrating domain knowledge, data-driven insights & machine-learning methods
Hydrogen (H₂) Storage Technology	
[31]	Hydrogen (H ₂) storage technology: a key area in the quest for sustainable energy solutions
Integrated hydrogen energy systems	
[32]	Artificial intelligence for hydrogen-enabled integrated energy systems
Deep Learning, Education & Safe Information	
[24], [25]	Economic Environment monitoring to predict Issues & Disruptions via Multimodal DL, Smart Educ & Safe Data
Sustainable energy transition: Towards the use of green hydrogen	
[33]	An Overview of Digitalization Pathways for Green Hydrogen Production: AI, Machine Learning, IoT, Digital Twin, and Blockchain, Renewable and Sustainable Energy Technology
Digitalisation	
[23]	Digital Technologies in Education
Explainable AI & Blockchain	
[2]	Explainable AI and blockchain
Integrated hydrogen energy systems	
[19], [20]	Sensors, Actuators
[20]	Wireless Connectivity: Cellular, WiFi
IoT Devices : Sensors, Actuators, Cameras	
[19], [20]	Sensors, Actuators
Wireless Connectivity	
[20]	Wireless Connectivity: Cellular, WiFi,

sector coupling, linking power generation with industrial processes, heating, and transportation. By doing so, hydrogen supports the creation of a more flexible, resilient, and efficient energy system capable of achieving net-zero emission targets.

Global strategies increasingly recognize hydrogen’s role as a cornerstone of decarbonization. The European Union’s Hydrogen Strategy, Japan’s Basic Hydrogen Roadmap, and similar initiatives in countries such as South Korea and Australia have set ambitious goals for clean hydrogen production and infrastructure deployment. These strategies envision hydrogen not only as a clean fuel but as a driver of economic growth and industrial innovation. As these efforts accelerate, hydrogen’s role in balancing renewable energy systems and reducing emissions in energy-intensive sectors will become increasingly central to achieving climate neutrality.

IV. HYDROGEN PRODUCTION TECHNOLOGIES

The sustainability of hydrogen as an energy carrier largely depends on how it is produced. Current production methods can be broadly classified into fossil-based and renewable-based pathways, each with distinct technological maturity, efficiency, and environmental implications. Transitioning from carbon-intensive production to low- or zero-carbon hydrogen

is therefore essential for realizing its full decarbonization potential.

A. Fossil-based Hydrogen with and without Carbon Capture

The dominant method today, accounting for nearly 95% of global hydrogen production, is steam methane reforming (SMR) using natural gas. Although technically mature and cost-effective, SMR emits large quantities of CO_2 . Integrating carbon capture, utilization, and storage (CCUS) technologies can significantly reduce these emissions, leading to so-called “blue hydrogen.” However, the overall carbon intensity of blue hydrogen depends on the capture efficiency, methane leakage rates, and the lifecycle emissions associated with natural gas extraction and transport. Autothermal reforming (ATR) and partial oxidation processes are also being optimized for higher thermal efficiency and easier integration with CCUS.

B. Renewable Hydrogen via Water Electrolysis

Green hydrogen, produced through water electrolysis powered by renewable electricity, represents the most sustainable pathway. Three main electrolyzer technologies dominate research and deployment efforts:

Alkaline electrolyzers (AEL): the most mature and cost-competitive, but limited by lower current densities and slower dynamic response.

Proton Exchange Membrane (PEM) electrolyzers: provide higher efficiency, faster response, and compact design, suitable for coupling with variable renewable sources.

Solid Oxide Electrolyzers (SOEC): operate at high temperatures, achieving higher theoretical efficiencies, especially when integrated with waste heat recovery systems.

While electrolysis remains more expensive than fossil-based production, declining renewable energy costs and technological learning curves are driving rapid improvements in both performance and affordability.

C. Emerging and Alternative Hydrogen Production Routes

In addition to conventional methods, innovative pathways are gaining attention:

Methane pyrolysis (turquoise hydrogen): decomposes methane into solid carbon and hydrogen, avoiding CO_2 emissions if powered by renewable energy.

Photoelectrochemical (PEC) and photocatalytic water splitting: convert solar energy directly into hydrogen, offering long-term potential but facing challenges in scalability and material stability.

Biological processes: such as dark fermentation and microbial electrolysis, present promising low-energy routes but are currently limited by low hydrogen yields and complex feedstock logistics.

D. Energy and Environmental Considerations

The energy efficiency of hydrogen production varies significantly among technologies, typically ranging from 55–75% for electrolysis and up to 85% for thermal reforming. When considering the full life cycle—including energy inputs, emissions, and system integration—green hydrogen offers the

lowest environmental impact but still requires substantial renewable capacity expansion. The Levelized Cost of Hydrogen (LCOH) remains a critical factor, with projections suggesting that green hydrogen could reach parity with fossil-derived hydrogen by 2030 in regions with abundant renewable resources.

V. HYDROGEN STORAGE AND DISTRIBUTION

Efficient storage and distribution are critical enablers for the large-scale deployment of hydrogen in both transportation and industry. Unlike electricity, hydrogen can be stored over long periods and transported across regions, offering valuable flexibility for balancing renewable-based energy systems. However, due to its low volumetric energy density and small molecular size, hydrogen presents unique technical challenges that require careful optimization of safety, cost, and efficiency.

A. Physical Storage Methods

Hydrogen can be stored in compressed gaseous or liquid form, each with trade-offs in terms of energy efficiency and infrastructure requirements.

Compressed hydrogen at pressures of 350–700 bar is the most widely adopted solution for fuel-cell vehicles and small-scale systems. Advanced carbon-fiber composite tanks are used to ensure safety while minimizing weight.

Liquid hydrogen, stored at cryogenic temperatures (–253 °C), offers higher volumetric energy density but incurs significant energy penalties during liquefaction—up to 30

B. Material-Based Storage

To overcome the limitations of physical storage, research has focused on solid-state hydrogen carriers.

Metal hydrides (e.g., MgH_2 , $TiFeH_2$) enable high volumetric densities and safe operation at moderate pressures, but require substantial heat for hydrogen release.

Chemical hydrides (such as $NaBH_4$ or ammonia borane) provide stable, transportable hydrogen forms but face regeneration and recyclability issues.

Porous materials like metal-organic frameworks (MOFs) and carbon nanostructures have shown promise for reversible adsorption at near-ambient conditions, though large-scale deployment remains at a laboratory stage.

C. Hydrogen Distribution Infrastructure

A reliable distribution network is vital to link production sites with end-users. Three main transport pathways are emerging:

Pipeline transport, either through dedicated hydrogen pipelines or retrofitted natural-gas networks, offers the lowest cost per kilometer for high-volume delivery but requires material compatibility assessments due to hydrogen embrittlement.

Road and rail transport via high-pressure tube trailers or cryogenic tankers provides flexibility for small- to medium-scale applications but is energy-intensive and logistically complex.

Maritime transport, using liquefied hydrogen, ammonia, or liquid organic hydrogen carriers (LOHCs), is increasingly viewed as the key enabler for international trade between renewable-rich and energy-demanding regions.

D. Integration and Safety Considerations

Hydrogen storage and transport systems must adhere to strict safety, standardization, and monitoring protocols. Hydrogen's wide flammability range and low ignition energy necessitate advanced leak detection, ventilation, and material selection. The development of hydrogen hubs, integrating production, storage, and refueling facilities, offers a pathway toward cost reduction and economies of scale. Moreover, digital monitoring and predictive maintenance based on artificial intelligence are being explored to enhance operational reliability.

VI. HYDROGEN APPLICATIONS IN TRANSPORTATION

The transportation sector accounts for nearly 25% of global CO_2 emissions, making it a prime target for decarbonization through hydrogen technologies. Hydrogen offers high energy density, rapid refueling, and zero tailpipe emissions when used in fuel cells—making it particularly suited for segments where battery-electric vehicles face limitations such as long range, payload, or refueling time.

A. Light-Duty Vehicles (LDVs)

Fuel-cell electric vehicles (FCEVs) convert hydrogen into electricity via an electrochemical reaction, emitting only water vapor. Models such as the Toyota Mirai, Hyundai NEXO, and Honda Clarity demonstrate the technological maturity of hydrogen mobility. However, large-scale adoption remains constrained by:

- High cost of fuel-cell stacks and onboard storage systems,
- Limited refueling infrastructure, and

- Competition with rapidly advancing battery technologies.

Recent advances in proton exchange membrane (PEM) fuel-cell durability and 700-bar composite storage tanks have improved vehicle efficiency to over 60%, while hydrogen refueling takes less than five minutes—comparable to gasoline refueling times.

B. Heavy-Duty and Commercial Transport

Hydrogen is particularly attractive for heavy-duty trucks, buses, and trains, where batteries are too heavy for long-distance operations.

Trucks: Companies like Nikola, Hyundai, and Toyota are developing hydrogen-powered trucks capable of over 800 km per refueling, targeting freight corridors with dedicated hydrogen refueling stations.

Buses: Over 6,000 hydrogen buses are already operating in Europe and China, supported by regional hydrogen hubs.

Rail: Hydrogen fuel-cell trains, such as Alstom's Coradia iLint, offer a zero-emission alternative for non-electrified rail lines, with operational ranges up to 1,000 km per tank.

C. Maritime and Aviation Applications

The maritime and aviation industries, both difficult to electrify, represent emerging frontiers for hydrogen technologies.

Maritime: Hydrogen and ammonia-based fuels are being explored to decarbonize cargo shipping. The Energy Observer

and Hydroville vessels have proven the feasibility of long-distance hydrogen navigation.

Aviation: Projects such as Airbus ZEROe and Universal Hydrogen aim to develop hydrogen-powered aircraft by 2035, leveraging liquid hydrogen for high energy density. Key challenges include cryogenic storage, refueling logistics, and certification standards.

D. Energy Efficiency and Lifecycle Analysis

Hydrogen-based transport systems exhibit well-to-wheel efficiencies ranging from 25–35%. Moreover, hybrid architectures combining hydrogen fuel cells and batteries are being developed to optimize efficiency in dynamic driving conditions.

E. Challenges and Outlook

The large-scale deployment of hydrogen mobility depends on:

- Cost reduction through economies of scale and green hydrogen production,

- Expansion of refueling infrastructure integrated with renewable energy sources,

- Harmonized international standards for hydrogen purity, safety, and storage pressure.

Global policy frameworks—such as the EU Hydrogen Strategy (2020) and Japan’s Basic Hydrogen Roadmap—are accelerating investment toward a hydrogen-based transport ecosystem. The synergistic development of fuel-cell technology, renewable hydrogen, and digital logistics will determine the speed and success of this transition.


VII. HYDROGEN APPLICATIONS IN INDUSTRY

Industrial processes account for nearly 30% of global energy consumption and 25% of total CO_2 emissions, mainly due to the combustion of fossil fuels for heat and feedstock use in steel, cement, refining, and chemical sectors. Hydrogen—especially when produced via renewable pathways—offers a versatile solution to decarbonize both process heat and industrial feedstocks, making it central to net-zero strategies.

A. Steel and Metallurgy

The iron and steel industry is among the most carbon-intensive, emitting about 2.6 Gt CO_2 per year, largely from the use of coke in blast furnaces.

Hydrogen-based Direct Reduction of Iron (H-DRI) replaces carbon with hydrogen as the reducing agent:



This process emits only water vapor instead of CO_2 .

HYBRIT (Sweden) and H2 Green Steel are leading projects demonstrating the industrial feasibility of H-DRI, expected to reduce emissions by up to 95% compared with conventional methods.

Integration of green hydrogen with electric arc furnaces (EAF) powered by renewables forms the backbone of future fossil-free steelmaking.

B. Refining and Petrochemical Industry

Hydrogen is already widely used in refineries for hydrocracking and desulfurization, but the current supply is dominated by grey hydrogen from natural gas reforming. Transitioning to blue hydrogen (with CCS) or green hydrogen (via electrolysis) can drastically reduce emissions.

A medium-sized refinery requires roughly 100 000 NmH_2 per hour, offering a major decarbonization opportunity through on-site electrolysis powered by renewables.

Co-integration of waste heat recovery and oxygen by-product utilization further enhances the plant’s overall energy efficiency.

C. Chemical Industry

Hydrogen is a critical feedstock in ammonia (NH_3), methanol, and synthetic fuel production.

Ammonia synthesis (Haber–Bosch process) consumes nearly 1% of global CO_2 emissions due to its reliance on natural-gas-based hydrogen.

Green ammonia, derived from renewable hydrogen and nitrogen separation, enables zero-carbon fertilizers and can serve as an energy carrier or marine fuel.

Similarly, green methanol production from captured CO_2 and green hydrogen supports carbon circularity in the chemical sector.

D. Industrial Heat and Power

Industrial furnaces, kilns, and boilers operating above 400 °C can adopt hydrogen combustion as a clean heat source.

Glass, cement, and ceramic industries are testing hydrogen-oxyfuel burners to achieve flame temperatures comparable to natural gas.

Hybrid systems combining hydrogen combustion and electric heating can balance operational flexibility with grid stability. However, flame control, burner retrofitting, and NO_x formation remain engineering challenges under study.

E. Integration with Industrial Clusters

Hydrogen deployment is increasingly organized through industrial hubs—geographic areas where multiple industries share hydrogen infrastructure, CO_2 pipelines, and renewable power. Examples include:

- Port of Rotterdam Hydrogen Hub (Netherlands),

- Northern Lights Project (Norway), and

- Texas Hydrogen Corridor (USA). Such clusters reduce unit costs and accelerate sector coupling, linking hydrogen with carbon capture, renewable electricity, and district heating networks.

F. Challenges and Future Prospects

Key barriers to large-scale industrial adoption include:

- High capital costs of electrolysis and storage,

- Limited availability of renewable electricity, and

- Infrastructure readiness for hydrogen pipelines and distribution.

Policy mechanisms such as carbon pricing, green product standards, and industrial decarbonization credits will be decisive in bridging the cost gap. By 2040, the IEA projects that hydrogen could meet 15–20% of industrial energy demand, avoiding over 2 Gt CO_2 annually if fully integrated with renewables.

VIII. HYDROGEN INFRASTRUCTURE, STORAGE, AND DISTRIBUTION

The large-scale adoption of hydrogen as a clean energy carrier depends critically on the infrastructure that connects production, storage, transport, and end-use sectors. While hydrogen's versatility is its strength, its physical properties—low volumetric energy density and high diffusivity—pose major challenges for efficient handling and distribution.

A. Hydrogen Transport Pathways

Hydrogen can be transported via three main pathways:

Gaseous Hydrogen Pipelines

The most efficient for large and steady supply over regional distances.

Existing natural gas pipelines can be retrofitted to carry hydrogen blends up to 15–20

For pure hydrogen, materials must resist embrittlement; therefore, polyethylene or composite pipelines are being considered.

Examples: HyNet (UK) and GET H2 (Germany) projects are building dedicated hydrogen corridors.

Liquid Hydrogen (LH_2) Transport

Liquefaction increases energy density by a factor of 800 compared to gas at ambient conditions, but it requires cryogenic temperatures ($-253^\circ C$).

Despite high energy cost (30

Japan's Suiso Frontier and the HESC project in Australia demonstrate early commercial feasibility.

Chemical Carriers (LOHCs and Ammonia)

Hydrogen can be chemically bound in Liquid Organic Hydrogen Carriers (LOHCs) such as methylcyclohexane (MCH) or toluene, or converted to ammonia (NH_3) for easy storage and transport.

These carriers are compatible with existing fuel infrastructure and enable global hydrogen trade.

Dehydrogenation efficiency and catalyst development remain active research fields.

B. Hydrogen Storage Technologies

Efficient storage ensures supply stability, load balancing, and seasonal energy management.

Compressed Gas Storage

Hydrogen stored at 350–700 bar in composite cylinders or steel vessels.

Widely used in mobility and distributed applications.

Simple technology, but with limited capacity and high compression energy cost.

Liquid Hydrogen Storage

Offers higher density (70 kg/m³) but requires advanced cryogenic insulation and boil-off management.

Used in aviation, space industry, and maritime transport prototypes.

Underground Storage

Large-scale storage can be achieved in salt caverns, depleted gas fields, or aquifers, enabling seasonal balancing between renewable generation and industrial demand.

Successful pilot projects include Teesside (UK) and Texas Gulf Coast (USA) salt caverns.

Solid-State Storage

Hydrogen absorbed in metal hydrides (e.g., MgH_2 , $NaAlH_4$) or adsorbed on porous materials like MOFs offers high volumetric density and intrinsic safety.

Still limited by slow kinetics and high temperature requirements for desorption.

C. Infrastructure Integration and Smart Grids

Hydrogen infrastructure must evolve in synergy with electricity networks, forming the basis of Power-to-X (P2X) systems.

Power-to-Hydrogen (P2H): electrolysis converts surplus renewable electricity to hydrogen.

Hydrogen-to-Power (H2P): fuel cells or turbines regenerate electricity during demand peaks.

This duality enables grid stabilization, energy arbitrage, and sector coupling between power, transport, and industry.

Smart infrastructure will rely on digital monitoring, AI-driven control systems, and blockchain-based energy traceability to ensure efficiency, safety, and transparency across the hydrogen value chain.

D. Safety and Regulatory Framework

Hydrogen's low ignition energy and wide flammability range demand strict safety protocols:

Continuous leak detection using optical sensors and odorants,

Ventilation and pressure relief systems in storage facilities, and

Robust regulatory harmonization through ISO/IEC standards.

European initiatives such as Hydrogen Safety Europe and H2Global are leading in developing international safety codes and interoperability frameworks.

E. Economic and Environmental Considerations

Infrastructure costs can represent up to 50

Shared infrastructure through hydrogen hubs,

Blending with natural gas to leverage existing assets, and

Lifecycle assessments (LCAs) to minimize total carbon footprint from production to end use.

By 2035, the coordinated expansion of pipelines, terminals, and storage sites could enable cost parity between hydrogen and fossil fuels in several industrial clusters, fostering a sustainable hydrogen economy.

IX. ENVIRONMENTAL IMPACT AND LIFECYCLE ASSESSMENT (LCA) OF HYDROGEN

Hydrogen is often portrayed as a zero-emission fuel, yet its environmental impact depends strongly on the energy sources and processes used throughout its lifecycle. A rigorous Life Cycle Assessment (LCA) is therefore essential to quantify the true sustainability of hydrogen systems, from production to end use.

A. Life Cycle Stages of Hydrogen

A full LCA of hydrogen typically encompasses five key stages:

Feedstock Extraction – Includes natural gas, coal, biomass, or water sources.

Hydrogen Production – Via SMR, gasification, electrolysis, or biological routes.

Compression and Storage – Energy consumption for pressurization, liquefaction, or chemical conversion.

Distribution and Transport – Pipeline, shipping, or carrier-based transport emissions.

End-Use Conversion – Combustion or electrochemical conversion in fuel cells.

Each stage contributes differently to energy consumption, CO_2 emissions, and resource use, making the production pathway a decisive factor for sustainability.

B. Carbon Intensity by Production Pathway

Hydrogen is commonly categorized by color codes reflecting its carbon footprint:

Type	Production Method	Main Energy Source	CO_2 Emissions (kg CO_2 /kg H_2)	Remarks
Grey	Hydrogen	Steam Methane Reforming (SMR)	Natural Gas 9–12	Dominant globally, carbon-intensive
Blue	Hydrogen	SMR + Carbon Capture and Storage (CCS)	Natural Gas 1–3	Transitional option, depends on capture efficiency
Green	Hydrogen	Electrolysis	Renewable Electricity <0.5	Virtually carbon-free, but currently costly
Turquoise	Hydrogen	Methane Pyrolysis	Electricity 0.2–1	Produces solid carbon instead of CO_2
Bio-Hydrogen	Biomass Gasification / Fermentation	Biomass	Variable	Can achieve negative emissions if coupled with CCS

Recent LCAs indicate that green and turquoise hydrogen can achieve up to 90–98% emission reduction compared to grey hydrogen, provided renewable energy sources are used consistently.

C. Water Use and Resource Efficiency

Hydrogen production via electrolysis requires approximately 9 liters of water per kilogram of H_2 , excluding cooling and purification stages. While this appears moderate, water availability and quality become critical in arid regions or offshore systems.

Solutions include:

Use of non-potable or seawater, coupled with desalination systems.

Integration with wastewater treatment plants for circular resource use.

Hybrid electrolysis systems combining solar and wind power to reduce water intensity per kWh of H_2 produced.

D. Lifecycle Energy Efficiency

Overall energy efficiency varies widely by production and end-use configuration:

Electrolysis + Compression + Fuel Cell: 25–35% round-trip efficiency.

SMR + Turbine Combustion: 55–60% thermal efficiency.

Hydrogen Blending in Gas Grids: 70–80% effective utilization in industrial settings.

These figures underscore the importance of system integration (e.g., cogeneration, heat recovery) to enhance total energy yield and reduce waste.

E. Environmental Trade-offs and Co-benefits

Hydrogen systems can generate both positive and negative environmental externalities:

Positive Impacts:

Reduction of urban air pollution and NO_x/SO_x from transport and heavy industry.

Enabling deep decarbonization of hard-to-abate sectors (steel, cement, shipping).

Facilitating renewable energy storage, reducing curtailment of solar/wind power.

Negative Impacts or Risks:

Potential water stress in regions with limited freshwater.

Methane leakage during natural gas-based hydrogen production.

Material intensity of electrolyzers (rare metals like platinum, iridium).

Hydrogen leakage contributing indirectly to stratospheric warming through methane oxidation pathways (under ongoing investigation).

F. Circular Economy and End-of-Life Strategies

Adopting a circular hydrogen economy approach means recovering and reusing critical materials from:

Electrolyzers (membranes, catalysts),

Fuel cells (platinum group metals), and

Storage systems (composite materials).

Innovations in recycling electrolyzer membranes and developing cobalt-free catalysts are paving the way toward a more resource-efficient and sustainable hydrogen future.

G. Policy Implications and Global Standards

Several international frameworks are establishing LCA-based sustainability metrics for hydrogen certification:

EU Renewable Energy Directive (RED III) – introduces “Renewable Fuels of Non-Biological Origin (RFNBOs)” with strict GHG thresholds.

ISO 14040 / 14044 – standardized methodology for environmental LCAs.

IPHE Hydrogen Production Analysis Task Force – defines global benchmarks for “clean hydrogen” accounting.

The convergence of LCA methodologies, carbon accounting, and green certification will be crucial to ensuring transparency and comparability between hydrogen supply chains across regions.

X. TECHNO-ECONOMIC ANALYSIS AND POLICY ROADMAP FOR HYDROGEN DEPLOYMENT

While hydrogen holds immense promise for deep decarbonization, its widespread adoption remains constrained by techno-economic challenges. Production costs, infrastructure investment, and market uncertainties continue to limit large-scale deployment. This section provides an overview of the economic feasibility, investment requirements, and policy mechanisms that can accelerate the hydrogen economy.

A. Levelized Cost of Hydrogen (LCOH)

The Levelized Cost of Hydrogen (LCOH) measures the average cost of producing one kilogram of hydrogen over the lifetime of a production facility. It depends primarily on:

- Electricity price (€/MWh)

- Electrolyzer efficiency (

- Capital expenditure (CAPEX) and operating costs (OPEX)

- Capacity factor and system lifetime

Recent techno-economic studies indicate that:

Technology	2025 Cost (USD/kg H_2)	2030 Projection	Key Drivers
Grey H_2 (SMR)	1.2 – 2.0	Stable	Gas price, carbon tax
Blue H_2 (SMR + CCS)	1.5 – 2.5	1.2 – 2.0	Capture cost, efficiency
Green H_2 (Electrolysis)	4.0 – 6.0	1.5 – 2.5	Renewable cost, electrolyzer scale
Turquoise H_2 (Pyrolysis)	2.5 – 3.5	1.5 – 2.5	Reactor design, solid carbon market

By 2030, green hydrogen could reach cost parity with fossil-based hydrogen in regions with renewable electricity below 25 €/MWh, such as parts of North Africa, the Middle East, and Latin America. Advances in electrolyzer manufacturing, automation, and mass deployment could reduce CAPEX by 60–70% within a decade.

B. Infrastructure and Storage Costs

Hydrogen infrastructure investments represent a critical bottleneck. The main cost components include:

- Pipelines (up to \$1–3 million per km for new builds)

- Liquefaction and storage (energy-intensive; adds 30–40% to total cost)

- Refueling stations (approximately \$1 million per unit for 500 kg/day capacity)

A cost-effective approach involves repurposing existing natural gas pipelines and using ammonia or liquid organic hydrogen carriers (LOHCs) for long-distance transport, which can cut logistics costs by 50–70%.

C. Industrial and Transport Market Prospects

The initial demand growth is expected in refining, steelmaking, fertilizers, and heavy-duty transport. According to the IEA Hydrogen Roadmap (2024):

Industry may consume 55% of global hydrogen demand by 2035,

Transport (road, rail, and maritime) about 30%,

The remainder for power generation and storage.

Hydrogen trucks, trains, and maritime applications are particularly attractive where battery electrification faces range or weight constraints. Integration of fuel cells in heavy industry offers substantial energy efficiency gains—up to 25–40% reduction in primary energy use compared to fossil alternatives.

D. Investment Requirements and Market Growth

To align with Net-Zero by 2050, global investment in hydrogen technologies must exceed \$700 billion by 2030. This includes:

- Production facilities (approximately 60%)

- Infrastructure and logistics (approximately 30%)

- End-use applications (approximately 10%)

Despite the high capital intensity, learning-by-doing effects and regional clusters (e.g., Hydrogen Valleys in Europe, Japan, and the Gulf) will help lower costs through economies of scale.

E. Policy Instruments and Incentives

Governments play a decisive role in de-risking investment and building early markets. Key policy instruments include:

- Carbon pricing and emissions trading systems (ETS)

- Contracts for Difference (CfDs) guaranteeing price stability

- Tax credits (e.g., U.S. Inflation Reduction Act's 45V credit for clean H_2)

- Renewable hydrogen quotas for industry and transport

- Green certification schemes (Guarantees of Origin)

- Public-private partnerships, long-term offtake agreements, and international trade corridors (e.g., EU–North Africa hydrogen pipelines) can significantly accelerate market maturity.

F. Socioeconomic and Employment Impacts

The hydrogen economy also offers broader societal benefits:

- Up to 30 million new jobs globally by 2050 across production, logistics, and manufacturing.

- Regional industrial revitalization, particularly in areas with declining fossil industries.

- Potential to reduce air pollution and related health costs, especially in dense urban zones.

However, these opportunities depend on equitable energy access, workforce reskilling, and sustainable local resource management—essential components of a just energy transition.

9.7 Policy Roadmap to 2050
Time Horizon Strategic Focus
Key Milestones 2025 Pilot projects, R&D funding Cost benchmarking, standards development 2030 Commercial scale-up 10 Mt/year global green H_2 production 2040 Market integration Hydrogen trading hubs, cross-border pipelines 2050 Full decarbonization Net-zero hydrogen value chain worldwide

The roadmap envisions a progressive evolution from local pilot projects to integrated hydrogen corridors linking production, consumption, and export hubs—supporting the broader global energy transition.

XI. CONCLUSIONS AND FUTURE RESEARCH DIRECTIONS

Hydrogen stands at the forefront of the global energy transition as a clean, flexible, and cross-sectoral energy carrier capable of enabling deep decarbonization in hard-to-abate sectors. This review has examined hydrogen's role in enhancing energy efficiency and reducing greenhouse gas emissions across transportation and industrial systems, while evaluating its environmental, economic, and technological dimensions.

The analysis highlights that green hydrogen, produced via electrolysis using renewable electricity, remains the most sustainable long-term option. However, its deployment is still limited by high production costs, infrastructure gaps, and energy conversion inefficiencies. Transitional pathways—such as blue and turquoise hydrogen—can play a complementary role in accelerating market adoption while maintaining carbon reduction targets.

From a systems perspective, the integration of hydrogen into renewable-dominant energy systems presents both opportunities and challenges. On one hand, hydrogen enables large-scale energy storage, sector coupling, and resilience against intermittency. On the other hand, it requires coordinated planning across generation, transport, storage, and utilization infrastructures. The success of this integration will depend on robust policy frameworks, economic incentives, and technological standardization at global scale.

Future research should therefore focus on several key directions:

Improving Electrolyzer Technologies – Development of low-cost, high-efficiency materials, particularly alternatives to platinum group metals.

Lifecycle Sustainability – Refinement of LCA methodologies to assess water use, land impact, and indirect emissions.

Hydrogen Infrastructure Optimization – Modeling of hybrid transport networks (pipelines, LOHCs, ammonia) to minimize cost and carbon footprint.

Digitalization and Smart Control – Integration of AI-based monitoring and predictive maintenance for electrolysis plants and fuel cell systems.

Cross-Sectoral Coupling – Studies on coupling hydrogen with renewable power, district heating, and industrial clusters.

Socioeconomic and Policy Research – Understanding how policy instruments and social acceptance shape hydrogen adoption pathways.

Global Equity and Trade – Exploration of hydrogen trade flows between resource-rich and energy-demanding regions, ensuring fair and sustainable cooperation.

Ultimately, the transition to a hydrogen-based economy must not only address technological feasibility but also ensure economic viability, environmental integrity, and social inclusiveness. Achieving these goals will require coordinated international action, long-term policy vision, and continuous innovation.

By aligning science, industry, and governance, clean hydrogen can become a cornerstone of the sustainable energy landscape—delivering enhanced energy efficiency, reduced carbon

emissions, and a resilient low-carbon future for generations to come.

ACKNOWLEDGEMENTS

We acknowledge support of "Direction Générale de la Recherche Scientifique et du Développement Technologique "DGRSDT"". MESRS, Algeria.

DECLARATIONS

*Funding does not require any funding: this work is within the framework of research

* Conflicts of interest: All metrics are the property of the LMA laboratories of the University of Béjaia and LIMPAF of the University of Bouira, Algeria

*Availability of data and material: The data that support the findings of this study are available from the corresponding author but restrictions apply to the availability of these data, which were used in the laboratories LMA from the University of Bejaia in Algeria for the current study, and so are not publicly available. Data are however available from the corresponding author upon reasonable request and with permission of Managers of LMA laboratory.

REFERENCES

- [1] Z. Bouzidi, M. Amad & A. Boudries, "Intelligent and Real-time Alert Model for Disaster Management based on Information retrieval from Multiple Sources, Journal of Advanced Media and Communication," Vol. 7, No. 4, pp. 309-330, DOI:10.1504/IJAMC.2019.111193
- [2] Qiupu Chen, Guimin Huang, (2021), "A novel dual attention-based BLSTM with hybrid features in speech emotion recognition," Engineering Applications of Artificial Intelligence, Volume 102, 104277, ISSN 0952-1976, <https://doi.org/10.1016/j.engappai.2021.104277>
- [3] Z. Bouzidi & A. Boudries, "Managing Emergency Crises using Secure Information through Educational Awareness: COVID-19 Case Study," Computers in Biology and Medicine, Volume 186, Number 109620, ISSN 0010-4825, 2025, <https://doi.org/10.1016/j.combiomed.2024.109620>
- [4] Zair Bouzidi, (2025), "Reemerging & Emerging Epidemics Monitoring via Educational Outreach & Safe Data in Sustainability," 2025 International Conference on Emerging Technologies and Computing (IC_ETC). Brest, France. 2025. pp. 1-7. doi: 10.1109/IC_ETC65981.2025.11141271.
- [5] Z. Bouzidi, A. Boudries & M. Amad "Deep LSTM-based Automated Learning Environment using Smart Data to Improve Awareness and Education in Time Series Forecasting," MC Medical Sciences journal, Vol 1, Issue 5, Dec 2021, <https://doi.org/10.55162/MCMS.2021.01.034>
- [6] Z. Bouzidi, M. Amad & A. Boudries A., "Enhancing Warning, Situational Awareness, Assessment and Education in Managing Emergency: Case study of Covid-19", Springer Nature Computer Science, 2022, vol 1, No 454, doi:10.1007/s42979-022-01351-2
- [7] Z. Bouzidi, M. Amad & A. Boudries, "A. Deep Learning-based Automated Learning Environment using Smart Data to improve Corporate Marketing, Business Strategies, Fraud Detection in Financial Service and Financial Time Series Forecasting," Springer Nature, 2022, Springer book_524532_1_En_ Sedkaoui
- [8] A. T. Showler and Michel Lecoq, "Desert Locust Management Is Plagued by Human-Based Impediments," in Agronomy, 2025, 15(9), 2102, <https://doi.org/10.3390/agronomy15092102>
- [9] F. J. Clissold, H. Kertesz, A. M. Saul, J. L. Sheehan & S. J. Simpson, "Regulation of water and macronutrients by the Australian plague locust, *Chortoicetes terminifera*," in Journal of Insect Physiology, Volume 69, 2014, Pages 35-40, ISSN 0022-1910, <https://doi.org/10.1016/j.jinsphys.2014.06.011>

- [10] Z. Bouzidi, A. Boudries & M. Amad, "Towards a Smart Interface-based Automated Learning Environment Through Social Media for Disaster Management and Smart Disaster Education," *Proceedings of Science and Information Conference - Advances in Intelligent Systems and Computing*, July 16th – 17th, 2020, SAI2020, Vol. 1228, pp. 443-468, *Doi* : 10.1007/978 – 3 – 030 – 52249 – 031
- [11] Hui, F., (2023), Transforming educational approaches by integrating ethnic music and ecosystems through RNN-based extraction. *Soft Comput.*, <https://doi.org/10.1007/s00500-023-09329-9>
- [12] Z. Bouzidi, "Modeling economic environment monitoring to enhance economic tasks using deep learning with economical education on various sources," *Proceedings of the First International Conference on Nonlinear Mathematical Analysis and Its Applications (IC-NMAA'24)*, Probability statistics, Modeling and Control, Mai 14th – 15th, 2024, pp. 210, Bordj Bou Arréridj - Algeria
- [13] K. Rudra, A. Sharma, N. Ganguly & S. Ghosh, "Characterizing and Countering Communal Micro-blogs during Disaster Events," *IEEE Transactions on Computational Social Systems*, vol 5, No 2, pp 403-417, 2018
- [14] Dzvimbo MA, Mashizha T.M., Zhanda K. & Mawonde A., (2022), "Promoting Sustainable development goals: Role of Higher Education institutions in climate and disaster management in Zimbabwe," *Jamba.*; 14(1):1206. doi:10.4102/jamba.v14i1.1206. PMID: 35812832; PMCID: PMC9257929.
- [15] Vivakaran, M.V., Neelamalar, M.: Utilization of social media platforms for educational purposes among the faculty of higher education with special reference to Tamil Nadu. *High. Educ. Future* 5(1), 4–19 (2018). <https://doi.org/10.1177/2347631117738638>
- [16] C. K. Lin, F. A./A. Nifa, S. Musa, Sy. A. Shahron & N. A. Anuar, "Challenges and opportunities of disaster education program among UUM student," *Proceedings of the 3rd International Conference on Applied Science and Technology (ICAST 18)*, Georgetown, Penang, Malaysia, 20218, doi:10.1063/1.5055440
- [17] K. Kobayashi, A. Narita, M. Hirano, K. Tanaka, T. Katada & K. Kuwasawa, "DIGTable: a tabletop simulation system for disaster education," In *Proceedings of Sixth International Conference on Pervasive Computing (Pervasive2008)*, p 57-60, 2008
- [18] A. Morchid, B. Et-taibi, Z. Oughannou, R. El Alami, H. Qjidaa, M. J. Ouazzani, E.-M. Boufounas & M. A. Riduan, "IoT-enabled smart agriculture for improving water management: A smart irrigation control using embedded systems and Server-Sent Events," *Scientific African*, Volume 27, 2025, e02527, ISSN 2468-2276, <https://doi.org/10.1016/j.sciaf.2024.e02527>
- [19] A. Nurzaman and N. Shakoar, "Advancing agriculture through IoT, Big Data, and AI: A review of smart technologies enabling sustainability," *Smart Agricultural Technology*, Volume 10, 2025, 100848, ISSN 2772-3755, <https://doi.org/10.1016/j.atech.2025.100848>
- [20] M. N. Mowla, N. Mowla, A. F. M. S. Shah, K. M. Rabie and T. Shongwe, "Internet of Things and Wireless Sensor Networks for Smart Agriculture Applications: A Survey," in *IEEE Access*, vol. 11, pp. 145813-145852, 2023, doi: 10.1109/ACCESS.2023.3346299
- [21] Tianzhe Jiao, Chaopeng Guo, Xiaoyue Feng, Yuming Chen & Jie Song, (2024), A Comprehensive Survey on Deep Learning Multi-Modal Fusion: Methods, Technologies and Applications, *Computers, Materials & Continua*, vol. 80(1), pages 1-35. <https://doi.org/10.32604/cmc.2024.053204>
- [22] Ofli F., Meier P., Imran M., Castillo C., Tuia D., Rey N., Briant J., Millet P., Reinhard F., Parkan M. & Joost, S., (2016), Combining Human Computing and Machine Learning to Make Sense of Big (Aerial) Data for Disaster Response, *Big Data*, vol. 4
- [23] Bouzidi Zair, (2024), Digital Technologies in Education: Impacts and Factors influencing Digital Capacity and Transformation, First international conference on Artificial intelligence in digital Marketing and management Boumerdes December 3rd-4th 2024
- [24] Bouzidi Zair & Boudries Abdelmalek, (2024), Monitoring Economics to enhance Economic Tasks to forecast Crises using Digital Technologies with Multimodal Deep Learning, Education and Safe Information, in Sustainability, First international conference on Artificial intelligence in digital Marketing and management Boumerdes December 3rd – 4th, 2024
- [25] Bouzidi Zair, (2024), Economic Environment Surveillance to predict Issues and Disruptions through Multimodal Deep Learning, Smart Education, and Secure Information, First international conference on Artificial intelligence in digital Marketing and management Boumerdes December 3rd – 4th, 2024
- [26] Zun Hlaing Moe, Mie Mie Khin, Thida San & Hlaing May Tin, (2018), Comparison of Naïve Bayes and Support Vector Machine Classifiers on Document Classification, 2018 IEEE 7th Global Conference on Consumer Electronics (GCCE 2018), Nara, Japan, 9-12 October 2018
- [27] Pandey, Meena and Suwal, Binita and Kayastha, Preeti and Suwal, Gresha and Khanal, Dipak, "Desert locust invasion in Nepal and possible management strategies: A review," *Journal of Agriculture and Food Research*, Volume 5, 2021, 100166, ISSN 2666-1543, <https://doi.org/10.1016/j.jafr.2021.100166>
- [28] Gupta, Subir and Chowdhury, Subrata and Govindaraj, Ramya and Amesho, Kassian T.T. and Shangdiar, Sumarlin and Kadhila, Timoteus and Iikela, Sioni, "Smart agriculture using IoT for automated irrigation, water and energy efficiency," *Smart Agricultural Technology*, Volume 12, 2025, 101081, ISSN 2772-3755, <https://doi.org/10.1016/j.atech.2025.101081>
- [29] Rajak, Prem and Ganguly, Abhrratanu and Adhikary, Satadal and Bhattacharya, Suchandra, "Internet of Things and smart sensors in agriculture: Scopes and challenges," *Journal of Agriculture and Food Research*, Volume 14, 2023, 100776, ISSN 2666-1543, <https://doi.org/10.1016/j.jafr.2023.100776>
- [30] S. R. Joshua, S. Park and K. Kwon, "Knowledge-Based Modeling Approach: A Schematic Design of Artificial Intelligence of Things (AIoT) for Hydrogen Energy System," 2024 IEEE 14th Annual Computing and Communication Workshop and Conference (CCWC), Las Vegas, NV, USA, 2024, pp. 0235-0241, doi: 10.1109/CCWC60891.2024.10427681
- [31] R. Jayabal, "Hydrogen energy storage with artificial intelligent-powered strategies for a sustainable future: A review," *J Mech Sci Technol* 39, pp. 1503–1510, 2025. <https://doi.org/10.1007/s12206-025-0240-3>
- [32] Siripond Mullanu, Caslon Chua, Andreea Molnar and Ali Yavari, "Artificial intelligence for hydrogen-enabled integrated energy systems: A systematic review," *International Journal of Hydrogen Energy*, Volume 141, 2025, Pages 283-303, ISSN 0360-3199, <https://doi.org/10.1016/j.ijhydene.2024.08.013>
- [33] RSET/ Articles/ 2510001941 Open Access Review An Overview of Digitalization Pathways for Green Hydrogen Production: AI, Machine Learning, IoT, Digital Twin, and Blockchain
- [33] Ali Mahmoud Nassar, Montaser Mahmoud and Adnan Alashkar, "An Overview of Digitalization Pathways for Green Hydrogen Production: AI, Machine Learning, IoT, Digital Twin, and Blockchain, Renewable and Sustainable Energy Technology," 2025, sciltp editions, <https://www.sciltp.com/journals/rset/articles/2510001941>, doi:10.53941/rest.2025.100011